

Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

17 messages

Sonia Monterrosa <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:05 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Sonia Monterrosa

delmimonterrosa@gmail.com

1051 Neola St

[Los Angeles CA , California 90041](#)

Jorge Mijangos <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:06 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Jorge Mijangos
mmbrsuhl11@gmail.com
4624 Grey Dr
Los Angeles, CA , California 90032

Hector Rodriguez <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:08 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Hector Rodriguez
gorte1969@gmail.com
920 Milwaukee Ave
Los Angeles CA , California 90042

Cirio Tecpa <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:10 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Cirio Tecpa

tecpacirio@yahoo.com

549 S Chicago St

[Los Angeles, CA , California 90033](#)

Irma R Robles <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:12 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Irma R Robles

iraquelr@icloud.com

2207 Thelma Ave

[Los Angeles CA , California 90032](#)

Vanessa Lauren <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:13 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Vanessa Lauren

vanesssalauren1210@gmail.com

541 S Spring St Unit 909

[Los Angeles CA , California 90013](#)

Maria de la Luz Torres <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:14 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Maria de la Luz Torres

luz.torres07@yahoo.com

612 S Grande Vista Ave
Los Angeles, CA , California 90023

Rodolfo Martinez <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:16 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Rodolfo Martinez

blck.1.187@gmail.com

1736 Workman St Apt 321

Los Angeles CA , California 90031

Ivan S Cordova <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:18 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG

emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Ivan S Cordova

ivancordova187@yahoo.com

2429 E Chavez Ave

Los Angeles, CA , California 90033

Manuel Flores Rlos <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:19 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Manuel Flores Rlos

mannyriosf@gmail.com

1013 Lord St

Los Angeles CA , California 90033

Guadalupe Flores <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:20 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Guadalupe Flores

lupitaflores.66@icloud.com

4839 Ruth Ave

[Los Angeles, CA , California 90041](#)

Stephanie Huerta <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:21 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindoleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Stephanie Huerta

mmbhsuhl11@gmail.com

6215 Arroyo Glen St

[Los Angeles, CA , California 90042](#)

Issac Moreno <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:23 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Issac Moreno

moreno667@gmail.com

4833 Converse St

[Los Angeles, CA , California 90032](#)

Nehemias Reyes <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:25 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Nehemias Reyes

reyesnehemias.1988@yahoo.com

404 N St Louis St, # A

[Los Angeles, CA , California 90033](#)

Taylor P Hall <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:26 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Taylor P Hall

taylor.hall19@gmail.com

600 S Spring St Unit 704

[Los Angeles CA , California 90014](#)

Walter Elizondo <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 7:27 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Walter Elizondo

walter.fernando7@outlook.com

4615 Eagle Rock Blvd Apt 6

[Los Angeles CA , California 90041](#)

Diego Baz <info@email.actionnetwork.org>

Wed, Jun 9, 2021 at 9:57 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Diego Baz

diegobaz67@gmail.com

17233 E Arrow Hwy

[Azusa, California 91702](#)