

**ORDINANCE NO. \_\_\_\_\_**

**CONVENTION CENTER AND ARENA SIGN DISTRICT**

## TABLE OF CONTENTS

SECTION 1. ESTABLISHMENT OF THE CONVENTION CENTER AND ARENA SIGN DISTRICT.....	5
A. Boundaries.....	5
B. Non-Contiguous Parcels. ....	5
C. Sign Zones.....	5
SECTION 2. PURPOSE.....	8
A. Purpose.....	8
SECTION 3. APPLICATION OF SUPPLEMENTAL USE DISTRICT REGULATIONS .....	9
SECTION 4. DEFINITIONS.....	9
SECTION 5. PROCEDURAL REQUIREMENTS.....	10
A. Building Permits. ....	10
B. Director Sign Off Required. ....	10
C. Exempt Signs, Murals, and Art Installations.....	11
D. Project Permit Compliance.....	11
E. Exceptions.....	12
F. Requests for Deviations from or Interpretations of Regulations. ....	12
SECTION 6. GENERAL REQUIREMENTS .....	12
A. General Requirements of the Code.....	12
B. Permitted Signs.....	13
C. Prohibited Signs.....	13
D. Permitted Sign Types by Location. ....	13
E. Freeway Exposure. ....	13
F. Minimum Sign Separation. ....	14
G. Illumination.....	14
H. Sign Illumination Plan. ....	14
I. Illumination Testing Protocol for Digital Displays. ....	15
J. Refresh Rates.....	16
K. Visual Maintenance.....	16
L. Hazard Review. ....	17
M. Alterations, Repairs or Rehabilitation. ....	17
N. Materials. ....	17
O. New Technologies. ....	17
SECTION 7. STANDARDS FOR SPECIFIC TYPES OF SIGNS.....	18

A.	Aerial View Signs. ....	18
B.	Arena Freeway Signs .....	18
C.	Digital Displays. ....	19
D.	Pillar Signs. ....	20
E.	Projected Image Signs. ....	21
F.	Projecting Signs. ....	21
G.	Supergraphic Signs. ....	22
H.	Temporary Signs.....	23
I.	Wall Signs.....	23
J.	Window Signs. ....	23
SECTION 8. SEVERABILITY .....		23

## APPENDICES

### Appendix A Conceptual Sign Plans

#### MAPS

Map 1	Convention Center and Arena Sign District Boundaries
Map 2	Sign District Zones

An ordinance amending and restating the sign district formerly known as the Convention and Event Center Sign District (Ordinance No. 182,281) and hereafter known as the Convention Center and Arena Sign District (Sign District), pursuant to the provisions of Section 13.11 of the Los Angeles Municipal Code (LAMC).

**WHEREAS**, the development of STAPLES Center Arena (now named Crypto.com Arena) (Arena) and the Los Angeles Sports and Entertainment District (LASED) projects have served as a catalyst for the removal of blight and renewed interest and investment in the Central City as a key business, entertainment, and cultural destination and have enlivened the Los Angeles Convention Center (Convention Center) and increased its attendance and events;

**WHEREAS**, in October 2012, the City Council approved entitlements, including the Convention and Event Center Specific Plan (Existing Specific Plan), for a project to construct an event center intended to host a National Football League team on the site of the existing West Hall (Event Center), construct replacement exhibit and meeting hall space to modernize and expand the Convention Center, and develop other site improvements, including implementation of a comprehensive signage program pursuant to the Convention and Event Center Sign District (Existing Sign District);

**WHEREAS**, the entitlements for the Convention and Event Center project were approved but not, by their own terms, effectuated because, among other things, the Event Center is no longer proposed to be constructed;

**WHEREAS**, the Existing Specific Plan has been amended and restated, and is now known as the Convention Center and Arena Specific Plan, to provide for the expansion and modernization of the Convention Center to provide enhanced opportunities for conventions and trade shows, other major events, tourism, and similar or related uses;

**WHEREAS**, development in accordance with the Convention Center and Arena Specific Plan will enhance the social, cultural, and economic goals of the City of Los Angeles (City); will expand the economic base of the City by providing additional employment opportunities and additional revenues to the region; and will specifically enhance the existing Convention Center and Crypto.com Arena and the future Convention Center development by providing public gathering places and a pedestrian friendly environment;

**WHEREAS**, expansion and modernization of the Convention Center will encourage additional urban infill and public-transit oriented redevelopment, including hotels, multi-family residential, office and retail projects on and around Figueroa Street, and will further support the momentum which is transforming the Central City into a world class business, entertainment, and cultural hub;

**WHEREAS**, unique and vibrant signage continues to be required in the Convention Center and Arena Sign District both to attract visitors to the Central City



area and to attract investment required to carry out the Convention Center expansion and modernization; and

**WHEREAS**, this ordinance has been developed in conjunction with and in furtherance of the Convention Center and Arena Specific Plan and includes certain modifications to the Existing Sign District to reflect the removal of a substantial volume of signage previously proposed for the Event Center and to better tailor the program to a project focused exclusively on expansion and enhancement of the Convention Center.

**NOW, THEREFORE,**


**THE PEOPLE OF THE CITY OF LOS ANGELES  
DO ORDAIN AS FOLLOWS:**

**SECTION 1. ESTABLISHMENT OF THE CONVENTION CENTER AND ARENA SIGN DISTRICT.**

**A. Boundaries.** The City Council hereby amends and restates in its entirety the Existing Sign District, known hereafter as the Convention Center and Arena Sign District, which shall be applicable to that area of the City shown within the heavy dashed line on Map 1, comprising the approximately 68 acre site owned by the City and bounded generally by Chick Hearn Court on the north; Figueroa Street on the east; Venice Boulevard on the south; and the Caltrans right of way adjacent to the 110 Freeway on the west.

**B. Non-Contiguous Parcels.** Notwithstanding Los Angeles Municipal Code (Code) Section 13.11.B, the Sign District boundaries may be amended to include non-contiguous parcels proximate to the 10 (Santa Monica) or 110 (Harbor) Freeways containing Arena Freeway Signs.

**C. Sign Zones.** This Sign District is divided into four Sign Zones as shown on Map 2. The purpose of the Sign Zones is to address the relationship between sign intensity and the uses surrounding each Sign Zone.




MAP 1  
**Convention Center and  
 Arena Sign District**

 Sign District  
 Boundary



5/9/2012



MAP 2  
Sign District  
Zones

 Arena Zone  
 Chick Hearn Court Zone

 Figueroa Corridor Zone  
 Freeway Edge Zone



NOTES: The boundary of the Arena Zone is considered the area governed by the Arena ground lease.  
Signage along the Convention Center facade facing the freeway is considered to be located in the Freeway Edge Zone.

## **SECTION 2. PURPOSE.**

### **A. Purpose.**

The Sign District is intended to:

1. Support and enhance the land uses and urban design objectives in the Central City Community Plan and the Convention Center and Arena Specific Plan;
2. Reinforce the pedestrian-oriented character of the streets within and immediately surrounding the Sign District by allowing and encouraging pedestrian-oriented signs throughout the Sign District;
3. Establish Sign Zones and provide further regulation of signs in order to:
  - a. Ensure the quality of the Sign District's appearance;
  - b. Ensure that new signs are responsive to and integrated with the aesthetic character of the Convention Center and Arena in the areas on which they are located, and are positioned in a manner that is compatible both architecturally and relative to the other signage within the Sign District;
  - c. Encourage creative, well-designed signs that contribute in a positive way to the visual environment of the Sign District and the Central City Community Plan area in a manner that accentuates the architectural characteristics of the Convention Center and the Crypto.com Arena and reinforces the Sign District's sense of place as a major convention, tourism, urban sports and entertainment destination venue, an exciting pedestrian experience, and a lively commercial neighborhood with a visually attractive character;
  - d. Ensure that signs are consistent with the identity established by the Convention Center, Crypto.com Arena, the Los Angeles Sports and Entertainment District, and L.A. LIVE, integrated, and compatible in scale with the aesthetic character of the structures on which they are located and relative to the other signage on site while maintaining compatibility and sensitivity to surrounding uses; and
  - e. Coordinate the location and display of signs to minimize potential traffic hazards and protect public safety.

### **SECTION 3. APPLICATION OF SUPPLEMENTAL USE DISTRICT REGULATIONS.**

A. This Ordinance regulates signs within the Sign District. The regulations of this Ordinance are in addition to those set forth in the Planning and Zoning provisions of the Code. These regulations do not convey any rights not otherwise granted under the provisions and procedures contained in the Code or other relevant ordinances, except as specifically provided for in this Ordinance.

Wherever this Ordinance contains provisions that establish regulations that are different from, more restrictive than, or more permissive than the Code or other relevant codes and ordinances, this Ordinance shall prevail. This Ordinance supersedes the signage regulations from Ordinance No. 172,465 (Arena sign regulations) and Ordinance No. 182,281 (Convention and Event Center Sign District), except for existing signage which may be altered, repaired, or rehabilitated pursuant to Section 6.M.

### **SECTION. 4. DEFINITIONS.**

Whenever the following terms are used in this Ordinance, they shall be construed as defined in this Section. Notwithstanding Code Section 13.11, words and phrases not defined here shall be construed as defined in Section 12.03 and Article 4.4 of the Code.

**Aerial View Sign.** A sign that is applied or placed upon the roof surface, approximately parallel with the roof plane, intended to be viewed primarily from the sky.

**Arena.** The sports and entertainment building within the Sign District, commonly known as Crypto.com Arena.

**Arena Freeway Sign.** A sign that is consistent with the requirements of California Business & Professions Code Section 5272(b)-(i) (which applies to advertising displays within view of public highways, within a City of Los Angeles geographic area), as applicable, including as later amended, and located on a contiguous or non-contiguous parcel within the Sign District.

**Conceptual Sign Plans.** The Site Plan and Sign Elevations for Options A, B, and C depicting the approved locations for Supergraphic Signs and Digital Displays, and Sign Plans for Wall Signs within the Arena Zone attached to this Ordinance as Appendix A.

**Digital Display.** A sign face, building face, and/or any building or structural component that displays still images, scrolling images, moving images, or flashing images, including video and animation, through the use of grid lights, cathode ray projections, light emitting diode displays, plasma screens, liquid crystal displays, fiber optics, or other electronic media or technology that is either independent of or attached to, integrated into, or projected onto a building or structural component, and that may be changed remotely through electronic means.



**Off-Site Sign.** A sign that displays any message directing attention to a business, product, service, profession, commodity, activity, event, person, institution, or any other commercial message, which is generally conducted, sold, manufactured, produced, or offered or occurs elsewhere than within the boundaries of the Sign District. A sign displaying the name of the entity for which an Arena, building, or development within the Sign District is named is not an Off-Site Sign.

**On-Site Sign.** A sign that is other than an Off-Site Sign, including any sign for any other use within the Sign District regardless of where the parcel, the use, or sign is located. A sign displaying the name of the entity for which an Arena, building, or development within the Sign District is named is an On-Site Sign.

**Pillar Sign.** A freestanding sign that is mounted directly on the ground, consisting of rectangular sign faces or a sculptural themed shape, with a horizontal dimension that does not exceed the length of the vertical dimension.

**Projecting Sign.** A sign, other than a wall sign, that is attached to a building and projects outward from the building with one or more sign faces approximately perpendicular to the face of the building.

**Wall Sign.** Any sign attached to, painted on, or erected against the wall of a building or structure, with the exposed face of the sign in a plane approximately parallel to the plane of the wall.

*Note: Definitions for other Signs referenced in this Ordinance are provided in the Code.*

## **SECTION 5. PROCEDURAL REQUIREMENTS.**

### **A. Building Permits.**

The Los Angeles Department of Building and Safety (LADBS) shall not issue a permit for a sign, a sign structure, sign illumination, or alteration of an existing sign within the Sign District unless the sign complies with: (1) the requirements of this Ordinance as determined by the Director of Planning or the Director's designee (Director); and (2) applicable requirements of the Code.

### **B. Director Sign Off Required.**

With respect to the following signs, only a ministerial Director sign-off on the permit application will be required prior to issuance by LADBS of a building permit. The Director shall approve the permit if the sign complies with all the applicable requirements of this Ordinance and Appendix A and the applicable requirements of the Code. The Director's approval shall also be indicated by stamping and dating the permit plans.

1. Aerial View Signs;
2. Digital Display in compliance with Section 7.C and in substantial conformance with the Conceptual Sign Plans attached as Appendix A;
3. Supergraphic Signs in compliance with Section 7.G and in substantial conformance with the Conceptual Sign Plans attached as Appendix A;
4. Pillar Signs;
5. Projecting Signs;
6. Wall Signs in the Chick Hearn Court, Figueroa Corridor, and Freeway Edge Zones;
7. Wall Signs in the Arena Zone in compliance with Section 7.I and in substantial conformance with the Conceptual Sign Plans attached as Appendix A; and
8. Window Signs.

**C. Exempt Signs, Murals, and Art Installations.**

The following types of signs, murals, and art installations shall be subject to LADBS review or Department of Cultural Affairs review, based on the applicable requirements of this Ordinance and the Code, but are exempt from Director's review and do not require a Director's permit sign-off:

1. Awning Signs;
2. Information Signs;
3. Marquee Signs;
4. Monument Signs;
5. Original Art Murals;
6. Public Art Installations;
7. Roof Signs; and
8. Temporary Signs.

**D. Project Permit Compliance.**

LADBS shall not issue a permit for the following signs unless the Director has issued a Project Permit Compliance approval pursuant to the procedures set forth in Code Section 11.5.7. The Director's decision on Project Permit Compliance shall be subject to appeal as set forth in Code Section 11.5.7.

1. Arena Freeway Signs;

2. Digital Displays which exceed the location deviation limits identified in Section 7.C.2 or the sizes indicated on the Conceptual Sign Plans attached as Appendix A, but otherwise are consistent with the intent and purposes of the Sign District, do not exceed the size limits under Section 7.C.1, and do not exceed any applicable illumination standards of the Sign District or Code;

3. Supergraphic Signs which exceed the location deviation limits identified in Section 7.G.2 or the sizes indicated on the Conceptual Sign Plans attached as Appendix A, but otherwise are consistent with the intent and purposes of the Sign District, do not exceed the size limit under Section 7.G.1, and do not exceed any applicable illumination standards of the Sign District or Code.

4. Wall Signs in the Arena Zone which exceed the location deviation limits identified in Section 7.I.2 or the sizes indicated on the Conceptual Sign Plans attached as Appendix A, but otherwise are consistent with the intent and purposes of the Sign District, do not exceed the size limit under Section 7.I.1, and do not exceed any applicable illumination standards of this Sign District or Code.

#### **E. Exceptions.**

No Project Permit Compliance or modification thereto or any Project Permit Adjustment or any exception, amendment or interpretation of this Ordinance shall be required for: (a) a change in sign advertising or sign text, images or copy; (b) any construction for which a permit is required in order to comply with an order issued by LADBS to repair or replace an unsafe or substandard condition; or (c) a modification to any sign, any sign support structure or to the Conceptual Sign Plans that results in (i) a change of a sign from a Digital Display to a non-Digital Display, or (ii) subject to Section 6.D of this Ordinance, relocation of any such sign within ten (10) feet on the vertical axis and fifty (50) feet on the horizontal axis from the location depicted on the Conceptual Sign Plans.

#### **F. Requests for Deviations from or Interpretations of Regulations.**

The procedures for adjustments, modifications, exceptions, amendments, and interpretations to this Ordinance shall follow the procedures set forth in Code Section 11.5.7.E-H.

### **SECTION 6. GENERAL REQUIREMENTS.**

#### **A. General Requirements of the Code.**

Unless specified in this Ordinance to the contrary, the general sign requirements set forth in the Code shall apply to this Ordinance for permits, plans, design and



construction, materials, street address numbers, identification, and maintenance, prohibited locations, and sign illumination. Notwithstanding the foregoing, any combined area restrictions in Article 4.4, including, but not limited to, Sections 14.4.8.A.2 (Monument Signs), 14.4.9.B.2 (Projecting Signs), 14.4.10.A.4 (Wall Signs), 14.4.10.A.5 (Wall Signs), 14.4.12.B.4 (Pole Signs), 14.4.13.B.3 (Roof Signs), 14.4.13.B.4 (Roof Signs), 14.4.14.B (Window Signs), and 14.4.16.B.2 (Temporary Signs) shall not apply to signs within the Sign District. A building permit shall be obtained from LADBS in accordance with the applicable provisions of LAMC, for any signs, sign structures, and/or sign alterations, other than changes to or replacement of copy.

#### **B. Permitted Signs.**

Except as otherwise prohibited in Section 6.C (Prohibited Signs), below, and notwithstanding Code Section 14.4.4.B, all signs described and regulated in Section 7 (Standards for Specific Types of Signs) of this Ordinance, and all signs otherwise permitted by the Code or as previously legally permitted signs shall be permitted within the Sign District.

1. Any ideological, political or other noncommercial message, or any on-site commercial message, shall be permitted on a sign otherwise permitted under this Ordinance.

#### **C. Prohibited Signs.**

The following signs shall be prohibited:

1. Can Signs/Cabinet Signs.
2. Illuminated Architectural Canopy Signs.
3. Pole Signs, excluding Information Signs.
4. Any sign not specifically authorized by this Ordinance or by the Code.

#### **D. Permitted Sign Types by Location.**

The location of signage within the Sign District is subject to standards identified in Section 7 (Standards for Specific Types of Signs) of this Ordinance, and Code Section 14.4.4.C (Prohibited Locations). In addition, no sign shall be placed over the exterior surface of any opening of a building, including its windows, doors, and vents, unless the LADBS, with the concurrence of the Los Angeles Fire Department (LAFD), determines that the sign would not create a hazardous condition.

#### **E. Freeway Exposure.**

Signs that adhere to the regulations of this Ordinance are exempt from Code Sections 14.4.6 (Freeway Exposure), 91.6201.6.6 and 80.08.4.

#### **F. Minimum Sign Separation.**

There shall be no required minimum distance separating signs within the Sign District, except as may otherwise be required pursuant to California Business and Professions Code Section 5272.2(a)(4)(A) (which applies to advertising displays within view of public highways that are within specified geographic areas within the City of Los Angeles).

#### **G. Illumination**

All signs may be illuminated by either internal or external means. The illumination regulations set forth in the Code, including, but not limited to, Section 93.0117, shall apply. Methods of signage illumination may include, but are not limited to: electric lamps, such as neon tubes; fiber optics; incandescent lamps; LED; LCD; cathode ray tubes exposed directly to view; shielded spotlights and wall wash fixtures. In addition, signage shall be subject to the following regulations:

1. **Lighting onto Residential Units and Commercial Buildings.** All illuminated signs shall be designed, located, or screened so as to minimize to the greatest reasonable extent possible direct light sources onto any exterior wall of a residential unit and into the window of any commercial building. If signs are to be externally lit, the source of the external illumination shall be shielded from public view on adjoining lots.
2. **Reflective Materials.** Signage shall not use highly reflective materials such as mirrored glass.
3. **Green Code.** All light sources, including illuminated signage, shall comply with CALGreen (Part 11 of Title 24, California Code of Regulations) and the Green Code of the City of Los Angeles.
4. **Adjustment of Luminance.** Each Digital Display shall be fully dimmable and shall be controlled by a programmable timer so that luminance levels may be adjusted according to the time of day and applicable lighting standards.

#### **H. Sign Illumination Plan.**

Additionally, an initial signage illumination plan for Digital Displays in the Conceptual Sign Plan (see Exhibit 1) is provided as Appendix A.1 in the Addendum to the Convention and Event Center Project Environmental Impact Report ENV-2011-0585-EIR (State Clearinghouse No. 2011031049), and Project Design Features (PDFs) and Mitigation Measures (MMs) are included in the Mitigation Monitoring Program (MMP) for the Addendum. No further signage illumination plan shall be required for signs that substantially conform to the Conceptual Sign Plans and the applicable PDFs

and MMs of the MMP. For signs that are not in substantial conformance with the Conceptual Sign Plans, PDFs, and MMs, a signage illumination plan may be required if the signage illumination is materially different than the initial sign illumination plan. If a new or revised signage illumination plan is required, it shall be submitted to the Director as part of the Project Permit Compliance Review procedure for Digital Displays set forth in Section 5.D. The signage illumination plan shall be prepared by a lighting design expert, and those portions of the plan setting forth the wattage draw must be certified and stamped by an electrical engineer certified by the State of California. The plan shall include specifications for all illumination, including maximum luminance levels, and shall provide for the review and monitoring of the displays in order to ensure compliance with the regulations of this section, and with the following additional regulations:

1. **Brightness.** Digital Displays shall have a nighttime brightness no greater than 600 candelas per square meter, all white, within the Figueroa Corridor Sign Zone and Arena Sign Zone, and a nighttime brightness no greater than 300 candelas per square meter elsewhere in the Sign District. In addition, Digital Displays shall have a daytime brightness no greater than 5,000 candelas per square meter. The displays shall transition smoothly at a consistent rate from the permitted daytime brightness to the permitted nighttime brightness levels, beginning 45 minutes prior to sunset and concluding 45 minutes after sunset.

2. **Beam Spread.** All light emitting diodes used within a Digital Display shall have a maximum horizontal beam spread of 140 degrees and maximum vertical beam spread of 65 degrees.

3. **Ground Spillage.** When measured at ground level from any location other than the property on which a Digital Display is located, a Digital Display shall not under any circumstance increase the total amount of measurable light more than 21.5 lux (2.0 foot-candles) above the ambient-light level that exists when the Digital Display is extinguished.

#### **I. Illumination Testing Protocol for Digital Displays.**

Prior to the operation of any Digital Display, the applicant shall conduct testing to indicate compliance with the illumination regulations of this Ordinance and provide a copy of the results along with a certification from an LADBS approved testing agency to the Director and to LADBS stating that the testing results demonstrate compliance with the requirements of this Ordinance. The testing shall be at the applicant's expense and shall be conducted as follows:

1. **Testing.** In order to determine whether the illumination complies with the Code and the requirements of this Ordinance, a representative testing site shall be established on or next to those light sensitive receptors, as defined by the City's CEQA Guidelines, which have the greatest exposure to signage lighting on each of the four facades of the Project. A light meter mounted to a

tripod at eye level, facing the Project buildings, shall be calibrated and measurements taken to determine ambient light levels with the sign on. An opaque object shall be used to block out the view of the sign and the building from the light meter at a distance of at least 4 feet away from the tripod. A reading shall then be taken to determine the ambient light levels with the sign off. The difference between the two measurements shall be the amount of light the sign casts onto the sensitive receptor. Alternatively, the applicant may measure light levels by using the same tripod and same light meter, but by turning the signage on and off. Testing of Digital Displays shall be with all LED's set to white to present maximum luminance.

2. **Metering.** The illumination and intensity levels of all Digital Displays shall also be metered from a minimum of four perspectives (i.e., a meter reading of each facade) using the Candela as the unit of measurement and shall indicate conformance with the standards of this Ordinance.

3. **Re-testing.** In addition, as a result of a complaint or otherwise, LADBS may undertake a preliminary investigation to determine if it has cause to believe the Project's signage lighting is not in compliance with this Ordinance. If so, LADBS may request, at the expense of the applicant or its successor, that the testing protocol outlined in this section be implemented to determine compliance. If the testing reveals that the signage is not in compliance with the Code, this Ordinance, or Mitigation Measures set forth in the Environmental Clearance that the City certified for this Ordinance, the applicant or its successor shall immediately adjust the signage illumination to bring it into compliance.

**J. Refresh Rates.** The Refresh Rate is the rate at which a Digital Display may change content. The Refresh Rates are as follows and shall apply to Digital Displays as set forth in Section 7.C.5.

1. **Controlled Refresh Rate.** The Controlled Refresh Rate shall be no more frequent than one refresh event every eight seconds, with an instant transition between images. The sign image must remain static between refreshes.

2. **Non-Controlled Refresh Rate.** The Non-Controlled Refresh Rate shall permit images, videos, animation, parts and/or illumination that flash, change, move, stream, scroll, blink, or otherwise incorporate motion to change at an unrestricted rate.

**K. Visual Maintenance.**

All signs shall be maintained to meet the following criteria at all times:

1. The building and ground area around the signs shall be properly maintained. All unused mounting structures, hardware, and wall perforation from

any abandoned/removed sign shall be removed and building surfaces shall be restored to their previous condition.

2. All sign copy shall be properly maintained and kept free from damage and other unsightly conditions, including graffiti.

3. All sign structures shall be kept in good repair and maintained in a safe and sound condition and in conformity with all applicable codes.

4. Razor wire, barbed wire, concertina wire, or other barriers preventing unauthorized access to any Sign shall be hidden from public view.

5. No access platform, ladder, or other service appurtenance, visible from the sidewalk, street, or public right-of-way, shall be installed or attached to any sign structure.

6. Signs that are no longer serving the current tenants, including sign structures, shall be removed and the building facades originally covered by the signs shall be repaired and/or resurfaced with materials and colors that are compatible with the facades.

#### **L. Hazard Review.**

Signs that adhere to the regulations outlined in this Ordinance shall be exempt from hazard determination review procedures in the Code, as such determination was made in connection with the adoption of Ordinance.

#### **M. Alterations, Repairs or Rehabilitation.**

Any alteration, repair or maintenance work on a legally permitted sign or sign structure shall be governed by the Code. Any existing and legally permitted sign and sign structure as of the effective date of this Ordinance, including, but not limited to, those authorized and installed pursuant to Ordinance No. 172,465 (Arena Project Signage Provisions), may continue to be operated, maintained, repaired, replaced, or structurally altered in accordance with the requirements of the Code and, to the extent applicable, Ordinance No. 172,465, and shall otherwise be exempt from this Ordinance.

#### **N. Materials.**

The materials, construction, application, location, and installation of any sign shall be in conformance with the Los Angeles Building Code and the Los Angeles Fire Code.

## **O. New Technologies.**

The Director may permit the use of any technology or material that did not exist as of the effective date of this Ordinance provided that the material is approved by LADBS, utilizing the Director's Interpretation procedure outlined in Code Section 11.5.7.H, if the Director finds that such technology or material is consistent with the regulations described herein.

## **SECTION 7. STANDARDS FOR SPECIFIC TYPES OF SIGNS.**

**A. Aerial View Signs.** Aerial View Signs shall be permitted and shall not be limited in number or sign area.

1. **Location.** The Aerial View Sign may either be (i) painted directly on the roof, (ii) mounted or painted on a fire-retardant membrane parallel to the roof, or (iii) composed of raised letters mounted parallel to the surface of the roof.
2. **Illumination.** The Aerial View Sign will be primarily visible from above and may be illuminated.

## **B. Arena Freeway Signs.**

1. **General.** An amendment of this Ordinance shall be required to add the location of any new Arena Freeway Sign to the Sign District. The existing Arena Freeway Sign as of the effective date of this Ordinance (Sign E.02 in Appendix A Conceptual Sign Plan) may be modified or replaced in its same location without an amendment to the Ordinance. A maximum of two Arena Freeway Signs are allowed by this Ordinance on parcels noncontiguous with this Sign District.

2. **Design.** The specifics of an Arena Freeway Sign shall be considered during the Project Permit Compliance review for each sign, including future environmental review pursuant to the California Environmental Quality Act. Each Arena Freeway Sign shall be limited to two sign faces and shall be separated a minimum of 500 feet from another Arena Freeway Sign. In addition, modifications to or replacement of the existing Arena Freeway Sign (Sign E.02 in Appendix A Conceptual Sign Plan) shall be permitted. Any modified or replaced Arena Freeway Sign shall conform to the following requirements:

- a. Location shall substantially conform to the sign's existing location.
- b. Area shall be limited to 5,000 square feet per sign face, all of which may be comprised of a Digital Display, subject to Sections 7.C.3, 7.C.4, and 7.C.5 below. The Digital Display

element sign area shall not count towards the maximum limit of Section 7.C.1.

c. Height shall not exceed a height of 150 feet as measured from the top of the sign to sidewalk grade or edge of roadway grade nearest to the sign.

d. The modification or replacement complies with California Business & Professions Code Section 5272(b)-(i), as applicable, including as later amended.

3. **Digital Display Elements.** The Arena Freeway Signs may incorporate other types of sign elements allowed by this Ordinance, including, but not limited to, Digital Displays. If the Arena Freeway Sign includes a Digital Display, the Digital Display shall not count towards the maximum sign area for Digital Displays and shall be subject to the Sign Illumination standards of Section 6G – 6K.

#### C. Digital Displays.

Digital Displays shall comply with the following regulations:

1. **Sign Area.** An individual Digital Display shall not exceed 26,400 square feet in area. The total combined area of all Digital Displays in each Sign Zone shall not exceed the following:

	Arena	Chick Hearn Court	Figueroa Corridor	Freeway-Edge
Maximum Total Digital Display Sign Area	3,216 sf	6,700 sf	30,540 sf	39,560 sf

*NOTE: A Digital Display may be replaced in its same location with a Supergraphic Sign. In that instance, the Supergraphic Sign area shall be deducted from the Maximum Total Digital Display Area within the Sign Zone.*

*NOTE: Digital Displays on Pillar Signs in the Arena Zone are not subject to the maximum total Digital Display limit.*

2. **Number and Location.** Digital Displays shall be installed in substantial conformance with the approximate number and locations identified in any of the Conceptual Sign Plan (Appendix A) options, or combination of options, provided that the total of all Digital Displays in the Freeway-Edge Zone shall not exceed 39,560 square feet. For the purposes of this Ordinance, a sign shall be considered in substantial conformance if it is within 10 feet on the vertical axis and 50 feet on the horizontal axis from the location depicted on the Conceptual



Sign Plan. In addition, any location for a Digital Display on the Conceptual Sign Plan may instead be replaced with a Supergraphic Sign.

3. **Design.** Digital Displays shall use grid lights, cathode ray projections, light emitting diode displays, plasma screens, liquid crystal displays, fiber optics, or other electronic media or technology to be developed. The Digital Displays may be flush mounted. Signs should generally align with the grid patterns or mullions of the sign location.

4. **Illumination and Illumination Plan.** Digital Displays shall be internally illuminated and subject to the applicable illumination standards of Section 6.G of this Ordinance.

5. **Refresh Rates and Operation.**

a. Digital Displays within the Arena, Chick Hearn Court, and Figueroa Corridor Sign Zones shall be subject to the Non-Controlled Refresh Rate. Digital Displays within the Freeway-Edge Sign Zone shall be subject to the Controlled Refresh Rate.

b. Digital Displays within the Figueroa Corridor Subarea shall have no limits on hours of operation. Digital Displays within the Arena, Chick Hearn Court, and Freeway-Edge Subareas shall operate only during the time period beginning at 6:00 a.m. and ending at 2:00 a.m.

6. **On-Site and Off-Site Standards.** The Digital Displays permitted by this subsection may be On-Site or Off-Site Signs.

**D. Pillar Signs.** Pillar Signs shall comply with the following regulations:

1. **Sign Area.** Each Pillar Sign shall have a maximum of 30 square feet in sign area per sign face, except within the Figueroa Corridor Sign Zone where each Pillar Sign shall have a maximum of 80 square feet in sign area per sign face. In the Arena Sign Zone, nine Pillar Signs shall have a maximum of 100 square feet in sign area per sign face. See Section 7.D.5 below for sign area limits for Digital Displays on Pillar Signs in the Arena Zone.

2. **Height.** The height of a Pillar Sign shall not exceed a maximum of eight feet, except within the Figueroa Corridor Sign Zone and the Arena Sign Zone where each Pillar sign shall be a maximum of 12 feet in height. Further, up to nine additional Pillar Signs not exceeding a maximum of 30 feet in height may be erected in the Arena Sign Zone. The height of any Digital Display on any of the nine Pillar Signs in the Arena Sign Zone shall not exceed 20 feet in height.



3. **Location.** A Pillar Sign shall be set back at least ten feet from the intersection of a driveway and the public right-of-way and shall not interfere with or present a hazard to pedestrian or vehicular traffic.

4. **Design.** Pillar Signs shall be ground-mounted and not attached to any building face.

5. **Digital Displays.** Pillar Signs shall not include Digital Displays, except in the Arena Sign Zone where up to nine Pillar Signs may include up to 75 square feet of Digital Display. The Digital Displays shall not be subject to the sign area, number, and location requirements of Sections 7.C.1 and 7.C.2.

6. **Illumination.** Pillar Signs shall be non-illuminated or internally illuminated, except in the Arena Sign Zone where Pillar Signs may be internally or externally illuminated.

7. **On-Site and Off-Site Standards.** Pillar Signs shall be On-Site Signs, except in the Arena Sign Zone where Pillar Signs may be On-Site Signs or Off-Site Signs.

8. **Gilbert Lindsay Plaza.** No Off-Site signage shall face or front Gilbert Lindsay Plaza.

**E. Projected Image Signs.** Projected Image Signs shall be permitted and shall not be subject to the regulations set forth in Code Section 14.4.4.B.8 and shall not be treated as Digital Displays for purposes of this Ordinance.

**F. Projecting Signs.** Projecting Signs shall comply with the following regulations:

1. **General.** The text, message or logo on a Projecting Sign shall consist of individual, dimensional letters or graphic elements that are applied onto the Sign surface.

a. No text, message or logo shall be permitted on that portion of a Projecting Sign that is parallel to the face of the building.

2. **Location.** A Projecting Sign shall align with major building elements such as cornices, string courses, window banding, or vertical changes in material or texture.

3. **Dimensions.**

a. A Projecting Sign shall not exceed 80 feet in height as measured vertically from the bottom of the sign to the top of the sign.

b. The width of the sign face of a Projecting Sign that is perpendicular to the building shall not exceed 20 percent of the overall height of the sign and in no event shall exceed 6 feet. This measurement does not include the dimensions of the sign's supporting structure.

c. No portion of a Projecting Sign that is parallel to the face of the building shall exceed 4 feet in width.

**4. Extension Above The Roof.** A Projecting Sign may extend above the top of the wall or roof parapet of a building face, but the extension shall not exceed thirty (30) percent of the total vertical height of the Projecting Sign. In no event shall a Projecting Sign extend higher than 150 feet from grade.

**5. Projection.** The planes of sign faces of Projecting Signs shall be substantially parallel to one another unless approved pursuant to Project Permit Compliance review.

#### **G. Supergraphic Signs.**

**1. Sign Area.** An individual Supergraphic Sign shall not exceed 5,300 square feet in area. The total combined area of all Supergraphic Signs in each Sign Zone shall not exceed the following:

	Arena	Chick Hearn Court	Figuerroa Corridor	Freeway-Edge
Maximum Total Supergraphic Sign Area	3,552 sf	5,300 sf	0 sf	0 sf
<i>NOTE: A Digital Display may be replaced in its same location with a Supergraphic Sign. In that instance, the Supergraphic Sign area shall be deducted from the Maximum Total Digital Display Area within the Sign Zone.</i>				

**2. Number and Location.** Supergraphic Signs shall be installed in substantial conformance with the approximate locations identified in the Conceptual Sign Plan (Appendix A). For the purposes of this Ordinance, a Sign shall be considered in substantial conformance if it is within 10 feet on the vertical axis and 50 feet on the horizontal axis from the location depicted on the Conceptual Sign Plan. In addition, any location for a Digital Display on the Conceptual Sign Plan may instead be replaced with a Supergraphic Sign.

#### **3. Design.**

a. A Supergraphic Sign that is comprised of vinyl or other material may be attached to a wall with an adhesive or by mechanical means approved by LADBS and the LAFD, if applicable.

b. Supergraphic Signs comprised of mylar or other film-like transparent material, such as perforated vinyl, may be applied directly to windows subject to the provisions of Section 6.N.

c. Supergraphic Signs may adhere to windows provided that such signs have been scored into ten smaller portions for each glass panel that the sign covers or as otherwise approved by the LAFD.

d. Supergraphic Signs shall not obstruct outward views from windows.

**4. On-Site and Off-Site Signs.** The Supergraphic Signs permitted by this subsection may be On-Site or Off-Site Signs.

**H. Temporary Signs.** Temporary Signs are allowed within the Sign District and shall comply with the applicable provisions of the Code, except there shall be no limit in terms of sign area. Notwithstanding Code Section 14.4.16.C, temporary building identification signs requested in connection with building name changes shall be allowed on the condition that they also qualify as a sign displaying the name of an Arena, building, or development within the Sign District, as set forth in the definition of On-Site Sign in this Ordinance. These temporary building identification signs shall be subject to a time limit of one span of 90 days in lieu of a span of a maximum of three 30-day in length installations.

**I. Wall Signs.** Walls Signs cannot also be a Digital Display or a Supergraphic Sign.

1. **Sign Area and Location.** Wall Signs in the Chick Hearn Court, Figueroa Corridor, and Freeway-Edge Zone are allowed within the Sign District and shall comply with the applicable provisions of the Code, or with the sign area and location identified for Wall Signs AS.01, CC.01, CC.02, CC.03, and CC.04, as identified in the Conceptual Sign Plan (Appendix A), whichever is more permissive. Notwithstanding the foregoing, AS.01 may be up to 6,000 square feet.

2. **Sign Area and Location – Arena Zone.** Wall Signs in the Arena Zone are subject to the following provisions:

3. **Sign Area.** An individual Wall Sign shall not exceed the greater of 3,694 square feet in area or the area allowed under the Code. The total combined area of Wall

a. Signs shall not exceed the greater of 10,438 square feet in area or the area allowed under the Code. Wall Sign area within the Arena Zone shall not count against any Code wall sign area maximums for the remaining Sign Zones.

b. **Number and Location.** Wall Signs shall be installed in substantial conformance with the approximate locations identified in the Conceptual Sign Plan (Appendix A), including allowing for any extensions above the top of the wall of the building. For the purposes of this Ordinance, a Sign shall be considered in substantial conformance if it is within 10 feet on the vertical axis and 50 feet on the horizontal axis from the location depicted on the Conceptual Sign Plan.

4. **On-Site Signs.** The Wall Signs permitted by this subsection can only be On-Site Signs.

J. **Window Signs.** Window Signs are allowed within the Sign District and shall comply with the applicable provisions of the Code, except there shall be no limit in terms of sign area.

## **SECTION 8. SEVERABILITY.**

If any provision of this Ordinance or its application to any person or circumstance is held to be unconstitutional or otherwise invalid by any court of competent jurisdiction, the invalidity shall not affect other provisions, clauses, or applications of said ordinance which can be implemented without the invalid provision, clause or application, and to this end the provisions and clauses of this Ordinance are declared to be severable.

SEC. 9. The City Clerk shall certify to the passage of this ordinance and have it published in accordance with Council policy, either in a daily newspaper circulated in the City of Los Angeles or by posting for ten days in three public places in the City of Los Angeles: one copy on the bulletin board located at the Main Street entrance to the Los Angeles City Hall; one copy on the bulletin board located at the Main Street entrance to the Los Angeles City Hall East; and one copy on the bulletin board located at the Temple Street entrance to the Los Angeles County Hall of Records.

Approved as to Form and Legality

MICHAEL N. FEUER, City Attorney

By   
KENNETH FONG  
Deputy City Attorney

Date 11/08/2022

File No. 22-0536

Pursuant to Charter Section 559, I  
**disapprove** this ordinance on behalf  
of the City Planning Commission and  
recommend that it not be adopted.

  
VINCENT P. BERTONI, AICP  
Director of Planning

Date 11/8/22

m:\real prop\_env\_land use\land use\kenneth fong\ordinances active\convention center & arena sp & sign district 2022\city atty rpt & ordinances\2022.11.03 draft cca sign district ordinance\_final.docx

The Clerk of the City of Los Angeles  
hereby certifies that the foregoing  
ordinance was passed by the Council  
of the City of Los Angeles.

CITY CLERK

MAYOR

\_\_\_\_\_

\_\_\_\_\_

Ordinance Passed \_\_\_\_\_

Approved \_\_\_\_\_