

Exhibit B
CPC-2017-505-TDR-ZV-SPPA-DD-SPR

IV. Mitigation Monitoring Program

IV. Mitigation Monitoring Program

1. Introduction

This Mitigation Monitoring Program (MMP) has been prepared in compliance with the requirements of Public Resources Code Section 21081.6 and Section 15097 of the State CEQA Guidelines. Public Resources Code Section 21081.6 requires a Lead Agency to adopt a “reporting or monitoring program for the changes made to the project or conditions of project approval, adopted in order to mitigate or avoid significant effects on the environment.” In addition, Section 15097(a) of the State CEQA Guidelines requires that a public agency “adopt a program for monitoring or reporting on the revisions which it has required in the project and the measures it has imposed to mitigate or avoid significant environmental effects.”

The City of Los Angeles is the Lead Agency for the Project and therefore is responsible for administering and implementing the MMP. A public agency may delegate reporting or monitoring responsibilities to another public agency or to a private entity that accepts the delegation; however, until mitigation measures have been completed, the Lead Agency remains responsible for ensuring that implementation of the mitigation measures occurs in accordance with the program.

An Environmental Impact Report (EIR) has been prepared to address the potential environmental impacts of the Project. The evaluation of the Project’s impacts in the EIR takes into consideration the project design features (PDF) and applies mitigation measures (MM) needed to avoid or reduce potentially significant environmental impacts. This MMP is designed to monitor implementation of the PDFs and MMs identified for the Project.

2. Organization

As shown on the following pages, each identified PDF and MM for the Project is listed and categorized by environmental issue area, with accompanying discussion of:

- Enforcement Agency—the agency with the power to enforce the PDF or MM.
- Monitoring Agency—the agency to which reports involving feasibility, compliance, implementation, and development are made.

- **Monitoring Phase**—the phase of the Project during which the PDF or MM shall be monitored.
- **Monitoring Frequency**—the frequency at which the PDF or MM shall be monitored.
- **Action(s) Indicating Compliance**—the action(s) by which the enforcement or monitoring agency indicates that compliance with the identified PDF or required MM has been implemented.

3. Administrative Procedures and Enforcement

This MMP shall be enforced throughout all phases of the Project. The Applicant shall be responsible for implementing each PDF and MM and shall be obligated to provide certification, as identified below, to the appropriate monitoring agency and the appropriate enforcement agency that each PDF and MM has been implemented. The Applicant shall maintain records demonstrating compliance with each PDF and MM. Such records shall be made available to the City upon request.

During the construction phase and prior to the issuance of building permits, the Applicant shall retain an independent Construction Monitor (either via the City or through a third-party consultant), approved by the Department of City Planning, who shall be responsible for monitoring implementation of PDFs and MMs during construction activities consistent with the monitoring phase and frequency set forth in this MMP. The Construction Monitor shall prepare documentation of the Applicant's compliance with the PDFs and MMs during construction every 90 days in a form satisfactory to the Department of City Planning. The documentation must be signed by the Applicant and Construction Monitor and be included as part of the Applicant's Annual Compliance Report. The Construction Monitor shall be obligated to immediately report to the Enforcement Agency any non-compliance with the MMs and PDFs within two businesses days if the Applicant does not correct the non-compliance within a reasonable time of notification to the Applicant by the monitor or if the non-compliance is repeated. Such non-compliance shall be appropriately addressed by the Enforcement Agency.

4. Program Modification

After review and approval of the final MMP by the Lead Agency, minor changes and modifications to the MMP are permitted, but can only be made subject to City approval. The Lead Agency, in conjunction with any appropriate agencies or departments, will determine the adequacy of any proposed change or modification. This flexibility is necessary in light of the nature of the MMP and the need to protect the environment. No changes will be permitted unless the MMP continues to satisfy the requirements of CEQA, as determined by the Lead Agency.

The Project shall be in substantial conformance with the PDFs and MMs contained in this MMP. The enforcing departments or agencies may determine substantial conformance with PDFs and MMs in the MMP in their reasonable discretion. If the department or agency cannot find substantial conformance, a PDF or MM may be modified or deleted as follows: the enforcing department or agency, or the decision-maker for a subsequent discretionary project related approval finds that the modification or deletion complies with CEQA, including CEQA Guidelines Sections 15162 and 15164, which could include the preparation of an addendum or subsequent environmental clearance, if necessary, to analyze the impacts from the modifications to or deletion of the PDFs or MMs. Any addendum or subsequent CEQA clearance shall explain why the PDF or MM is no longer needed, not feasible, or the other basis for modifying or deleting the or MM, and that the modification will not result in a new significant impact consistent with the requirements of CEQA. Under this process, the modification or deletion of a PDF or MM shall not, in and of itself, require a modification to any Project discretionary approval unless the Director of Planning also finds that the change to the PDF or MM results in a substantial change to the Project or the non-environmental conditions of approval.

5. Mitigation Monitoring Program

A. Air Quality

(1) Project Design Features

Project Design Feature AIR-PDF-1: Where power poles are available, electricity from power poles and/or solar powered generators rather than temporary diesel or gasoline generators will be used during construction.

- **Enforcement Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Construction
- **Monitoring Frequency:** Ongoing during field inspection
- **Action Indicating Compliance:** Field inspection sign-offs

Project Design Feature AIR-PDF-2: The Project will not include the use of natural gas-fueled fireplaces in the proposed residential units.

- **Enforcement Agency:** City of Los Angeles Department of Building and Safety, City of Los Angeles Department of Planning
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety

- **Monitoring Phase:** Pre-construction
- **Monitoring Frequency:** Once during Project plan check (provide proof of compliance)
- **Action Indicating Compliance:** Plan check approval and issuance of applicable building permit

B. Cultural Resources

(1) Mitigation Measures

Mitigation Measure CUL-MM-1: Prior to the start of ground-disturbing activities including demolition, digging, trenching, plowing, drilling, tunneling, grading, leveling, clearing, augering, stripping topsoil or a similar activity and prior to the issuance of a demolition, construction or building permit, the Applicant shall retain a qualified archaeologist meeting the Secretary of the Interior's Professional Qualifications Standards for Archaeology (U.S. Department of the Interior 2008) to carry out the following measure. A qualified archaeologist shall be retained to perform periodic inspections of excavation and grading activities at the Project Site. The frequency of inspections shall be based on consultation with the archaeologist and the City of Los Angeles Department of City Planning and shall depend on the rate of excavation and grading activities and the materials being excavated. If archaeological materials are encountered, the archaeologist shall temporarily divert or redirect grading and excavation activities in the area of the exposed material to facilitate evaluation and, if necessary, salvage. The archaeologist shall then assess the discovered material(s) and prepare a survey, study or report evaluating the impact. The Applicant shall then comply with the recommendations of the evaluating archaeologist, and a copy of the archaeological survey report shall be submitted to the Department of City Planning. Ground-disturbing activities may resume once the archaeologist's recommendations have been implemented to the satisfaction of the archaeologist.

- **Enforcement Agency:** City of Los Angeles Department of City Planning, Office of Historic Resources
- **Monitoring Agency:** City of Los Angeles Department of City Planning, Office of Historic Resources
- **Monitoring Phase:** Pre-construction; construction
- **Monitoring Frequency:** Once at Project plan check (submittal of proof of retention of qualified archaeologist); Monitoring to be determined by qualified archaeologist

- **Action(s) Indicating Compliance:** Submittal of compliance report by a qualified archaeologist

C. Geology and Soils (Paleontological Resources)

(1) Mitigation Measures

Mitigation Measure GEO-MM-1: A qualified paleontologist shall be retained to perform periodic inspections of excavation and grading activities at the Project Site. The frequency of inspections shall be based on consultation with the paleontologist and shall depend on the rate of excavation and grading activities, the materials being excavated, including the depth of excavation to natural soil, and if found, the abundance and type of fossils encountered. If paleontological materials are encountered, the paleontologist shall temporarily divert or redirect grading and excavation activities in the area of the exposed material to facilitate evaluation and, if necessary, salvage. The paleontologist shall then assess the discovered material(s) and prepare a survey, study or report evaluating the impact. The Project Applicant shall then comply with the recommendations of the evaluating paleontologist, and a copy of the paleontological survey report shall be submitted to the Los Angeles County Natural History Museum. Ground-disturbing activities may resume once the paleontologist's recommendations have been implemented to the satisfaction of the paleontologist.

- **Enforcement Agency:** City of Los Angeles Department of City Planning, Los Angeles Department of Building and Safety
- **Monitoring Agency:** City of Los Angeles Department of City Planning, Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction; construction
- **Monitoring Frequency:** Prior to issuance of a demolition, grading, construction or building permit whichever occurs first. Once at Project plan check (submittal of proof of retention of qualified paleontologist); Monitoring to be determined by qualified paleontologist
- **Action(s) Indicating Compliance:** If unanticipated discoveries are found, submittal of compliance report by a qualified paleontologist

D. Greenhouse Gas Emissions

(1) Project Design Features

Project Design Feature GHG-PDF-1: The design of the new buildings shall incorporate features of the U.S. Green Building Council's Leadership in Energy and Environmental Design (LEED®) program to be capable of meeting the standards of LEED Certified or equivalent green building standards. The design of the new buildings will incorporate the following sustainability features:

- a. Use of Energy Star-labeled products and appliances.
 - b. Use of light-emitting diode (LED) lighting or other energy-efficient lighting technologies, such as occupancy sensors or daylight harvesting and dimming controls, where appropriate, to reduce electricity use.
 - c. Water-efficient plantings with drought-tolerant species;
 - d. Fenestration designed for solar orientation; and
 - e. Pedestrian- and bicycle-friendly design with short-term and long-term bicycle parking
- **Enforcement Agency:** City of Los Angeles Department of City Planning; or City of Los Angeles Department of Building and Safety
 - **Monitoring Agency:** City of Los Angeles Department of Building and Safety
 - **Monitoring Phase:** Pre-construction, and construction
 - **Monitoring Frequency:** Once at Project plan check (provide proof of compliance);
 - **Action(s) Indicating Compliance:** Plan check approval and issuance of applicable building permit

E. Noise

(1) Project Design Features

Project Design Feature NOI-PDF-1: Power construction equipment (including combustion engines), fixed or mobile, will be equipped with state-of-the-art noise shielding and muffling devices (consistent with manufacturers' standards). All equipment will be properly maintained to assure that no additional noise, due to worn or improperly maintained parts, would be generated.

- **Enforcement Agency:** City of Los Angeles Department of Building and Safety; Los Angeles Department of City Planning

- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Demolition and Construction
- **Monitoring Frequency:** Periodically during construction and field inspections
- **Action Indicating Compliance:** Field inspection sign-off

Project Design Feature NOI-PDF-2: All outdoor mounted mechanical equipment will be screened from off-site noise-sensitive receptors as defined in the LA CEQA Thresholds Guide. The equipment screen will be impermeable (i.e., solid material with minimum weight of 2 pounds per square foot) and break the line-of-sight from the equipment to the off-site noise-sensitive receptors.

- **Enforcement Agency:** City of Los Angeles Department of Building and Safety; Los Angeles Department of City Planning
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance); Once at field inspection
- **Action(s) Indicating Compliance:** Plan check approval and issuance of applicable building permit; Issuance of Certificate of Occupancy

Project Design Feature NOI-PDF-3: Project construction will not include the use of driven (impact) pile systems.

- **Enforcement Agency:** City of Los Angeles Department of Building and Safety; Los Angeles Department of City Planning
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Construction
- **Monitoring Frequency:** Periodically during construction
- **Action Indicating Compliance:** Field inspection sign-off

Project Design Feature NOI-PDF-4: Outdoor amplified sound systems, if any, will be designed so as not to exceed the maximum noise level of 80 dBA (L_{eq-1hr}) at a distance of 25 feet from the amplified speaker

sound systems.¹ A qualified noise consultant will provide written documentation that the design of the system complies with this maximum noise levels.

- **Enforcement Agency:** City of Los Angeles Department of City Planning; City of Los Angeles Department of Building and Safety
- **Monitoring Agency:** City of Los Angeles Department of City Planning; City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Post-construction
- **Monitoring Frequency:** Once at field inspection
- **Action(s) Indicating Compliance:** Preparation of compliance document by noise consultant prior to issuance of Certificate of Occupancy

(2) Mitigation Measures

Mitigation Measure NOI-MM-1: A temporary and impermeable sound barrier shall be erected at the locations listed below. At plan check, building plans shall include documentation prepared by a noise consultant verifying compliance with this measure.

- Along the eastern property line of the Project Site between the construction areas and the residential uses on the east side of Grand Avenue (receptor locations R1 and R2). The temporary sound barrier shall be designed to provide a minimum 11-dBA and 5-dBA noise reduction at the ground level of receptor locations R1 and R2, respectively.
- Along the southern property line of the Project Site between the construction areas and residential use across the Project Site to the south (receptor location R5) and the SP Lofts on the east side of Grand Avenue to the south (receptor location R4). The temporary sound barrier shall be designed to provide a minimum 11-dBA and 5-dBA noise reduction at the ground level of receptor locations R5 and R4, respectively.
- Along the western property line of the Project Site between the construction areas and residential uses at the southwest corner of 8th Street and Hope Street (receptor location R6). The temporary sound barrier shall be designed to provide a minimum 6-dBA noise reduction at the ground level of receptor location R6.

¹ The specified noise level limit was established to ensure the noise levels from the amplified sound system at the nearest noise sensitive receptor would not increase the ambient noise level by more than 5 dBA, per LAMC Section 112.01.

- **Enforcement Agency:** City of Los Angeles Department of City Planning; or City of Los Angeles Department of Building and Safety
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction; Construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance); Once during field inspection
- **Action(s) Indicating Compliance:** Plan check approval and issuance of applicable building permit; Submittal of compliance documentation from qualified noise consultant

Mitigation Measure NOI-MM-2: Prior to start of construction, the Applicant shall retain the services of a structural engineer or qualified professional to visit the multi-story parking structures adjacent to the Project Site to the north to inspect and document the apparent physical condition of the structures' readily-visible features. The inspection survey shall be made to the extent feasible from the public right of way and within the Project Site's property line.

The Applicant shall retain the services of a qualified acoustical engineer to review proposed construction equipment and develop and implement a vibration monitoring program capable of documenting the construction-related ground vibration levels at property line of the parking structure adjacent to the Project Site to the north during demolition and grading/excavation phases. The vibration monitoring system shall continuously measure and store the peak particle velocity (PPV) in inch/second. The system shall also be programmed for two preset velocity levels: a warning level of 0.45 PPV and a regulatory level of 0.5 PPV. The system shall also provide real-time alert when the vibration levels exceed the two preset levels.

In the event the warning level (0.45 PPV) is triggered, the contractor shall identify the source of vibration generation and provide feasible steps to reduce the vibration level, including but not limited to halting/staggering concurrent activities and utilizing lower vibratory techniques.

In the event the regulatory level (0.5 PPV) is triggered, the contractor shall halt the construction activities in the vicinity of the parking structure and visually inspect the building for any damage. Results of the inspection must be logged, and repairs will be provided in the event any damage occurred. The contractor shall identify the source of vibration generation and provide feasible steps to reduce the vibration level. Construction activities may then restart once the vibration level is measured and below the warning level.

- **Enforcement Agency:** City of Los Angeles Department of City Planning; or City of Los Angeles Department of Building and Safety
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction; Construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of completion of monitoring plan by qualified acoustical engineer)
- **Action(s) Indicating Compliance:** Plan check approval and issuance of applicable building permit; Submittal of compliance documentation from qualified noise consultant

F. Public Services—Police Protection

(1) Project Design Features

Project Design Feature POL-PDF-1: Prior to construction, the Project applicant will implement appropriate temporary security measures, including security fencing (e.g., chain-link fencing), low-level security lighting, and locked entry (e.g., padlocked gates or guard-restricted access) to limit access by the general public. Regular security patrols during non-construction hours (e.g., nighttime hours, weekends, and holidays) will also be provided. During construction activities, the Contractor will document the security measures; and the documentation would be made available to the Construction Monitor).

- **Enforcement Agency:** City of Los Angeles Police Department; City of Los Angeles Department of Building and Safety; Los Angeles Department of City Planning
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance); Once during field inspection
- **Action Indicating Compliance:** Plan check approval and issuance of applicable building permit; Field inspection sign-off

Project Design Feature POL-PDF-2: During operation, the Project will include access controls in the forms of private on-site security, a closed circuit security camera system, and keycard entry for the residential building and the residential parking areas.

- **Enforcement Agency:** City of Los Angeles Department of City Planning; City of Los Angeles Department of Building and Safety

- **Monitoring Agency:** City of Los Angeles Department of Building and Safety; or City of Los Angeles Department of City Planning
- **Monitoring Phase:** Post-construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance); Once during field inspection
- **Action Indicating Compliance:** Plan check approval and submittal of compliance documentation by Applicant; Issuance of Certificate of Occupancy

Project Design Feature POL-PDF-3: The Project will provide sufficient lighting of building entries and walkways to provide for pedestrian orientation and clearly identify a secure route between parking areas and points of entry into buildings.

- **Enforcement Agency:** City of Los Angeles Police Department; City of Los Angeles Department of Building and Safety; City of Los Angeles Department of City Planning
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction; Construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance); Once during field inspection
- **Action Indicating Compliance:** Plan check approval and issuance of applicable building permit; issuance of Certificate of Occupancy

Project Design Feature POL-PDF-4: The Project will provide sufficient lighting of parking areas, elevators, and lobbies to maximize visibility and reduce areas of concealment.

- **Enforcement Agency:** City of Los Angeles Police Department; City of Los Angeles Department of Building and Safety; City of Los Angeles Department of City Planning
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction; Construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance); once during field inspection
- **Action Indicating Compliance:** Plan check approval and issuance of applicable building permit; Issuance of Certificate of Occupancy

Project Design Feature POL-PDF-5: The Project entrances to, and exits from, buildings, open spaces around buildings, and pedestrian walkways will be designed, to the extent practicable, to be open and in view of surrounding sites.

- **Enforcement Agency:** City of Los Angeles Police Department; City of Los Angeles Department of Building and Safety; City of Los Angeles Department of City Planning
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction; Construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance); Once during field inspection
- **Action Indicating Compliance:** Plan check approval and issuance of applicable building permit; issuance of Certificate of Occupancy

Project Design Feature POL-PDF-6: Prior to the issuance of a building permit, the Project Applicant will submit a diagram of the Project Site to the LAPD Central Area Commanding Officer that includes access routes and any additional information that might facilitate police response.

- **Enforcement Agency:** City of Los Angeles Police Department; City of Los Angeles Department of Building and Safety; City of Los Angeles Department of City Planning
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance)
- **Action Indicating Compliance:** Plan check approval and issuance of applicable building permit

Project Design Feature POL-PDF-7: Prior to the issuance of a building permit, the Project Applicant will consult with the LAPD Community Outreach and Development Division regarding the incorporation of crime prevention features appropriate for the Project.

- **Enforcement Agency:** City of Los Angeles Police Department; City of Los Angeles Department of Building and Safety; City of Los Angeles Department of City Planning
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction
- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance)
- **Action Indicating Compliance:** Plan check approval and issuance of applicable building permit

G. Transportation

(1) Project Design Features

Project Design Feature TR-PDF-1: A detailed Construction Management Plan and Worksite Traffic Control Plan will be prepared and submitted to the City for review and approval prior to the issuance of any demolition or building permits. These plans will include sidewalk/lane closure information, a detour plan, haul routes, and a staging plan to formalize how construction would be carried out and to identify specific actions that would be required to reduce effects on the surrounding community. The plans will also identify all traffic control measures, signs, delineators, and work instructions to be implemented by the construction contractor through the duration of demolition and construction activities. The plan details will be coordinated with emergency services and affected transit providers that may need to temporarily close or relocate bus stops. Specifically, the Applicant will coordinate with Metro's Bus Operations Control Special Events Coordinator and Metro's Stops and Zones Department no later than 30 days before the start of Project construction. The plans will be based on the nature and timing of the specific construction activities and other projects in the vicinity of the Project Site.

- **Enforcement Agency:** City of Los Angeles Department of Transportation; City of Los Angeles Department of City Planning
- **Monitoring Agency:** City of Los Angeles Department of Transportation; City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction; Construction
- **Monitoring Frequency:** Once at Project plan check prior to issuance of grading or building permit (provide proof of compliance); Once during field inspection
- **Action(s) Indicating Compliance:** Plan check approval and issuance of grading permit; field inspection sign-off

Project Design Feature TR-PDF-2: Any new signage within the Project Site referencing Metro shall be reviewed and approved by Metro prior to display of the signage.

- **Enforcement Agency:** City of Los Angeles Department of Transportation; Metro
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Construction

- **Monitoring Frequency:** Once, prior to issuance of Certificate of Occupancy
- **Action(s) Indicating Compliance:** Submittal of written verification from Metro; field inspection sign-off

H. Utilities and Service Systems—Water Supply and Infrastructure

(1) Project Design Features

Project Design Feature WAT-PDF-1: In addition to regulatory requirements, the Project design will incorporate the following water conservation features to support water conservation in addition to those measures required by the City's current codes and ordinances:

- High-efficiency toilets with flush volume of 1.1 gallons of water per flush or less throughout, or less in amenity and community spaces.
- Showerheads with a flow rate of 1.5 gallons per minute, or less in amenity and community spaces.
- ENERGY STAR—Certified Residential Clothes Washers—Front Loading with Integrated Water Factor of 2.8 or less and capacity of 5.6 cubic feet or less, or Top Loading with Integrated Water Factor of 3.2 or less and capacity of 5.7 cubic feet or less.
- ENERGY STAR—Certified Residential Dishwashers—Standard 3.2 gallons per cycle or less, or Compact 1.96 gallons per cycle or less.
- Water-Saving Pool Filter.
- Pool/Spa recirculating filtration equipment.
- Pool splash troughs around the perimeter that drain back into the pool.
- Leak Detection System for swimming pools and Jacuzzi, including installation of a meter on the pool make-up line.
- Drip/Subsurface Irrigation (Micro-Irrigation) where appropriate.
- Proper Hydro-Zoning/Zoned Irrigation (grouping plans with similar water requirements together).
- **Enforcement Agency:** City of Los Angeles Department of Water and Power; City of Los Angeles Department of Building and Safety
- **Monitoring Agency:** City of Los Angeles Department of Building and Safety
- **Monitoring Phase:** Pre-construction; Construction

- **Monitoring Frequency:** Once at Project plan check (provide proof of compliance); Once prior to issuance of Certificate of Occupancy
- **Action(s) Indicating Compliance:** Plan approval and issuance of applicable building permit; Issuance of Certificate of Occupancy