

CONDITIONS OF APPROVAL

BUREAU OF ENGINEERING

Bureau of Engineering approvals are conducted at the Land Development and GIS Division, located 201 N. Figueroa Street, Suite 290. Any questions regarding these conditions should be directed to Mr. Georgic Avanesian by calling (213) 808-8588.

1. That a 2.5-foot wide strip of land be dedicated along the alley adjoining the tract to complete a 10-foot wide half public alley.
2. That the subdivider make a request to the Central District Office of the Bureau of Engineering to determine the capacity of the existing sewer in the area.

DEPARTMENT OF BUILDING AND SAFETY, GRADING DIVISION

Grading Division approvals are conducted at 221 North Figueroa Street, 12th Floor suite 1200. The approval of this Tract Map shall not be construed as having been based upon a geological investigation such as will authorize the issuance of the building permit of the subject property. Such permits will be issued only at such time as the Department of Building and Safety has received such topographic maps and geological reports as it deems necessary to justify the issuance of such building permits.

3. That prior to issuance of a grading or building permit, or prior to recordation of the final map, the subdivider shall make suitable arrangements to assure compliance, satisfactory to the Department of Building and Safety, Grading Division, with all the requirements and conditions contained in the correspondence dated November 12, 2019, Soils Approval Letter dated September 23, 2019 (Log #1107430-02) and attached to the case file for Tract No. 82654.

DEPARTMENT OF BUILDING AND SAFETY, ZONING DIVISION

Building and Safety approvals are conducted by appointment only - contact Laura Duong at (213) 482-0434 to schedule an appointment. Any proposed structures or uses on the site have not been checked for Building or Zoning Code requirements. Plan check may be required before any construction, occupancy or change of use. Unless filed concurrently and included as part of the hearing notice with this subdivision, any additional deviations from the Los Angeles Municipal Code required by the Department of Building and Safety Office of the Zoning Engineer preliminary to the Zoning Engineer clearing the items on the report to the Advisory Agency, shall be separately filed through the City Planning Department Office of the Zoning Administrator.

4. That prior to recordation of the final map, the Department of Building and Safety, Zoning Division shall certify that no Building or Zoning Code violations exist on the subject site. In addition, the following items shall be satisfied:
 - a. Obtain permits for the demolition or removal of all existing structures on the site. Accessory structures and uses are not permitted to remain on lots without a main structure or use. Provide copies of the demolition permits and signed inspection cards to show completion of the demolition work.
 - b. Provide a copy of affidavit AFF-6795. Show compliance with all the conditions/requirements of the above affidavit as applicable. Termination of above affidavit may be required after the Map has been recorded. Obtain approval from the

Department, on the termination form, prior to recording.

- c. Provide a copy of the DIR Case DIR-2019-3760-TOC-SPP-SPR. Show compliance with all the requirements/conditions of the DIR case as applicable.
- d. Show all street/alley dedication(s) as required by Bureau of Engineering and provide net lot area after all dedication. "Area" requirements shall be re-checked as per net lot area after street/alley dedication. Front and side yard requirements shall be required to comply with current code as measured from new property lines after dedication(s).
- e. The submitted Map does not comply with the maximum density (400 s.f. of lot area/dwelling unit) requirement of the R4-1 Zone. Justify the allowable density for the proposed 153 units, revise the Map to show compliance with the above requirements, or obtain approval from the Department of City Planning.
- f. The submitted Map does not comply with the allowable FAR of 3:1 for a residential zone. Revise the Map to justify compliance with the above requirement or obtain approval from the Department of City Planning.

Notes:

The property is located in a Methane Zone.

This property is within the Vermont/Western Station Neighborhood Area Plan.

The existing or proposed building plans have not been checked for and shall comply with Building and Zoning Code requirements. With the exception of revised health or safety standards, the subdivider shall have a vested right to proceed with the proposed development in substantial compliance with the ordinances, policies, and standards in effect at the time the subdivision application was deemed complete. Plan check will be required before any construction, occupancy or change of use.

The proposed buildings may not comply with City of Los Angeles Building Code requirements concerning exterior wall, protection of openings and exit requirements with respect to the proposed and existing property lines. Compliance shall be to the satisfactory of LADBS at the time of plan check.

If the proposed development does not comply with the current Zoning Code, all zoning violations shall be indicated on the Map.

DEPARTMENT OF TRANSPORTATION

- 5. That the project be subject to any recommendations from the Department of Transportation.

FIRE DEPARTMENT

Fire Department approvals and review are conducted at 201 North Figueroa Street, 3rd Floor. The applicant is further advised that all subsequent contact regarding these conditions must be with the Hydrant and Access Unit. This would include clarification, verification of condition compliance and plans or building permit applications, etc., and shall be accomplished BY APPOINTMENT ONLY, in order to assure that you receive service with a minimum amount of waiting please call (213) 264-6807. You should advise any consultant representing you of this requirement as well.

6. That prior to the recordation of the final map, a suitable arrangement shall be made satisfactory to the Fire Department, binding the subdivider and all successors to the following:
- a. Submit plot plans for Fire Department approval and review prior to recordation of Tract Map Action.
 - b. Access for Fire Department apparatus and personnel to and into all structures shall be required.
 - c. Address identification. New and existing buildings shall have approved building identification placed in a position that is plainly legible and visible from the street or road fronting the property.
 - d. One or more Knox Boxes will be required to be installed for LAFD access to project. Location and number to be determined by LAFD Field Inspector. (Refer to FPB Req #75)
 - e. Where above ground floors are used for residential purposes, the access requirement shall be interpreted as being the horizontal travel distance from the street, driveway, alley, or designated fire lane to the main entrance of individual units.
 - f. No building or portion of a building shall be constructed more than 150 feet from the edge of a roadway of an improved street, access road, or designated fire lane.
 - g. 2014 City of Los Angeles Fire Code, Section 503.1.4 (Exception)
 - (i) When this exception is applied to a fully fire sprinkled residential building equipped with a wet standpipe outlet inside an exit stairway with at least a 2 hour rating the distance from the wet standpipe outlet in the stairway to the entry door of any dwelling unit or guest room shall not exceed 150 feet of horizontal travel AND the distance from the edge of the roadway of an improved street or approved fire lane to the door into the same exit stairway directly from outside the building shall not exceed 150 feet of horizontal travel.
 - (ii) It is the intent of this policy that in not case will the maximum travel distance exceed 150 feet inside the structure and 150 feet outside the structure. The term "horizontal travel" refers to the actual path travel to be taken by a person responding to an emergency in the building.
 - (iii) This policy does not apply to single-family dwellings or to non-residential buildings.
 - h. Building designs for multi-storied residential buildings shall incorporate at least one access stairwell off the main lobby of the building; But, in no case greater than 150ft horizontal travel distance from the edge of the public street, private street or Fire Lane. This stairwell shall extend onto the roof.
 - i. Entrance to the main lobby shall be located off the address side of the building.
 - j. Any required Fire Annunciator panel or Fire Control Room shall be located within a 2-foot visual line of site of the main entrance stairwell or to the satisfaction of the Fire

Department.

- k. Where rescue window access is required, provide conditions and improvements necessary to meet accessibility standards as determined by the Los Angeles Fire Department.
- l. Fire lane width shall not be less than 20 feet. When a fire lane must accommodate the operation of Fire Department aerial ladder apparatus or where fire hydrants are installed, those portions shall not be less than 28 feet in width.
- m. The width of private roadways for general access use and fire lanes shall not be less than 20 feet, and the fire lane must be clear to the sky.
- n. Fire lanes, where required and dead ending streets shall terminate in a cul-de-sac or other approved turning area. No dead ending street or fire lane shall be greater than 700 feet in length or secondary access shall be required.
- o. Submit plot plans indicating access road and turning area for Fire Department approval.
- p. No framing shall be allowed until the roadway is installed to the satisfaction of the Fire Department.
- q. Any required fire hydrants to be installed shall be fully operational and accepted by the Fire Department prior to any building construction.
- r. Site plans shall include all overhead utility lines adjacent to the site.
- s. Any roof elevation changes in excess of 3 feet may require the installation of ships ladders.
- t. Where fire apparatus will be driven onto the road level surface of the subterranean parking structure, that structure shall be engineered to withstand a bearing pressure of 8,600 pounds per square foot.
- u. All parking restrictions for fire lanes shall be posted and/or painted prior to any Temporary Certificate of Occupancy being issued.
- v. Plans showing areas to be posted and/or painted, "FIRE LANE NO PARKING" shall be submitted and approved by the Fire Department prior to building permit application sign-off.
- w. Electric Gates approved by the Fire Department shall be tested by the Fire Department prior to Building and Safety granting a Certificate of Occupancy.
- x. Where access for a given development requires accommodation of Fire Department apparatus, overhead clearance shall not be less than 14 feet.
- y. No proposed development utilizing cluster, group, or condominium design of one or two family dwellings shall be more than 150 feet from the edge of the roadway of an improved street, access road, or designated fire lane.
- z. Adequate off-site public and on-site private fire hydrants may be required. Their number and location to be determined after the Fire Department's review of the plot

plan.

- aa. 5101.1 Emergency responder radio coverage in new buildings. All new buildings shall have approved radio coverage for emergency responders within the building based upon the existing coverage levels of the public safety communication systems of the jurisdiction at the exterior of the building. This section shall not require improvement of the existing public safety communication systems.

DEPARTMENT OF WATER AND POWER

Questions regarding WSO clearance should be directed to the Los Angeles Department of Water and Power, Water Distribution Engineering, P.O. Box 51111, Room 1425, Los Angeles, CA 90051-5700 or (213)367-1218.

- 7. Satisfactory arrangements shall be made with the Los Angeles Department of Water and Power (LADWP) for compliance with LADWP's Water System Rules and requirements. Upon compliance with these conditions and requirements, LADWP's Water Services Organization will forward the necessary clearances to the Bureau of Engineering. (This condition shall be deemed cleared at the time the City Engineer clears Condition No. S-1.(c).)

BUREAU OF STREET LIGHTING – SPECIFIC CONDITIONS

Street Lighting clearance for this Street Light Maintenance Assessment District Condition is conducted at 1149 S. Broadway Suite 200. Street Lighting improvement condition clearance will be conducted at the Bureau of Engineering District Office, see Condition S-3.(c) where applicable.

- 8. Street Lighting clearance for this Street Light Maintenance Assessment District condition is conducted at 1149 S. Broadway Suite 200. Street Lighting improvement condition clearance will be conducted at the Bureau of Engineering District office, see condition S-3. (c).

BUREAU OF SANITATION

- 9. Wastewater Collection Systems Division of the Bureau of Sanitation has inspected the sewer/storm drain lines serving the subject tract and found (no) potential problems to their structure or potential maintenance problem, as stated in the memo dated November 20, 2019. Upon compliance with its conditions and requirements, the Bureau of Sanitation, Wastewater Collection Systems Division will forward the necessary clearances to the Bureau of Engineering. (This condition shall be deemed cleared at the time the City Engineer clears Condition No. S-1. (d).)

INFORMATION TECHNOLOGY AGENCY

- 10. To assure that cable television facilities will be installed in the same manner as other required improvements, please email cabletv.ita@lacity.org that provides an automated response with the instructions on how to obtain the Cable TV clearance. The automated response also provides the email address of three people in case the applicant/owner has any additional questions.

DEPARTMENT OF RECREATION AND PARKS

Park fees are paid at [221 North Figueroa Street, Suite 400](#), Los Angeles. Please contact Park Fees staff at (213) 202-2657 for any questions or comments.

11. That the Project dedicate land to the City, or provide a combination of land dedication and fee payment, in order to fulfill the Project's requirements under provisions of LAMC 12.33.

URBAN FORESTRY DIVISION AND THE DEPARTMENT OF CITY PLANNING

12. Plant street trees and remove any existing trees within dedicated streets or proposed dedicated streets as required by the Urban Forestry Division of the Bureau of Street Services. Parkway street removals shall be replanted at a 2:1 ratio. All street tree plantings shall be brought up to current standards. When the City has previously been paid for tree plantings, the subdivider or contractor shall notify the Urban Forestry Division (213-847-3077) upon completion of construction to expedite tree planting.

Note:

Removal or planting of any tree in the public right-of-way requires approval of the Board of Public Works. All protected tree removals must be approved by the Board of Public Works. Contact Urban Forestry Division at 213-847-3077 for permit information. CEQA document must address parkway tree removals.

DEPARTMENT OF CITY PLANNING-SITE SPECIFIC CONDITIONS

Approvals are conducted at the Metro, West Los Angeles or Valley Development Services Centers, unless otherwise indicated.

13. Prior to the recordation of the final map, the subdivider shall prepare and execute a Covenant and Agreement (Planning Department General Form CP-6770) in a manner satisfactory to the Planning Department, binding the subdivider and all successors to the following:
 - a. **Use.** Limit the proposed development to a maximum of 153 dwelling units pursuant to the approval of incidental Case No. DIR-2019-3760-TOC-SPP-SPR.
 - b. **Parking.** of the project may provide a minimum of zero (0) parking spaces for a project located within Tier 4 TOC Affordable Housing Incentive Area and no more than 257 residential parking spaces, and 77 guest parking spaces, as determined per the SNAP pursuant to the approval of incidental Case No. DIR-2019-3760-TOC-SPP-SPR.
 - c. **Fence.** That prior to issuance of a certificate of occupancy, a minimum 6-foot-high slumpstone or decorative masonry wall shall be constructed adjacent to neighboring residences, if no such wall already exists, except in the required front yard.
 - d. **Energy Conservation.** That the subdivider consider the use of natural gas and/or solar energy and consult with the Department of Water and Power and Southern California Gas Company regarding feasible energy conservation measures.
 - e. That the subdivider shall record and execute a Covenant and Agreement to comply with the **Vermont/Western Station Neighborhood Area Plan (SNAP) Specific Plan** prior to the issuance of a building permit, grading permit and the recordation of the final tract map.
 - f. **INDEMNIFICATION AND REIMBURSEMENT OF LITIGATION COSTS.**

Applicant shall do all of the following:

- (i) Defend, indemnify and hold harmless the City from any and all actions against the City relating to or arising out of, in whole or in part, the City's processing and approval of this entitlement, including but not limited to, an action to attack, challenge, set aside, void or otherwise modify or annul the approval of the entitlement, the environmental review of the entitlement, or the approval of subsequent permit decisions, or to claim personal property damage, including from inverse condemnation or any other constitutional claim.
- (ii) Reimburse the City for any and all costs incurred in defense of an action related to or arising out of, in whole or in part, the City's processing and approval of the entitlement, including but not limited to payment of all court costs and attorney's fees, costs of any judgments or awards against the City (including an award of attorney's fees), damages, and/or settlement costs.
- (iii) Submit an initial deposit for the City's litigation costs to the City within 10 days' notice of the City tendering defense to the Applicant and requesting a deposit. The initial deposit shall be in an amount set by the City Attorney's Office, in its sole discretion, based on the nature and scope of action, but in no event shall the initial deposit be less than \$50,000. The City's failure to notice or collect the deposit does not relieve the Applicant from responsibility to reimburse the City pursuant to the requirement in paragraph (ii).
- (iv) Submit supplemental deposits upon notice by the City. Supplemental deposits may be required in an increased amount from the initial deposit if found necessary by the City to protect the City's interests. The City's failure to notice or collect the deposit does not relieve the Applicant from responsibility to reimburse the City pursuant to the requirement in paragraph (ii).
- (v) If the City determines it necessary to protect the City's interest, execute an indemnity and reimbursement agreement with the City under terms consistent with the requirements of this condition.

The City shall notify the applicant within a reasonable period of time of its receipt of any action and the City shall cooperate in the defense. If the City fails to notify the applicant of any claim, action, or proceeding in a reasonable time, or if the City fails to reasonably cooperate in the defense, the applicant shall not thereafter be responsible to defend, indemnify or hold harmless the City.

The City shall have the sole right to choose its counsel, including the City Attorney's office or outside counsel. At its sole discretion, the City may participate at its own expense in the defense of any action, but such participation shall not relieve the applicant of any obligation imposed by this condition. In the event the Applicant fails to comply with this condition, in whole or in part, the City may withdraw its defense of the action, void its approval of the entitlement, or take any other action. The City retains the

right to make all decisions with respect to its representations in any legal proceeding, including its inherent right to abandon or settle litigation.

For purposes of this condition, the following definitions apply:

“City” shall be defined to include the City, its agents, officers, boards, commissions, committees, employees, and volunteers.

“Action” shall be defined to include suits, proceedings (including those held under alternative dispute resolution procedures), claims, or lawsuits. Action includes actions, as defined herein, alleging failure to comply with any federal, state or local law.

Nothing in the definitions included in this paragraph are intended to limit the rights of the City or the obligations of the Applicant otherwise created by this condition.

14. That prior to the issuance of the building permit or the recordation of the final map, a copy of the approved incidental Case No. DIR-2019-3760-TOC-SPP-SPR shall be submitted to the satisfaction of the Advisory Agency. In the event that Case No. DIR-2019-3760-TOC-SPP-SPR is not approved, the subdivider shall submit a tract modification.
15. Prior to the recordation of the final map, the owner shall execute a covenant to the satisfaction of the Los Angeles Housing and Community Investment Department (HCIDLA) to make 17 units available to Extremely Low Income Households for sale or rental as determined to be affordable to such households by HCIDLA for a period of 55 years. In the event the applicant reduces the proposed density of the project, the number of required set-aside affordable units may be adjusted, consistent with LAMC Section 12.22 A.31, to the satisfaction of HCIDLA, and in consideration of the project’s AB 2556 Determination. Enforcement of the terms of said covenant shall be the responsibility of HCIDLA. The applicant will present a copy of the recorded covenant to the Department of City Planning for inclusion in this file. The project shall comply with the Guidelines for the Affordable Housing Incentives Program adopted by the City Planning Commission and with any monitoring requirements established by the HCIDLA. Refer to the Transit Oriented Communities (TOC) Affordable Housing Incentive Program Background and Housing Replacement (AB 2556 Determination) sections of this determination

Tenant Relocation Conditions

16. That the applicant execute and record a Covenant and Agreement (Planning Department General Form CP-6770) in a form satisfactory to the Advisory Agency binding the applicant and any successor in interest to provide tenant relocation assistance and establish a relocation program in a manner consistent with Section 47.07 of the Los Angeles Municipal Code relating to demolition. The covenant and agreement shall be executed and recorded with 10 days after the expiration of the appeal period (and final action thereon) and a copy provided to each eligible tenant within five days of recordation of the covenant and agreement.
17. Within 10 days after the time to appeal has expired, the applicant shall execute and record a Covenant and Agreement (Planning Department General Form CP-6770) in a form satisfactory to the Advisory Agency binding the applicant and any successor in interest to the affirmative duty to abide by all provisions of the Ellis Act (Government Code §§ 7060, et seq.) and §§ 151.22 – 151.28 of the Los Angeles Municipal Code.

DEPARTMENT OF CITY PLANNING - STANDARD CONDITIONS

SF-1. That approval of this tract constitutes approval of model home uses, including a sales office and off-street parking. If models are constructed under this tract approval, the following conditions shall apply:

1. Prior to recordation of the final map, the subdivider shall submit a plot plan for approval by the Development Services Center of the Department of City Planning showing the location of the model dwellings, sales office and off-street parking. The sales office must be within one of the model buildings.
2. All other conditions applying to Model Dwellings under Section 12.22A, 10 and 11 and Section 17.05 O of the Code shall be fully complied with satisfactory to the Department of Building and Safety.

SF-2. That a landscape plan, prepared by a licensed landscape architect, be submitted to and approved by the Advisory Agency in accordance with CP-6730 prior to obtaining any grading or building permits before the recordation of the final map. The landscape plan shall identify tree replacement on a 1:1 basis by a minimum of 24-inch box trees for the unavoidable loss of desirable trees on the site.

In the event the subdivider decides not to request a permit before the recordation of the final map, a covenant and agreement satisfactory to the Advisory Agency guaranteeing the submission of such plan before obtaining any permit shall be recorded.

BUREAU OF ENGINEERING - STANDARD CONDITIONS

- S-1
- (a) That the sewerage facilities charge be deposited prior to recordation of the final map over all of the tract in conformance with Section 64.11.2 of the Municipal Code.
 - (b) That survey boundary monuments be established in the field in a manner satisfactory to the City Engineer and located within the California Coordinate System prior to recordation of the final map. Any alternative measure approved by the City Engineer would require prior submission of complete field notes in support of the boundary survey.
 - (c) That satisfactory arrangements be made with both the Water System and the Power System of the Department of Water and Power with respect to water mains, fire hydrants, service connections and public utility easements.
 - (d) That any necessary sewer, street, drainage and street lighting easements be dedicated. In the event it is necessary to obtain off-site easements by separate instruments, records of the Bureau of Right-of-Way and Land shall verify that such easements have been obtained. The above requirements do not apply to easements of off-site sewers to be provided by the City.
 - (e) That drainage matters be taken care of satisfactory to the City Engineer.
 - (f) That satisfactory street, sewer and drainage plans and profiles as required, together with a lot grading plan of the tract and any necessary topography of adjoining areas be submitted to the City Engineer.
 - (g) That any required slope easements be dedicated by the final map.

- (h) That each lot in the tract comply with the width and area requirements of the Zoning Ordinance.
 - (i) That 1-foot future streets and/or alleys be shown along the outside of incomplete public dedications and across the termini of all dedications abutting unsubdivided property. The 1-foot dedications on the map shall include a restriction against their use of access purposes until such time as they are accepted for public use.
 - (j) That any 1-foot future street and/or alley adjoining the tract be dedicated for public use by the tract, or that a suitable resolution of acceptance be transmitted to the City Council with the final map.
 - (k) That no public street grade exceeds 15%.
 - (l) That any necessary additional street dedications be provided to comply with the Americans with Disabilities Act (ADA) of 2010.
- S-2 That the following provisions be accomplished in conformity with the improvements constructed herein:
- (a) Survey monuments shall be placed and permanently referenced to the satisfaction of the City Engineer. A set of approved field notes shall be furnished, or such work shall be suitably guaranteed, except where the setting of boundary monuments requires that other procedures be followed.
 - (b) Make satisfactory arrangements with the Department of Traffic with respect to street name, warning, regulatory and guide signs.
 - (c) All grading done on private property outside the tract boundaries in connection with public improvements shall be performed within dedicated slope easements or by grants of satisfactory rights of entry by the affected property owners.
 - (d) All improvements within public streets, private street, alleys and easements shall be constructed under permit in conformity with plans and specifications approved by the Bureau of Engineering.
 - (e) Any required bonded sewer fees shall be paid prior to recordation of the final map.
- S-3 That the following improvements be either constructed prior to recordation of the final map or that the construction be suitably guaranteed:
- (a) Improve the alley adjoining the subdivision by the repairing any existing bad order alley section including any necessary removal and reconstruction of the existing improvements.
 - (b) Construct the necessary on-site mainline sewers satisfactory to the City Engineer.
 - (c) Install street lighting facilities to serve the tract as required by the Bureau of Street Lighting.
 - a. Construct new street lights: Two (2) on Maubert Avenue.

Notes:

The quantity of street lights identified may be modified slightly during the plan check process based on illumination calculations and equipment selection.

Conditions set: 1) in compliance with a Specific Plan, 2) by LADOT, 3) by other legal instrument excluding the Bureau of Engineering conditions, requiring an improvement that will change the geometrics of the public roadway or driveway apron may require additional or the reconstruction of street lighting improvements as part of that condition.

- (d) Plant street trees and remove any existing trees within dedicated streets or proposed dedicated streets as required by the Street Tree Division of the Bureau of Street Maintenance. All street tree plantings shall be brought up to current standards. When the City has previously been paid for tree planting, the subdivider or contractor shall notify the Urban Forestry Division ((213) 847-3077) upon completion of construction to expedite tree planting.
- (e) Repair or replace any off-grade or broken curb, gutter and sidewalk satisfactory to the City Engineer.
- (f) Construct access ramps for the handicapped as required by the City Engineer.
- (g) Close any unused driveways satisfactory to the City Engineer.
- (h) Construct any necessary additional street improvements to comply with the 2010 Americans with Disabilities Act (ADA) Standards for Accessible Design.
- (i) That the following improvements are either constructed prior to recordation of the final map or that the construction is suitably guaranteed:
 - a. Improve Maubert Avenue adjoining the subdivision by the construction of the followings:
 - (i) A concrete curb, a concrete gutter, and a full-width concrete sidewalk with tree wells.
 - (ii) Suitable surfacing to join the existing pavements and to complete an 18-foot half roadway.
 - (iii) Any necessary removal and reconstruction of existing improvements.
 - (iv) The necessary transitions to join the existing improvements.
 - b. Improve the alley being dedicated and adjoining the subdivision by the construction of a suitable surfacing to complete a 10-foot wide half alley and 2-foot center longitudinal concrete gutter including any necessary removal and reconstruction of the existing improvements.

NOTES:

The Advisory Agency approval is the maximum number of units permitted under the tract action. However the existing or proposed zoning may not permit this density.

Approval from Board of Public Works may be necessary before removal of any street trees in conjunction with the improvements in this tract map through Bureau of Street Services Urban Forestry Division.

Satisfactory arrangements shall be made with the Los Angeles Department of Water and Power, Power System, to pay for removal, relocation, replacement or adjustment of power facilities due to this development. The subdivider must make arrangements for the underground installation of all new utility lines in conformance with LAMC Section 17.05N.

The final map must record within 36 months of this approval, unless a time extension is granted before the end of such period.

The Advisory Agency hereby finds that this tract conforms to the California Water Code, as required by the Subdivision Map Act.

The subdivider should consult the Department of Water and Power to obtain energy saving design features which can be incorporated into the final building plans for the subject development. As part of the Total Energy Management Program of the Department of Water and Power, this no-cost consultation service will be provided to the subdivider upon his request.