

Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower20 messages

Tony Garcia <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 12:02 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Tony Garcia

mmbrsuhl11@gmail.com

464 S Evergreen Ave

Los Angeles, CA , California 90033

Mario Cardenas <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 12:03 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Mario Cardenas

mmbrsuhl11@gmail.com

6049 1/2 Roy St

Los Angeles, CA , California 90042

Cruz H Berber <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 12:52 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Cruz H Berber

mmbrsuhl11@gmail.com

5024 Range View Ave

Los Angeles, CA , California 90042

Miguel Rodriguez <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 1:16 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Miguel Rodriguez
mmbrrsuhl11@gmail.com
4316 Winchester Ave
Los Angeles CA , California 90032

Giuseppe Restreppo <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 1:30 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Giuseppe Restreppo
Seppelst88@gmail.com
4622 Bedilion St
Los Angeles, CA , California 90032

Giuseppe Restreppo <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 1:31 PM

Reply-To: clerk.plumcommittee@lacity.org

6/14/2021

City of Los Angeles Mail - Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

[Quoted text hidden]

Yesenia Juarez <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 1:54 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Yesenia Juarez

yesenialozajuaraz@gmail.com

221 Park Paseo Ln

Los Angeles CA , California 90033

Ariela Saucedo <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 1:59 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Ariela Saucedo

arielasauceda196@gmail.com

5212 Templeton St

Los Angeles, CA, California 90032

Ariela Saucedo <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 1:59 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

[Quoted text hidden]

Ariela Saucedo <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 1:59 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

[Quoted text hidden]

Jose N Mancia <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 2:08 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Jose N Mancia

mmbrsuhl11@gmail.com

4945 York Blvd

Los Angeles, CA , California 90042

Jhon James Tombyll <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 3:15 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Jhon James Tombyll

jhontombyll@yahoo.com

909 W Temple St Apt 546

Los Angeles CA , California 90012

Deborah Mena <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 4:16 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Deborah Mena
dmena323@gmail.com
3420 1/2 Galena St
Los Angeles, CA , California 90032

WILLIAM MORRISON <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 4:24 PM

Reply-To: clerk.plumcommittee@lacity.orgTo: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

WILLIAM MORRISON
wllmmorrison2018@yahoo.com
2728 Cincinnati St
Los Angeles, CA , California 90033

Maria Perez <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 4:40 PM

Reply-To: clerk.plumcommittee@lacity.orgTo: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Maria Perez

mmbrrsuhl11@gmail.com

2236 Terrace Heights Ave

Los Angeles, CA , California 90023

Luis Tajoya <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 4:47 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Luis Tajoya

luistajoya@gmail.com

2943 E 3rd St

Los Angeles CA , California 90033

Luis Vasquez <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 6:35 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Luis Vasquez

luis.vasquez13@yahoo.com

5234 Lockhaven Ave

Los Angeles CA , California 90041

Albert Gonzalez <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 6:36 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Albert Gonzalez

acgonzalez987@yahoo.com

5263 Borland Rd
Los Angeles, CA , California 90032

Raul Marin <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 6:42 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Raul Marin

raulmaringol@gmail.com

2252 Laverna Ave

Los Angeles CA , California 90041

Ingrid Castillo <info@email.actionnetwork.org>

Fri, Jun 11, 2021 at 6:46 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG

emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Ingrid Castillo

castilloingrid168@gmail.com

1234 Gabriel Garcia Marquez St Apt E

[Los Angeles CA , California 90033](#)