

CONDITIONS FOR EFFECTUATING (T) TENTATIVE CLASSIFICATION REMOVAL

Pursuant to Section 12.32 G of the Municipal Code, the (T) Tentative Classification shall be removed by the recordation of a final parcel or tract map or by posting of guarantees through the B-permit process of the City Engineer to secure the following without expense to the City of Los Angeles, with copies of any approval or guarantees provided to the Department of City Planning for attachment to the subject planning case file.

1. Bureau of Engineering Conditions

a. Dedication Required:

- i. Glenoaks Boulevard (Avenue II) - A 3-foot wide strip of land along the property frontage to complete a 43-foot half right-of-way in accordance with Avenue II Street standards of Mobility Plan 2035.

b. Improvements Required:

- i. Glenoaks Boulevard - Remove the existing asphalt berm and construct a 28-foot wide half roadway with suitable surfacing, integral concrete curb, 2-foot gutter and a 15-foot full-width concrete sidewalk. All new proposed driveways shall be constructed to LADOT's and BOE's approval and in compliance with ADA requirements.

Notes: Broken curb and/ or gutter includes segments within existing score lines that are depressed or upraised by more than $\frac{1}{4}$ inch from the surrounding concrete work or are separated from the main body of the concrete piece by a crack through the entire vertical segment and greater than $\frac{1}{8}$ inch at the surface of the section.

Non- ADA compliant sidewalk shall include any sidewalk that has a cross slope that exceeds 2% and/or is depressed or upraised by more than $\frac{1}{4}$ inch from the surrounding concrete work or has full concrete depth cracks that have separations greater than $\frac{1}{8}$ inch at the surface. The sidewalk also includes that portion of the pedestrian path of travel across a driveway.

All new sidewalk curb and gutter shall conform to the Bureau of Engineering Standard Plans S410-2, S440-4, S442-5 and S444-0.

Install tree wells with root barriers and plant street trees satisfactory to the City Engineer and the Urban Forestry Division of the Bureau of Street Services. The applicant should contact the Urban Forestry Division for further information (213) 847-3077.

Notes: Street lighting may be required satisfactory to the Bureau of Street Lighting (213) 847-1551.

Department of Transportation may have additional requirements for dedication and improvements.

Regarding any conflicts with traffic signs, parking spaces, meters or traffic control devices, contact the Department of Transportation (818) 374-4699.

Regarding any conflicts with power pole matters, contact the Department of Water and Power at (213) 367-2715.

Refer to the Fire Department regarding fire hydrants (818) 374-5005.

- ii. Provide proper site and street drainages for all streets being improved. Roof drainage and surface run-off from the property shall be collected and treated at the site and drained to the streets through drain pipes constructed under the sidewalk through curb drains or connection to the catch basins (email: Eng.ValleyInfo@lacity.org).
- iii. Mainline sewer exists in Glenoaks Boulevard. Extension of house connection laterals to the new property line may be required. All Sewerage Facilities Charges and Bonded Sewer Fees are to be paid prior to obtaining a building permit (email: Eng.ValleyInfo@lacity.org).
- iv. Submit parking area and driveway plans to the Valley District Office of the Bureau of Engineering and the Department of Transportation for review and approval.

2. Department of Transportation Conditions

- a. A minimum 20-foot reservoir space is required between any security gate or parking space and the property line, or to the satisfaction of DOT.
- b. A width of $w=30$ feet at the driveway apron curb cut is required for all two-way driveways, or to the satisfaction of DOT.
- c. A parking area and driveway plan should be submitted to the Citywide Planning Coordination Section of the Department of Transportation for approval prior to submittal of building permit plans for plan check by the Department of Building and Safety. Transportation approvals are conducted at 6262 Van Nuys Blvd., Room 320, Van Nuys, CA 91401.
- d. The subdivision report fee and condition clearance fee be paid to the Department of Transportation as required per Ordinance No. 183270 and LAMC Section 19.15 prior to recordation of the final map. Note: The applicant may be required to comply with any other applicable fees per this new ordinance.

3. Bureau of Street Lighting Conditions

- a. SPECIFIC CONDITION: Prior to the recordation of the final map or issuance of the Certificate of Occupancy (C of O), street lighting improvement plans shall be submitted for review and the owner shall provide a good faith effort via a ballot process for the formation or annexation of the property within the boundary of the development into a Street Lighting Maintenance Assessment District.
- b. IMPROVEMENT CONDITION: Construct new street light: one (1) on Glenoaks Blvd.

4. Bureau of Street Services, Urban Forestry Division Conditions

- a. Plant street trees and remove any existing trees within dedicated streets or proposed dedicated streets as required by the Urban Forestry Division of the Bureau of Street Services. Parkway tree removals shall be replanted at a 2:1 ratio. All street tree plantings shall be brought up to current standards. When the City has previously been paid for tree plantings, the sub divider or contractor shall notify the Urban Forestry Division at: (213) 847-3077 upon completion of construction to expedite tree planting.

Note: Removal or planting of any tree in the public right-of-way requires approval of the Board of Public Works. Contact Urban Forestry Division at: (213) 847-3077 for permit information. CEQA document must address parkway tree removals.