

20-0813-s1_pc_06-08-21

1 message

clerk.plumcommittee@lacity.org <clerk.plumcommittee@lacity.org>
To: Clerk-PLUM-Committee <clerk.plumcommittee@lacity.org>

Mon, Jun 14, 2021 at 3:21 PM

----- Forwarded message -----

From: Paul McCabe <pmccabe@med.usc.edu>

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindoleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Cc:

Bcc:

Date: Tue, 08 Jun 2021 23:06:14 +0000 (UTC)

Subject: Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Paul McCabe

pmccabe@med.usc.edu

1451 Palisades Drive

Pacific Palisades, California 90272-2155

----- Forwarded message -----

From: judith hansen <info@email.actionnetwork.org>

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindoleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Cc:

Bcc:

Date: Wed, 09 Jun 2021 04:30:14 +0000 (UTC)

Subject: Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

Honorable Councilmember De Leon and PLUM Committee Members,

The below is a form letter, but I agree with it in its' entirety. I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

judith hansen
judith.hansen@yahoo.com
880 W. First st
los angeles, California 90012

----- Forwarded message -----

From: Lisa Pease <lpease2@roadrunner.com>

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindoleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Cc:

Bcc:

Date: Tue, 08 Jun 2021 18:49:13 +0000 (UTC)

Subject: Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Lisa Pease
lpease2@roadrunner.com
431 S Burnside Ave, Apt 2H
Los Angeles, California 90036

----- Forwarded message -----

From: Franz Martin <franzm@flash.net>

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Cc:

Bcc:

Date: Tue, 08 Jun 2021 18:33:19 +0000 (UTC)

Subject: Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Franz Martin

franzm@flash.net

621 S Spring St Apt. 1108

Los Angeles, California 90014

----- Forwarded message -----

From: Dominick Falzone <dominick3@roadrunner.com>

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Cc:

Bcc:

Date: Tue, 08 Jun 2021 17:38:53 +0000 (UTC)

Subject: Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Dominick Falzone
dominick3@roadrunner.com
745 S Normandie Ave Apt 108
Los Angeles, California 90005

----- Forwarded message -----

From: joaquin herrera <jherrera@dpw.lacounty.gov>

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Cc:

Bcc:

Date: Tue, 08 Jun 2021 17:31:07 +0000 (UTC)

Subject: Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

joaquin herrera
jherrera@dpw.lacounty.gov
3649 N Bender Ave
Covina, California 91724

----- Forwarded message -----

From: "aaubin@ucla.edu" <aaubin@ucla.edu>

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Cc:

Bcc:

Date: Tue, 08 Jun 2021 17:24:42 +0000 (UTC)

Subject: Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

aaubin@ucla.edu

2076 West 31st Street

Los Angeles, California 90018

----- Forwarded message -----

From: Lois Arkin <crsp@igc.org>

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Cc:

Bcc:

Date: Tue, 08 Jun 2021 17:16:00 +0000 (UTC)

Subject: Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG

emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.







Lois Arkin

crsp@igc.org

This event is exclusive for a small group of the Los Angeles Eco-Village members. We are still on lockdown.

Los Angeles, California 90004

8 attachments

-  **Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower.eml**
18K
-  **Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower.eml**
18K
-  **Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower.eml**
18K
-  **Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower.eml**
18K
-  **Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower.eml**
18K
-  **Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower.eml**
18K
-  **Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower.eml**
18K
-  **Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower.eml**
18K