

**Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower**

14 messages

---

**Miguel Gonzalez** <info@email.actionnetwork.org>

Wed, Jun 2, 2021 at 6:26 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Miguel Gonzalez

[mmbrsuhl11@gmail.com](mailto:mmbrsuhl11@gmail.com)

417 N Fresno St

[Los Angeles CA , California 90063](#)

---

**Denis Alex Garcia Nunez** <info@email.actionnetwork.org>

Wed, Jun 2, 2021 at 6:29 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Denis Alex Garcia Nunez  
[mmbrsuhl11@gmail.com](mailto:mmbrsuhl11@gmail.com)  
608 Toledo St, Apt 3  
Los Angeles, CA , California 90042

---

Cindy Ortega <[info@email.actionnetwork.org](mailto:info@email.actionnetwork.org)>

Wed, Jun 2, 2021 at 6:31 PM

Reply-To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org)

To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org), [clerk.cps@lacity.org](mailto:clerk.cps@lacity.org), [councilmember.Blumenfield@lacity.org](mailto:councilmember.Blumenfield@lacity.org), [councilmember.kevindeleon@lacity.org](mailto:councilmember.kevindeleon@lacity.org), [emma.howard@lacity.org](mailto:emma.howard@lacity.org), [gilbert.cedillo@lacity.org](mailto:gilbert.cedillo@lacity.org), [councilmember.harris-dawson@lacity.org](mailto:councilmember.harris-dawson@lacity.org), [councilmember.ridley-thomas@lacity.org](mailto:councilmember.ridley-thomas@lacity.org), [councilmember.lee@lacity.org](mailto:councilmember.lee@lacity.org)

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Cindy Ortega  
[hierachy.213la@gmail.com](mailto:hierachy.213la@gmail.com)  
451 S Main St Unit 601  
Los Angeles CA , California 90013

---

Jose A Lopez <[info@email.actionnetwork.org](mailto:info@email.actionnetwork.org)>

Wed, Jun 2, 2021 at 6:33 PM

Reply-To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org)

To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org), [clerk.cps@lacity.org](mailto:clerk.cps@lacity.org), [councilmember.Blumenfield@lacity.org](mailto:councilmember.Blumenfield@lacity.org), [councilmember.kevindeleon@lacity.org](mailto:councilmember.kevindeleon@lacity.org), [emma.howard@lacity.org](mailto:emma.howard@lacity.org), [gilbert.cedillo@lacity.org](mailto:gilbert.cedillo@lacity.org), [councilmember.harris-dawson@lacity.org](mailto:councilmember.harris-dawson@lacity.org), [councilmember.ridley-thomas@lacity.org](mailto:councilmember.ridley-thomas@lacity.org), [councilmember.lee@lacity.org](mailto:councilmember.lee@lacity.org)

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Jose A Lopez  
[mmbrsuhl11@gmail.com](mailto:mmbrsuhl11@gmail.com)  
4318 York Blvd  
Los Angeles CA , California 90041

---

Carlos V Gomez <[info@email.actionnetwork.org](mailto:info@email.actionnetwork.org)>

Wed, Jun 2, 2021 at 6:34 PM

Reply-To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org)

To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org), [clerk.cps@lacity.org](mailto:clerk.cps@lacity.org), [councilmember.Blumenfield@lacity.org](mailto:councilmember.Blumenfield@lacity.org), [councilmember.kevindeleon@lacity.org](mailto:councilmember.kevindeleon@lacity.org), [emma.howard@lacity.org](mailto:emma.howard@lacity.org), [gilbert.cedillo@lacity.org](mailto:gilbert.cedillo@lacity.org), [councilmember.harris-dawson@lacity.org](mailto:councilmember.harris-dawson@lacity.org), [councilmember.ridley-thomas@lacity.org](mailto:councilmember.ridley-thomas@lacity.org), [councilmember.lee@lacity.org](mailto:councilmember.lee@lacity.org)

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Carlos V Gomez  
[loveforla2@gmail.com](mailto:loveforla2@gmail.com)  
1559 N Indiana St, Apt 564  
Los Angeles, CA , California 90063

---

Rene Coto <[info@email.actionnetwork.org](mailto:info@email.actionnetwork.org)>

Wed, Jun 2, 2021 at 6:36 PM

Reply-To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org)

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Rene Coto

[fcmandril\\_70@yahoo.com](mailto:fcmandril_70@yahoo.com)

5304 Ithaca Ave

[Los Angeles, CA , California 90032](#)

---

Baltimore Quintanilla <[info@email.actionnetwork.org](mailto:info@email.actionnetwork.org)>

Wed, Jun 2, 2021 at 6:38 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Baltimore Quintanilla

[mmbrsuhl11@gmail.com](mailto:mmbrsuhl11@gmail.com)



541 Redfield Ave  
Los Angeles CA , California 90042

---

Ashley Ramos <info@email.actionnetwork.org>

Wed, Jun 2, 2021 at 6:45 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Ashley Ramos

[delmisaldana@gmail.com](mailto:delmisaldana@gmail.com)

806 N Evergreen Ave

Los Angeles, CA , California 90033

---

Melisa Dogoldogol <info@email.actionnetwork.org>

Wed, Jun 2, 2021 at 6:48 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG

emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Melisa Dogoldogol  
[melissa.dogoldogol@gmail.com](mailto:melissa.dogoldogol@gmail.com)  
900 W Temple St Apt 427  
Los Angeles CA , California 90012

---

Antonio Varela <[info@email.actionnetwork.org](mailto:info@email.actionnetwork.org)>

Wed, Jun 2, 2021 at 6:51 PM

Reply-To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org)

To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org), [clerk.cps@lacity.org](mailto:clerk.cps@lacity.org), [councilmember.Blumenfield@lacity.org](mailto:councilmember.Blumenfield@lacity.org), [councilmember.kevindeleon@lacity.org](mailto:councilmember.kevindeleon@lacity.org), [emma.howard@lacity.org](mailto:emma.howard@lacity.org), [gilbert.cedillo@lacity.org](mailto:gilbert.cedillo@lacity.org), [councilmember.harris-dawson@lacity.org](mailto:councilmember.harris-dawson@lacity.org), [councilmember.ridley-thomas@lacity.org](mailto:councilmember.ridley-thomas@lacity.org), [councilmember.lee@lacity.org](mailto:councilmember.lee@lacity.org)

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Antonio Varela  
[tony1984la@gmail.com](mailto:tony1984la@gmail.com)  
4471 College View Ave  
Los Angeles, CA , California 90041

---

Diana Sanchez <[info@email.actionnetwork.org](mailto:info@email.actionnetwork.org)>

Wed, Jun 2, 2021 at 6:53 PM

Reply-To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org)

To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org), [clerk.cps@lacity.org](mailto:clerk.cps@lacity.org), [councilmember.Blumenfield@lacity.org](mailto:councilmember.Blumenfield@lacity.org), [councilmember.kevindeleon@lacity.org](mailto:councilmember.kevindeleon@lacity.org), [emma.howard@lacity.org](mailto:emma.howard@lacity.org), [gilbert.cedillo@lacity.org](mailto:gilbert.cedillo@lacity.org), [councilmember.harris-dawson@lacity.org](mailto:councilmember.harris-dawson@lacity.org), [councilmember.ridley-thomas@lacity.org](mailto:councilmember.ridley-thomas@lacity.org), [councilmember.lee@lacity.org](mailto:councilmember.lee@lacity.org)

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Diana Sanchez

[dianasanchez8626@gmail.com](mailto:dianasanchez8626@gmail.com)

4885 Axtell St

[Los Angeles CA , California 90032](#)

---

Sandra Rivas <[info@email.actionnetwork.org](mailto:info@email.actionnetwork.org)>

Wed, Jun 2, 2021 at 7:13 PM

Reply-To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org)

To: [clerk.plumcommittee@lacity.org](mailto:clerk.plumcommittee@lacity.org), [clerk.cps@lacity.org](mailto:clerk.cps@lacity.org), [councilmember.Blumenfield@lacity.org](mailto:councilmember.Blumenfield@lacity.org), [councilmember.kevindeleon@lacity.org](mailto:councilmember.kevindeleon@lacity.org), [emma.howard@lacity.org](mailto:emma.howard@lacity.org), [gilbert.cedillo@lacity.org](mailto:gilbert.cedillo@lacity.org), [councilmember.harris-dawson@lacity.org](mailto:councilmember.harris-dawson@lacity.org), [councilmember.ridley-thomas@lacity.org](mailto:councilmember.ridley-thomas@lacity.org), [councilmember.lee@lacity.org](mailto:councilmember.lee@lacity.org)

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Sandra Rivas

[mmbrsuhl11@gmail.com](mailto:mmbrsuhl11@gmail.com)

5311 Huntington Dr N Apt 9

[Los Angeles CA , California 90032](#)

---

Reyna Gutierrez-Diaz <info@email.actionnetwork.org>

Wed, Jun 2, 2021 at 7:21 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Reyna Gutierrez-Diaz

[diazreyna@yahoo.com](mailto:diazreyna@yahoo.com)

200 N Soto St 200 N Soto St

[Los Angeles CA , California 90033](#)

---

Ana Leticia Pineda <info@email.actionnetwork.org>

Wed, Jun 2, 2021 at 7:29 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.



6/8/2021

City of Los Angeles Mail - Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

Ana Leticia Pineda

[mmbrsuhl11@gmail.com](mailto:mmbrsuhl11@gmail.com)

3281 E Olympic Blvd

[Los Angeles CA , California 90023](#)