

Public Comments Not Uploaded CF #20-0813-S1: We need a Green DTLA, no to Olympic Tower

19 messages

Teodora Cenan <info@email.actionnetwork.org>

Mon, May 24, 2021 at 8:36 AM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Teodora Cenan

teodoracenan@gmail.com

409 W Olympic Blvd

[Los Angeles, California 90015](#)

Stewart Lozano <info@email.actionnetwork.org>

Mon, May 24, 2021 at 10:29 AM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Stewart Lozano
sslozano@gmail.com
931 Larker Ave
Los Angeles, California 90042

Lauren Batten <info@email.actionnetwork.org>

Mon, May 24, 2021 at 10:47 AM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Lauren Batten
lvbatten@gmail.com
725 S. Bixel St
Los Angeles, California 90017

Lara Wessel <info@email.actionnetwork.org>

Mon, May 24, 2021 at 3:21 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Lara Wessel

larawessel@yahoo.com

300 South Santa Fe Ave., #3-330

Los Angeles, California 90013

Matt Baker <info@email.actionnetwork.org>

Mon, May 24, 2021 at 3:45 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Matt Baker

matthewjbaker@me.com

803 Cresthaven Dr.

Los Angeles, California 90042

Edgar Varela <info@email.actionnetwork.org>

Mon, May 24, 2021 at 3:56 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Edgar Varela
edgarvla@yahoo.com
1025 Spence St.
LA, California 90023

Alex Arroyo <info@email.actionnetwork.org>

Mon, May 24, 2021 at 3:58 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Alex Arroyo
iamalexarroyo@gmail.com

375 East 2nd Street Apt# 213
Los Angeles, California 90012

Emiliano Lopez <info@email.actionnetwork.org>

Mon, May 24, 2021 at 4:21 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee NOT to approve the Olympic Tower Project.

Emiliano Lopez

[eemiliano.lopezz@gmail.com](mailto:emiliano.lopezz@gmail.com)

315 W. 5th Street, 906

Los Angeles, California 90013

Armando Villasenor <info@email.actionnetwork.org>

Mon, May 24, 2021 at 4:26 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG

emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Look at the beauty of Chicago and New York City Manhattan which were my previous residences before moving to

Los Angeles which I find to be a dismal metropolis lacking so much as a place of promise and is a land of broken dreams!

L.A.needs this desperately!

Armando Villasenor

senorvillasenor999@gmail.com

810 South Spring Street #508

[Los Angeles, California 90014](#)

Estefany Mendez <info@email.actionnetwork.org>

Mon, May 24, 2021 at 4:38 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindoleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Estefany Mendez

m.estefany@yahoo.com

3910 Melrose Avenue

[Los Angeles, California 90029](#)

Amy Field <info@email.actionnetwork.org>

Mon, May 24, 2021 at 4:46 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Amy Field

amyfield@yahoo.com

217 E. 8th St. Unit 802

Los Angeles, California 90014

Gaye Smith <info@email.actionnetwork.org>

Mon, May 24, 2021 at 5:00 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Gaye Smith

gayes1712@gmail.com

1712 Rotary Drive
Los Angeles, California 90026

Toochis Morin <info@email.actionnetwork.org>

Mon, May 24, 2021 at 6:35 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Toochis Morin

zimorrific@gmail.com

PO BOX 36820

Los Angeles , California 90036

Lauren Notman <info@email.actionnetwork.org>

Mon, May 24, 2021 at 7:57 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG

emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Lauren Notman

Laurennorman@icloud.com

936 S Olive Street

Los Angeles, California 90015

Artemus thompson Nellson <info@email.actionnetwork.org>

Mon, May 24, 2021 at 7:58 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Artemus thompson Nellson

170234891241401tn@gmail.com

311 Winston street

L.A., California 90013

Angel Gabarret <info@email.actionnetwork.org>

Mon, May 24, 2021 at 8:08 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

What we need affordable housing for the displaced homelessness wondering the streets everywhere. Not hotels..

Angel Gabarret
agabarret23@yahoo.com
4868 Gambier St
[Los Angeles, California 90032](#)

Daniel Castino <info@email.actionnetwork.org>

Mon, May 24, 2021 at 8:12 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Daniel Castino
nigua1973@gmail.com
1057 S Western Ave Apt 209
[Los Angeles, California 90006](#)

Susan Suaza <info@email.actionnetwork.org>

Mon, May 24, 2021 at 8:18 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Susan Suaza

muses220@gmail.com

4247, Eagle Rock Blvd #506

[Los Angeles, California 90065](#)

Mary Reed <info@email.actionnetwork.org>

Mon, May 24, 2021 at 10:20 PM

Reply-To: clerk.plumcommittee@lacity.org

To: clerk.plumcommittee@lacity.org, clerk.cps@lacity.org, councilmember.Blumenfield@lacity.org, councilmember.kevindeleon@lacity.org, emma.howard@lacity.org, gilbert.cedillo@lacity.org, councilmember.harris-dawson@lacity.org, councilmember.ridley-thomas@lacity.org, councilmember.lee@lacity.org

Honorable Councilmember De Leon and PLUM Committee Members,

I am concerned about the insufficient study of Greenhouse Gas (GHG) emissions in the Olympic Tower Project.

The Greenhouse Gas analysis contained in the Project's Environmental Impact Report (EIR) fails to comply with CEQA Guidelines. Specifically, the GHG plans relied upon in the EIR are entirely aspirational and lacking any binding, project-specific requirements. Despite the Project's GHG emissions exceeding thresholds routinely used by the City for other City Projects, the City erroneously refuses to apply the same thresholds now to this project.

Given the insufficient Greenhouse Gas emissions analysis for this project, I urge the PLUM Committee not to approve the Olympic Tower Project.

Mary Reed

reed8764@gmail.com

4547 eagle rock Blvd #13

[Los Angeles](#) , California 90042