

## CONDITIONS FOR EFFECTUATING (T) TENTATIVE CLASSIFICATION REMOVAL

*Pursuant to Section 12.32-G of the Municipal Code, the (T) Tentative Classification shall be removed by the recordation of a final parcel or tract map or by posting of guarantees through the B-permit process of the City Engineer to secure the following without expense to the City of Los Angeles, with copies of any approval or guarantees provided to the Department of City Planning for attachment to the subject planning case file.*

*Dedication(s) and Improvement(s). Prior to the issuance of any building permits, the following public improvements and dedications for streets and other rights of way adjoining the subject property shall be guaranteed to the satisfaction of the Bureau of Engineering, Department of Transportation, Fire Department (and other responsible City, regional and federal government agencies, as may be necessary):*

### *1. Improvements Required:*

*27th Street - Trim tree roots. Construct a new concrete sidewalk along the property frontage. Repair all damaged concrete curb, gutter and roadway pavement. Reconstruct all open driveways to comply with BOE standards and ADA requirements. Close all unused driveways with concrete sidewalk, curb and gutter.*

*Alley - Repair all broken, off-grade, cracked, concrete alley pavement along the property frontage to the satisfaction of the Bureau of Engineering.*

*Note: Broken curb and/or gutter includes segments within existing score lines that are depressed or upraised by more than ¼ inch from the surrounding concrete work or are separated from the main body of the concrete piece by a crack through the entire vertical segment and greater than 1 / 8 inch at the surface of the section.*

*Non- ADA compliant sidewalk shall include any sidewalk that has a cross slope that exceeds 2% and/ or is depressed or upraised by more than ¼ inch from the surrounding concrete work or has full concrete depth cracks that have separations greater than 1 / 8 inch at the surface. The sidewalk also includes that portion of the pedestrian path of travel across a driveway.*

*All new sidewalk curb and gutter shall conform to the Bureau of Engineering Standard Plans S410-2, S440-4, S442-5 and S444-0.*

*Install tree wells with root barriers and plant street trees satisfactory to the City Engineer and the Urban Forestry Division of the Bureau of Street Services. The applicant should contact the Urban Forestry Division for further information (213) 847-3077.*

*Notes: Street lighting may be required satisfactory to the Bureau of Street Lighting (213) 84 7-1551.*

*Department of Transportation may have additional requirements for dedication and improvements.*

*Refer to the Department of Water and Power regarding power pole (213) 367- 2715.*

*Refer to the Fire Department regarding fire hydrants (213) 482-6543.*

*Contact the Department of Transportation regarding any conflicts with traffic signs, parking*

## **[Q] QUALIFIED CONDITIONS OF APPROVAL**

Pursuant to Section 12.32 G of the Municipal Code, the following limitations are hereby imposed upon the use of the subject property, subject to the "Q" Qualified classification.

1. **Site Development.** Except as modified herein, the project shall be in substantial conformance with the plans and materials submitted by the Applicant, stamped "Exhibit A," *and* 'Exhibit G' and attached to the subject case file. No change to the plans will be made without prior review by the Department of City Planning, West/South/Coastal Project Planning Division, and written approval by the Director of Planning. Each change shall be identified and justified in writing. Minor deviations may be allowed in order to comply with the provisions of the Los Angeles Municipal Code or the project conditions.

### **OR**

The site shall be developed with residential uses allowed, and in accordance with the density and all other development standards in the RD1.5-1-O zone.

## DEVELOPMENT LIMITATIONS

1. **Height.** The project shall be limited to four and a half stories and 48 feet in height to the roof parapet per Exhibit "A".

## CONDITIONS OF APPROVAL

(PLUM Committee recommended modification of Condition 27 on 3-1-2022)

2. **Zoning.** The project shall comply with all other requirements of the C2-1D-O zone.
3. **Floor Area.** The project shall be limited to a maximum floor area of 201,345 square feet.
4. **Automobile Parking.** The project shall be limited to 731 parking spaces
5. **Open Space.** The project shall provide a minimum of 18,206 square feet of publicly accessible open space and include pedestrian amenities per Exhibit "A".
6. **Design Features.** The project materials shall be limited to brick and perforated metal panels as seen in Exhibit A.
7. **Electric Vehicle Parking.** All electric vehicle charging spaces (EV Spaces) and electric vehicle charging stations (EVCS) shall comply with the regulations outlined in Sections 99.04.106 and 99.05.106 of Article 9, Chapter IX of the LAMC.
8. **Bicycle Parking.** Bicycle parking shall be provided consistent with LAMC 12.21 A.16.
9. **Landscape Plan.** The project shall provide a minimum of 13,473 square feet of landscaped open space per Exhibit "A"
10. **Street Trees.** Plant street trees and remove any existing trees within dedicated streets or proposed dedicated streets as required by Urban Forestry Division of the Bureau of Street Services. Parkway tree removals shall be replanted at a 2:1 ratio. All street tree plantings shall be brought up to current standards.
11. **Lighting.** All pedestrian walkways and vehicle access points will be well-lit. All outdoor lighting will be shielded to prevent excessive illumination and mitigate light impacts on adjacent residential properties and the public right-of-way. Utilize adequate, uniform, and glare-free lighting, such as dark-sky compliant fixtures, to avoid uneven light distribution, harsh shadows, and light spillage.
12. **Lighting.** All outdoor and parking lighting shall be shielded and down-cast within the site in a manner that prevents the illumination of adjacent public rights-of-way, adjacent properties, and the night sky (unless otherwise required by the Federal Aviation Administration (FAA) or for other public safety purposes).
13. **Solar and Electric Generator.** Generators used during the construction process shall be electric or solar powered. Solar generator and electric generator equipment shall be located as far away from sensitive uses as feasible.

Or: Where power poles are available, electricity from power poles and/or solar-powered generators rather than temporary diesel or gasoline generators shall be used during construction. (WL)

14. **Solar-ready Buildings.** The Project shall comply with the Los Angeles Municipal Green Building Code, Section 99.05.211, to the satisfaction of the Department of Building and Safety.
15. **Signage.** There shall be no off-site commercial signage on construction fencing during construction.
16. **Condition of Approval - Tribal Cultural Resource Inadvertent Discovery.** Prior to commencing any ground disturbance activities at the Project site, the Applicant, or its successor, shall retain qualified tribal monitors/consultants from the Gabrieleno Band of Mission Indians KizhNation (however if the Tribe is unable to provide an on-site monitor at the time of any demolition, grading or excavation activities, the Applicant may proceed with construction) and a qualified archaeologist/archaeological monitor. Ground disturbance activities shall include excavating, digging, trenching, plowing, drilling, tunneling, quarrying, grading, leveling, removing peat, clearing, driving posts, augering, backfilling, blasting, stripping topsoil, pavement removal, grubbing, tree removals, boring or a similar activity at the project site. Any tribal monitor/consultant shall be approved by the Gabrieleno Band of Mission Indians-Kizh Nation Tribal Government. A qualified archaeologist/archaeological monitor shall be identified as principal personnel who must meet the Secretary of Interior standards for archaeology and have a minimum of 10 years of experience as a principal investigator working with Native American archaeological sites in Southern California. The archaeologist shall ensure that all other personnel associated with and hired for the archaeological monitoring are appropriately trained and qualified.

The archaeological and tribal monitors/consultants shall observe all ground disturbance activities on the project site at all times any ground disturbance activities are taking place. If ground disturbance activities are simultaneously occurring at multiple locations on the project site, an archaeological and tribal monitor shall be assigned to each location where the ground disturbance activities are occurring. The on-site monitoring shall end when the ground disturbing activities are completed, or when the City has determined that the Project site has a low potential for impacting tribal cultural resources after consultation with the tribal monitor/consultant and archaeologist.

Prior to commencing any ground disturbance activities, the archaeological monitor in consultation with the tribal monitor/consultant, shall provide Worker Environmental Awareness Program (WEAP) training to construction crews involved in ground disturbance activities that includes information on regulatory requirements for the protection of tribal cultural resources. As part of the WEAP training, construction crews shall be briefed on proper procedures to follow should a crew member discover tribal cultural resources during ground disturbance activities. In addition, workers will be shown examples of the types of resources that would require notification of the archaeological monitor and tribal monitor. The Applicant shall maintain on the Project site, for City inspection, documentation establishing the WEAP training was completed for all members of the construction crew involved in ground disturbance activities.

In the event that any subsurface objects or artifacts that may be tribal cultural resources are encountered during the course of any ground disturbance activities, all such activities shall temporarily cease within the area of discovery, the radius of which shall be determined by the archaeologist, in consultation with the tribal monitor/consultant approved by the Gabrieleno Band of Mission Indians-Kizh Nation, until the potential tribal cultural resources are properly assessed and addressed pursuant to the process set forth below:

1. Upon a discovery of a potential tribal cultural resource, the Applicant, or its successor, shall immediately stop all ground disturbance activities in the immediate vicinity of the find until the find can be assessed by the archaeologist and tribal monitor/consultant.
2. If the archaeologist and tribal monitor/consultant determine the resources are Native American in origin, the Gabrieleno Band of Mission Indians-Kizh Nation shall coordinate with the landowner Administrative Conditions regarding treatment and curation of these resources. Typically, the Tribe will request reburial or preservation for educational purposes.
3. The Applicant, or its successor, shall implement the tribe's recommendations if the archaeologist, in consultation with the tribal monitor/consultant, reasonably conclude that the tribe's recommendations are reasonable and feasible.
4. In addition to any recommendations from the Gabrieleno Band of Mission Indians-Kizh Nation, the archaeologist shall develop a list of actions that shall be taken to avoid or minimize impacts to the identified tribal cultural resources substantially consistent with best practices identified by the Native American Heritage Commission and in compliance with any applicable federal, state or local law, rule or regulation. Any discrepancies between the implementation of the recommendations shall be resolved through the City as the Lead Agency, in consultation with the archaeologist and tribal monitor/consultant.
5. The Applicant, or its successor, may recommence ground disturbance activities outside of a specified radius of the discovery site, so long as this radius has been reviewed by both the archaeologist and tribal monitor/consultant and determined to be reasonable and appropriate.
6. The Applicant, or its successor, may recommence ground disturbance activities inside of the specified radius of the discovery site only after it has complied with all of the recommendations developed and approved pursuant to the process set forth in paragraphs 2 through 4 above.
7. Copies of any subsequent prehistoric archaeological study, tribal cultural resources study or report, detailing the nature of any significant tribal cultural resources, remedial actions taken, and disposition of any significant tribal cultural resources shall be submitted to the South Central Coastal Information Center (SCCIC) at California State University,

Fullerton and to the Native American Heritage Commission for inclusion in its Sacred Lands File.

8. Notwithstanding paragraph 7 above, any information that the Department of City Planning, in consultation with the City Attorney's Office, determines to be confidential in nature shall be excluded from submission to the SCCIC or provided to the public under the applicable provisions of the California Public Records Act, California Public Resources Code, Section 6254(r), and handled in compliance with the City's AB 52 Confidentiality Protocols.

9. Archaeological and Native American monitoring and excavation during construction projects will be consistent with current professional standards. All feasible care to avoid any unnecessary disturbance, physical modification, or separation of human remains and associated funerary objects shall be taken.

## **Environmental Conditions**

17.

- N-1** Construction and demolition shall be restricted to the hours of 7:00 AM to 6:00 PM Monday through Friday, and 8:00 AM to 6:00 PM on Saturday.
- N-2** The project contractor(s) shall employ state-of-the-art noise minimization strategies when using mechanized construction equipment. To the maximum extent practical, demolition and construction activities shall be scheduled and coordinated so as to avoid operating several pieces of equipment simultaneously, which cause high noise levels. Construction equipment shall not idle when not in use. The contractor shall place noise construction equipment as far from the Project Site edges as practicable.
- N-3** The project contractor shall use power construction equipment with noise shielding and muffling devices. The noise mufflers shall be consistent with manufacturers' standards and be equipped with all construction equipment, fixed or mobile.
- N-4** The project contractor shall erect a temporary noise-attenuating sound barrier along the perimeter of the Project Site. The sound wall shall be a minimum of 8 feet in height to block the line-of-site of construction equipment and off site receptors at the ground level. The sound barrier shall include ¾ inch plywood or other sound absorbing material capable of achieving a 10-dBA reduction in sound level.

Localized and portable sound enclosures shall be used to further significantly reduce noise from these types of equipment. Products such as Echo Barrier Outdoor noise barrier/absorbers can provide a 10-20 dBA noise reduction or more if the barrier is doubled up.

**N-5** An information sign shall be posted at the entrance to each construction site that identifies the permitted construction hours and provides a telephone number to call and receive information about the construction project or to report complaints regarding excessive noise levels. Any reasonable complaints shall be rectified within 24 hours of their receipt.

**N-6** The Applicant shall provide a courtesy notice of the project's construction related activities to adjacent business owners and residences a minimum of two weeks prior to commencement of construction.

18. MM-TR-1: Construction Management Plan

A detailed Construction Management Plan, including street closure information, detour plans, haul routes, and staging plans, shall be prepared and submitted to LADOT for review and approval. The Construction Management Plan would formalize how construction would be carried out and identify specific actions that would be required to reduce effects on the surrounding community. The Construction Management Plan shall be based on the nature and timing of the specific construction activities and other projects in the vicinity of the Project Site, and should include the following elements as appropriate:

- Advance, bilingual notification of adjacent property owners and occupants of upcoming construction activities, including durations and daily hours of operation.
- Prohibition of construction worker or equipment parking on adjacent streets.
- Temporary pedestrian, bicycle, and vehicular traffic controls (i.e., flag persons) during all construction activities adjacent to public rights-of-way to ensure traffic safety on public roadways. These controls shall include, but not be limited to, flag people trained in pedestrian and bicycle safety.
- Temporary traffic control during all construction activities adjacent to public rights-of-way to improve traffic flow on public roadways (e.g., flag persons).



- Scheduling of construction activities to reduce the effect on traffic flow on surrounding arterial streets.
- Potential sequencing of construction activity to reduce the amount of construction-related traffic on arterial streets.
- Containment of construction activity within the Project Site boundaries.
- Prohibition of construction-related vehicles/equipment parking on surrounding public streets.
- Coordination with Metro to address any construction near the rail right-of-way.
- Safety precautions for pedestrians and bicyclists through such measures as alternate routing and protection barriers shall be implemented as appropriate.
- Scheduling of construction-related deliveries, haul trips, etc., so as to occur outside the commuter peak hours to the extent feasible.

## ADMINISTRATIVE CONDITIONS

19. **Final Plans.** Prior to the issuance of any building permits for the project by the Department of Building and Safety, the applicant shall submit all final construction plans that are awaiting issuance of a building permit by the Department of Building and Safety for final review and approval by the Department of City Planning. All plans that are awaiting issuance of a building permit by the Department of Building and Safety shall be stamped by Department of City Planning staff "Plans Approved". A copy of the Plans Approved, supplied by the applicant, shall be retained in the subject case file.
20. **Notations on Plans.** Plans submitted to the Department of Building and Safety, for the purpose of processing a building permit application shall include all of the Conditions of Approval herein attached as a cover sheet, and shall include any modifications or notations required herein.
21. **Approval, Verification and Submittals.** Copies of any approvals, guarantees or verification of consultations, review of approval, plans, etc., as may be required by the subject conditions, shall be provided to the Department of City Planning prior to clearance of any building permits, for placement in the subject file.
22. **Code Compliance.** Use, area, height, and yard regulations of the zone classification of the subject property shall be complied with, except where granted conditions differ herein.
23. **Department of Building and Safety.** The granting of this determination by the Director of Planning does not in any way indicate full compliance with applicable provisions of the Los Angeles Municipal Code Chapter IX (Building Code). Any corrections and/or modifications to plans made subsequent to this determination by a Department of Building and Safety Plan Check Engineer that affect any part of the exterior design or appearance of the project as approved by the Director, and which are deemed necessary by the Department of Building and Safety for Building Code compliance, shall require a referral

of the revised plans back to the Department of City Planning for additional review and sign-off prior to the issuance of any permit in connection with those plans.

24. **Enforcement.** Compliance with these conditions and the intent of these conditions shall be to the satisfaction of the Department of City Planning.

25. **Indemnification and Reimbursement of Litigation Costs.**

Applicant shall do all of the following:

(i) Defend, indemnify and hold harmless the City from any and all actions against the City relating to or arising out of, in whole or in part, the City's processing and approval of this entitlement, including but not limited to, an action to attack, challenge, set aside, void, or otherwise modify or annul the approval of the entitlement, the environmental review of the entitlement, or the approval of subsequent permit decisions, or to claim personal property damage, including from inverse condemnation or any other constitutional claim.

(ii) Reimburse the City for any and all costs incurred in defense of an action related to or arising out of, in whole or in part, the City's processing and approval of the entitlement, including but not limited to payment of all court costs and attorney's fees, costs of any judgments or awards against the City (including an award of attorney's fees), damages, and/or settlement costs.

(iii) Submit an initial deposit for the City's litigation costs to the City within 10 days' notice of the City tendering defense to the Applicant and requesting a deposit. The initial deposit shall be in an amount set by the City Attorney's Office, in its sole discretion, based on the nature and scope of action, but in no event shall the initial deposit be less than \$50,000. The City's failure to notice or collect the deposit does not relieve the Applicant from responsibility to reimburse the City pursuant to the requirement in paragraph (ii).

(iv) Submit supplemental deposits upon notice by the City. Supplemental deposits may be required in an increased amount from the initial deposit if found necessary by the City to protect the City's interests. The City's failure to notice or collect the deposit does not relieve the Applicant from responsibility to reimburse the City pursuant to the requirement in paragraph (ii).

(v) If the City determines it necessary to protect the City's interest, execute an indemnity and reimbursement agreement with the City under terms consistent with the requirements of this condition.

The City shall notify the applicant within a reasonable period of time of its receipt of any action and the City shall cooperate in the defense. If the City fails to notify the applicant of any claim, action, or proceeding in a reasonable time, or if the City fails to reasonably cooperate in the defense, the applicant shall not thereafter be responsible to defend, indemnify or hold harmless the City.

The City shall have the sole right to choose its counsel, including the City Attorney's office or outside counsel. At its sole discretion, the City may participate at its own expense in the defense of any action, but such participation shall not relieve the applicant of any obligation imposed by this condition. In the event the Applicant fails to comply with this condition, in whole or in part, the City may withdraw its defense of the action, void its approval of the entitlement, or take any other action. The City retains the right to make all decisions with respect to its representations in any legal proceeding, including its inherent right to abandon or settle litigation.

For purposes of this condition, the following definitions apply:

“City” shall be defined to include the City, its agents, officers, boards, commissions, committees, employees, and volunteers.

“Action” shall be defined to include suits, proceedings (including those held under alternative dispute resolution procedures), claims, or lawsuits. Actions includes actions, as defined herein, alleging failure to comply with any federal, state or local law.

Nothing in the definitions included in this paragraph are intended to limit the rights of the City or the obligations of the Applicant otherwise created by this condition.

26. Solar Panels. The project shall include a row of solar panels on the roof of the parking structure covering 7,645 square feet, while maintaining adaptability of the remainder of the roof should the structure be converted in the future to a more energy intensive use, as shown in Exhibit G.

27. Electric Vehicle Chargers. The project shall provide 75 Level III or above EV chargers on Day 1 of operation of the structure with 146 stalls wired for future adaptability. However, the project shall provide Level III or above EV chargers, when feasible.