

28 April 2022

Mr. Ed Tung  
Carmel Partners, Inc.  
429 Santa Monica Boulevard, Suite 700  
Santa Monica, California 90410

**Subject: DRAFT Phase II Environmental Site Assessment  
1022-1060 La Cienega Boulevard  
Los Angeles, California**

Dear Mr. Tung,

Geosyntec Consultants, Inc. (Geosyntec) is pleased to submit this report to Carmel Partners, Inc. (CPI) summarizing the results of the Phase II Environmental Site Assessment (P2ESA) at the property located 1022-1060 La Cienega Boulevard (the Site). The P2ESA consisted of soil, soil vapor, and groundwater sampling performed in support of potential property redevelopment involving the approximately 1.8-acre Site comprised of five parcels (Los Angeles County Assessor Parcel Numbers: 5087-001-040, -041, -042, -023, and -024). This report was prepared in accordance with the scope of work described in Geosyntec's proposal dated 9 March 2022.

## **BACKGROUND**

### Phase I ESA

Geosyntec conducted a Phase I Environmental Site Assessment (PIESA) dated 6 August 2021 in support of a potential property transaction of the Site. The PIESA identified the following Recognizable Environmental Conditions (RECs) and Business Environmental Risks (BERs):

#### ***Recognized Environmental Conditions***

- **Known Impacts on the Site – Former Auto Repair Shop:** The Site was occupied by an automotive repair shop from 1948 to 2007. An investigation conducted in the northern portion of the Site in 2012 and 2013 identified residual petroleum fuel-related and chlorinated volatile organic compounds (VOCs) in soil, soil vapor, and/or groundwater. The constituents detected in groundwater exceeded their most conservative screening levels.<sup>1</sup> The elevated concentrations in Site media and likelihood of a vapor intrusion condition for future residential or commercial Site buildings represent a REC.

---

<sup>1</sup> The screening levels included California Department of Toxic Substances Control (DTSC)-modified Human and Human and Ecological Risk Office (HERO) Note 3 Screening Levels, United States Environmental Protection Agency (USEPA) Regional Screening Levels (RSLs; TR=1E-06; HQ=1), California Maximum Contaminant Levels (CA

- **Undocumented Fill Material:** A geotechnical survey conducted on the Site in 2012 identified fill material in the upper 3 feet to 5 feet below ground surface (ft bgs). Previous reports by others document the presence of sandy silts and sandy clays; no documentation was found to indicate the presence of refuse or manmade materials in the fill. Geosyntec did not encounter records showing the source of this material; therefore, it may be impacted with hazardous materials and is considered a REC.
- **Hydraulically Upgradient Properties:** An automotive service station has operated on the property approximately 100 feet north of the Site (1004 La Cienega Boulevard) since 1964, and a historical dry cleaner operated on the northwest-adjointing property (8500 West Olympic Boulevard) from at least 1984 to 2015. Subsurface investigations conducted on these properties have detected total petroleum hydrocarbons as gasoline (TPH-gasoline) and other fuel constituents and additives in groundwater samples and PCE in soil and soil vapor samples collected from these properties. Due to the historical service station and dry-cleaning operations, known impacts to the subsurface, proximity and hydraulically upgradient direction in relation to the Site, and shallow depth of groundwater, these properties are likely to have adversely impacted soil, groundwater, and/or soil vapor beneath the Site. These constituents have been detected in soil, soil vapor, and groundwater at/beneath the Site (as stated in the above REC) and may be from these off-Site sources. Therefore, these findings are considered a REC.

### ***Business Environmental Risks***

- **Engineering Controls for Possible Methane Mitigation and other Building Department Requirements:** The Site is located within a City of Los Angeles Methane Zone and recommended that a qualified professional be consulted to determine what mitigation measures might be required. Methane could pose a risk to the structure and building inhabitants, as build-up inside of structures can result in adverse conditions, including potential low-oxygen or explosive conditions, separate from what would be classified as a BER.

According to a 2017 Phase I ESA report, the Site is planned to have a subterranean parking structure that will require dewatering and the proposed building will have a vapor barrier. An approval letter from the City of Los Angeles Department of Building and Safety (LADBS) had a list of requirements for the proposed redevelopment. These findings and features may require additional evaluations, inspections, mitigation, and maintenance, and are considered a BER.

---

MCLs), and San Francisco Bay (SFB)-RWQCB Tier 1 ESLs for a residential scenario. The conservative attenuation factor of 0.03 was applied to ambient air screening levels to convert to soil vapor screening levels.

- **On-Site Well Abandonment:** Geosyntec observed seven groundwater monitoring wells on the Site during the reconnaissance. These wells are from prior subsurface investigations associated with the nearby service station nearby to the north and were observed to be in poor condition. If these wells are not anticipated to be used in the future, Geosyntec recommends proper abandonment per regulatory requirements.

### Previous Environmental Site Assessments

National Environmental, Inc. (National) performed a P2ESA in 2007 consisting of 11 soil borings (B1 through B11) advanced to a maximum depth of 12 ft bgs at the former automotive repair facility located at the historical address of 1032 La Cienega Boulevard. Soil (Grids A3, B3, C3 – Figure 2). Soil samples collected during the investigation were analyzed for TPH and VOCs. Reported concentrations were all below laboratory reporting limits in the soil samples analyzed (National, 2007).

National performed another P2ESA in 2008 consisting of 9 additional soil borings and seven groundwater samples. The 9 soil borings (B1 through B9) were advanced to maximum depths of 10 ft bgs in the central portion of the Site (Grids A4, B4, C4 – Figure 2) and southern central portion of the Site (Grids D2 and E2 – Figure 2). Low concentrations of TPH-gasoline, ethylbenzene, and total xylenes were detected in one sample (B2; Grid A4 – Figure 2) at a depth of 10 ft bgs. TPH-gasoline and VOCs were also detected at low concentrations in groundwater samples collected from boring B4 and B5 (Grids C4 and A4 – Figure 2). National concluded that the residual TPH and VOC concentrations were not from a surface release and recommended installation of a groundwater monitoring network to monitor plume migration (National, 2008).

Leighton Consulting, Inc. (Leighton) performed a site assessment consisting of the installation of 12 soil vapor probes (SV-1 through SV-12\_ and five clustered monitoring wells (MW-25 and MW-26) along the northern property boundary (Grids A1, B1, C1 – Figure 2). Soil samples collected during the investigation contained elevated concentrations of TPH-gasoline and gasoline/diesel related VOCs (benzene, toluene, ethylbenzene, xylenes and naphthalene) at depths ranging from 10 to 20 ft bgs. TPH-gasoline and gasoline/diesel related VOCs were also detected in soil vapor samples collected at depths from 5 ft to 13 ft bgs directly along the northern property boundary (SV-2, SV-3 and SV-11 – Figure 2). Leighton concluded that the concentrations of gasoline related Constituents of Concern (COCs) present in groundwater and soil vapor may impact sensitive receptors at the formerly proposed senior living community (Leighton, 2013).

### **OBJECTIVES AND SCOPE OF WORK**

The objective of the P2ESA was to identify potential impacts to soil, soil vapor, and groundwater associated with the identified RECs at the Site. Geosyntec understands the proposed development at the Site will consist of 1-2 levels of below graded parking below a 28-story residential tower.

The P2ESA scope of work was developed to evaluate the presence of COCs in soil, soil vapor, and groundwater, including the following:

**Soil Investigation:** A total of twenty soil borings were advanced using a direct-push rig at the Site. The soil boring locations were selected based on a 50-foot by 50-foot grid superimposed in the northern half of the Site and 75-feet by 75-feet grid superimposed in the southern half of the Site (Figure 2). Soil samples were collected from the twenty soil borings at depths of 1 foot and at 5-foot intervals to the maximum depth explored (20 ft bgs). Samples were also collected at 17 and 19 ft bgs from boring location A2 based on field observations of stained soil. These soil samples were analyzed for the following:

- Title 22 Metals by EPA Method 6010B/7471A
- Total Petroleum Hydrocarbons (TPHs) by EPA Method 8015M

Upon receipt of the initial soil sample results additional analysis for the following COCs was performed:

- Volatile Organic Compounds (VOCs) by EPA Method 8260B
- Hazardous Waste Characterization for the following constituents:
  - Lead by Toxicity Characteristic Leaching Procedure (TCLP) and Soluble Threshold Limit Concentration (STLC)
  - Chromium by STLC

**Methane Investigation:** A total of seven dual nested soil vapor probes were installed with a direct push rig at 5 and 10 ft bgs throughout the Site (Figure 2). Two rounds of methane sampling was performed at a minimum of 24 hours between samples events in accordance with LADBS regulations. Methane samples were collected in Tedlar bags and analyzed by EPA Method TO-3. Pressure readings were recorded with a digital manometer.

**Soil Vapor Investigation:** Soil vapor samples for vapor intrusion assessment were collected from soil gas probes at 10 ft bgs only at each location and were analyzed for the following:

- VOCs by EPA Method 8260B (in an on-Site mobile laboratory).
- TPH Gasoline by EPA Method 8260

**Groundwater Investigation:** Groundwater sampling was performed from four of the seven on-site monitoring wells (Figure 2). One additional grab groundwater sample was collected from boring B3 located in the central portion of the Site. These groundwater samples were analyzed for the following:

- TPHs by EPA Method 8015B
- VOCs by EPA Method 8260B

## **RESULTS**

The soil, soil vapor, and groundwater sample locations are depicted on the attached Figure 2 – Site Location Map. A summary of the laboratory analytical results for the Site are provided in Tables 1, 2, and 3 and laboratory analytical reports are provided in Attachments A, B, and C. The results are briefly summarized below:

### **Soil Investigation Results**

Soil sample analytical results were compared to the California Department of Toxic Substance Control Human and Ecological Risk Office Note 3 Screening Levels (DTSC-SLs), United States Environmental Protection Agency Regional Screening Levels (RSLs) and San Francisco Regional Water Quality Control Board Environmental Screening Levels (ESLs), where applicable. Based on the proposed soil export for the project, Waste Extraction Testing (WET) was also performed where total metal concentrations exceeded 10 times the STLC limit or 20 times the TCLP limit for Federal and California hazardous waste criteria. A summary of the laboratory analytical results are provided in Table 1 and laboratory analytical reports are provided in Attachment A.

### **Metals**

- Detected concentrations of metals were all below their respective DTSC-SLs or RSLs for residential use with the exception of lead (Table 1).
  - Lead was detected in one sample (E4-1) at a concentration of 120 milligrams per kilogram (mg/kg), which exceeds the residential DTSC-SL of 80 mg/kg.
- The detected concentrations of chromium in seven samples (A4-5, B4-1, B4-5, C3-5, D1-5, D3-5, and E1-5) exceeded the STLC trigger value of 50 mg/kg. STLC analysis for chromium was performed and none of the samples exceeded California hazardous waste criteria of 5.0 milligrams per liter (mg/L).
- The detected concentrations of lead in two samples (D2-1 and E4-1) exceeded the STLC trigger value. STLC analysis for lead was performed and none of the samples exceeded California hazardous waste criteria of 5.0 mg/L.
- E4-1 also exceeded the TCLP trigger value for lead. TCLP analysis for lead was performed and the sample did not exceed Federal hazardous waste criteria of 5.0 mg/L.

### **TPHs**

- The maximum detected concentration of TPH as diesel range organics (DRO [C10-C28]) of 430 mg/kg (D1-1), which is above the Tier 1 ESL of 100 mg/kg.
- The maximum detected concentration of TPH as oil range organics (ORO [C28-C44]) of 410 mg/kg (D1-1), which is below the Tier 1 ESL of 1,600 mg/kg
- Gasoline range organics (C8-C10) were not detected above the laboratory RLs.

## **VOCs**

VOCs were not detected above the laboratory reporting limits in the soil samples collected during this investigation with the exception of methylene chloride. Methylene chloride detections ranged from 5.4 micrograms per kilogram ( $[\mu\text{g}/\text{kg}]$ , D3-1) to 11  $\mu\text{g}/\text{kg}$  (D1-1), which were significantly below the DTSC-SL for residential soil of 2,200  $\mu\text{g}/\text{kg}$ .

## **Methane Zone Investigation Results**

Results of the methane zone investigation are provided in Attachment B, LADBS Form 1 – Certificate of Compliance for Methane Test Data.

- Methane was detected at concentrations ranging from 0.68 parts per million by volume (ppmv) in sample C1-SV-10 to 4.7 ppmv in sample B1-SV-5.
- Pressure measurements were consistently 0.0 inches of water column throughout the Site.

## **Soil Vapor Investigation Results**

Soil vapor analytical results were compared to DTSC-SLs for residential air (DTSC, 2020). If the DTSC-SL is not established, the USEPA Regional Screening Levels (RSLs) for industrial air were used instead (USEPA, 2021). The soil vapor screening levels were calculated based on the USEPA's default attenuation factor (0.03) and the DTSC's attenuation factor for new residential construction (0.001). For TPH gasoline detections, Tier 1 ESL for residential subslab/soil gas was used. A summary of the laboratory analytical results is provided in Table 2, and laboratory analytical reports are provided in Attachment A.

## **TPH Gasoline**

- The maximum detected concentration of TPH gasoline (C4-C12) of 5,600 micrograms per cubic meter ( $[\mu\text{g}/\text{m}^3]$ , D1-SV-10), which is significantly below the ESL for residential subslab/soil gas of 20,000  $\mu\text{g}/\text{m}^3$ .

## **VOCs**

- Toluene was detected at a maximum concentration of 20  $\mu\text{g}/\text{m}^3$ , which is significantly below the screening level of 10,300  $\mu\text{g}/\text{m}^3$  calculated using DTSC-SL for residential air and the conservative USEPA default attenuation factor of 0.03.
- No other VOCs were detected above the laboratory reporting limit in the soil vapor samples collected during this investigation.

## Groundwater Investigation Results

Groundwater sample analytical results were compared to Drinking Water Maximum Contaminant Levels (MCLs). A summary of the laboratory analytical results is provided in Table 3 and laboratory analytical reports are provided in Attachment A.

### TPHs

- The maximum detected concentration of TPH gasoline (C4-C12) was 41,000 microgram/liter ( $\mu\text{g/L}$ ), MW-25U). MCLs for TPH gasoline have not been established.

### VOCs

- Benzene was detected at a maximum concentration of 220  $\mu\text{g/L}$  (MW-25U), which exceeds the MCL of 5.0  $\mu\text{g/L}$ .
- Ethylbenzene was detected at a maximum concentration of 2,400  $\mu\text{g/L}$  (MW-25U), which exceeds the MCL of 700  $\mu\text{g/L}$ .
- No other VOCs were detected above the MCLs in the groundwater samples collected during this investigation.

## CONCLUSIONS

Based on the results of the P2ESA performed at the Site, Geosyntec has the following conclusions regarding the RECs and BERs identified in the P1ESA prepared for the Site:

- **Known Impacts on the Site – Former Auto Repair Shop:** The results of soil, soil vapor and groundwater sampling in the vicinity of the former auto repair shop (Grids A3, B3, C3 – Figure 2) indicate concentrations of COCs are all below residential screening levels. Therefore, the former auto repair shop is not considered a REC for the Site.
- **Undocumented Fill Material:** Soil sampling conducted in undocumented fill materials throughout the Site indicates that concentrations of COCs exceeding residential screening levels are limited to the upper 1-2 ft bgs in grids D4 and E1 (Figure 2). While considered a REC for the Site, the limited impacts to undocumented fill can be effectively managed through soil management activities during the construction phase of the project.
- **Hydraulically Upgradient Properties:** An automotive service station has operated on the property approximately 100 feet north of the Site (1004 La Cienega Boulevard), and a historical dry cleaner operated on the northwest-adjointing property (8500 West Olympic Boulevard).
  - No dry cleaning related COCs were detected in soil, soil vapor or groundwater samples collected at the Site. Thus, the upgradient historical dry cleaner is not considered a REC for the Site.



- Based on current and historical data collected at the Site, impacts to soil, soil vapor and groundwater from the upgradient automotive service station appear to be limited to the northern margin (A1, B1, C1) and western margin (C1) of the Site. Impacted soil in this area of the Site will likely require segregation and offsite disposal as nonhazardous waste during the construction phase of the project. These findings are considered a REC; however, the limited soil impacts can be effectively managed with a soil management plan.
- Based on the detected concentrations of TPH-gasoline and VOCs in groundwater at the Site, if dewatering is contemplated for the project a dewatering treatment system will need to be designed to manage hydrocarbons and VOCs to meet limits for discharge (i.e., surface water or sanitary sewer).
- **Engineering Controls for Possible Methane Mitigation and other Building Department Requirements:** The Site is located within a City of Los Angeles Methane Zone and methane was detected on-Site at concentrations ranging from 0.68 ppmv to 4.7 ppmv. Positive pressures were not detected during the methane zone investigation. Based on the location of the Site within the Methane Zone, LADBS Methane Mitigation Site Design Level I will most likely be required for the project. Site Design Level I requirements are provided in Attachment B.
- **On-Site Well Abandonment:** Existing onsite monitoring wells and soil vapor probes should be properly destroyed prior to construction activities at the Site. Permits will need to be obtained from the Los Angeles Department of Public Health (LADPH) for the existing onsite wells MW-25, MW-25D, MW-25U, W-2 and W-5 (Figure 2).

## RECOMMENDATIONS

Based on the data collected during this investigation, the Site appears suitable for the proposed residential redevelopment with the expectation that soil exceeding residential screening levels will be disposed offsite at a facility permitted to accept the waste. The remaining onsite soils appear suitable for offsite reuse.

Based on detections concentrations of lead and chromium and exceedances of residential screening levels for TPH in several shallow soil samples (0 to 5 ft bgs), a Soil Management Plan (SMP) should be prepared for the proposed construction activities. The SMP should describe the management of impacted soils which may be encountered during Site development, and outline health and safety procedures to minimize risk to onsite workers and personnel. In addition, the SMP should describe the procedures for export of inert soil for offsite reuse. It is anticipated that data collected during this investigation and additional confirmation samples collected during construction to facilitate the export of inert soil for offsite reuse.

Based on the groundwater data, the groundwater at the Site is impacted with constituents associated with gas stations (TPH gasoline, benzene, ethylbenzene). It appears the groundwater



contamination is attributable to the ongoing remediation at the gas station hydraulically upgradient and north of the Site. If building construction at the Site requires dewatering, a dewatering contractor should be retained to design a treatment system to discharge to groundwater during construction.

Based on the location of the Site within the Los Angeles Methane Zone, LADBS Methane Mitigation Site Design Level I will likely be required for the project. It is recommended that the civil design team confirm these requirements with LADBS prior to initiating the foundation design.

## **CLOSURE**

We appreciate the opportunity to support this important project. Please do not hesitate to contact the undersigned should you have questions.

Sincerely,  
Geosyntec Consultants

## **DRAFT**

Brian Pierce, PG  
Project Geologist

## **ATTACHMENTS**

Figure 1	Site Location Map
Figure 2	Sample Location Map
Table 1	Summary of Soil Analytical Results
Table 2	Summary of Soil Vapor Analytical Results
Table 3	Summary of Groundwater Analytical Results
Attachment A	Laboratory Analytical Reports
Attachment B	Certificate of Compliance for Methane Test Data

**References:**

Department of Toxic Substances Control (DTSC), Human Health Risk Assessment (HHRA), Note Number 3, DTSC-modified Screening Levels (DTSC-SLs). June 2020.

Leighton Consulting, Inc. (Leighton), Site Assessment Report, 1022 South La Cienega Boulevard, Los Angeles, California. September 2013.


National Environmental, Inc. (National), Report on Preliminary Site Investigation Site Location: Former Auto Repair 1022 – 1032 La Cienega Blvd, Los Angeles, CA 90035, March 2007.

National 2008; Report on Site Investigation Report, Site Location: Apartment Building 1042 – 1054 La Cienega Blvd, LA, CA 90035, May 2008

San Francisco Regional Water Quality Control Board (SFRWQCB) Environmental Screening Levels (ESLs). January 2019 Rev. 2.

United State environmental Protection Agency Regional Screening levels (RSLs) and Maximum Contaminant Levels (MCLs) – Generic Tables Environmental Screening Levels. Revised November 2021.

# FIGURES




**Legend**

 Site Location



USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS



**Site Location Map**

1022-1060 La Cienega Boulevard,  
Los Angeles, California

**Geosyntec**  
consultants

**Figure**

**1**

SC1140A

April 2022





**Legend**

- Dual Nested Soil Vapor Probe (5 and 10 ft. bgs)
- Soil Boring
- Soil Boring with Grab Groundwater Sample
- Groundwater Monitoring Well (Leighton, 2013; EFI Global, Inc., 2017)
- Abandoned Groundwater Monitoring Well (AECOM, 2016)
- Abandoned Groundwater Monitoring Well (EFI Global, Inc., 2017)
- Former Soil Boring/Monitoring Well (National Environmental, Inc., 2007)
- Former Soil Boring (National Environmental, Inc., 2008)
- Former Soil Boring (AGI Geotechnical, Inc., 2009)
- Former Soil Boring (Geotechnologies, Inc., 2012)
- Soil Vapor Probe (Lieghton, 2013)
- Former Soil Gas Probe (HFA, 2013)
- Former In-Ground Hoists
- Approximate Site Boundary
- Parcel Boundary
- Sampling Area

**Notes:**  
 bgs = below ground surface  
 © 2022 Microsoft Corporation © 2022 Maxar ©CNES (2022) Distribution Airbus DS

**Sample Location Map**  
 1022-1060 La Cienega Boulevard,  
 Los Angeles, California

**Geosyntec**  
 consultants

SC1140A      April 2022

**Figure**  
**2**



# TABLES



Table 1  
Summary of Soil Analytical Results  
1022-1060 La Cienega Boulevard  
Los Angeles, California

Constituent	Units	Screening Level <sup>1</sup>	Sample Identification																			
			A1-1	A1-5	A1-10	A1-15	A1-20	A2-1	A2-5	A2-10	A2-15	A2-17	A2-19	A2-20	A3-1	A3-5	A3-10	A4-1	A4-5	A4-10	A4-15	A4-20
			Sample Date	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022
<b>Metals; EPA Method 6010B/7471A</b>																						
Antimony	mg/kg	31	<2.9	<2.9	--	<2.9	<3.0	<2.9	<2.8	--	<3.1	<2.9	<2.8	<3.2	<2.8	<2.7	--	<2.9	<2.9	--	--	--
Arsenic <sup>2</sup>	mg/kg	12	2.9	<0.98	--	8.6	4.7	1.8	0.96	--	1.7	2.8	2.0	1.7	2.9	<0.91	--	2.5	1.8	--	--	--
Barium	mg/kg	15,000	100	62	--	110	63	95	63	--	44	39	71	24	97	62	--	76	89	--	--	--
Beryllium	mg/kg	16	<0.48	<0.49	--	<0.49	<0.50	<0.49	<0.47	--	<0.51	<0.49	<0.46	<0.53	<0.46	<0.45	--	<0.49	<0.48	--	--	--
Cadmium	mg/kg	71	<0.48	<0.49	--	<0.49	<0.50	<0.49	<0.47	--	<0.51	<0.49	<0.46	<0.53	<0.46	<0.45	--	<0.49	<0.48	--	--	--
Chromium	mg/kg	120,000	34	36	--	26	34	34	37	--	25	21	21	9.0	33	36	--	28	53	--	--	--
Chromium - STLC	mg/L	5.0 <sup>4</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	<0.30	--	--	--
Cobalt	mg/kg	23	12	8.6	--	11	10	11	11	--	7.2	6.6	6.5	2.9	10	12	--	11	14	--	--	--
Copper	mg/kg	3,100	19	13	--	12	16	16	15	--	11	9.9	8.9	4.0	19	12	--	17	19	--	--	--
Lead	mg/kg	80	13	3.3	--	2.6	4.4	11	4.1	--	3.0	4.9	3.3	<1.1	23	4.0	--	23	6.8	--	--	--
Lead - STLC	mg/L	5.0 <sup>4</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lead - TCLP	mg/L	5.0 <sup>5</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	mg/kg	390	<0.96	<0.98	--	1.1	<0.99	<0.97	<0.94	--	<1.0	<0.98	<0.92	<1.1	<0.92	<0.91	--	1.1	<0.96	--	--	--
Nickel	mg/kg	820	20	18	--	22	20	20	23	--	17	14	13	6.2	21	23	--	17	34	--	--	--
Selenium	mg/kg	390	<2.9	<2.9	--	<2.9	<3.0	<2.9	<2.8	--	<3.1	<2.9	<2.8	<3.2	<2.8	<2.7	--	<2.9	<2.9	--	--	--
Silver	mg/kg	390	<0.48	<0.49	--	<0.49	<0.50	<0.49	<0.47	--	<0.51	<0.49	<0.46	<0.53	<0.46	<0.45	--	<0.49	<0.48	--	--	--
Thallium*	mg/kg	0.78	<2.9	<2.9	--	<2.9	<3.0	<2.9	<2.8	--	<3.1	<2.9	<2.8	<3.2	<2.8	<2.7	--	<2.9	<2.9	--	--	--
Vanadium	mg/kg	390	42	34	--	38	53	38	40	--	33	36	32	16	46	38	--	39	64	--	--	--
Zinc	mg/kg	23,000	51	30	--	31	43	46	36	--	28	24	24	11	120	29	--	60	46	--	--	--
<b>Total Petroleum Hydrocarbons (TPHs); EPA Method 8015M</b>																						
Gasoline Range Organics (GRO) C8-C10	mg/kg	100 <sup>3</sup>	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<20	<10	<10	<20	<10	<10	<10	<10
Diesel Range Organics (DRO) C10-C28	mg/kg	260 <sup>3</sup>	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	120	<10	<10	71	<10	<10	<10	<10
Oil Range Organics (ORO) C28-C44	mg/kg	1,600 <sup>3</sup>	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	240	<20	<20	45	<20	<20	<20	<20

Notes

Only constituents with one or more detections above the laboratory report limit (RL) are reported on this table.

"<" Not detected at concentrations greater than or equal to the RL.

-- = Not analyzed or not applicable

**Bold** - Value above screening level.

mg/L = milligram per liter

mg/kg = milligram per kilogram

STLC = Soluble Threshold Limit Concentration

TCLP = Toxicity Characteristic Leaching Procedure

1 - Screening levels consist of California Department of Toxic Substances Control Screening Levels for Residential Soil (DTSC SLs, HHRA Note 3, June 2020). Where DTSC levels do not include a cancer endpoint, the non-cancer SLs were utilized. If DTSC-SLs (cancer or non-cancer) were not established, EPA Regional Screening Levels for Residential Soil (EPA RSLs, May 2021) were utilized.

2 - DTSC Southern California Regional Background Concentration (DTSC, 2008)

3 - San Francisco Regional Water Quality Control Board (SFRWQCB) Tier 1 Environmental Screening Levels (ESLs; January 2019)

4 - Hazardous waste characterization under California state regulations outlined in Title 22 of the California Code of Regulations.

5 - Hazardous waste characterization under Federal regulations defined in the Code of Federal Regulations (CFR); Resource Conservation and Recovery Act (RCRA) 40 CFR Part 261.

\*The RL is greater than the SL, however, thallium is not a constituent of concern for historical land use.

Table 1  
 Summary of Soil Analytical Results  
 1022-1060 La Cienega Boulevard  
 Los Angeles, California

Constituent	Units	Screening Level <sup>1</sup>	Sample Identification																		
			B1-1	B1-5	B1-10	B2-1	B2-5	B2-10	B2-15	B2-20	B3-1	B3-5	B3-10	B3-15	B3-20	B4-1	B4-5	B4-10	B4-15	B4-20	
			Sample Date	4/4/2022	4/4/2022	4/4/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022
<b>Metals; EPA Method 6010B/7471A</b>																					
Antimony	mg/kg	31	<2.9	<3.0	--	<3.1	<2.9	--	--	--	<2.6	<2.8	<3.1	--	<2.9	<2.8	<2.8	<2.7	<2.8	<2.8	
Arsenic <sup>2</sup>	mg/kg	12	3.8	1.3	--	3.5	<0.96	--	--	--	2.7	1.9	3.6	--	3.2	3.1	2.1	2.8	2.4	3.2	
Barium	mg/kg	15,000	100	65	--	150	54	--	--	--	84	94	150	--	50	93	93	96	93	120	
Beryllium	mg/kg	16	<0.48	<0.50	--	<0.51	<0.48	--	--	--	<0.43	<0.47	<0.52	--	<0.48	<0.46	<0.46	<0.44	<0.47	<0.46	
Cadmium	mg/kg	71	<0.48	<0.50	--	<0.51	<0.48	--	--	--	<0.43	<0.47	<0.52	--	<0.48	<0.46	<0.46	<0.44	<0.47	<0.46	
Chromium	mg/kg	120,000	46	29	--	35	29	--	--	--	33	48	68	--	29	50	50	30	33	37	
Chromium - STLC	mg/L	5.0 <sup>4</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	<0.30	<0.30	--	--	--	
Cobalt	mg/kg	23	13	7.4	--	10	7.3	--	--	--	9.2	13	21	--	9.6	13	15	9.2	11	12	
Copper	mg/kg	3,100	18	11	--	15	11	--	--	--	25	16	37	--	15	20	19	15	13	19	
Lead	mg/kg	80	29	4.4	--	40	2.7	--	--	--	30	3.6	6.5	--	1.5	5.7	4.6	4.7	4.7	5.1	
Lead - STLC	mg/L	5.0 <sup>4</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Lead - TCLP	mg/L	5.0 <sup>5</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Molybdenum	mg/kg	390	<0.96	<0.99	--	<1.0	<0.96	--	--	--	<0.87	<0.94	<1.0	--	<0.96	<0.93	<0.93	<0.88	<0.93	<0.93	
Nickel	mg/kg	820	22	16	--	18	18	--	--	--	19	31	52	--	23	30	34	19	22	23	
Selenium	mg/kg	390	<2.9	<3.0	--	<3.1	<2.9	--	--	--	<2.6	<2.8	<3.1	--	<2.9	<2.8	<2.8	<2.7	<2.8	<2.8	
Silver	mg/kg	390	<0.48	<0.50	--	<0.51	<0.48	--	--	--	<0.43	<0.47	<0.52	--	<0.48	<0.46	<0.46	<0.44	<0.47	<0.46	
Thallium*	mg/kg	0.78	<2.9	<3.0	--	<3.1	<2.9	--	--	--	<2.6	<2.8	<3.1	--	<2.9	<2.8	<2.8	<2.7	<2.8	<2.8	
Vanadium	mg/kg	390	62	35	--	45	30	--	--	--	40	54	73	--	36	64	74	39	42	49	
Zinc	mg/kg	23,000	98	26	--	91	26	--	--	--	110	36	91	--	36	51	45	50	45	58	
<b>Total Petroleum Hydrocarbons (TPHs); EPA Method 8015M</b>																					
Gasoline Range Organics (GRO) C8-C10	mg/kg	100 <sup>3</sup>	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<20	<10	<10
Diesel Range Organics (DRO) C10-C28	mg/kg	260 <sup>3</sup>	<10	<10	<10	13	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	37	<10	<10	
Oil Range Organics (ORO) C28-C44	mg/kg	1,600 <sup>3</sup>	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	110	<20	<20	

Notes

Only constituents with one or more detections above the laboratory report limit (RL) are reported on this table.

"<" Not detected at concentrations greater than or equal to the RL.

-- = Not analyzed or not applicable

**Bold** - Value above screening level.

mg/L = milligram per liter

mg/kg = milligram per kilogram

STLC = Soluble Threshold Limit Concentration

TCLP = Toxicity Characteristic Leaching Procedure

1 - Screening levels consist of California Department of Toxic Substances Control Screening Levels for Residential Soil (DTSC SLs, HHRA Note 3, June 2020). Where DTSC levels do not include a cancer endpoint, the non-cancer SLs were utilized. If DTSC-SLs (cancer or non-cancer) were not established, EPA Regional Screening Levels for Residential Soil (EPA RSLs, May 2021) were utilized.

2 - DTSC Southern California Regional Background Concentration (DTSC, 2008)

3 - San Francisco Regional Water Quality Control Board (SFRWQCB) Tier 1 Environmental Screening Levels (ESLs; January 2019)

4 - Hazardous waste characterization under California state regulations outlined in Title 22 of the California Code of Regulations.

5 - Hazardous waste characterization under Federal regulations defined in the Code of Federal Regulations (CFR); Resource Conservation and Recovery Act (RCRA) 40 CFR Part 261.

\*The RL is greater than the SL, however, thallium is not a constituent of concern for historical land use.

**Table 1  
Summary of Soil Analytical Results  
1022-1060 La Cienega Boulevard  
Los Angeles, California**

Constituent	Units	Screening Level <sup>1</sup>	Sample Identification															
			C1-1	C1-5	C1-10	C2-1	C2-5	C2-10	C2-15	C2-20	C3-1	C3-5	C3-10	C4-1	C4-5	C4-10	C4-15	C4-20
			Sample Date	4/4/2022	4/4/2022	4/4/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/4/2022	4/4/2022	4/4/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022
<b>Metals; EPA Method 6010B/7471A</b>																		
Antimony	mg/kg	31	<2.9	<3.2	--	<3.0	<3.0	<3.1	<2.9	--	<2.7	<2.9	--	<3.1	<2.9	--	--	--
Arsenic <sup>2</sup>	mg/kg	12	<0.96	4.7	--	7.1	1.6	2.7	<0.95	--	3.0	1.6	--	1.0	1.5	--	--	--
Barium	mg/kg	15,000	130	140	--	86	67	120	78	--	89	71	--	64	63	--	--	--
Beryllium	mg/kg	16	<0.48	<0.53	--	<0.50	<0.50	<0.51	<0.48	--	<0.45	<0.48	--	<0.51	<0.49	--	--	--
Cadmium	mg/kg	71	<0.48	<0.53	--	<0.50	<0.50	<0.51	<0.48	--	<0.45	<0.48	--	<0.51	<0.49	--	--	--
Chromium	mg/kg	120,000	41	44	--	29	44	56	39	--	44	52	--	26	41	--	--	--
Chromium - STLC	mg/L	5.0 <sup>4</sup>	--	--	--	--	--	--	--	--	--	<0.30	--	--	--	--	--	--
Cobalt	mg/kg	23	10	13	--	8.9	14	17	21	--	14	12	--	12	11	--	--	--
Copper	mg/kg	3,100	13	20	--	19	17	22	20	--	20	16	--	16	16	--	--	--
Lead	mg/kg	80	4.4	29	--	21	3.5	4.7	3.9	--	13	4.1	--	3.3	3.2	--	--	--
Lead - STLC	mg/L	5.0 <sup>4</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Lead - TCLP	mg/L	5.0 <sup>5</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	mg/kg	390	<0.96	<1.1	--	<1.0	<1.0	<1.0	<0.95	--	<0.91	<0.96	--	<1.0	<0.97	--	--	--
Nickel	mg/kg	820	24	28	--	18	31	35	23	--	26	30	--	14	27	--	--	--
Selenium	mg/kg	390	<2.9	<3.2	--	<3.0	<3.0	<3.1	<2.9	--	<2.7	<2.9	--	<3.1	<2.9	--	--	--
Silver	mg/kg	390	<0.48	<0.53	--	<0.50	<0.50	<0.51	<0.48	--	<0.45	<0.48	--	<0.51	<0.49	--	--	--
Thallium*	mg/kg	0.78	<2.9	<3.2	--	<3.0	<3.0	<3.1	<2.9	--	<2.7	<2.9	--	<3.1	<2.9	--	--	--
Vanadium	mg/kg	390	40	57	--	37	50	60	42	--	58	56	--	31	47	--	--	--
Zinc	mg/kg	23,000	31	73	--	85	36	67	51	--	55	40	--	25	35	--	--	--
<b>Total Petroleum Hydrocarbons (TPHs); EPA Method 8015M</b>																		
Gasoline Range Organics (GRO) C8-C10	mg/kg	100 <sup>3</sup>	<10	<50	<10	<100	<10	<10	<10	<10	<20	<10	<10	<50	<10	<10	<10	<10
Diesel Range Organics (DRO) C10-C28	mg/kg	260 <sup>3</sup>	<10	<50	<10	<100	<10	<10	<10	<10	21	<10	<10	<50	<10	<10	<10	<10
Oil Range Organics (ORO) C28-C44	mg/kg	1,600 <sup>3</sup>	<20	<100	<20	<200	<20	<20	<20	<20	90	<20	<20	<100	<20	<20	<20	<20

Notes

Only constituents with one or more detections above the laboratory report limit (RL) are reported on this table.

"<" Not detected at concentrations greater than or equal to the RL.

-- = Not analyzed or not applicable

**Bold** - Value above screening level.

mg/L = milligram per liter

mg/kg = milligram per kilogram

STLC = Soluble Threshold Limit Concentration

TCLP = Toxicity Characteristic Leaching Procedure

1 - Screening levels consist of California Department of Toxic Substances Control Screening Levels for Residential Soil (DTSC SLs, HHRA Note 3, June 2020). Where DTSC levels do not include a cancer endpoint, the non-cancer SLs were utilized. If DTSC-SLs (cancer or non-cancer) were not established, EPA Regional Screening Levels for Residential Soil (EPA RSLs, May 2021) were utilized.

2 - DTSC Southern California Regional Background Concentration (DTSC, 2008)

3 - San Francisco Regional Water Quality Control Board (SFRWQCB) Tier 1 Environmental Screening Levels (ESLs; January 2019)

4 - Hazardous waste characterization under California state regulations outlined in Title 22 of the California Code of Regulations.

5 - Hazardous waste characterization under Federal regulations defined in the Code of Federal Regulations (CFR); Resource Conservation and Recovery Act (RCRA) 40 CFR Part 261.

\*The RL is greater than the SL, however, thallium is not a constituent of concern for historical land use.

**Table 1  
Summary of Soil Analytical Results  
1022-1060 La Cienega Boulevard  
Los Angeles, California**

Constituent	Units	Screening Level <sup>1</sup>	Sample Identification													
			D1-1	D1-5	D1-10	D2-1	D2-5	D2-10	D2-15	D2-20	D3-1	D3-5	D3-10	D4-1	D4-5	D4-10
			Sample Date	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022
<b>Metals; EPA Method 6010B/7471A</b>																
Antimony	mg/kg	31	<3.2	<2.9	--	<3.3	<3.1	--	--	--	<2.9	<2.5	<3.0	<2.9	<2.9	--
Arsenic <sup>2</sup>	mg/kg	12	2.2	2.6	--	3.3	1.8	--	--	--	3.8	1.4	2.7	2.2	2.0	--
Barium	mg/kg	15,000	76	90	--	130	79	--	--	--	110	88	92	130	230	--
Beryllium	mg/kg	16	<0.54	<0.49	--	<0.54	<0.52	--	--	--	<0.49	<0.42	<0.51	<0.48	<0.48	--
Cadmium	mg/kg	71	<0.54	<0.49	--	<0.54	<0.52	--	--	--	<0.49	<0.42	<0.51	<0.48	<0.48	--
Chromium	mg/kg	120,000	36	50	--	43	45	--	--	--	28	50	56	43	49	--
Chromium - STLC	mg/L	5.0 <sup>4</sup>	--	<0.30	--	--	--	--	--	--	--	<0.30	--	--	--	--
Cobalt	mg/kg	23	10	15	--	12	14	--	--	--	9.4	13	16	13	12	--
Copper	mg/kg	3,100	18	20	--	19	15	--	--	--	14	16	21	21	17	--
Lead	mg/kg	80	25	5.2	--	64	5.0	--	--	--	19	5.7	3.6	35	6.3	--
Lead - STLC	mg/L	5.0 <sup>4</sup>	--	--	--	0.29	--	--	--	--	--	--	--	--	--	--
Lead - TCLP	mg/L	5.0 <sup>5</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Molybdenum	mg/kg	390	<1.1	<0.98	--	1.6	<1.0	--	--	--	<0.97	<0.84	<1.0	<0.95	<0.95	--
Nickel	mg/kg	820	21	39	--	27	29	--	--	--	16	33	43	27	30	--
Selenium	mg/kg	390	<3.2	<2.9	--	<3.3	<3.1	--	--	--	<2.9	<2.5	<3.0	<2.9	<2.9	--
Silver	mg/kg	390	<0.54	<0.49	--	<0.54	<0.52	--	--	--	<0.49	<0.42	<0.51	<0.48	<0.48	--
Thallium*	mg/kg	0.78	<3.2	<2.9	--	<3.3	<3.1	--	--	--	<2.9	<2.5	<3.0	<2.9	<2.9	--
Vanadium	mg/kg	390	45	67	--	53	60	--	--	--	53	56	61	52	58	--
Zinc	mg/kg	23,000	62	44	--	110	37	--	--	--	56	42	38	84	38	--
<b>Total Petroleum Hydrocarbons (TPHs); EPA Method 8015M</b>																
Gasoline Range Organics (GRO) C8-C10	mg/kg	100 <sup>3</sup>	<20	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<20	<10	<10
Diesel Range Organics (DRO) C10-C28	mg/kg	260 <sup>3</sup>	<b>430</b>	19	<10	<b>120</b>	<10	<10	<10	<10	37	<10	<10	37	<10	<10
Oil Range Organics (ORO) C28-C44	mg/kg	1,600 <sup>3</sup>	410	<20	<20	210	<20	<20	<20	<20	140	<20	<20	150	<20	<20

Notes

Only constituents with one or more detections above the laboratory report limit (RL) are reported on this table.

"<" Not detected at concentrations greater than or equal to the RL.

-- = Not analyzed or not applicable

**Bold** - Value above screening level.

mg/L = milligram per liter

mg/kg = milligram per kilogram

STLC = Soluble Threshold Limit Concentration

TCLP = Toxicity Characteristic Leaching Procedure

1 - Screening levels consist of California Department of Toxic Substances Control Screening Levels for Residential Soil (DTSC SLs, HHRA Note 3, June 2020). Where DTSC levels do not include a cancer endpoint, the non-cancer SLs were utilized. If DTSC-SLs (cancer or non-cancer) were not established, EPA Regional Screening Levels for Residential Soil (EPA RSLs, May 2021) were utilized.

2 - DTSC Southern California Regional Background Concentration (DTSC, 2008)

3 - San Francisco Regional Water Quality Control Board (SFRWQCB) Tier 1 Environmental Screening Levels (ESLs; January 2019)

4 - Hazardous waste characterization under California state regulations outlined in Title 22 of the California Code of Regulations.

5 - Hazardous waste characterization under Federal regulations defined in the Code of Federal Regulations (CFR); Resource Conservation and Recovery Act (RCRA) 40 CFR Part 261.

\*The RL is greater than the SL, however, thallium is not a constituent of concern for historical land use.

**Table 1  
Summary of Soil Analytical Results  
1022-1060 La Cienega Boulevard  
Los Angeles, California**

Constituent	Units	Screening Level <sup>1</sup>	Sample Identification															
			E1-1	E1-5	E1-10	E1-15	E1-20	E2-1	E2-5	E2-10	E2-15	E2-20	E3-1	E3-5	E3-10	E4-1	E4-5	E4-10
			Sample Date	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/5/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022	4/4/2022
<b>Metals; EPA Method 6010B/7471A</b>																		
Antimony	mg/kg	31	<2.9	<2.7	<2.9	--	<2.6	<2.6	<3.0	--	--	--	<3.0	<2.8	--	<3.2	<2.5	--
Arsenic <sup>2</sup>	mg/kg	12	5.1	2.0	4.1	--	1.6	3.6	1.9	--	--	--	1.1	1.9	--	3.5	1.4	--
Barium	mg/kg	15,000	120	78	180	--	54	100	76	--	--	--	61	89	--	110	76	--
Beryllium	mg/kg	16	<0.49	<0.44	<0.49	--	<0.43	<0.43	<0.50	--	--	--	<0.50	<0.46	--	<0.54	<0.42	--
Cadmium	mg/kg	71	0.75	<0.44	<0.49	--	<0.43	<0.43	<0.50	--	--	--	<0.50	<0.46	--	<0.54	<0.42	--
Chromium	mg/kg	120,000	36	51	38	--	15	40	41	--	--	--	41	32	--	31	27	--
Chromium - STLC	mg/L	5.0 <sup>4</sup>	--	<0.30	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cobalt	mg/kg	23	11	17	16	--	4.9	11	11	--	--	--	11	7.5	--	11	9.5	--
Copper	mg/kg	3,100	27	22	20	--	11	29	16	--	--	--	14	13	--	28	13	--
Lead	mg/kg	80	25	4.4	5.4	--	2.3	34	12	--	--	--	7.1	11	--	<b>120</b>	6.5	--
Lead - STLC	mg/L	5.0 <sup>4</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	0.28	--	--
Lead - TCLP	mg/L	5.0 <sup>5</sup>	--	--	--	--	--	--	--	--	--	--	--	--	--	<0.015	--	--
Molybdenum	mg/kg	390	<0.97	<0.88	<0.97	--	<0.85	<0.87	<1.0	--	--	--	<1.0	<0.93	--	<1.1	<0.83	--
Nickel	mg/kg	820	24	41	27	--	9.6	24	24	--	--	--	24	16	--	20	16	--
Selenium	mg/kg	390	<2.9	<2.7	<2.9	--	<2.6	<2.6	<3.0	--	--	--	<3.0	<2.8	--	<3.2	<2.5	--
Silver	mg/kg	390	<0.49	<0.44	<0.49	--	<0.43	<0.43	<0.50	--	--	--	<0.50	<0.46	--	<0.54	<0.42	--
Thallium*	mg/kg	0.78	<2.9	<2.7	<2.9	--	<2.6	<2.6	<3.0	--	--	--	<3.0	<2.8	--	<3.2	<2.5	--
Vanadium	mg/kg	390	51	70	60	--	24	47	46	--	--	--	54	47	--	42	43	--
Zinc	mg/kg	23,000	110	45	61	--	31	130	56	--	--	--	41	43	--	340	34	--
<b>Total Petroleum Hydrocarbons (TPHs); EPA Method 8015M</b>																		
Gasoline Range Organics (GRO) C8-C10	mg/kg	100 <sup>3</sup>	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Diesel Range Organics (DRO) C10-C28	mg/kg	260 <sup>3</sup>	23	<10	<10	<10	<10	<10	<10	<10	<10	10	<10	<10	<10	11	<10	<10
Oil Range Organics (ORO) C28-C44	mg/kg	1,600 <sup>3</sup>	64	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	29	<20	<20

Notes

- Only constituents with one or more detections above the laboratory report limit (RL) are reported on this table.
- "<" Not detected at concentrations greater than or equal to the RL.
- = Not analyzed or not applicable
- Bold** - Value above screening level.
- mg/L = milligram per liter
- mg/kg = milligram per kilogram
- STLC = Soluble Threshold Limit Concentration
- TCLP = Toxicity Characteristic Leaching Procedure
- 1 - Screening levels consist of California Department of Toxic Substances Control Screening Levels for Residential Soil (DTSC SLs, HHRA Note 3, June 2020). Where DTSC levels do not include a cancer endpoint, the non-cancer SLs were utilized. If DTSC-SLs (cancer or non-cancer) were not established, EPA Regional Screening Levels for Residential Soil (EPA RSLs, May 2021) were utilized.
- 2 - DTSC Southern California Regional Background Concentration (DTSC, 2008)
- 3 - San Francisco Regional Water Quality Control Board (SFRWQCB) Tier 1 Environmental Screening Levels (ESLs; January 2019)
- 4 - Hazardous waste characterization under California state regulations outlined in Title 22 of the California Code of Regulations.
- 5 - Hazardous waste characterization under Federal regulations defined in the Code of Federal Regulations (CFR); Resource Conservation and Recovery Act (RCRA) 40 CFR Part 261.
- \*The RL is greater than the SL, however, thallium is not a constituent of concern for historical land use.

**Table 2**  
**Summary of Soil Vapor Analytical Results**  
**1022-1060 La Cienega Boulevard**  
**Los Angeles, California**

Constituent	Units	DTSC SLs Residential Air ( $\mu\text{g}/\text{m}^3$ ) <sup>1</sup>	DTSC SLs Default AF ( $\mu\text{g}/\text{m}^3$ ) <sup>2</sup>	New Residential Building SLs ( $\mu\text{g}/\text{m}^3$ ) <sup>3</sup>	Sample Identification							
					A3-SV-10	B1-SV-10	C1-SV-10	C3-SV-10	D1-SV-10	D3-SV-10	E3-SV-10	E3-SV-10 DUP
					Sample Date				4/6/2022	4/6/2022	4/6/2022	4/6/2022
<b>VOCs; EPA Method 8260B</b>												
Benzene	$\mu\text{g}/\text{m}^3$	0.097	3.2	97.0	<7.2	<7.2	<7.2	<7.2	<7.2	<7.2	<7.2	<7.2
Ethylbenzene*	$\mu\text{g}/\text{m}^3$	1.1	36.7	1,100	<15	<15	<15	<15	<15	<15	<15	<15
m,p-Xylenes*	$\mu\text{g}/\text{m}^3$	100	3,300	100,000	<30	<30	<30	<30	<30	<30	<30	<30
o-Xylene*	$\mu\text{g}/\text{m}^3$	100	3,300	100,000	<15	<15	<15	<15	<15	<15	<15	<15
Tetrachloroethene (PCE)	$\mu\text{g}/\text{m}^3$	0.46	15.3	460	<15	<15	<15	<15	<15	<15	<15	<15
Toluene	$\mu\text{g}/\text{m}^3$	310	10,300	310,000	<15	<15	<15	20	<15	<15	<15	<15
Trichloroethene (TCE)*	$\mu\text{g}/\text{m}^3$	0.48	16.0	480	<15	<15	<15	<15	<15	<15	<15	<15
Gasoline C4-C12 <sup>4</sup>	$\mu\text{g}/\text{m}^3$	20,000	-	-	<1,500	<1,500	<1,500	3,800	5,600	<1,500	<1,500	<1,500

**Notes:**

"<" Not detected at concentrations greater than or equal to the RL.

VOCs = Volatile Organic Compounds

TPHs = Total Petroleum Hydrocarbons

"-" = Not Applicable

$\mu\text{g}/\text{m}^3$  = micrograms per cubic meter

**Bold** - Value above screening level.

1 - Human Health Risk Assessment (HHRA) Note 3 - Department of Toxic Substances Control (DTSC) - Screening Levels (SLs) for Residential Air (DTSC HERO, June 2020)

2 - DTSC SLs calculated using default attenuation factor of 0.03 (USEPA, 2015)

3 - DTSC SLs calculated using attenuation factor for new residential construction of 0.001 (DTSC, 2015)

4 - San Francisco Regional Water Quality Control Board (SFRWQCB) Environmental Screening Level (ESL) for residential subslab/soil gas (SFRWQCB January 2019 Rev. 2)

\* - USEPA Regional Screening levels for residential air (May, 2021)



**Table 3**  
**Summary of Groundwater Analytical Results**  
**1022-1060 La Cienega Boulevard**  
**Los Angeles, California**

Constituent	Units	Screening Level <sup>1</sup>	Sample Identification				
			MW-25D	MW-25U	W-2	W-5	B3-W
		Sample Date	3/28/2022	3/28/2022	3/28/2022	3/28/2022	4/5/2022
<b>VOCs; EPA Method 8260B</b>							
1,2,4-Trimethylbenzene	µg/L	NE	<0.5	500	<0.5	<0.5	<5.0
1,3,5-Trimethylbenzene	µg/L	NE	0.9	820	<0.5	<0.5	<5.0
Benzene	µg/L	5.0	<0.5	<b>220</b>	<0.5	<0.5	<5.0
Ethylbenzene	µg/L	700	1.6	<b>2,400</b>	<0.5	<0.5	<5.0
Isopropylbenzene	µg/L	NE	<0.5	120	<0.5	<0.5	<5.0
Naphthalene	µg/L	NE	<0.5	580	<0.5	<0.5	<5.0
Propylbenzene	µg/L	NE	<0.5	340	<0.5	<0.5	<5.0
Toluene	µg/L	1,000	<0.5	60	<0.5	<0.5	<5.0
Xylene (total)	µg/L	10,000	<0.5	1,200	<0.5	<0.5	<5.0
m,p-Xylenes	µg/L	10,000	<1.0	1,200	<1.0	<1.0	<10
n-Butylbenzene	µg/L	NE	<0.5	120	<0.5	<0.5	<5.0
sec-Butylbenzene	µg/L	NE	<0.5	27	<0.5	<0.5	<5.0
<b>TPHs; EPA Method 8015B</b>							
TPH Gasoline	µg/L	NE	<50	41,000	<50	<50	<50
TPH (C13 - C28)	mg/L	NE	0.21	2.0	0.23	0.11	<0.094

**Notes:**

Only constituents with one or more detections above the laboratory reposit limit (RL) are reported on this table.

"<" Not detected at concentrations greater than or equal to the RL.

VOCs = Volatile Organic Compounds

TPHs = Total Petroleum Hydrocarbons

NE = Not Established

mg/L = milligrams per liter

µg/L = micrograms per liter

**Bold** - Value above screening level.

1 - EPA Maximum Contaminat Levels (EPA MCLs, May 2021) were utilized.

# ATTACHMENT A



Enthalpy Analytical  
931 West Barkley Ave  
Orange, CA 92868  
(714) 771-6900

enthalpy.com

Lab Job Number: 460883  
Report Level: II  
Report Date: 04/19/2022

**Analytical Report** *prepared for:*

Brian Pierce  
GeoSyntec Consultants San Diego  
16644 W Bernardo Dr #301  
San Diego, CA 92127

Location: La Cienega Phase II

*Authorized for release by:*

Patty Mata, Project Manager  
[patty.mata@enthalpy.com](mailto:patty.mata@enthalpy.com)

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105

## Sample Summary

Brian Pierce GeoSyntec Consultants San Diego 16644 W Bernardo Dr #301 San Diego, CA 92127	Lab Job #: 460883 Location: La Cienega Phase II Dates Received: 04/04/22,04/05/22
--	---

Sample ID	Lab ID	Collected	Matrix
B1-1	460883-001	04/04/22 07:44	Soil
B1-5	460883-002	04/04/22 07:45	Soil
B1-10	460883-003	04/04/22 07:50	Soil
C1-1	460883-004	04/04/22 08:06	Soil
C1-5	460883-005	04/04/22 08:05	Soil
C1-10	460883-006	04/04/22 08:10	Soil
A3-1	460883-007	04/04/22 08:51	Soil
A3-5	460883-008	04/04/22 08:52	Soil
A3-10	460883-009	04/04/22 08:56	Soil
D1-1	460883-010	04/04/22 09:15	Soil
D1-5	460883-011	04/04/22 09:17	Soil
D1-10	460883-012	04/04/22 09:21	Soil
E3-1	460883-013	04/04/22 10:16	Soil
E3-10	460883-014	04/04/22 10:23	Soil
E3-5	460883-015	04/04/22 10:18	Soil
D3-1	460883-016	04/04/22 09:55	Soil
D3-5	460883-017	04/04/22 09:56	Soil
D3-10	460883-018	04/04/22 10:00	Soil
D4-1	460883-019	04/04/22 11:05	Soil
D4-5	460883-020	04/04/22 11:06	Soil
D4-10	460883-021	04/04/22 11:10	Soil
E4-1	460883-022	04/04/22 10:43	Soil
E4-5	460883-023	04/04/22 10:44	Soil
E4-10	460883-024	04/04/22 10:50	Soil
D2-1	460883-025	04/04/22 13:00	Soil
D2-5	460883-026	04/04/22 13:02	Soil

## Sample Summary

Brian Pierce GeoSyntec Consultants San Diego 16644 W Bernardo Dr #301 San Diego, CA 92127	Lab Job #: 460883 Location: La Cienega Phase II Dates Received: 04/04/22,04/05/22
--	---

Sample ID	Lab ID	Collected	Matrix
D2-10	460883-027	04/04/22 13:07	Soil
D2-15	460883-028	04/04/22 13:10	Soil
D2-20	460883-029	04/04/22 13:13	Soil
E2-1	460883-030	04/04/22 11:44	Soil
E2-5	460883-031	04/04/22 11:45	Soil
E2-10	460883-032	04/04/22 11:48	Soil
E2-15	460883-033	04/04/22 11:52	Soil
E2-20	460883-034	04/04/22 11:54	Soil
A4-1	460883-035	04/04/22 13:42	Soil
A4-5	460883-036	04/04/22 13:43	Soil
A4-10	460883-037	04/04/22 13:46	Soil
A4-15	460883-038	04/04/22 13:49	Soil
A4-20	460883-039	04/04/22 13:50	Soil
B4-1	460883-040	04/04/22 14:25	Soil
B4-5	460883-041	04/04/22 14:26	Soil
B4-10	460883-042	04/04/22 14:29	Soil
B4-15	460883-043	04/04/22 14:30	Soil
B4-20	460883-044	04/04/22 14:32	Soil
C3-1	460883-045	04/04/22 08:28	Soil
C3-5	460883-046	04/04/22 08:29	Soil
C3-10	460883-047	04/04/22 08:37	Soil

## Case Narrative

---

GeoSyntec Consultants San Diego  
16644 W Bernardo Dr #301  
San Diego, CA 92127  
Brian Pierce

Lab Job Number: 460883  
Location: La Cienega Phase II  
Dates Received: 04/04/22, 04/05/22

---

This data package contains sample and QC results for forty seven soil samples, requested for the above referenced project on 04/04/22. The samples were received cold and intact. Sample E2-15 was received on 4/5/22. Revised report to include additional test results requested on 4/12/22.

### **TPH-Extractables by GC (EPA 8015M):**

- Sample numbers 460883-007, -010, -016, -019, -042 and -045 were diluted due to the dark color of the sample extracts. Elevated reporting limits were due to necessary dilutions.
- No other analytical problems were encountered.

### **Metals (EPA 6010B and EPA 7471A) Soil:**

- Low recoveries were observed for barium and antimony in the MS/MSD for batch 286868; the parent sample was not a project sample, the LCS was within limits, and the associated RPDs were within limits. High recoveries were observed for lead and zinc; the LCS was within limits. High RPD was observed for lead.
- Low recoveries were observed for antimony in the MS/MSD of B1-1 (lab # 460883-001); the LCS was within limits, and the associated RPD was within limits.
- Low recoveries were observed for antimony in the MS/MSD of D3-10 (lab # 460883-018); the LCS was within limits, and the associated RPD was within limits. High recovery was observed for barium in the MS of D3-10 (lab # 460883-018); the LCS was within limits, and the associated RPD was within limits.
- No other analytical problems were encountered.



# ENTHALPY ANALYTICAL

**Enthalpy Analytical - Orange**

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

**Chain of Custody Record**

Lab No: 460883

Page: 1 of 1

Matrix: A = Air S = Soil/Solid  
 Water DW = Drinking Water SD = Sediment  
 PP = Pure Product SEA = Sea Water  
 SW = Swab T = Tissue WP = Wipe O = Other

**Turn Around Time (rush by advanced notice only)**

Standard: 5 Day: 72 H

2 Day: 1 Day: Custom TAT:

Preservatives: 1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
 4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other  
 Sample Receipt Temp: 5-8' / 18.2' C

(lab use only)

CUSTOMER INFORMATION			PROJECT INFORMATION				ANALYSIS REQUEST		TEST INSTRUCTIONS / COMMENTS	
Company:	Quote #:	Proj. Name:	Matrix	Container No. / Size	Pres.					
Geonette Consultants		La Cienega Phase II	S	1	None	X			w holden additional analysis	
Report To: Brian Ponce						X				
Email: Bponce@geonette.com						X				
Address: 16644 W Bemandis Dr, Suite 301, San Diego, CA						X				
Phone: 619 810 4011						X				
Fax:						X				
Sampled By: Yonca Bostanlian						X				
Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.					
1 B1-1	4-4-22	744	S	1	None	X				
2 <del>CT-1</del>						X				
3 B1-5		745				X				
4 B1-10		750				X				
5 C1-1		806				X				
6 C1-5		805				X				
7 C1-10		810				X				
8 A3-1		851				X				
9 A3-5		852				X				
10 A3-10		856				X				
						Print Name	Company / Title	Date / Time		
1 Relinquished By:						Yonca Bostanlian	Geonette / Geonette	4-4-21	1740	
1 Received By:						ZAD P.	FR/Cal	4/04/22	1740	
2 Relinquished By:										
2 Received By:										
3 Relinquished By:										
3 Received By:										



**Enthalpy Analytical - Orange**  
 931 W. Barkley Avenue, Orange, CA 92868  
 Phone 714-771-6900

**Chain of Custody Record**  
 Lab No: **460883**  
 Page: **2** of **5**

Matrix: A = Air S = Soil/Solid  
 Water DW = Drinking Water SD = Sediment  
 PP = Pure Product SEA = Sea Water  
 SW = Swab T = Tissue WP = Wipe O = Other

**Turn Around Time (rush by advanced notice only)**  
 Standard: 5 Day: **3 Day**  
 2 Day: 1 Day: Custom TAT:

Preservatives: 1 =  
 Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
 4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other  
 Sample Receipt Temp:  
 (lab use only)

**CUSTOMER INFORMATION**

Company: *See Page 1*  
 Report To: *See Page 1*  
 Email:  
 Address:  
 Phone:  
 Fax:

**PROJECT INFORMATION**

Quote #:   
 Proj. Name:   
 Proj. #:   
 P.O. #:   
 Address:   
 Global ID:   
 Sampled By:

Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.	Analysis Request		Test Instructions / Comments
						W =	1 =	
1 D1-1	4-4-22	915	S	1	ND			See Page 1
2 D1-5		917						
3 D1-10		921						
4 E3-1		1016						
5 E3-10		1023						
6 <del>E3-10</del> E3-5		1018						
7 D3-1		915						
8 D3-5		<del>915</del> 916						
9 D3-10		1000						
10								

**Signature** *[Signature]* **Print Name** *YB ZAD R* **Company / Title** *Creighton EALAC* **Date / Time** *4-4-22 1740*

**Relinquished By:** *[Signature]* **Received By:** *[Signature]* **Date / Time:** *4/04/22 1740*

**Relinquished By:** **Received By:** **Date / Time:**

**Relinquished By:** **Received By:** **Date / Time:**

**Relinquished By:** **Received By:** **Date / Time:**



**Enthalpy Analytical - Orange**  
 931 W. Barkley Avenue, Orange, CA 92868  
 Phone 714-771-6900

**Chain of Custody Record**  
 Lab No: 460883  
 Page: 3 of 5

**Turn Around Time (rush by advanced notice only)**  
 Standard: 5 Day: 3 Day: 1 Day:  
 Custom TAT:

**Matrix:** A = Air S = Soil/Solid  
 Water DW = Drinking Water SD = Sediment  
 PP = Pure Product SEA = Sea Water  
 SW = Swab T = Tissue WP = Wipe O = Other

**Preservatives:**  
 Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
 4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other

1 = Sample Receipt Temp:  
 (lab use only)

CUSTOMER INFORMATION				PROJECT INFORMATION				ANALYSIS REQUEST				TEST INSTRUCTIONS / COMMENTS			
Company:	Quote #:	Proj. Name:	Sampled By:	Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.	Analysis Request	Test Instructions / Comments				
Report To:				D4-1	4-4-22	1105	S	1	No		See page 1				
Email:				D4-5		1106									
Address:				D4-10		1110									
Phone:				E4-1		1043									
Fax:				E4-5		1044									
				E4-10		1050									
				D2-1		1300									
				D2-5		1302									
				D2-10		1307									
				D2-15		1310									

Relinquished By:	Signature	Print Name	Company / Title	Date / Time
1 Relinquished By:		X B	Geosyntec	4-4-22 1740
1 Received By:		ZARA P.	Enthalpy	4/04/22 1740
2 Relinquished By:				
2 Received By:				
3 Relinquished By:				
3 Received By:				



# ENTHALPY ANALYTICAL

**Enthalpy Analytical - Orange**  
 931 W. Barkley Avenue, Orange, CA 92868  
 Phone 714-771-6900

**Chain of Custody Record**  
 Lab No: **46883**  
 Page: **4** of **5**

**Turn Around Time (rush by advanced notice only)**  
 Standard: 5 Day: **3 Day**  
 2 Day: 1 Day: Custom TAT:

Matrix: A = Air S = Soil/Solid  
 Water DW = Drinking Water SD = Sediment  
 PP = Pure Product SEA = Sea Water  
 SW = Swab T = Tissue WP = Wipe O = Other

Preservatives: 1 = **Sample Receipt Temp:**  
 Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
 4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other  
 (lab use only)

CUSTOMER INFORMATION		PROJECT INFORMATION				Analysis Request		Test Instructions / Comments	
Company:	Quote #:	Proj. Name:	Matrix	Container No. / Size	Pres.	See page 1 (lab use only)			
Report To:	Proj. #:	Sampling Time	Matrix	Pres.					
Email:	P.O. #:	Sampling Date	Matrix	Pres.					
Address:	Address:	Sampling Date	Matrix	Pres.					
Phone:	Global ID:	Sampling Date	Matrix	Pres.					
Fax:	Sampled By:	Sampling Date	Matrix	Pres.					
1	D2-20	4-4-22	S	1	No	(lab use only)			
2	E2-1	1144			X				
3	E2-5	1145			X				
4	E2-10	1148			X				
5	E2-1K	1152			X				
6	E2-20	1154			X				
7	A4-1	1342			X				
8	A4-5	1343			X				
9	A4-10	1346			X				
10	A4-1K	1349			X				

Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.	Company / Title	Date / Time
1	4-4-22	1313	S	1	No	Empty	4-4-22 1740
2		1144			X	Empty	4/04/22 1740
3		1145			X	Empty	4-5-22 1546
4		1148			X	Empty	4/5/22 1729
5		1152			X	Empty	
6		1154			X	Empty	
7		1342			X	Empty	
8		1343			X	Empty	
9		1346			X	Empty	
10		1349			X	Empty	

Signature	Print Name	Company / Title	Date / Time
	Y B	Empty	4-4-22 1740
	JAY D.	Empty	4/04/22 1740
	Yancy Botomise	Empty	4-5-22 1546
	CKM	Empty	4/5/22 1729
1 Relinquished By:			
1 Received By:			
2 Relinquished By:			
2 Received By:			
3 Relinquished By:			
3 Received By:			

# ENTHALPY ANALYTICAL

Enthalpy Analytical - Orange

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

## Chain of Custody Record

Lab No: 460888

Page: 5 of 5

## Turn Around Time (rush by advanced notice only)

Standard:

2 Day:

5 Day:

1 Day:

3 Day:

Custom TAT:

72H

Matrix: A = Air, W = Water, SeaW = Sea Water, DW = Drinking Water, WP = Wipe, S = Soil, O = Oil, M = Other matrices (solid), L = Other matrices (aqueous)

### Preservatives:

1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other

### Sample Receipt Temp:

(lab use only)

### CUSTOMER INFORMATION

Company: See Page 1  
 Report To:  
 Email:  
 Address:  
 Phone:  
 Fax:

### PROJECT INFORMATION

Quote #:   
 Proj. Name:   
 Proj. #:   
 P.O. #:   
 Address:   
 Global ID:   
 Sampled By:

### Analysis Request

TOTAL METALS (6010)  
 TPHCC (8017)

### Test Instructions / Comments

See Page 1

Sample ID	Sampling Date	Sampling Time	Matrix	Container No.	Pres.
A4-20	4-4-22	1350	S	1	NO
B4-1		1425			
B4-5		1426			
B4-10		1429			
B4-15		1430			
B4-20		1432			
C3-1		828			
C3-5		829			
C3-10		837			

Signature	Print Name	Company / Title	Date / Time
	Y B	Orange	4-4-22 1740
	200 P	Enthalpy	4/04/22 1740
Relinquished By:			
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By:			



# ENTHALPY ANALYTICAL

## SAMPLE ACCEPTANCE CHECKLIST


**Section 1**  
 Client: Geosyntec Consultants Project: La Cienega Phase II  
 Date Received: 4/04/22 Sampler's Name Present:  Yes  No

**Section 2**  
 Sample(s) received in a cooler?  Yes, How many? 1  No (skip section 2) Sample Temp (°C) (No Cooler) : \_\_\_\_\_  
 Sample Temp (°C), One from each cooler: #1: 18.2 #2: \_\_\_\_\_ #3: \_\_\_\_\_ #4: \_\_\_\_\_  
*(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)*  
 Shipping Information: \_\_\_\_\_

**Section 3**  
 Was the cooler packed with:  Ice  Ice Packs  Bubble Wrap  Styrofoam  
 Paper  None  Other \_\_\_\_\_  
 Cooler Temp (°C): #1: 5.8 #2: \_\_\_\_\_ #3: \_\_\_\_\_ #4: \_\_\_\_\_

Section 4	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>		
Are sample IDs present?	<input checked="" type="checkbox"/>		
Are sampling dates & times present?	<input checked="" type="checkbox"/>		
Is a relinquished signature present?	<input checked="" type="checkbox"/>		
Are the tests required clearly indicated on the COC?	<input checked="" type="checkbox"/>		
Are custody seals present?		<input checked="" type="checkbox"/>	
If custody seals are present, were they intact?			<input checked="" type="checkbox"/>
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)			<input checked="" type="checkbox"/>
Did all samples arrive intact? If no, indicate in Section 4 below.	<input checked="" type="checkbox"/>		
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>		
Were the samples collected in the correct containers for the required tests?	<input checked="" type="checkbox"/>		
Are the containers labeled with the correct preservatives?			<input checked="" type="checkbox"/>
Is there headspace in the VOA vials greater than 5-6 mm in diameter?			<input checked="" type="checkbox"/>
Was a sufficient amount of sample submitted for the requested tests?	<input checked="" type="checkbox"/>		

**Section 5 Explanations/Comments**  
DID NOT RECEIVE SAMPLE 'E2-15'.

**Section 6**  
 For discrepancies, how was the Project Manager notified?  Verbal PM Initials: PAM Date/Time 4/05/22  
 Email (email sent to/on): \_\_\_\_\_ / \_\_\_\_\_  
 Project Manager's response:  


Completed By: \_\_\_\_\_ Date: 4/04/22





# ENTHALPY ANALYTICAL

## SAMPLE ACCEPTANCE CHECKLIST

**Section 1**  
 Client: Geosyntec Project: La Cienega  
 Date Received: 4/5/22 Sampler's Name Present:  Yes  No


**Section 2**  
 Sample(s) received in a cooler?  Yes, How many? 1  No (skip section 2) Sample Temp (°C) (No Cooler) : \_\_\_\_\_  
 Sample Temp (°C), One from each cooler: #1: 6.8 #2: \_\_\_\_\_ #3: \_\_\_\_\_ #4: \_\_\_\_\_  
*(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)*  
 Shipping Information: \_\_\_\_\_

**Section 3**  
 Was the cooler packed with:  Ice  Ice Packs  Bubble Wrap  Styrofoam  
 Paper  None  Other \_\_\_\_\_  
 Cooler Temp (°C): #1: 5.2 #2: \_\_\_\_\_ #3: \_\_\_\_\_ #4: \_\_\_\_\_

Section 4	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>		
Are sample IDs present?	<input checked="" type="checkbox"/>		
Are sampling dates & times present?	<input checked="" type="checkbox"/>		
Is a relinquished signature present?	<input checked="" type="checkbox"/>		
Are the tests required clearly indicated on the COC?	<input checked="" type="checkbox"/>		
Are custody seals present?		<input checked="" type="checkbox"/>	
If custody seals are present, were they intact?			<input checked="" type="checkbox"/>
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)			<input checked="" type="checkbox"/>
Did all samples arrive intact? If no, indicate in Section 4 below.	<input checked="" type="checkbox"/>		
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>		
Were the samples collected in the correct containers for the required tests?	<input checked="" type="checkbox"/>		
Are the containers labeled with the correct preservatives?			<input checked="" type="checkbox"/>
Is there headspace in the VOA vials greater than 5-6 mm in diameter?			<input checked="" type="checkbox"/>
Was a sufficient amount of sample submitted for the requested tests?	<input checked="" type="checkbox"/>		

**Section 5 Explanations/Comments**  
 \_\_\_\_\_  
 \_\_\_\_\_

**Section 6**  
 For discrepancies, how was the Project Manager notified?  Verbal PM Initials: \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Email (email sent to/on): \_\_\_\_\_ / \_\_\_\_\_  
 Project Manager's response:  
 \_\_\_\_\_

Completed By:  Date: 4/5/22

## Patty Mata

---

**From:** Brian Pierce <BPierce@Geosyntec.com> on behalf of Brian Pierce  
**Sent:** Monday, April 11, 2022 6:27 PM  
**To:** patty.mata@enthalpy.com  
**Cc:** Christopher Lieder  
**Subject:** [EXTERNAL] RE: La Cienega Phase II (4/4/22) - Enthalpy Data (460883)

**Flag Status:** Flagged

Hi Patty,

Thanks for the heads up on the metals. Please add the following analyses:

STLC Cr: A4-5, B4-1, B4-5, C3-5, D1-5, D3-5

STLC Pb: D1-5, E4-1

TCLP Pb: E4-1

VOCs (8260): A3-1, B4-10, D1-1, D2-1, D3-1, D4-1

Please let me know if you have any questions.

Regards,

**Brian Pierce, PG** (CA)  
**Project Geologist**  
Direct: (619) 810-4011  
Mobile: (734) 564-3949  
[www.geosyntec.com](http://www.geosyntec.com)

**Geosyntec**  
consultants

engineers | scientists | innovators

---

**From:** Patty Mata <patty.mata@enthalpy.com>  
**Sent:** Monday, April 11, 2022 12:58 PM  
**To:** Brian Pierce <BPierce@Geosyntec.com>  
**Subject:** La Cienega Phase II (4/4/22) - Enthalpy Data (460883)

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe. If you have any suspicion, please confirm with the sender verbally that this email is authentic.

Hi Brian,

There are some Chromium and Lead results over 50 mg/kg so please let me know if you need STLC or TCLP testing. Unfortunately one of the samples is the one where we accidentally lost the remaining sample volume for B4-5. It had Chromium right at 50 mg/kg.

Data qualifiers and additional information necessary for the interpretation of the test results are contained in the PDF file and may not be included in the EDD.

## Patty Mata

---

**From:** Brian Pierce <BPierce@Geosyntec.com> on behalf of Brian Pierce  
**Sent:** Tuesday, April 12, 2022 11:42 AM  
**To:** Patty Mata  
**Cc:** Christopher Lieder  
**Subject:** RE: [EXTERNAL] RE: La Cienega Phase II (4/4/22) - Enthalpy Data (460883)

Hi Patty,

Please run B4-10, B4-15, B4-20 and D3-10 for Title 22 Metals. Note that the additional requests can be analyzed on a 5-day TAT.

Thanks,

**Brian Pierce, PG** (CA)  
**Project Geologist**  
Direct: (619) 810-4011  
Mobile: (734) 564-3949  
[www.geosyntec.com](http://www.geosyntec.com)

**Geosyntec**<sup>®</sup>  
consultants  
engineers | scientists | innovators

---

**From:** Patty Mata <patty.mata@enthalpy.com>  
**Sent:** Tuesday, April 12, 2022 10:49 AM  
**To:** Brian Pierce <BPierce@Geosyntec.com>  
**Cc:** Christopher Lieder <CLieder@Geosyntec.com>  
**Subject:** RE: [EXTERNAL] RE: La Cienega Phase II (4/4/22) - Enthalpy Data (460883)

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe. If you have any suspicion, please confirm with the sender verbally that this email is authentic.

Got it. Thank you!

But I forgot to remind you that sample B4-5 was the one soil that we accidentally lost the remaining sample during metals prep. We won't be able to run STLC Cr for this sample.

With Regards,

**Patty Mata**  
Direct (714) 771-9930



---

**From:** Brian Pierce <BPierce@Geosyntec.com>  
**Sent:** Tuesday, April 12, 2022 10:09 AM  
**To:** Patty Mata <patty.mata@enthalpy.com>

## Analysis Results for 460883

Brian Pierce  
 GeoSyntec Consultants San Diego  
 16644 W Bernardo Dr #301  
 San Diego, CA 92127

Lab Job #: 460883  
 Location: La Cienega Phase II  
 Dates Received: 04/04/22,04/05/22

<b>Sample ID: B1-1</b>	<b>Lab ID: 460883-001</b>	<b>Collected: 04/04/22 07:44</b>
<b>Matrix: Soil</b>		

460883-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.96	286866	04/05/22	04/07/22	SBW
Arsenic	<b>3.8</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Barium	<b>100</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.48	0.96	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.48	0.96	286866	04/05/22	04/07/22	SBW
Chromium	<b>46</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Cobalt	<b>13</b>		mg/Kg	0.48	0.96	286866	04/05/22	04/07/22	SBW
Copper	<b>18</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Lead	<b>29</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Nickel	<b>22</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	0.96	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.48	0.96	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	0.96	286866	04/05/22	04/07/22	SBW
Vanadium	<b>62</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Zinc	<b>98</b>		mg/Kg	4.8	0.96	286866	04/05/22	04/07/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/05/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/05/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/05/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	104%		%REC	70-130	1	286847	04/05/22	04/05/22	MES



## Analysis Results for 460883

<b>Sample ID: B1-5</b>	<b>Lab ID: 460883-002</b>	<b>Collected: 04/04/22 07:45</b>
<b>Matrix: Soil</b>		

460883-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.0	0.99	286866	04/05/22	04/07/22	SBW
Arsenic	1.3		mg/Kg	0.99	0.99	286866	04/05/22	04/07/22	SBW
Barium	65		mg/Kg	0.99	0.99	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.50	0.99	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.50	0.99	286866	04/05/22	04/07/22	SBW
Chromium	29		mg/Kg	0.99	0.99	286866	04/05/22	04/07/22	SBW
Cobalt	7.4		mg/Kg	0.50	0.99	286866	04/05/22	04/07/22	SBW
Copper	11		mg/Kg	0.99	0.99	286866	04/05/22	04/07/22	SBW
Lead	4.4		mg/Kg	0.99	0.99	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.99	0.99	286866	04/05/22	04/07/22	SBW
Nickel	16		mg/Kg	0.99	0.99	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	3.0	0.99	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.50	0.99	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	3.0	0.99	286866	04/05/22	04/07/22	SBW
Vanadium	35		mg/Kg	0.99	0.99	286866	04/05/22	04/07/22	SBW
Zinc	26		mg/Kg	5.0	0.99	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	89%		%REC	70-130	1	286847	04/05/22	04/08/22	MES

<b>Sample ID: B1-10</b>	<b>Lab ID: 460883-003</b>	<b>Collected: 04/04/22 07:50</b>
<b>Matrix: Soil</b>		

460883-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	101%		%REC	70-130	1	286847	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID:</b> C1-1	<b>Lab ID:</b> 460883-004	<b>Collected:</b> 04/04/22 08:06
<b>Matrix:</b> Soil		

460883-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.96	286866	04/05/22	04/07/22	SBW
Arsenic	ND		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Barium	<b>130</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.48	0.96	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.48	0.96	286866	04/05/22	04/07/22	SBW
Chromium	<b>41</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Cobalt	<b>10</b>		mg/Kg	0.48	0.96	286866	04/05/22	04/07/22	SBW
Copper	<b>13</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Lead	<b>4.4</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Nickel	<b>24</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	0.96	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.48	0.96	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	0.96	286866	04/05/22	04/07/22	SBW
Vanadium	<b>40</b>		mg/Kg	0.96	0.96	286866	04/05/22	04/07/22	SBW
Zinc	<b>31</b>		mg/Kg	4.8	0.96	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	95%		%REC	70-130	1	286847	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID: C1-5</b>	<b>Lab ID: 460883-005</b>	<b>Collected: 04/04/22 08:05</b>
<b>Matrix: Soil</b>		

460883-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.2	1.1	286866	04/05/22	04/07/22	SBW
Arsenic	4.7		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Barium	140		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.53	1.1	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.53	1.1	286866	04/05/22	04/07/22	SBW
Chromium	44		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Cobalt	13		mg/Kg	0.53	1.1	286866	04/05/22	04/07/22	SBW
Copper	20		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Lead	29		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Nickel	28		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	3.2	1.1	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.53	1.1	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	3.2	1.1	286866	04/05/22	04/07/22	SBW
Vanadium	57		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Zinc	73		mg/Kg	5.3	1.1	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	50	5	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	50	5	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	100	5	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	87%		%REC	70-130	5	286847	04/05/22	04/08/22	MES

<b>Sample ID: C1-10</b>	<b>Lab ID: 460883-006</b>	<b>Collected: 04/04/22 08:10</b>
<b>Matrix: Soil</b>		

460883-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	100%		%REC	70-130	1	286847	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID:</b> A3-1	<b>Lab ID:</b> 460883-007	<b>Collected:</b> 04/04/22 08:51
<b>Matrix:</b> Soil		

460883-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.8	0.92	286866	04/05/22	04/07/22	SBW
Arsenic	<b>2.9</b>		mg/Kg	0.92	0.92	286866	04/05/22	04/07/22	SBW
Barium	<b>97</b>		mg/Kg	0.92	0.92	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.46	0.92	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.46	0.92	286866	04/05/22	04/07/22	SBW
Chromium	<b>33</b>		mg/Kg	0.92	0.92	286866	04/05/22	04/07/22	SBW
Cobalt	<b>10</b>		mg/Kg	0.46	0.92	286866	04/05/22	04/07/22	SBW
Copper	<b>19</b>		mg/Kg	0.92	0.92	286866	04/05/22	04/07/22	SBW
Lead	<b>23</b>		mg/Kg	0.92	0.92	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.92	0.92	286866	04/05/22	04/07/22	SBW
Nickel	<b>21</b>		mg/Kg	0.92	0.92	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.8	0.92	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.46	0.92	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.8	0.92	286866	04/05/22	04/07/22	SBW
Vanadium	<b>46</b>		mg/Kg	0.92	0.92	286866	04/05/22	04/07/22	SBW
Zinc	<b>120</b>		mg/Kg	4.6	0.92	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	20	2	286847	04/05/22	04/08/22	MES
DRO C10-C28	<b>120</b>		mg/Kg	20	2	286847	04/05/22	04/08/22	MES
ORO C28-C44	<b>240</b>		mg/Kg	40	2	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	107%		%REC	70-130	2	286847	04/05/22	04/08/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Freon 12	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromomethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Acetone	ND		ug/Kg	100	1	287640	04/16/22	04/16/22	RAO
Freon 113	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Methylene Chloride	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
MTBE	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO



### Analysis Results for 460883

460883-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2-Butanone	ND		ug/Kg	100	1	287640	04/16/22	04/16/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloroform	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Benzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Trichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Dibromomethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Toluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
m,p-Xylenes	ND		ug/Kg	10	1	287640	04/16/22	04/16/22	RAO
o-Xylene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Styrene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromoform	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Propylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO

### Analysis Results for 460883

460883-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Naphthalene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Xylene (total)	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
<b>Surrogates</b>									
				<b>Limits</b>					
Dibromofluoromethane	100%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane-d4	109%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
Toluene-d8	97%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
Bromofluorobenzene	93%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO

## Analysis Results for 460883

<b>Sample ID: A3-5</b>	<b>Lab ID: 460883-008</b>	<b>Collected: 04/04/22 08:52</b>
<b>Matrix: Soil</b>		

460883-008 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.7	0.91	286866	04/05/22	04/07/22	SBW
Arsenic	ND		mg/Kg	0.91	0.91	286866	04/05/22	04/07/22	SBW
Barium	<b>62</b>		mg/Kg	0.91	0.91	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.45	0.91	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.45	0.91	286866	04/05/22	04/07/22	SBW
Chromium	<b>36</b>		mg/Kg	0.91	0.91	286866	04/05/22	04/07/22	SBW
Cobalt	<b>12</b>		mg/Kg	0.45	0.91	286866	04/05/22	04/07/22	SBW
Copper	<b>12</b>		mg/Kg	0.91	0.91	286866	04/05/22	04/07/22	SBW
Lead	<b>4.0</b>		mg/Kg	0.91	0.91	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.91	0.91	286866	04/05/22	04/07/22	SBW
Nickel	<b>23</b>		mg/Kg	0.91	0.91	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.7	0.91	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.45	0.91	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.7	0.91	286866	04/05/22	04/07/22	SBW
Vanadium	<b>38</b>		mg/Kg	0.91	0.91	286866	04/05/22	04/07/22	SBW
Zinc	<b>29</b>		mg/Kg	4.5	0.91	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	102%		%REC	70-130	1	286847	04/05/22	04/08/22	MES

<b>Sample ID: A3-10</b>	<b>Lab ID: 460883-009</b>	<b>Collected: 04/04/22 08:56</b>
<b>Matrix: Soil</b>		

460883-009 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	101%		%REC	70-130	1	286847	04/05/22	04/08/22	MES

## Analysis Results for 460883

**Sample ID: D1-1**

**Lab ID: 460883-010**

**Collected: 04/04/22 09:15**

**Matrix: Soil**

460883-010 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.2	1.1	286866	04/05/22	04/07/22	SBW
Arsenic	<b>2.2</b>		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Barium	<b>76</b>		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.54	1.1	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.54	1.1	286866	04/05/22	04/07/22	SBW
Chromium	<b>36</b>		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Cobalt	<b>10</b>		mg/Kg	0.54	1.1	286866	04/05/22	04/07/22	SBW
Copper	<b>18</b>		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Lead	<b>25</b>		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Nickel	<b>21</b>		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	3.2	1.1	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.54	1.1	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	3.2	1.1	286866	04/05/22	04/07/22	SBW
Vanadium	<b>45</b>		mg/Kg	1.1	1.1	286866	04/05/22	04/07/22	SBW
Zinc	<b>62</b>		mg/Kg	5.4	1.1	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	20	2	286847	04/05/22	04/08/22	MES
DRO C10-C28	<b>430</b>		mg/Kg	20	2	286847	04/05/22	04/08/22	MES
ORO C28-C44	<b>410</b>		mg/Kg	40	2	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	110%		%REC	70-130	2	286847	04/05/22	04/08/22	MES
Method: EPA 8260B Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Freon 12	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromomethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Acetone	ND		ug/Kg	100	1	287640	04/16/22	04/16/22	RAO
Freon 113	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Methylene Chloride	<b>11</b>		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
MTBE	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO

### Analysis Results for 460883

460883-010 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2-Butanone	ND		ug/Kg	100	1	287640	04/16/22	04/16/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloroform	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Benzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Trichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Dibromomethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Toluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
m,p-Xylenes	ND		ug/Kg	10	1	287640	04/16/22	04/16/22	RAO
o-Xylene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Styrene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromoform	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Propylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO

### Analysis Results for 460883

460883-010 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Naphthalene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Xylene (total)	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
<b>Surrogates</b>				<b>Limits</b>					
Dibromofluoromethane	100%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane-d4	109%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
Toluene-d8	97%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
Bromofluorobenzene	92%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO

## Analysis Results for 460883

**Sample ID: D1-5                      Lab ID: 460883-011                      Collected: 04/04/22 09:17**

460883-011 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B										
Prep Method: EPA 3050B										
Antimony	ND		mg/Kg	2.9	Soil	0.98	286866	04/05/22	04/07/22	SBW
Arsenic	<b>2.6</b>		mg/Kg	0.98	Soil	0.98	286866	04/05/22	04/07/22	SBW
Barium	<b>90</b>		mg/Kg	0.98	Soil	0.98	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.49	Soil	0.98	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.49	Soil	0.98	286866	04/05/22	04/07/22	SBW
Chromium	<b>50</b>		mg/Kg	0.98	Soil	0.98	286866	04/05/22	04/07/22	SBW
Cobalt	<b>15</b>		mg/Kg	0.49	Soil	0.98	286866	04/05/22	04/07/22	SBW
Copper	<b>20</b>		mg/Kg	0.98	Soil	0.98	286866	04/05/22	04/07/22	SBW
Lead	<b>5.2</b>		mg/Kg	0.98	Soil	0.98	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.98	Soil	0.98	286866	04/05/22	04/07/22	SBW
Nickel	<b>39</b>		mg/Kg	0.98	Soil	0.98	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	Soil	0.98	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.49	Soil	0.98	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	Soil	0.98	286866	04/05/22	04/07/22	SBW
Vanadium	<b>67</b>		mg/Kg	0.98	Soil	0.98	286866	04/05/22	04/07/22	SBW
Zinc	<b>44</b>		mg/Kg	4.9	Soil	0.98	286866	04/05/22	04/09/22	SBW
Method: EPA 6010B										
Prep Method: METHOD										
Chromium	ND		mg/L	0.30	WET Leachate	10	287420	04/15/22	04/15/22	KLN
Method: EPA 7471A										
Prep Method: METHOD										
Mercury	ND		mg/Kg	0.14	Soil	1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M										
Prep Method: EPA 3580										
GRO C8-C10	ND		mg/Kg	10	Soil	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	<b>19</b>		mg/Kg	10	Soil	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	Soil	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>						
n-Triacontane	98%		%REC	70-130	Soil	1	286847	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID: D1-10</b>	<b>Lab ID: 460883-012</b>	<b>Collected: 04/04/22 09:21</b>
<b>Matrix: Soil</b>		

460883-012 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	99%		%REC	70-130	1	286847	04/05/22	04/08/22	MES

<b>Sample ID: E3-1</b>	<b>Lab ID: 460883-013</b>	<b>Collected: 04/04/22 10:16</b>
<b>Matrix: Soil</b>		

460883-013 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.0	1	286866	04/05/22	04/07/22	SBW
Arsenic	1.1		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Barium	61		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.50	1	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.50	1	286866	04/05/22	04/07/22	SBW
Chromium	41		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Cobalt	11		mg/Kg	0.50	1	286866	04/05/22	04/07/22	SBW
Copper	14		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Lead	7.1		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Nickel	24		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	3.0	1	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.50	1	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	3.0	1	286866	04/05/22	04/07/22	SBW
Vanadium	54		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Zinc	41		mg/Kg	5.0	1	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	104%		%REC	70-130	1	286847	04/05/22	04/08/22	MES



## Analysis Results for 460883

<b>Sample ID: E3-10</b>	<b>Lab ID: 460883-014</b>	<b>Collected: 04/04/22 10:23</b>
<b>Matrix: Soil</b>		

460883-014 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	100%		%REC	70-130	1	286847	04/05/22	04/08/22	MES

<b>Sample ID: E3-5</b>	<b>Lab ID: 460883-015</b>	<b>Collected: 04/04/22 10:18</b>
<b>Matrix: Soil</b>		

460883-015 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.8	0.93	286866	04/05/22	04/07/22	SBW
Arsenic	<b>1.9</b>		mg/Kg	0.93	0.93	286866	04/05/22	04/07/22	SBW
Barium	<b>89</b>		mg/Kg	0.93	0.93	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.46	0.93	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.46	0.93	286866	04/05/22	04/07/22	SBW
Chromium	<b>32</b>		mg/Kg	0.93	0.93	286866	04/05/22	04/07/22	SBW
Cobalt	<b>7.5</b>		mg/Kg	0.46	0.93	286866	04/05/22	04/07/22	SBW
Copper	<b>13</b>		mg/Kg	0.93	0.93	286866	04/05/22	04/07/22	SBW
Lead	<b>11</b>		mg/Kg	0.93	0.93	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.93	0.93	286866	04/05/22	04/07/22	SBW
Nickel	<b>16</b>		mg/Kg	0.93	0.93	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.8	0.93	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.46	0.93	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.8	0.93	286866	04/05/22	04/07/22	SBW
Vanadium	<b>47</b>		mg/Kg	0.93	0.93	286866	04/05/22	04/07/22	SBW
Zinc	<b>43</b>		mg/Kg	4.6	0.93	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.17	1.2	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	98%		%REC	70-130	1	286847	04/05/22	04/08/22	MES

## Analysis Results for 460883

Sample ID: D3-1

Lab ID: 460883-016

Collected: 04/04/22 09:55

Matrix: Soil

460883-016 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.97	286866	04/05/22	04/07/22	SBW
Arsenic	3.8		mg/Kg	0.97	0.97	286866	04/05/22	04/07/22	SBW
Barium	110		mg/Kg	0.97	0.97	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.49	0.97	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.49	0.97	286866	04/05/22	04/07/22	SBW
Chromium	28		mg/Kg	0.97	0.97	286866	04/05/22	04/07/22	SBW
Cobalt	9.4		mg/Kg	0.49	0.97	286866	04/05/22	04/07/22	SBW
Copper	14		mg/Kg	0.97	0.97	286866	04/05/22	04/07/22	SBW
Lead	19		mg/Kg	0.97	0.97	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.97	0.97	286866	04/05/22	04/07/22	SBW
Nickel	16		mg/Kg	0.97	0.97	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	0.97	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.49	0.97	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	0.97	286866	04/05/22	04/07/22	SBW
Vanadium	53		mg/Kg	0.97	0.97	286866	04/05/22	04/07/22	SBW
Zinc	56		mg/Kg	4.9	0.97	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	20	2	286847	04/05/22	04/08/22	MES
DRO C10-C28	37		mg/Kg	20	2	286847	04/05/22	04/08/22	MES
ORO C28-C44	140		mg/Kg	40	2	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	101%		%REC	70-130	2	286847	04/05/22	04/08/22	MES
Method: EPA 8260B Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Freon 12	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromomethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Acetone	ND		ug/Kg	100	1	287640	04/16/22	04/16/22	RAO
Freon 113	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Methylene Chloride	5.4		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
MTBE	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO

### Analysis Results for 460883

460883-016 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2-Butanone	ND		ug/Kg	100	1	287640	04/16/22	04/16/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloroform	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Benzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Trichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Dibromomethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Toluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
m,p-Xylenes	ND		ug/Kg	10	1	287640	04/16/22	04/16/22	RAO
o-Xylene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Styrene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromoform	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Propylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO

### Analysis Results for 460883

460883-016 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Naphthalene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Xylene (total)	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
<b>Surrogates</b>									
				<b>Limits</b>					
Dibromofluoromethane	101%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane-d4	110%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
Toluene-d8	98%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
Bromofluorobenzene	94%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO

## Analysis Results for 460883

**Sample ID: D3-5                      Lab ID: 460883-017                      Collected: 04/04/22 09:56**

460883-017 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B										
Prep Method: EPA 3050B										
Antimony	ND		mg/Kg	2.5	Soil	0.84	286866	04/05/22	04/07/22	SBW
Arsenic	1.4		mg/Kg	0.84	Soil	0.84	286866	04/05/22	04/07/22	SBW
Barium	88		mg/Kg	0.84	Soil	0.84	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.42	Soil	0.84	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.42	Soil	0.84	286866	04/05/22	04/07/22	SBW
Chromium	50		mg/Kg	0.84	Soil	0.84	286866	04/05/22	04/07/22	SBW
Cobalt	13		mg/Kg	0.42	Soil	0.84	286866	04/05/22	04/07/22	SBW
Copper	16		mg/Kg	0.84	Soil	0.84	286866	04/05/22	04/07/22	SBW
Lead	5.7		mg/Kg	0.84	Soil	0.84	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.84	Soil	0.84	286866	04/05/22	04/07/22	SBW
Nickel	33		mg/Kg	0.84	Soil	0.84	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.5	Soil	0.84	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.42	Soil	0.84	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.5	Soil	0.84	286866	04/05/22	04/07/22	SBW
Vanadium	56		mg/Kg	0.84	Soil	0.84	286866	04/05/22	04/07/22	SBW
Zinc	42		mg/Kg	4.2	Soil	0.84	286866	04/05/22	04/09/22	SBW
Method: EPA 6010B										
Prep Method: METHOD										
Chromium	ND		mg/L	0.30	WET Leachate	10	287420	04/15/22	04/15/22	KLN
Method: EPA 7471A										
Prep Method: METHOD										
Mercury	ND		mg/Kg	0.15	Soil	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M										
Prep Method: EPA 3580										
GRO C8-C10	ND		mg/Kg	10	Soil	1	286847	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	Soil	1	286847	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	Soil	1	286847	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>						
n-Triacontane	97%		%REC	70-130	Soil	1	286847	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID: D3-10</b>	<b>Lab ID: 460883-018</b>	<b>Collected: 04/04/22 10:00</b>
<b>Matrix: Soil</b>		

460883-018 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.0	1	287424	04/13/22	04/14/22	SBW
Arsenic	<b>2.7</b>		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Barium	<b>92</b>		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.51	1	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.51	1	287424	04/13/22	04/14/22	SBW
Chromium	<b>56</b>		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Cobalt	<b>16</b>		mg/Kg	0.51	1	287424	04/13/22	04/14/22	SBW
Copper	<b>21</b>		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Lead	<b>3.6</b>		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Nickel	<b>43</b>		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	3.0	1	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.51	1	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	3.0	1	287424	04/13/22	04/14/22	SBW
Vanadium	<b>61</b>		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Zinc	<b>38</b>		mg/Kg	5.1	1	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.17	1.2	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/09/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	99%		%REC	70-130	1	286847	04/05/22	04/09/22	MES

## Analysis Results for 460883

**Sample ID: D4-1**

**Lab ID: 460883-019**

**Collected: 04/04/22 11:05**

**Matrix: Soil**

460883-019 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.95	286866	04/05/22	04/07/22	SBW
Arsenic	<b>2.2</b>		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Barium	<b>130</b>		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.48	0.95	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.48	0.95	286866	04/05/22	04/07/22	SBW
Chromium	<b>43</b>		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Cobalt	<b>13</b>		mg/Kg	0.48	0.95	286866	04/05/22	04/07/22	SBW
Copper	<b>21</b>		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Lead	<b>35</b>		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Nickel	<b>27</b>		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	0.95	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.48	0.95	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	0.95	286866	04/05/22	04/07/22	SBW
Vanadium	<b>52</b>		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Zinc	<b>84</b>		mg/Kg	4.8	0.95	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	20	2	286847	04/05/22	04/09/22	MES
DRO C10-C28	<b>37</b>		mg/Kg	20	2	286847	04/05/22	04/09/22	MES
ORO C28-C44	<b>150</b>		mg/Kg	40	2	286847	04/05/22	04/09/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	91%		%REC	70-130	2	286847	04/05/22	04/09/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Freon 12	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromomethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Acetone	ND		ug/Kg	100	1	287640	04/16/22	04/16/22	RAO
Freon 113	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Methylene Chloride	<b>8.0</b>		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
MTBE	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO

## Analysis Results for 460883

460883-019 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2-Butanone	ND		ug/Kg	100	1	287640	04/16/22	04/16/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chloroform	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Benzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Trichloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Dibromomethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Toluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
m,p-Xylenes	ND		ug/Kg	10	1	287640	04/16/22	04/16/22	RAO
o-Xylene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Styrene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromoform	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Propylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Bromobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO



### Analysis Results for 460883

460883-019 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Naphthalene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
Xylene (total)	ND		ug/Kg	5.0	1	287640	04/16/22	04/16/22	RAO
<b>Surrogates</b>									
				<b>Limits</b>					
Dibromofluoromethane	101%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane-d4	109%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
Toluene-d8	99%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO
Bromofluorobenzene	93%		%REC	70-145	1	287640	04/16/22	04/16/22	RAO

## Analysis Results for 460883

<b>Sample ID: D4-5</b>	<b>Lab ID: 460883-020</b>	<b>Collected: 04/04/22 11:06</b>
<b>Matrix: Soil</b>		

460883-020 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.95	286866	04/05/22	04/07/22	SBW
Arsenic	2.0		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Barium	230		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.48	0.95	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.48	0.95	286866	04/05/22	04/07/22	SBW
Chromium	49		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Cobalt	12		mg/Kg	0.48	0.95	286866	04/05/22	04/07/22	SBW
Copper	17		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Lead	6.3		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Nickel	30		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	0.95	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.48	0.95	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	0.95	286866	04/05/22	04/07/22	SBW
Vanadium	58		mg/Kg	0.95	0.95	286866	04/05/22	04/07/22	SBW
Zinc	38		mg/Kg	4.8	0.95	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286847	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286847	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286847	04/05/22	04/09/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	85%		%REC	70-130	1	286847	04/05/22	04/09/22	MES

<b>Sample ID: D4-10</b>	<b>Lab ID: 460883-021</b>	<b>Collected: 04/04/22 11:10</b>
<b>Matrix: Soil</b>		

460883-021 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	84%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

## Analysis Results for 460883

**Sample ID: E4-1**
**Lab ID: 460883-022**
**Collected: 04/04/22 10:43**

460883-022 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B Prep Method: EPA 3010A										
Lead	ND		mg/L	0.015	TCLP Leachate	1	287366	04/13/22	04/14/22	KLN
Method: EPA 6010B Prep Method: EPA 3050B										
Antimony	ND		mg/Kg	3.2	Soil	1.1	286866	04/05/22	04/07/22	SBW
Arsenic	<b>3.5</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Barium	<b>110</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.54	Soil	1.1	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.54	Soil	1.1	286866	04/05/22	04/07/22	SBW
Chromium	<b>31</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Cobalt	<b>11</b>		mg/Kg	0.54	Soil	1.1	286866	04/05/22	04/07/22	SBW
Copper	<b>28</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Lead	<b>120</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Nickel	<b>20</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	3.2	Soil	1.1	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.54	Soil	1.1	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	3.2	Soil	1.1	286866	04/05/22	04/07/22	SBW
Vanadium	<b>42</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Zinc	<b>340</b>		mg/Kg	5.4	Soil	1.1	286866	04/05/22	04/09/22	SBW
Method: EPA 6010B Prep Method: METHOD										
Lead	<b>0.28</b>		mg/L	0.15	WET Leachate	10	287420	04/15/22	04/15/22	KLN
Method: EPA 7471A Prep Method: METHOD										
Mercury	ND		mg/Kg	0.15	Soil	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M Prep Method: EPA 3580										
GRO C8-C10	ND		mg/Kg	10	Soil	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	<b>11</b>		mg/Kg	10	Soil	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	<b>29</b>		mg/Kg	20	Soil	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>						
n-Triacontane	87%		%REC	70-130	Soil	1	286849	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID:</b> E4-5	<b>Lab ID:</b> 460883-023	<b>Collected:</b> 04/04/22 10:44
<b>Matrix:</b> Soil		

460883-023 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.5	0.83	286866	04/05/22	04/07/22	SBW
Arsenic	1.4		mg/Kg	0.83	0.83	286866	04/05/22	04/07/22	SBW
Barium	76		mg/Kg	0.83	0.83	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.42	0.83	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.42	0.83	286866	04/05/22	04/07/22	SBW
Chromium	27		mg/Kg	0.83	0.83	286866	04/05/22	04/07/22	SBW
Cobalt	9.5		mg/Kg	0.42	0.83	286866	04/05/22	04/07/22	SBW
Copper	13		mg/Kg	0.83	0.83	286866	04/05/22	04/07/22	SBW
Lead	6.5		mg/Kg	0.83	0.83	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.83	0.83	286866	04/05/22	04/07/22	SBW
Nickel	16		mg/Kg	0.83	0.83	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.5	0.83	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.42	0.83	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.5	0.83	286866	04/05/22	04/07/22	SBW
Vanadium	43		mg/Kg	0.83	0.83	286866	04/05/22	04/07/22	SBW
Zinc	34		mg/Kg	4.2	0.83	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.17	1.2	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	76%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID: E4-10</b>	<b>Lab ID: 460883-024</b>	<b>Collected: 04/04/22 10:50</b>
<b>Matrix: Soil</b>		

460883-024 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.7	0.91	287424	04/13/22	04/14/22	SBW
Arsenic	3.1		mg/Kg	0.91	0.91	287424	04/13/22	04/14/22	SBW
Barium	90		mg/Kg	0.91	0.91	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.45	0.91	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.45	0.91	287424	04/13/22	04/14/22	SBW
Chromium	19		mg/Kg	0.91	0.91	287424	04/13/22	04/14/22	SBW
Cobalt	10		mg/Kg	0.45	0.91	287424	04/13/22	04/14/22	SBW
Copper	13		mg/Kg	0.91	0.91	287424	04/13/22	04/14/22	SBW
Lead	5.5		mg/Kg	0.91	0.91	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	0.91	0.91	287424	04/13/22	04/14/22	SBW
Nickel	13		mg/Kg	0.91	0.91	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	2.7	0.91	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.45	0.91	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	2.7	0.91	287424	04/13/22	04/14/22	SBW
Vanadium	47		mg/Kg	0.91	0.91	287424	04/13/22	04/14/22	SBW
Zinc	41		mg/Kg	4.5	0.91	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	89%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

## Analysis Results for 460883

**Sample ID: D2-1**
**Lab ID: 460883-025**
**Collected: 04/04/22 13:00**

460883-025 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B										
Prep Method: EPA 3050B										
Antimony	ND		mg/Kg	3.3	Soil	1.1	286866	04/05/22	04/07/22	SBW
Arsenic	<b>3.3</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Barium	<b>130</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.54	Soil	1.1	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.54	Soil	1.1	286866	04/05/22	04/07/22	SBW
Chromium	<b>43</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Cobalt	<b>12</b>		mg/Kg	0.54	Soil	1.1	286866	04/05/22	04/07/22	SBW
Copper	<b>19</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Lead	<b>64</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Molybdenum	<b>1.6</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Nickel	<b>27</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	3.3	Soil	1.1	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.54	Soil	1.1	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	3.3	Soil	1.1	286866	04/05/22	04/07/22	SBW
Vanadium	<b>53</b>		mg/Kg	1.1	Soil	1.1	286866	04/05/22	04/07/22	SBW
Zinc	<b>110</b>		mg/Kg	5.4	Soil	1.1	286866	04/05/22	04/09/22	SBW
Method: EPA 6010B										
Prep Method: METHOD										
Lead	<b>0.29</b>		mg/L	0.15	WET Leachate	10	287420	04/15/22	04/15/22	KLN
Method: EPA 7471A										
Prep Method: METHOD										
Mercury	ND		mg/Kg	0.14	Soil	1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M										
Prep Method: EPA 3580										
GRO C8-C10	ND		mg/Kg	10	Soil	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	<b>120</b>		mg/Kg	10	Soil	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	<b>210</b>		mg/Kg	20	Soil	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>						
n-Triacontane	86%		%REC	70-130	Soil	1	286849	04/05/22	04/08/22	MES
Method: EPA 8260B										
Prep Method: EPA 5030B										
3-Chloropropene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Freon 12	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Chloromethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Bromomethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Chloroethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Acetone	ND		ug/Kg	100	Soil	1	287640	04/16/22	04/16/22	RAO
Freon 113	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO



### Analysis Results for 460883

460883-025 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
Methylene Chloride	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
MTBE	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
2-Butanone	ND		ug/Kg	100	Soil	1	287640	04/16/22	04/16/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Chloroform	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Benzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Trichloroethene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Dibromomethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Toluene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
m,p-Xylenes	ND		ug/Kg	10	Soil	1	287640	04/16/22	04/16/22	RAO
o-Xylene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Styrene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Bromoform	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Propylbenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Bromobenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO

### Analysis Results for 460883

460883-025 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
1,3-Dichlorobenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
n-Butylbenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Naphthalene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
Xylene (total)	ND		ug/Kg	5.0	Soil	1	287640	04/16/22	04/16/22	RAO
<b>Surrogates</b>				<b>Limits</b>						
Dibromofluoromethane	102%		%REC	70-145	Soil	1	287640	04/16/22	04/16/22	RAO
1,2-Dichloroethane-d4	111%		%REC	70-145	Soil	1	287640	04/16/22	04/16/22	RAO
Toluene-d8	97%		%REC	70-145	Soil	1	287640	04/16/22	04/16/22	RAO
Bromofluorobenzene	95%		%REC	70-145	Soil	1	287640	04/16/22	04/16/22	RAO

## Analysis Results for 460883

<b>Sample ID:</b> D2-5	<b>Lab ID:</b> 460883-026	<b>Collected:</b> 04/04/22 13:02
<b>Matrix:</b> Soil		

460883-026 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.1	1	286866	04/05/22	04/07/22	SBW
Arsenic	1.8		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Barium	79		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.52	1	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.52	1	286866	04/05/22	04/07/22	SBW
Chromium	45		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Cobalt	14		mg/Kg	0.52	1	286866	04/05/22	04/07/22	SBW
Copper	15		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Lead	5.0		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Nickel	29		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	3.1	1	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.52	1	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	3.1	1	286866	04/05/22	04/07/22	SBW
Vanadium	60		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Zinc	37		mg/Kg	5.2	1	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	102%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

<b>Sample ID:</b> D2-10	<b>Lab ID:</b> 460883-027	<b>Collected:</b> 04/04/22 13:07
<b>Matrix:</b> Soil		

460883-027 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	101%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

### Analysis Results for 460883

<b>Sample ID: D2-15</b>	<b>Lab ID: 460883-028</b>	<b>Collected: 04/04/22 13:10</b>
<b>Matrix: Soil</b>		

460883-028 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	105%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

<b>Sample ID: D2-20</b>	<b>Lab ID: 460883-029</b>	<b>Collected: 04/04/22 13:13</b>
<b>Matrix: Soil</b>		

460883-029 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	107%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID:</b> E2-1	<b>Lab ID:</b> 460883-030	<b>Collected:</b> 04/04/22 11:44
<b>Matrix:</b> Soil		

460883-030 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.6	0.87	286866	04/05/22	04/07/22	SBW
Arsenic	<b>3.6</b>		mg/Kg	0.87	0.87	286866	04/05/22	04/07/22	SBW
Barium	<b>100</b>		mg/Kg	0.87	0.87	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.43	0.87	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.43	0.87	286866	04/05/22	04/07/22	SBW
Chromium	<b>40</b>		mg/Kg	0.87	0.87	286866	04/05/22	04/07/22	SBW
Cobalt	<b>11</b>		mg/Kg	0.43	0.87	286866	04/05/22	04/07/22	SBW
Copper	<b>29</b>		mg/Kg	0.87	0.87	286866	04/05/22	04/07/22	SBW
Lead	<b>34</b>		mg/Kg	0.87	0.87	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.87	0.87	286866	04/05/22	04/07/22	SBW
Nickel	<b>24</b>		mg/Kg	0.87	0.87	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.6	0.87	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.43	0.87	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.6	0.87	286866	04/05/22	04/07/22	SBW
Vanadium	<b>47</b>		mg/Kg	0.87	0.87	286866	04/05/22	04/07/22	SBW
Zinc	<b>130</b>		mg/Kg	4.3	0.87	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	286980	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	96%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID:</b> E2-5	<b>Lab ID:</b> 460883-031	<b>Collected:</b> 04/04/22 11:45
<b>Matrix:</b> Soil		

460883-031 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.0	1	286866	04/05/22	04/07/22	SBW
Arsenic	1.9		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Barium	76		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.50	1	286866	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.50	1	286866	04/05/22	04/07/22	SBW
Chromium	41		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Cobalt	11		mg/Kg	0.50	1	286866	04/05/22	04/07/22	SBW
Copper	16		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Lead	12		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Nickel	24		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	3.0	1	286866	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.50	1	286866	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	3.0	1	286866	04/05/22	04/07/22	SBW
Vanadium	46		mg/Kg	1.0	1	286866	04/05/22	04/07/22	SBW
Zinc	56		mg/Kg	5.0	1	286866	04/05/22	04/09/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286980	04/06/22	04/08/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	100%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

<b>Sample ID:</b> E2-10	<b>Lab ID:</b> 460883-032	<b>Collected:</b> 04/04/22 11:48
<b>Matrix:</b> Soil		

460883-032 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/08/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	98%		%REC	70-130	1	286849	04/05/22	04/08/22	MES

## Analysis Results for 460883

<b>Sample ID: E2-15</b>	<b>Lab ID: 460883-033</b>	<b>Collected: 04/04/22 11:52</b>
<b>Matrix: Soil</b>		

460883-033 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286921	04/05/22	04/08/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286921	04/05/22	04/08/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286921	04/05/22	04/08/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	88%		%REC	70-130	1	286921	04/05/22	04/08/22	MES

<b>Sample ID: E2-20</b>	<b>Lab ID: 460883-034</b>	<b>Collected: 04/04/22 11:54</b>
<b>Matrix: Soil</b>		

460883-034 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
DRO C10-C28	<b>10</b>		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/09/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	107%		%REC	70-130	1	286849	04/05/22	04/09/22	MES



## Analysis Results for 460883

<b>Sample ID:</b> A4-1	<b>Lab ID:</b> 460883-035	<b>Collected:</b> 04/04/22 13:42
<b>Matrix:</b> Soil		

460883-035 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.98	286868	04/05/22	04/07/22	SBW
Arsenic	2.5		mg/Kg	0.98	0.98	286868	04/05/22	04/07/22	SBW
Barium	76		mg/Kg	0.98	0.98	286868	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.49	0.98	286868	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.49	0.98	286868	04/05/22	04/07/22	SBW
Chromium	28		mg/Kg	0.98	0.98	286868	04/05/22	04/07/22	SBW
Cobalt	11		mg/Kg	0.49	0.98	286868	04/05/22	04/07/22	SBW
Copper	17		mg/Kg	0.98	0.98	286868	04/05/22	04/07/22	SBW
Lead	23		mg/Kg	0.98	0.98	286868	04/05/22	04/07/22	SBW
Molybdenum	1.1		mg/Kg	0.98	0.98	286868	04/05/22	04/07/22	SBW
Nickel	17		mg/Kg	0.98	0.98	286868	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	0.98	286868	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.49	0.98	286868	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	0.98	286868	04/05/22	04/07/22	SBW
Vanadium	39		mg/Kg	0.98	0.98	286868	04/05/22	04/07/22	SBW
Zinc	60		mg/Kg	4.9	0.98	286868	04/05/22	04/07/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.17	1.2	286979	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	20	2	286849	04/05/22	04/09/22	MES
DRO C10-C28	71		mg/Kg	20	2	286849	04/05/22	04/09/22	MES
ORO C28-C44	45		mg/Kg	40	2	286849	04/05/22	04/09/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	80%		%REC	70-130	2	286849	04/05/22	04/09/22	MES

## Analysis Results for 460883

**Sample ID: A4-5      Lab ID: 460883-036      Collected: 04/04/22 13:43**

460883-036 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B										
Prep Method: EPA 3050B										
Antimony	ND		mg/Kg	2.9	Soil	0.96	286868	04/05/22	04/07/22	SBW
Arsenic	1.8		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Barium	89		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.48	Soil	0.96	286868	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.48	Soil	0.96	286868	04/05/22	04/07/22	SBW
Chromium	53		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Cobalt	14		mg/Kg	0.48	Soil	0.96	286868	04/05/22	04/07/22	SBW
Copper	19		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Lead	6.8		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Nickel	34		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	Soil	0.96	286868	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.48	Soil	0.96	286868	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	Soil	0.96	286868	04/05/22	04/07/22	SBW
Vanadium	64		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Zinc	46		mg/Kg	4.8	Soil	0.96	286868	04/05/22	04/07/22	SBW
Method: EPA 6010B										
Prep Method: METHOD										
Chromium	ND		mg/L	0.30	WET Leachate	10	287420	04/15/22	04/15/22	KLN
Method: EPA 7471A										
Prep Method: METHOD										
Mercury	ND		mg/Kg	0.17	Soil	1.2	286979	04/06/22	04/07/22	SBW
Method: EPA 8015M										
Prep Method: EPA 3580										
GRO C8-C10	ND		mg/Kg	10	Soil	1	286849	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	Soil	1	286849	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	Soil	1	286849	04/05/22	04/09/22	MES
<b>Surrogates</b>				<b>Limits</b>						
n-Triacontane	107%		%REC	70-130	Soil	1	286849	04/05/22	04/09/22	MES

## Analysis Results for 460883

<b>Sample ID: A4-10</b>	<b>Lab ID: 460883-037</b>	<b>Collected: 04/04/22 13:46</b>
<b>Matrix: Soil</b>		

460883-037 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.2	1.1	287424	04/13/22	04/14/22	SBW
Arsenic	3.3		mg/Kg	1.1	1.1	287424	04/13/22	04/14/22	SBW
Barium	110		mg/Kg	1.1	1.1	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.54	1.1	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.54	1.1	287424	04/13/22	04/14/22	SBW
Chromium	25		mg/Kg	1.1	1.1	287424	04/13/22	04/14/22	SBW
Cobalt	15		mg/Kg	0.54	1.1	287424	04/13/22	04/14/22	SBW
Copper	14		mg/Kg	1.1	1.1	287424	04/13/22	04/14/22	SBW
Lead	5.1		mg/Kg	1.1	1.1	287424	04/13/22	04/14/22	SBW
Molybdenum	1.5		mg/Kg	1.1	1.1	287424	04/13/22	04/14/22	SBW
Nickel	31		mg/Kg	1.1	1.1	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	3.2	1.1	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.54	1.1	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	3.2	1.1	287424	04/13/22	04/14/22	SBW
Vanadium	45		mg/Kg	1.1	1.1	287424	04/13/22	04/14/22	SBW
Zinc	41		mg/Kg	5.4	1.1	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/09/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	107%		%REC	70-130	1	286849	04/05/22	04/09/22	MES

<b>Sample ID: A4-15</b>	<b>Lab ID: 460883-038</b>	<b>Collected: 04/04/22 13:49</b>
<b>Matrix: Soil</b>		

460883-038 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/09/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	102%		%REC	70-130	1	286849	04/05/22	04/09/22	MES

## Analysis Results for 460883

<b>Sample ID:</b> A4-20	<b>Lab ID:</b> 460883-039	<b>Collected:</b> 04/04/22 13:50
<b>Matrix:</b> Soil		

460883-039 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.96	287424	04/13/22	04/14/22	SBW
Arsenic	3.5		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Barium	27		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.48	0.96	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.48	0.96	287424	04/13/22	04/14/22	SBW
Chromium	7.9		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Cobalt	3.3		mg/Kg	0.48	0.96	287424	04/13/22	04/14/22	SBW
Copper	4.4		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Lead	1.2		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Nickel	7.1		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	2.9	0.96	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.48	0.96	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	2.9	0.96	287424	04/13/22	04/14/22	SBW
Vanadium	19		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Zinc	15		mg/Kg	4.8	0.96	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/09/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	102%		%REC	70-130	1	286849	04/05/22	04/09/22	MES

## Analysis Results for 460883

**Sample ID: B4-1                      Lab ID: 460883-040                      Collected: 04/04/22 14:25**

460883-040 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B										
Prep Method: EPA 3050B										
Antimony	ND		mg/Kg	2.8	Soil	0.93	286868	04/05/22	04/07/22	SBW
Arsenic	3.1		mg/Kg	0.93	Soil	0.93	286868	04/05/22	04/07/22	SBW
Barium	93		mg/Kg	0.93	Soil	0.93	286868	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.46	Soil	0.93	286868	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.46	Soil	0.93	286868	04/05/22	04/07/22	SBW
Chromium	50		mg/Kg	0.93	Soil	0.93	286868	04/05/22	04/07/22	SBW
Cobalt	13		mg/Kg	0.46	Soil	0.93	286868	04/05/22	04/07/22	SBW
Copper	20		mg/Kg	0.93	Soil	0.93	286868	04/05/22	04/07/22	SBW
Lead	5.7		mg/Kg	0.93	Soil	0.93	286868	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.93	Soil	0.93	286868	04/05/22	04/07/22	SBW
Nickel	30		mg/Kg	0.93	Soil	0.93	286868	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.8	Soil	0.93	286868	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.46	Soil	0.93	286868	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.8	Soil	0.93	286868	04/05/22	04/07/22	SBW
Vanadium	64		mg/Kg	0.93	Soil	0.93	286868	04/05/22	04/07/22	SBW
Zinc	51		mg/Kg	4.6	Soil	0.93	286868	04/05/22	04/07/22	SBW
Method: EPA 6010B										
Prep Method: METHOD										
Chromium	ND		mg/L	0.30	WET Leachate	10	287420	04/15/22	04/15/22	KLN
Method: EPA 7471A										
Prep Method: METHOD										
Mercury	ND		mg/Kg	0.17	Soil	1.2	286979	04/06/22	04/07/22	SBW
Method: EPA 8015M										
Prep Method: EPA 3580										
GRO C8-C10	ND		mg/Kg	10	Soil	1	286849	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	Soil	1	286849	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	Soil	1	286849	04/05/22	04/09/22	MES
<b>Surrogates</b>				<b>Limits</b>						
n-Triacontane	100%		%REC	70-130	Soil	1	286849	04/05/22	04/09/22	MES

## Analysis Results for 460883

<b>Sample ID:</b> B4-5	<b>Lab ID:</b> 460883-041	<b>Collected:</b> 04/04/22 14:26
<b>Matrix:</b> Soil		

460883-041 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.8	0.93	286868	04/05/22	04/07/22	SBW
Arsenic	2.1		mg/Kg	0.93	0.93	286868	04/05/22	04/07/22	SBW
Barium	93		mg/Kg	0.93	0.93	286868	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.46	0.93	286868	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.46	0.93	286868	04/05/22	04/07/22	SBW
Chromium	50		mg/Kg	0.93	0.93	286868	04/05/22	04/07/22	SBW
Cobalt	15		mg/Kg	0.46	0.93	286868	04/05/22	04/07/22	SBW
Copper	19		mg/Kg	0.93	0.93	286868	04/05/22	04/07/22	SBW
Lead	4.6		mg/Kg	0.93	0.93	286868	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.93	0.93	286868	04/05/22	04/07/22	SBW
Nickel	34		mg/Kg	0.93	0.93	286868	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.8	0.93	286868	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.46	0.93	286868	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.8	0.93	286868	04/05/22	04/07/22	SBW
Vanadium	74		mg/Kg	0.93	0.93	286868	04/05/22	04/07/22	SBW
Zinc	45		mg/Kg	4.6	0.93	286868	04/05/22	04/07/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286979	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286849	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286849	04/05/22	04/09/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	91%		%REC	70-130	1	286849	04/05/22	04/09/22	MES



## Analysis Results for 460883

Sample ID: B4-10

Lab ID: 460883-042

Collected: 04/04/22 14:29

Matrix: Soil

460883-042 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.7	0.88	287424	04/13/22	04/14/22	SBW
Arsenic	2.8		mg/Kg	0.88	0.88	287424	04/13/22	04/14/22	SBW
Barium	96		mg/Kg	0.88	0.88	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.44	0.88	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.44	0.88	287424	04/13/22	04/14/22	SBW
Chromium	30		mg/Kg	0.88	0.88	287424	04/13/22	04/14/22	SBW
Cobalt	9.2		mg/Kg	0.44	0.88	287424	04/13/22	04/14/22	SBW
Copper	15		mg/Kg	0.88	0.88	287424	04/13/22	04/14/22	SBW
Lead	4.7		mg/Kg	0.88	0.88	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	0.88	0.88	287424	04/13/22	04/14/22	SBW
Nickel	19		mg/Kg	0.88	0.88	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	2.7	0.88	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.44	0.88	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	2.7	0.88	287424	04/13/22	04/14/22	SBW
Vanadium	39		mg/Kg	0.88	0.88	287424	04/13/22	04/14/22	SBW
Zinc	50		mg/Kg	4.4	0.88	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	20	2	286850	04/05/22	04/06/22	MES
DRO C10-C28	37		mg/Kg	20	2	286850	04/05/22	04/06/22	MES
ORO C28-C44	110		mg/Kg	40	2	286850	04/05/22	04/06/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	106%		%REC	70-130	2	286850	04/05/22	04/06/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Freon 12	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Chloromethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Bromomethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Chloroethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Acetone	ND		ug/Kg	100	1	287573	04/15/22	04/15/22	RAO
Freon 113	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Methylene Chloride	8.5		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
MTBE	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO

### Analysis Results for 460883

460883-042 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
2-Butanone	ND		ug/Kg	100	1	287573	04/15/22	04/15/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Chloroform	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Benzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Trichloroethene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Dibromomethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	8.1	1	287573	04/15/22	04/15/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Toluene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
m,p-Xylenes	ND		ug/Kg	10	1	287573	04/15/22	04/15/22	RAO
o-Xylene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Styrene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Bromoform	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Propylbenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Bromobenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO

### Analysis Results for 460883

460883-042 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Naphthalene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
Xylene (total)	ND		ug/Kg	5.0	1	287573	04/15/22	04/15/22	RAO
<b>Surrogates</b>									
				<b>Limits</b>					
Dibromofluoromethane	109%		%REC	70-145	1	287573	04/15/22	04/15/22	RAO
1,2-Dichloroethane-d4	105%		%REC	70-145	1	287573	04/15/22	04/15/22	RAO
Toluene-d8	106%		%REC	70-145	1	287573	04/15/22	04/15/22	RAO
Bromofluorobenzene	100%		%REC	70-145	1	287573	04/15/22	04/15/22	RAO

## Analysis Results for 460883

<b>Sample ID: B4-15</b>	<b>Lab ID: 460883-043</b>	<b>Collected: 04/04/22 14:30</b>
<b>Matrix: Soil</b>		

460883-043 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.8	0.93	287424	04/13/22	04/14/22	SBW
Arsenic	2.4		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Barium	93		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.47	0.93	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.47	0.93	287424	04/13/22	04/14/22	SBW
Chromium	33		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Cobalt	11		mg/Kg	0.47	0.93	287424	04/13/22	04/14/22	SBW
Copper	13		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Lead	4.7		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Nickel	22		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	2.8	0.93	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.47	0.93	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	2.8	0.93	287424	04/13/22	04/14/22	SBW
Vanadium	42		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Zinc	45		mg/Kg	4.7	0.93	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.17	1.2	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286850	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286850	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286850	04/05/22	04/09/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	103%		%REC	70-130	1	286850	04/05/22	04/09/22	MES

## Analysis Results for 460883

<b>Sample ID:</b> B4-20	<b>Lab ID:</b> 460883-044	<b>Collected:</b> 04/04/22 14:32
<b>Matrix:</b> Soil		

460883-044 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.8	0.93	287424	04/13/22	04/14/22	SBW
Arsenic	3.2		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Barium	120		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.46	0.93	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.46	0.93	287424	04/13/22	04/14/22	SBW
Chromium	37		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Cobalt	12		mg/Kg	0.46	0.93	287424	04/13/22	04/14/22	SBW
Copper	19		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Lead	5.1		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Nickel	23		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	2.8	0.93	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.46	0.93	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	2.8	0.93	287424	04/13/22	04/14/22	SBW
Vanadium	49		mg/Kg	0.93	0.93	287424	04/13/22	04/14/22	SBW
Zinc	58		mg/Kg	4.6	0.93	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286850	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286850	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286850	04/05/22	04/09/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	100%		%REC	70-130	1	286850	04/05/22	04/09/22	MES

## Analysis Results for 460883

<b>Sample ID:</b> C3-1	<b>Lab ID:</b> 460883-045	<b>Collected:</b> 04/04/22 08:28
<b>Matrix:</b> Soil		

460883-045 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.7	0.91	286868	04/05/22	04/07/22	SBW
Arsenic	<b>3.0</b>		mg/Kg	0.91	0.91	286868	04/05/22	04/07/22	SBW
Barium	<b>89</b>		mg/Kg	0.91	0.91	286868	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.45	0.91	286868	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.45	0.91	286868	04/05/22	04/07/22	SBW
Chromium	<b>44</b>		mg/Kg	0.91	0.91	286868	04/05/22	04/07/22	SBW
Cobalt	<b>14</b>		mg/Kg	0.45	0.91	286868	04/05/22	04/07/22	SBW
Copper	<b>20</b>		mg/Kg	0.91	0.91	286868	04/05/22	04/07/22	SBW
Lead	<b>13</b>		mg/Kg	0.91	0.91	286868	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.91	0.91	286868	04/05/22	04/07/22	SBW
Nickel	<b>26</b>		mg/Kg	0.91	0.91	286868	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.7	0.91	286868	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.45	0.91	286868	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.7	0.91	286868	04/05/22	04/07/22	SBW
Vanadium	<b>58</b>		mg/Kg	0.91	0.91	286868	04/05/22	04/07/22	SBW
Zinc	<b>55</b>		mg/Kg	4.5	0.91	286868	04/05/22	04/07/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	286979	04/06/22	04/07/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	20	2	286850	04/05/22	04/09/22	MES
DRO C10-C28	<b>21</b>		mg/Kg	20	2	286850	04/05/22	04/09/22	MES
ORO C28-C44	<b>90</b>		mg/Kg	40	2	286850	04/05/22	04/09/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	99%		%REC	70-130	2	286850	04/05/22	04/09/22	MES

## Analysis Results for 460883

**Sample ID: C3-5      Lab ID: 460883-046      Collected: 04/04/22 08:29**

460883-046 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B										
Prep Method: EPA 3050B										
Antimony	ND		mg/Kg	2.9	Soil	0.96	286868	04/05/22	04/07/22	SBW
Arsenic	1.6		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Barium	71		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.48	Soil	0.96	286868	04/05/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.48	Soil	0.96	286868	04/05/22	04/07/22	SBW
Chromium	52		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Cobalt	12		mg/Kg	0.48	Soil	0.96	286868	04/05/22	04/07/22	SBW
Copper	16		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Lead	4.1		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Nickel	30		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	Soil	0.96	286868	04/05/22	04/07/22	SBW
Silver	ND		mg/Kg	0.48	Soil	0.96	286868	04/05/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	Soil	0.96	286868	04/05/22	04/07/22	SBW
Vanadium	56		mg/Kg	0.96	Soil	0.96	286868	04/05/22	04/07/22	SBW
Zinc	40		mg/Kg	4.8	Soil	0.96	286868	04/05/22	04/07/22	SBW
Method: EPA 6010B										
Prep Method: METHOD										
Chromium	ND		mg/L	0.30	WET Leachate	10	287420	04/15/22	04/15/22	KLN
Method: EPA 7471A										
Prep Method: METHOD										
Mercury	ND		mg/Kg	0.14	Soil	1	286979	04/06/22	04/07/22	SBW
Method: EPA 8015M										
Prep Method: EPA 3580										
GRO C8-C10	ND		mg/Kg	10	Soil	1	286850	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	Soil	1	286850	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	Soil	1	286850	04/05/22	04/09/22	MES
<b>Surrogates</b>				<b>Limits</b>						
n-Triacontane	95%		%REC	70-130	Soil	1	286850	04/05/22	04/09/22	MES



## Analysis Results for 460883

<b>Sample ID: C3-10</b>	<b>Lab ID: 460883-047</b>	<b>Collected: 04/04/22 08:37</b>
<b>Matrix: Soil</b>		

460883-047 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286850	04/05/22	04/09/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286850	04/05/22	04/09/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286850	04/05/22	04/09/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	92%		%REC	70-130	1	286850	04/05/22	04/09/22	MES

ND Not Detected

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC983464</b>	<b>Batch: 287366</b>
<b>Matrix: TCLP Leachate</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3010A</b>

QC983464 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Lead	ND		mg/L	0.015	04/13/22	04/14/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC983465</b>	<b>Batch: 287366</b>
<b>Matrix: TCLP Leachate</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3010A</b>

QC983465 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Lead	2.058	2.000	mg/L	103%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC983466</b>	<b>Batch: 287366</b>
<b>Matrix (Source ID): TCLP Leachate (460258-006)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3010A</b>

QC983466 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Lead	2.127	ND	2.000	mg/L	106%		75-125	1

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC983467</b>	<b>Batch: 287366</b>
<b>Matrix (Source ID): TCLP Leachate (460258-006)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3010A</b>

QC983467 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Lead	2.099	ND	2.000	mg/L	105%		75-125	1	20	1

<b>Type: Blank</b>	<b>Lab ID: QC983970</b>	<b>Batch: 287420</b>
<b>Matrix: WET Leachate</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: METHOD</b>

QC983970 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Chromium	ND		mg/L	0.30	04/15/22	04/15/22
Lead	ND		mg/L	0.15	04/15/22	04/15/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC983971</b>	<b>Batch: 287420</b>
<b>Matrix: WET Leachate</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: METHOD</b>

QC983971 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Chromium	3.897	4.000	mg/L	97%		80-120
Lead	3.745	4.000	mg/L	94%		80-120

## Batch QC

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC983972</b>	<b>Batch: 287420</b>
<b>Matrix: WET Leachate</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: METHOD</b>

QC983972 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Chromium	3.833	4.000	mg/L	96%		80-120	2	20
Lead	3.706	4.000	mg/L	93%		80-120	1	20

<b>Type: Blank</b>	<b>Lab ID: QC981535</b>	<b>Batch: 286866</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981535 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Antimony	ND		mg/Kg	3.0	04/05/22	04/07/22
Arsenic	ND		mg/Kg	1.0	04/05/22	04/07/22
Barium	ND		mg/Kg	1.0	04/05/22	04/07/22
Beryllium	ND		mg/Kg	0.50	04/05/22	04/07/22
Cadmium	ND		mg/Kg	0.50	04/05/22	04/07/22
Chromium	ND		mg/Kg	1.0	04/05/22	04/07/22
Cobalt	ND		mg/Kg	0.50	04/05/22	04/07/22
Copper	ND		mg/Kg	1.0	04/05/22	04/07/22
Lead	ND		mg/Kg	1.0	04/05/22	04/07/22
Molybdenum	ND		mg/Kg	1.0	04/05/22	04/07/22
Nickel	ND		mg/Kg	1.0	04/05/22	04/07/22
Selenium	ND		mg/Kg	3.0	04/05/22	04/07/22
Silver	ND		mg/Kg	0.50	04/05/22	04/07/22
Thallium	ND		mg/Kg	3.0	04/05/22	04/07/22
Vanadium	ND		mg/Kg	1.0	04/05/22	04/07/22
Zinc	ND		mg/Kg	5.0	04/05/22	04/07/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981536</b>	<b>Batch: 286866</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981536 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Antimony	94.58	100.0	mg/Kg	95%		80-120
Arsenic	100.8	100.0	mg/Kg	101%		80-120
Barium	99.65	100.0	mg/Kg	100%		80-120
Beryllium	101.1	100.0	mg/Kg	101%		80-120
Cadmium	97.24	100.0	mg/Kg	97%		80-120
Chromium	104.5	100.0	mg/Kg	104%		80-120
Cobalt	105.6	100.0	mg/Kg	106%		80-120
Copper	96.68	100.0	mg/Kg	97%		80-120
Lead	111.8	100.0	mg/Kg	112%		80-120
Molybdenum	99.67	100.0	mg/Kg	100%		80-120
Nickel	107.2	100.0	mg/Kg	107%		80-120
Selenium	84.88	100.0	mg/Kg	85%		80-120
Silver	52.02	50.00	mg/Kg	104%		80-120
Thallium	102.0	100.0	mg/Kg	102%		80-120
Vanadium	106.1	100.0	mg/Kg	106%		80-120
Zinc	115.0	100.0	mg/Kg	115%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981539</b>	<b>Batch: 286866</b>
<b>Matrix (Source ID): Soil (460883-001)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981539 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Antimony	30.49	ND	101.0	mg/Kg	30%	*	75-125	1
Arsenic	107.1	3.837	101.0	mg/Kg	102%		75-125	1
Barium	205.1	101.9	101.0	mg/Kg	102%		75-125	1
Beryllium	98.36	0.1874	101.0	mg/Kg	97%		75-125	1
Cadmium	99.96	0.07238	101.0	mg/Kg	99%		75-125	1
Chromium	143.1	45.62	101.0	mg/Kg	96%		75-125	1
Cobalt	113.6	12.58	101.0	mg/Kg	100%		75-125	1
Copper	118.0	17.73	101.0	mg/Kg	99%		75-125	1
Lead	140.7	29.41	101.0	mg/Kg	110%		75-125	1
Molybdenum	95.06	ND	101.0	mg/Kg	94%		75-125	1
Nickel	123.6	22.45	101.0	mg/Kg	100%		75-125	1
Selenium	86.20	ND	101.0	mg/Kg	85%		75-125	1
Silver	52.40	ND	50.51	mg/Kg	104%		75-125	1
Thallium	102.4	0.9028	101.0	mg/Kg	100%		75-125	1
Vanadium	164.3	62.06	101.0	mg/Kg	101%		75-125	1
Zinc	193.4	97.68	101.0	mg/Kg	95%		75-125	1

## Batch QC

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981540</b>	<b>Batch: 286866</b>
<b>Matrix (Source ID): Soil (460883-001)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981540 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Antimony	27.02	ND	99.01	mg/Kg	27%	*	75-125	10	41	0.99
Arsenic	109.2	3.837	99.01	mg/Kg	106%		75-125	4	35	0.99
Barium	213.6	101.9	99.01	mg/Kg	113%		75-125	5	20	0.99
Beryllium	100.5	0.1874	99.01	mg/Kg	101%		75-125	4	20	0.99
Cadmium	100.9	0.07238	99.01	mg/Kg	102%		75-125	3	20	0.99
Chromium	150.6	45.62	99.01	mg/Kg	106%		75-125	6	20	0.99
Cobalt	115.0	12.58	99.01	mg/Kg	103%		75-125	3	20	0.99
Copper	120.2	17.73	99.01	mg/Kg	104%		75-125	4	20	0.99
Lead	140.2	29.41	99.01	mg/Kg	112%		75-125	1	20	0.99
Molybdenum	93.13	ND	99.01	mg/Kg	94%		75-125	0	20	0.99
Nickel	126.5	22.45	99.01	mg/Kg	105%		75-125	4	20	0.99
Selenium	88.32	ND	99.01	mg/Kg	89%		75-125	4	20	0.99
Silver	52.75	ND	49.50	mg/Kg	107%		75-125	3	20	0.99
Thallium	103.1	0.9028	99.01	mg/Kg	103%		75-125	3	20	0.99
Vanadium	172.9	62.06	99.01	mg/Kg	112%		75-125	6	20	0.99
Zinc	196.3	97.68	99.01	mg/Kg	100%		75-125	3	20	0.99

<b>Type: Blank</b>	<b>Lab ID: QC981542</b>	<b>Batch: 286868</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981542 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Antimony	ND		mg/Kg	3.0	04/05/22	04/07/22
Arsenic	ND		mg/Kg	1.0	04/05/22	04/07/22
Barium	ND		mg/Kg	1.0	04/05/22	04/07/22
Beryllium	ND		mg/Kg	0.50	04/05/22	04/07/22
Cadmium	ND		mg/Kg	0.50	04/05/22	04/07/22
Chromium	ND		mg/Kg	1.0	04/05/22	04/07/22
Cobalt	ND		mg/Kg	0.50	04/05/22	04/07/22
Copper	ND		mg/Kg	1.0	04/05/22	04/07/22
Lead	ND		mg/Kg	1.0	04/05/22	04/07/22
Molybdenum	ND		mg/Kg	1.0	04/05/22	04/07/22
Nickel	ND		mg/Kg	1.0	04/05/22	04/07/22
Selenium	ND		mg/Kg	3.0	04/05/22	04/07/22
Silver	ND		mg/Kg	0.50	04/05/22	04/07/22
Thallium	ND		mg/Kg	3.0	04/05/22	04/07/22
Vanadium	ND		mg/Kg	1.0	04/05/22	04/07/22
Zinc	ND		mg/Kg	5.0	04/05/22	04/07/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981543</b>	<b>Batch: 286868</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981543 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Antimony	92.56	100.0	mg/Kg	93%		80-120
Arsenic	98.62	100.0	mg/Kg	99%		80-120
Barium	98.58	100.0	mg/Kg	99%		80-120
Beryllium	97.97	100.0	mg/Kg	98%		80-120
Cadmium	95.30	100.0	mg/Kg	95%		80-120
Chromium	102.2	100.0	mg/Kg	102%		80-120
Cobalt	103.3	100.0	mg/Kg	103%		80-120
Copper	93.37	100.0	mg/Kg	93%		80-120
Lead	109.5	100.0	mg/Kg	110%		80-120
Molybdenum	97.60	100.0	mg/Kg	98%		80-120
Nickel	104.5	100.0	mg/Kg	105%		80-120
Selenium	83.15	100.0	mg/Kg	83%		80-120
Silver	50.60	50.00	mg/Kg	101%		80-120
Thallium	100.1	100.0	mg/Kg	100%		80-120
Vanadium	103.3	100.0	mg/Kg	103%		80-120
Zinc	98.20	100.0	mg/Kg	98%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981544</b>	<b>Batch: 286868</b>
<b>Matrix (Source ID): Soil (460783-001)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981544 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Antimony	34.74	ND	101.0	mg/Kg	34%	*	75-125	1
Arsenic	112.6	16.50	101.0	mg/Kg	95%		75-125	1
Barium	357.3	306.6	101.0	mg/Kg	50%	*	75-125	1
Beryllium	97.95	0.2948	101.0	mg/Kg	97%		75-125	1
Cadmium	101.7	ND	101.0	mg/Kg	101%		75-125	1
Chromium	174.5	68.10	101.0	mg/Kg	105%		75-125	1
Cobalt	118.0	20.50	101.0	mg/Kg	96%		75-125	1
Copper	147.8	45.28	101.0	mg/Kg	102%		75-125	1
Lead	321.0	123.7	101.0	mg/Kg	195%	*	75-125	1
Molybdenum	96.22	1.102	101.0	mg/Kg	94%		75-125	1
Nickel	193.2	98.58	101.0	mg/Kg	94%		75-125	1
Selenium	87.13	ND	101.0	mg/Kg	86%		75-125	1
Silver	53.31	ND	50.51	mg/Kg	106%		75-125	1
Thallium	101.2	1.465	101.0	mg/Kg	99%		75-125	1
Vanadium	161.5	51.43	101.0	mg/Kg	109%		75-125	1
Zinc	257.3	115.8	101.0	mg/Kg	140%	*	75-125	1

## Batch QC

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981545</b>	<b>Batch: 286868</b>
<b>Matrix (Source ID): Soil (460783-001)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981545 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Antimony	30.06	ND	90.91	mg/Kg	33%	*	75-125	4	41	0.91
Arsenic	102.2	16.50	90.91	mg/Kg	94%		75-125	1	35	0.91
Barium	377.1	306.6	90.91	mg/Kg	78%		75-125	8	20	0.91
Beryllium	85.51	0.2948	90.91	mg/Kg	94%		75-125	3	20	0.91
Cadmium	89.77	ND	90.91	mg/Kg	99%		75-125	2	20	0.91
Chromium	158.5	68.10	90.91	mg/Kg	99%		75-125	3	20	0.91
Cobalt	106.1	20.50	90.91	mg/Kg	94%		75-125	2	20	0.91
Copper	151.3	45.28	90.91	mg/Kg	117%		75-125	9	20	0.91
Lead	795.0	123.7	90.91	mg/Kg	738%	*	75-125	89*	20	0.91
Molybdenum	86.56	1.102	90.91	mg/Kg	94%		75-125	0	20	0.91
Nickel	174.5	98.58	90.91	mg/Kg	83%		75-125	5	20	0.91
Selenium	78.02	ND	90.91	mg/Kg	86%		75-125	1	20	0.91
Silver	46.54	ND	45.45	mg/Kg	102%		75-125	3	20	0.91
Thallium	90.18	1.465	90.91	mg/Kg	98%		75-125	1	20	0.91
Vanadium	141.6	51.43	90.91	mg/Kg	99%		75-125	6	20	0.91
Zinc	251.6	115.8	90.91	mg/Kg	149%	*	75-125	3	20	0.91

<b>Type: Blank</b>	<b>Lab ID: QC983445</b>	<b>Batch: 287424</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC983445 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Antimony	ND		mg/Kg	3.0	04/13/22	04/14/22
Arsenic	ND		mg/Kg	1.0	04/13/22	04/14/22
Barium	ND		mg/Kg	1.0	04/13/22	04/14/22
Beryllium	ND		mg/Kg	0.50	04/13/22	04/14/22
Cadmium	ND		mg/Kg	0.50	04/13/22	04/14/22
Chromium	ND		mg/Kg	1.0	04/13/22	04/14/22
Cobalt	ND		mg/Kg	0.50	04/13/22	04/14/22
Copper	ND		mg/Kg	1.0	04/13/22	04/14/22
Lead	ND		mg/Kg	1.0	04/13/22	04/14/22
Molybdenum	ND		mg/Kg	1.0	04/13/22	04/14/22
Nickel	ND		mg/Kg	1.0	04/13/22	04/14/22
Selenium	ND		mg/Kg	3.0	04/13/22	04/14/22
Silver	ND		mg/Kg	0.50	04/13/22	04/14/22
Thallium	ND		mg/Kg	3.0	04/13/22	04/14/22
Vanadium	ND		mg/Kg	1.0	04/13/22	04/14/22
Zinc	ND		mg/Kg	5.0	04/13/22	04/14/22



## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC983446</b>	<b>Batch: 287424</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC983446 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Antimony	97.89	100.0	mg/Kg	98%		80-120
Arsenic	101.1	100.0	mg/Kg	101%		80-120
Barium	107.5	100.0	mg/Kg	107%		80-120
Beryllium	93.02	100.0	mg/Kg	93%		80-120
Cadmium	101.3	100.0	mg/Kg	101%		80-120
Chromium	105.4	100.0	mg/Kg	105%		80-120
Cobalt	109.9	100.0	mg/Kg	110%		80-120
Copper	99.16	100.0	mg/Kg	99%		80-120
Lead	108.8	100.0	mg/Kg	109%		80-120
Molybdenum	107.2	100.0	mg/Kg	107%		80-120
Nickel	108.4	100.0	mg/Kg	108%		80-120
Selenium	89.96	100.0	mg/Kg	90%		80-120
Silver	50.90	50.00	mg/Kg	102%		80-120
Thallium	110.9	100.0	mg/Kg	111%		80-120
Vanadium	102.2	100.0	mg/Kg	102%		80-120
Zinc	92.05	100.0	mg/Kg	92%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC983447</b>	<b>Batch: 287424</b>
<b>Matrix (Source ID): Soil (460883-018)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC983447 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Antimony	29.84	1.844	105.3	mg/Kg	27%	*	75-125	1.1
Arsenic	116.5	2.667	105.3	mg/Kg	108%		75-125	1.1
Barium	233.0	91.65	105.3	mg/Kg	134%	*	75-125	1.1
Beryllium	104.6	0.1678	105.3	mg/Kg	99%		75-125	1.1
Cadmium	114.9	0.07713	105.3	mg/Kg	109%		75-125	1.1
Chromium	179.3	56.46	105.3	mg/Kg	117%		75-125	1.1
Cobalt	137.5	15.70	105.3	mg/Kg	116%		75-125	1.1
Copper	132.8	20.56	105.3	mg/Kg	107%		75-125	1.1
Lead	117.2	3.622	105.3	mg/Kg	108%		75-125	1.1
Molybdenum	110.9	ND	105.3	mg/Kg	105%		75-125	1.1
Nickel	162.4	42.55	105.3	mg/Kg	114%		75-125	1.1
Selenium	98.58	ND	105.3	mg/Kg	94%		75-125	1.1
Silver	54.73	ND	52.63	mg/Kg	104%		75-125	1.1
Thallium	116.0	1.222	105.3	mg/Kg	109%		75-125	1.1
Vanadium	183.2	60.77	105.3	mg/Kg	116%		75-125	1.1
Zinc	143.3	38.20	105.3	mg/Kg	100%		75-125	1.1

## Batch QC

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC983448</b>	<b>Batch: 287424</b>
<b>Matrix (Source ID): Soil (460883-018)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC983448 Analyte	Result	Source Sample		Units	Recovery	Qual	Limits	RPD		DF
		Result	Spiked					RPD	Lim	
Antimony	29.99	1.844	103.1	mg/Kg	27%	*	75-125	3	41	1
Arsenic	109.6	2.667	103.1	mg/Kg	104%		75-125	4	35	1
Barium	210.2	91.65	103.1	mg/Kg	115%		75-125	9	20	1
Beryllium	98.57	0.1678	103.1	mg/Kg	95%		75-125	4	20	1
Cadmium	107.3	0.07713	103.1	mg/Kg	104%		75-125	5	20	1
Chromium	166.7	56.46	103.1	mg/Kg	107%		75-125	6	20	1
Cobalt	125.6	15.70	103.1	mg/Kg	107%		75-125	7	20	1
Copper	123.8	20.56	103.1	mg/Kg	100%		75-125	5	20	1
Lead	110.6	3.622	103.1	mg/Kg	104%		75-125	4	20	1
Molybdenum	105.4	ND	103.1	mg/Kg	102%		75-125	3	20	1
Nickel	149.5	42.55	103.1	mg/Kg	104%		75-125	7	20	1
Selenium	93.59	ND	103.1	mg/Kg	91%		75-125	3	20	1
Silver	52.01	ND	51.55	mg/Kg	101%		75-125	3	20	1
Thallium	110.1	1.222	103.1	mg/Kg	106%		75-125	3	20	1
Vanadium	165.8	60.77	103.1	mg/Kg	102%		75-125	9	20	1
Zinc	130.5	38.20	103.1	mg/Kg	90%		75-125	8	20	1

<b>Type: Blank</b>	<b>Lab ID: QC981884</b>	<b>Batch: 286979</b>
<b>Matrix: Miscell.</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981884 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Mercury	ND		mg/Kg	0.14	04/06/22	04/07/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981885</b>	<b>Batch: 286979</b>
<b>Matrix: Miscell.</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981885 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Mercury	0.8306	0.8333	mg/Kg	100%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981886</b>	<b>Batch: 286979</b>
<b>Matrix (Source ID): Soil (460988-001)</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981886 Analyte	Result	Source Sample		Units	Recovery	Qual	Limits	DF
		Result	Spiked					
Mercury	0.9869	0.1017	0.8621	mg/Kg	103%		75-125	1

## Batch QC

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981887</b>	<b>Batch: 286979</b>
<b>Matrix (Source ID): Soil (460988-001)</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981887 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Mercury	1.078	0.1017	0.9434	mg/Kg	103%		75-125	1	20	1.1

<b>Type: Blank</b>	<b>Lab ID: QC981888</b>	<b>Batch: 286980</b>
<b>Matrix: Soil</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981888 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Mercury	ND		mg/Kg	0.14	04/06/22	04/07/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981889</b>	<b>Batch: 286980</b>
<b>Matrix: Soil</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981889 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Mercury	0.9667	0.8333	mg/Kg	116%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981890</b>	<b>Batch: 286980</b>
<b>Matrix (Source ID): Soil (460883-001)</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981890 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Mercury	0.9502	0.1311	0.8621	mg/Kg	95%		75-125	1

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981891</b>	<b>Batch: 286980</b>
<b>Matrix (Source ID): Soil (460883-001)</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981891 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Mercury	0.9913	0.1311	0.9259	mg/Kg	93%		75-125	2	20	1.1

<b>Type: Blank</b>	<b>Lab ID: QC983672</b>	<b>Batch: 287497</b>
<b>Matrix: Miscell.</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC983672 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Mercury	ND		mg/Kg	0.14	04/13/22	04/14/22

## Batch QC

<b>Type:</b> Lab Control Sample	<b>Lab ID:</b> QC983673	<b>Batch:</b> 287497
<b>Matrix:</b> Miscell.	<b>Method:</b> EPA 7471A	<b>Prep Method:</b> METHOD

QC983673 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Mercury	0.8790	0.8333	mg/Kg	105%		80-120

<b>Type:</b> Matrix Spike	<b>Lab ID:</b> QC983674	<b>Batch:</b> 287497
<b>Matrix (Source ID):</b> Soil (460883-018)	<b>Method:</b> EPA 7471A	<b>Prep Method:</b> METHOD

QC983674 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Mercury	0.9576	ND	0.9091	mg/Kg	105%		75-125	1.1

<b>Type:</b> Matrix Spike Duplicate	<b>Lab ID:</b> QC983675	<b>Batch:</b> 287497
<b>Matrix (Source ID):</b> Soil (460883-018)	<b>Method:</b> EPA 7471A	<b>Prep Method:</b> METHOD

QC983675 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Mercury	0.9361	ND	0.9091	mg/Kg	103%		75-125	2	20	1.1

<b>Type:</b> Blank	<b>Lab ID:</b> QC981521	<b>Batch:</b> 286847
<b>Matrix:</b> Soil	<b>Method:</b> EPA 8015M	<b>Prep Method:</b> EPA 3580

QC981521 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
GRO C8-C10	ND		mg/Kg	10	04/05/22	04/05/22
DRO C10-C28	ND		mg/Kg	10	04/05/22	04/05/22
ORO C28-C44	ND		mg/Kg	20	04/05/22	04/05/22
Surrogates				Limits		
n-Triacontane	100%		%REC	70-130	04/05/22	04/05/22

<b>Type:</b> Lab Control Sample	<b>Lab ID:</b> QC981522	<b>Batch:</b> 286847
<b>Matrix:</b> Soil	<b>Method:</b> EPA 8015M	<b>Prep Method:</b> EPA 3580

QC981522 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	263.8	250.0	mg/Kg	106%		76-122
Surrogates						
n-Triacontane	10.01	10.00	mg/Kg	100%		70-130

## Batch QC

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981523</b>	<b>Batch: 286847</b>
<b>Matrix (Source ID): Soil (460883-001)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981523 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	261.9	2.772	250.0	mg/Kg	104%		62-126	1
<b>Surrogates</b>								
n-Triacontane	10.39		10.00	mg/Kg	104%		70-130	1

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981524</b>	<b>Batch: 286847</b>
<b>Matrix (Source ID): Soil (460883-001)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981524 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Diesel C10-C28	258.5	2.772	250.0	mg/Kg	102%		62-126	1	35	1
<b>Surrogates</b>										
n-Triacontane	10.19		10.00	mg/Kg	102%		70-130			1

<b>Type: Blank</b>	<b>Lab ID: QC981525</b>	<b>Batch: 286849</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981525 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
GRO C8-C10	ND		mg/Kg	10	04/05/22	04/08/22
DRO C10-C28	ND		mg/Kg	10	04/05/22	04/08/22
ORO C28-C44	ND		mg/Kg	20	04/05/22	04/08/22
<b>Surrogates</b>						
				<b>Limits</b>		
n-Triacontane	93%		%REC	70-130	04/05/22	04/08/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981526</b>	<b>Batch: 286849</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981526 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	216.5	250.0	mg/Kg	87%		76-122
<b>Surrogates</b>						
n-Triacontane	8.997	10.00	mg/Kg	90%		70-130

## Batch QC

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981527</b>	<b>Batch: 286849</b>
<b>Matrix (Source ID): Soil (460883-021)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981527 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	165.0	2.338	250.0	mg/Kg	65%		62-126	1
<b>Surrogates</b>								
n-Triacontane	7.642		10.00	mg/Kg	76%		70-130	1

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981528</b>	<b>Batch: 286849</b>
<b>Matrix (Source ID): Soil (460883-021)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981528 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Diesel C10-C28	190.9	2.338	250.0	mg/Kg	75%		62-126	15	35	1
<b>Surrogates</b>										
n-Triacontane	7.800		10.00	mg/Kg	78%		70-130			1

<b>Type: Blank</b>	<b>Lab ID: QC981529</b>	<b>Batch: 286850</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981529 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
GRO C8-C10	ND		mg/Kg	10	04/05/22	04/06/22
DRO C10-C28	ND		mg/Kg	10	04/05/22	04/06/22
ORO C28-C44	ND		mg/Kg	20	04/05/22	04/06/22
<b>Surrogates</b>						
				<b>Limits</b>		
n-Triacontane	107%		%REC	70-130	04/05/22	04/06/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981530</b>	<b>Batch: 286850</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981530 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	271.5	250.0	mg/Kg	109%		76-122
<b>Surrogates</b>						
n-Triacontane	10.63	10.00	mg/Kg	106%		70-130

## Batch QC

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981531</b>	<b>Batch: 286850</b>
<b>Matrix (Source ID): Soil (460883-042)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981531 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	288.0	36.92	250.0	mg/Kg	100%		62-126	2
<b>Surrogates</b>								
n-Triacontane	11.01		10.00	mg/Kg	110%		70-130	2

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981532</b>	<b>Batch: 286850</b>
<b>Matrix (Source ID): Soil (460883-042)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981532 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Diesel C10-C28	273.0	36.92	250.0	mg/Kg	94%		62-126	5	35	2
<b>Surrogates</b>										
n-Triacontane	11.18		10.00	mg/Kg	112%		70-130			2

<b>Type: Blank</b>	<b>Lab ID: QC981707</b>	<b>Batch: 286921</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981707 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
GRO C8-C10	ND		mg/Kg	10	04/05/22	04/06/22
DRO C10-C28	ND		mg/Kg	10	04/05/22	04/06/22
ORO C28-C44	ND		mg/Kg	20	04/05/22	04/06/22
<b>Surrogates</b>						
				<b>Limits</b>		
n-Triacontane	97%		%REC	70-130	04/05/22	04/06/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981708</b>	<b>Batch: 286921</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981708 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	223.5	250.0	mg/Kg	89%		76-122
<b>Surrogates</b>						
n-Triacontane	9.200	10.00	mg/Kg	92%		70-130



## Batch QC

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981709</b>	<b>Batch: 286921</b>
<b>Matrix (Source ID): Soil (460878-009)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981709 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	202.4	ND	250.0	mg/Kg	81%		62-126	1
<b>Surrogates</b>								
n-Triacontane	7.757		10.00	mg/Kg	78%		70-130	1

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981710</b>	<b>Batch: 286921</b>
<b>Matrix (Source ID): Soil (460878-009)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981710 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Diesel C10-C28	188.2	ND	250.0	mg/Kg	75%		62-126	7	35	1
<b>Surrogates</b>										
n-Triacontane	7.320		10.00	mg/Kg	73%		70-130			1

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC983891</b>	<b>Batch: 287573</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC983891 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	5.0	04/15/22	04/15/22
Freon 12	ND		ug/Kg	5.0	04/15/22	04/15/22
Chloromethane	ND		ug/Kg	5.0	04/15/22	04/15/22
Vinyl Chloride	ND		ug/Kg	5.0	04/15/22	04/15/22
Bromomethane	ND		ug/Kg	5.0	04/15/22	04/15/22
Chloroethane	ND		ug/Kg	5.0	04/15/22	04/15/22
Trichlorofluoromethane	ND		ug/Kg	5.0	04/15/22	04/15/22
Acetone	ND		ug/Kg	100	04/15/22	04/15/22
Freon 113	ND		ug/Kg	5.0	04/15/22	04/15/22
1,1-Dichloroethene	ND		ug/Kg	5.0	04/15/22	04/15/22
Methylene Chloride	ND		ug/Kg	5.0	04/15/22	04/15/22
MTBE	ND		ug/Kg	5.0	04/15/22	04/15/22
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,1-Dichloroethane	ND		ug/Kg	5.0	04/15/22	04/15/22
2-Butanone	ND		ug/Kg	100	04/15/22	04/15/22
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	04/15/22	04/15/22
2,2-Dichloropropane	ND		ug/Kg	5.0	04/15/22	04/15/22
Chloroform	ND		ug/Kg	5.0	04/15/22	04/15/22
Bromochloromethane	ND		ug/Kg	5.0	04/15/22	04/15/22
1,1,1-Trichloroethane	ND		ug/Kg	5.0	04/15/22	04/15/22
1,1-Dichloropropene	ND		ug/Kg	5.0	04/15/22	04/15/22
Carbon Tetrachloride	ND		ug/Kg	5.0	04/15/22	04/15/22
1,2-Dichloroethane	ND		ug/Kg	5.0	04/15/22	04/15/22
Benzene	ND		ug/Kg	5.0	04/15/22	04/15/22
Trichloroethene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,2-Dichloropropane	ND		ug/Kg	5.0	04/15/22	04/15/22
Bromodichloromethane	ND		ug/Kg	5.0	04/15/22	04/15/22
Dibromomethane	ND		ug/Kg	5.0	04/15/22	04/15/22
4-Methyl-2-Pentanone	ND		ug/Kg	8.1	04/15/22	04/15/22
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	04/15/22	04/15/22
Toluene	ND		ug/Kg	5.0	04/15/22	04/15/22
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,1,2-Trichloroethane	ND		ug/Kg	5.0	04/15/22	04/15/22
1,3-Dichloropropane	ND		ug/Kg	5.0	04/15/22	04/15/22
Tetrachloroethene	ND		ug/Kg	5.0	04/15/22	04/15/22
Dibromochloromethane	ND		ug/Kg	5.0	04/15/22	04/15/22
1,2-Dibromoethane	ND		ug/Kg	5.0	04/15/22	04/15/22
Chlorobenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	04/15/22	04/15/22
Ethylbenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
m,p-Xylenes	ND		ug/Kg	10	04/15/22	04/15/22
o-Xylene	ND		ug/Kg	5.0	04/15/22	04/15/22

### Batch QC

QC983891 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Styrene	ND		ug/Kg	5.0	04/15/22	04/15/22
Bromoform	ND		ug/Kg	5.0	04/15/22	04/15/22
Isopropylbenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	04/15/22	04/15/22
1,2,3-Trichloropropane	ND		ug/Kg	5.0	04/15/22	04/15/22
Propylbenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
Bromobenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
2-Chlorotoluene	ND		ug/Kg	5.0	04/15/22	04/15/22
4-Chlorotoluene	ND		ug/Kg	5.0	04/15/22	04/15/22
tert-Butylbenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
sec-Butylbenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
para-Isopropyl Toluene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,3-Dichlorobenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,4-Dichlorobenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
n-Butylbenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,2-Dichlorobenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	04/15/22	04/15/22
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
Hexachlorobutadiene	ND		ug/Kg	5.0	04/15/22	04/15/22
Naphthalene	ND		ug/Kg	5.0	04/15/22	04/15/22
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	04/15/22	04/15/22
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/15/22	04/15/22
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/15/22	04/15/22
Xylene (total)	ND		ug/Kg	5.0	04/15/22	04/15/22
<b>Surrogates</b>				<b>Limits</b>		
Dibromofluoromethane	108%		%REC	70-130	04/15/22	04/15/22
1,2-Dichloroethane-d4	97%		%REC	70-145	04/15/22	04/15/22
Toluene-d8	106%		%REC	70-145	04/15/22	04/15/22
Bromofluorobenzene	102%		%REC	70-145	04/15/22	04/15/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC983892</b>	<b>Batch: 287573</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC983892 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	51.82	50.00	ug/Kg	104%		70-131
MTBE	51.24	50.00	ug/Kg	102%		69-130
Benzene	51.34	50.00	ug/Kg	103%		70-130
Trichloroethene	59.57	50.00	ug/Kg	119%		70-130
Toluene	53.17	50.00	ug/Kg	106%		70-130
Chlorobenzene	57.05	50.00	ug/Kg	114%		70-130
<b>Surrogates</b>						
Dibromofluoromethane	53.82	50.00	ug/Kg	108%		70-130
1,2-Dichloroethane-d4	49.72	50.00	ug/Kg	99%		70-145
Toluene-d8	53.22	50.00	ug/Kg	106%		70-145
Bromofluorobenzene	49.70	50.00	ug/Kg	99%		70-145

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC983893</b>	<b>Batch: 287573</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC983893 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
1,1-Dichloroethene	47.61	50.00	ug/Kg	95%		70-131	8	33
MTBE	47.76	50.00	ug/Kg	96%		69-130	7	30
Benzene	46.97	50.00	ug/Kg	94%		70-130	9	30
Trichloroethene	53.63	50.00	ug/Kg	107%		70-130	10	30
Toluene	48.16	50.00	ug/Kg	96%		70-130	10	30
Chlorobenzene	51.56	50.00	ug/Kg	103%		70-130	10	30
<b>Surrogates</b>								
Dibromofluoromethane	53.78	50.00	ug/Kg	108%		70-130		
1,2-Dichloroethane-d4	48.06	50.00	ug/Kg	96%		70-145		
Toluene-d8	52.29	50.00	ug/Kg	105%		70-145		
Bromofluorobenzene	49.07	50.00	ug/Kg	98%		70-145		

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC984089</b>	<b>Batch: 287640</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC984089 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	5.0	04/16/22	04/16/22
Freon 12	ND		ug/Kg	5.0	04/16/22	04/16/22
Chloromethane	ND		ug/Kg	5.0	04/16/22	04/16/22
Vinyl Chloride	ND		ug/Kg	5.0	04/16/22	04/16/22
Bromomethane	ND		ug/Kg	5.0	04/16/22	04/16/22
Chloroethane	ND		ug/Kg	5.0	04/16/22	04/16/22
Trichlorofluoromethane	ND		ug/Kg	5.0	04/16/22	04/16/22
Acetone	ND		ug/Kg	100	04/16/22	04/16/22
Freon 113	ND		ug/Kg	5.0	04/16/22	04/16/22
1,1-Dichloroethene	ND		ug/Kg	5.0	04/16/22	04/16/22
Methylene Chloride	ND		ug/Kg	5.0	04/16/22	04/16/22
MTBE	ND		ug/Kg	5.0	04/16/22	04/16/22
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,1-Dichloroethane	ND		ug/Kg	5.0	04/16/22	04/16/22
2-Butanone	ND		ug/Kg	100	04/16/22	04/16/22
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	04/16/22	04/16/22
2,2-Dichloropropane	ND		ug/Kg	5.0	04/16/22	04/16/22
Chloroform	ND		ug/Kg	5.0	04/16/22	04/16/22
Bromochloromethane	ND		ug/Kg	5.0	04/16/22	04/16/22
1,1,1-Trichloroethane	ND		ug/Kg	5.0	04/16/22	04/16/22
1,1-Dichloropropene	ND		ug/Kg	5.0	04/16/22	04/16/22
Carbon Tetrachloride	ND		ug/Kg	5.0	04/16/22	04/16/22
1,2-Dichloroethane	ND		ug/Kg	5.0	04/16/22	04/16/22
Benzene	ND		ug/Kg	5.0	04/16/22	04/16/22
Trichloroethene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,2-Dichloropropane	ND		ug/Kg	5.0	04/16/22	04/16/22
Bromodichloromethane	ND		ug/Kg	5.0	04/16/22	04/16/22
Dibromomethane	ND		ug/Kg	5.0	04/16/22	04/16/22
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	04/16/22	04/16/22
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	04/16/22	04/16/22
Toluene	ND		ug/Kg	5.0	04/16/22	04/16/22
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,1,2-Trichloroethane	ND		ug/Kg	5.0	04/16/22	04/16/22
1,3-Dichloropropane	ND		ug/Kg	5.0	04/16/22	04/16/22
Tetrachloroethene	ND		ug/Kg	5.0	04/16/22	04/16/22
Dibromochloromethane	ND		ug/Kg	5.0	04/16/22	04/16/22
1,2-Dibromoethane	ND		ug/Kg	5.0	04/16/22	04/16/22
Chlorobenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	04/16/22	04/16/22
Ethylbenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
m,p-Xylenes	ND		ug/Kg	10	04/16/22	04/16/22
o-Xylene	ND		ug/Kg	5.0	04/16/22	04/16/22

### Batch QC

QC984089 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Styrene	ND		ug/Kg	5.0	04/16/22	04/16/22
Bromoform	ND		ug/Kg	5.0	04/16/22	04/16/22
Isopropylbenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	04/16/22	04/16/22
1,2,3-Trichloropropane	ND		ug/Kg	5.0	04/16/22	04/16/22
Propylbenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
Bromobenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
2-Chlorotoluene	ND		ug/Kg	5.0	04/16/22	04/16/22
4-Chlorotoluene	ND		ug/Kg	5.0	04/16/22	04/16/22
tert-Butylbenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
sec-Butylbenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
para-Isopropyl Toluene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,3-Dichlorobenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,4-Dichlorobenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
n-Butylbenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,2-Dichlorobenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	04/16/22	04/16/22
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
Hexachlorobutadiene	ND		ug/Kg	5.0	04/16/22	04/16/22
Naphthalene	ND		ug/Kg	5.0	04/16/22	04/16/22
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	04/16/22	04/16/22
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/16/22	04/16/22
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/16/22	04/16/22
Xylene (total)	ND		ug/Kg	5.0	04/16/22	04/16/22
<b>Surrogates</b>				<b>Limits</b>		
Dibromofluoromethane	101%		%REC	70-130	04/16/22	04/16/22
1,2-Dichloroethane-d4	109%		%REC	70-145	04/16/22	04/16/22
Toluene-d8	97%		%REC	70-145	04/16/22	04/16/22
Bromofluorobenzene	95%		%REC	70-145	04/16/22	04/16/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC984090</b>	<b>Batch: 287640</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC984090 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	52.15	50.00	ug/Kg	104%		70-131
MTBE	49.52	50.00	ug/Kg	99%		69-130
Benzene	50.72	50.00	ug/Kg	101%		70-130
Trichloroethene	50.43	50.00	ug/Kg	101%		70-130
Toluene	49.01	50.00	ug/Kg	98%		70-130
Chlorobenzene	51.25	50.00	ug/Kg	103%		70-130
<b>Surrogates</b>						
Dibromofluoromethane	53.33	50.00	ug/Kg	107%		70-130
1,2-Dichloroethane-d4	54.68	50.00	ug/Kg	109%		70-145
Toluene-d8	49.00	50.00	ug/Kg	98%		70-145
Bromofluorobenzene	46.58	50.00	ug/Kg	93%		70-145

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC984091</b>	<b>Batch: 287640</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC984091 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
1,1-Dichloroethene	53.03	50.00	ug/Kg	106%		70-131	2	33
MTBE	49.64	50.00	ug/Kg	99%		69-130	0	30
Benzene	51.29	50.00	ug/Kg	103%		70-130	1	30
Trichloroethene	50.94	50.00	ug/Kg	102%		70-130	1	30
Toluene	49.00	50.00	ug/Kg	98%		70-130	0	30
Chlorobenzene	51.53	50.00	ug/Kg	103%		70-130	1	30
<b>Surrogates</b>								
Dibromofluoromethane	52.76	50.00	ug/Kg	106%		70-130		
1,2-Dichloroethane-d4	54.65	50.00	ug/Kg	109%		70-145		
Toluene-d8	48.51	50.00	ug/Kg	97%		70-145		
Bromofluorobenzene	47.50	50.00	ug/Kg	95%		70-145		

\* Value is outside QC limits

ND Not Detected





Enthalpy Analytical  
931 West Barkley Ave  
Orange, CA 92868  
(714) 771-6900

enthalpy.com

Lab Job Number: 460985  
Report Level: II  
Report Date: 04/21/2022

**Analytical Report** *prepared for:*

Brian Pierce  
GeoSyntec Consultants San Diego  
16644 W Bernardo Dr #301  
San Diego, CA 92127

Location: La Cienega Phase II

*Authorized for release by:*

Patty Mata, Project Manager  
[patty.mata@enthalpy.com](mailto:patty.mata@enthalpy.com)

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105

## Sample Summary

Brian Pierce GeoSyntec Consultants San Diego 16644 W Bernardo Dr #301 San Diego, CA 92127	Lab Job #: 460985 Location: La Cienega Phase II Date Received: 04/05/22
--	---

Sample ID	Lab ID	Collected	Matrix
B3-1	460985-001	04/05/22 07:40	Soil
B3-5	460985-002	04/05/22 07:43	Soil
B3-10	460985-003	04/05/22 07:46	Soil
B3-15	460985-004	04/05/22 08:00	Soil
B3-20	460985-005	04/05/22 08:07	Soil
E1-1	460985-006	04/05/22 09:31	Soil
E1-5	460985-007	04/05/22 09:32	Soil
E1-10	460985-008	04/05/22 09:40	Soil
E1-15	460985-009	04/05/22 09:45	Soil
E1-20	460985-010	04/05/22 09:56	Soil
C4-1	460985-011	04/05/22 10:10	Soil
C4-5	460985-012	04/05/22 10:13	Soil
C4-10	460985-013	04/05/22 10:18	Soil
C4-15	460985-014	04/05/22 10:20	Soil
C4-20	460985-015	04/05/22 10:31	Soil
A1-1	460985-016	04/05/22 11:10	Soil
A1-5	460985-017	04/05/22 11:11	Soil
A1-10	460985-018	04/05/22 11:18	Soil
A1-15	460985-019	04/05/22 11:21	Soil
A1-20	460985-020	04/05/22 11:33	Soil
C2-1	460985-021	04/05/22 11:50	Soil
C2-5	460985-022	04/05/22 11:51	Soil
C2-10	460985-023	04/05/22 11:55	Soil
C2-15	460985-024	04/05/22 11:58	Soil
B2-1	460985-025	04/05/22 12:50	Soil
B2-5	460985-026	04/05/22 12:55	Soil

## Sample Summary

Brian Pierce  
 GeoSyntec Consultants San Diego  
 16644 W Bernardo Dr #301  
 San Diego, CA 92127

Lab Job #: 460985  
 Location: La Cienega Phase II  
 Date Received: 04/05/22

Sample ID	Lab ID	Collected	Matrix
B2-10	460985-027	04/05/22 13:00	Soil
B2-15	460985-028	04/05/22 13:08	Soil
B2-20	460985-029	04/05/22 13:13	Soil
C2-20	460985-030	04/05/22 12:08	Soil
A2-1	460985-031	04/05/22 13:30	Soil
A2-5	460985-032	04/05/22 13:31	Soil
A2-10	460985-033	04/05/22 13:55	Soil
A2-15	460985-034	04/05/22 13:38	Soil
A2-20	460985-035	04/05/22 13:40	Soil
A2-17	460985-036	04/05/22 13:39	Soil
A2-19	460985-037	04/05/22 13:39	Soil
B3-W	460985-038	04/05/22 09:00	Water
B1-SV-5	460985-039	04/05/22 07:20	Air
B1-SV-10	460985-040	04/05/22 07:50	Air
C1-SV-5	460985-041	04/05/22 07:55	Air
C1-SV-10	460985-042	04/05/22 08:20	Air
C3-SV-5	460985-043	04/05/22 08:25	Air
C3-SV-10	460985-044	04/05/22 08:40	Air
A3-SV-5	460985-045	04/05/22 10:05	Air
A3-SV-10	460985-046	04/05/22 10:30	Air
D1-SV-5	460985-047	04/05/22 10:40	Air
D1-SV-10	460985-048	04/05/22 10:55	Air
D3-SV-5	460985-049	04/05/22 11:20	Air
D3-SV-10	460985-050	04/05/22 11:45	Air
E3-SV-5	460985-051	04/05/22 11:55	Air
E3-SV-10	460985-052	04/05/22 12:10	Air

## Case Narrative

---

GeoSyntec Consultants San Diego  
16644 W Bernardo Dr #301  
San Diego, CA 92127  
Brian Pierce

Lab Job Number: 460985  
Location: La Cienega Phase II  
Date Received: 04/05/22

---

This data package contains sample and QC results for thirty seven soil samples, fourteen air samples, and one water sample, requested for the above referenced project on 04/05/22. The samples were received intact and cold (if needed). Additional total metals and STLC Cr test results are included in this report as requested.

### **TPH-Purgeables and/or BTXE by GC (EPA 8015B):**

No analytical problems were encountered.

### **TPH-Extractables by GC (EPA 8015B) Water:**

- DRO C10-C28 was detected above the RL in the method blank for water batch 286871; this analyte was not detected in the water sample at or above the RL.
- No other analytical problems were encountered.

### **TPH-Extractables by GC (EPA 8015M) Soil:**

No analytical problems were encountered.

### **Volatile Organics by GC/MS (EPA 8260B) Water:**

No analytical problems were encountered.

### **Volatile Organics by GC/MS (EPA 8260B) Soil:**

- Samples A2-17 (lab # 460985-036) and A2-19 (lab # 460985-037) were diluted due to relatively high hydrocarbon concentrations.
- No other analytical problems were encountered.

### **Volatile Organics in Air GC (EPA TO-3M):**

No analytical problems were encountered.

### **Metals (EPA 6010B and EPA 7471A) Soil:**

- Low recoveries were observed for antimony in the MS/MSD for batch 286966; the parent sample was not a project sample, the LCS was within limits, and the associated RPD was within limits.
- Low recoveries were observed for antimony in the MS/MSD of E1-5 (lab # 460985-007); the associated RPD was within limits.
- Low recoveries were observed for antimony in the MS/MSD of D3-10 (lab # 460883-018); the LCS was within limits, and the associated RPD was within limits. High recovery was observed for barium in the MS of D3-10 (lab # 460883-018); the LCS was within limits, and the associated RPD was within limits.
- No other analytical problems were encountered.

### **Metals (EPA 6010B) WET Leachate:**

No analytical problems were encountered.

# EA ENTHALPY ANALYTICAL

**Enthalpy Analytical - Orange**

931 W. Barkley Avenue, Orange, CA 92868  
Phone 714-771-6900

**Chain of Custody Record**

Lab No: 41008985  
Page: 1 of 6

**Turn Around Time (rush by advanced notice only)**

Standard: 5 Day: 3 Day 7R#  
2 Day: 1 Day: Custom TAT:

Matrix: A = Air, W = Water, SeaW = Sea Water, DW = Drinking Water, WP = Wipe, S = Soil, O = Oil, M = Other matrices (solid), L = Other matrices (aqueous)

Preservatives:  
1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other

Sample Receipt Temp: 12.3 / 9.3

(lab use only)

CUSTOMER INFORMATION			PROJECT INFORMATION			Analysis Request		Test Instructions / Comments	
Company:	Quote #:	Proj. Name:	Sampling Date	Sampling Time	Matrix	Container No.	Pres.		
Geosyntec consultants		La Cienciga.	4-5-22	740	S	1	None		hold Sample for potential additional analysis.
Report To: Brian Pierce				743					
Email: bpierce@geosyntec.com				746					
Address: 1666th St, San Diego, CA				800					
Phone: 619-810-4011				807					
Fax: /				931					
				932					
				940					
				945					
				956					
Sample ID									
1 B3-1									
2 B3-5									
3 B3-10									
4 B3-15									
5 B3-20									
6 E1-1									
7 E1-5									
8 E1-10									
9 E1-15									
10 E1-20									
Signature			Print Name			Company / Title		Date / Time	
			Yencel Bontamine			Geosyntec/Geologist		4-5-22 / 17:20	
1 Relinquished By:			6 km			BA		4-14-22 - 15-17:20	
1 Received By:								4-14-22 9:15/20	
2 Relinquished By:									
2 Received By:									
3 Relinquished By:									
3 Received By:									

# ENTHALPY ANALYTICAL

**Enthalpy Analytical - Orange**

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

**Chain of Custody Record**

Lab No: 460985

Page: 2 of 6

**Turn Around Time (rush by advanced notice only)**

Standard:

5 Day: 72 Hr

2 Day:

1 Day: 72 Hr

Matrix: A = Air S = Soil/Solid

W = Water DW = Drinking Water SD = Sediment

PP = Pure Product SEA = Sea Water

SW = Swab T = Tissue WP = Wipe O = Other

**Preservatives:**

1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>

4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other

Sample Receipt Temp:

(lab use only)

**PROJECT INFORMATION**

Proj. Name: \_\_\_\_\_  
 Proj. #: \_\_\_\_\_  
 P.O. #: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Global ID: \_\_\_\_\_  
 Sampled By: \_\_\_\_\_

**CUSTOMER INFORMATION**

Company: See Page  
 Report To: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Fax: \_\_\_\_\_

**Analysis Request**

**Test Instructions / Comments**

See Page 1

Trace (801)  
Trace Metals (6010)  
LOCs (8260)

Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.
C4-1	4-5-20	1010	S	1	None
C4-5		1013			
C4-10		1018			
C4-15		1020			
C4-20		1031			
A1-1		1110			
A1-5		1111			
A1-10		1118			
A1-15		1121			
A1-20		1133			

Signature: [Signature] Print Name: Wendy Beatty Company / Title: Geosyntec / Geosyntec Date / Time: 4-5-20 1729

Relinquished By: \_\_\_\_\_ Received By: [Signature]

Relinquished By: \_\_\_\_\_ Received By: [Signature]

Relinquished By: \_\_\_\_\_ Received By: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Received By: \_\_\_\_\_

# ENTHALPY ANALYTICAL

**Enthalpy Analytical - Orange**

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

## Chain of Custody Record

Lab No: 11607085

Page: 3 of 6

Matrix: A = Air, W = Water, SeaW = Sea Water, DW = Drinking Water, WP = Wipe, S = Soil, O = Oil, M = Other matrices (solid), L = Other matrices (aqueous)

Standard: \_\_\_\_\_ 5 Day: \_\_\_\_\_ 3 Day: \_\_\_\_\_

1 Day: \_\_\_\_\_ Custom TAT: \_\_\_\_\_

Preservatives:  
1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other

Sample Receipt Temp: \_\_\_\_\_  
(lab use only)

### CUSTOMER INFORMATION

Company: See Page 1  
 Report To: \_\_\_\_\_  
 Email: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Fax: \_\_\_\_\_

### PROJECT INFORMATION

Quote #: \_\_\_\_\_  
 Proj. Name: \_\_\_\_\_  
 Proj. #: \_\_\_\_\_  
 P.O. #: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Global ID: \_\_\_\_\_  
 Sampled By: \_\_\_\_\_

### Analysis Request

Sample ID	Sampling Date	Sampling Time	Matrix	Container No.	Pres.	Analysis Request	Test Instructions / Comments
C2-1	4-5-22	1150	S	1	NONE	X	See Page 1
C2-5		1151				X	
C2-10		1155				X	
C2-15		1158				X	
B2-1		1250				X	
B2-5		1255				X	
B2-10		1300				X	
B2-15		1308				X	
B2-20		1313				X	
C2-20		1208				X	

### Company / Title

Signature: \_\_\_\_\_  
 Xpress Bottanmic  
 Cheng Kim  
 Date / Time: 4-5-22 1724  
4/5/22 1724

1 Relinquished By: _____	Company / Title	Date / Time
1 Received By: _____	Geometric / Represent	4-5-22 1724
2 Relinquished By: _____	EA	4/5/22 1724
2 Received By: _____		
3 Relinquished By: _____		
3 Received By: _____		





**Enthalpy Analytical - Orange**

931 W. Barkley Avenue, Orange, CA 92868  
Phone 714-771-6900

Chain of Custody Record  
Lab No: 460905  
Page: 4 of 6

Matrix: A = Air, W = Water, SeaW = Sea Water, DW = Drinking Water, WP = Wipe, S = Soil, O = Oil, M = Other matrices (solid), L = Other matrices (aqueous)

Turn Around Time (rush by advanced notice only)  
Standard: \_\_\_\_\_  
5 Day: \_\_\_\_\_  
1 Day: \_\_\_\_\_  
2 Day: \_\_\_\_\_  
8 Day: \_\_\_\_\_  
Custom TAT: \_\_\_\_\_

Preservatives:  
1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other  
Sample Receipt Temp: \_\_\_\_\_  
(lab use only)

CUSTOMER INFORMATION				PROJECT INFORMATION				ANALYSIS REQUEST		TEST INSTRUCTIONS / COMMENTS	
Company:	Quote #:	Proj. Name:	Sampled By:	Sample ID	Sampling Date	Sampling Time	Matrix	Container No.	Pres.	Analysis Request	Test Instructions / Comments
Report To:	Proj. #:	P.O. #:	Address:	1	4-5-22	1330	S	1		TPH (8018)	↓ See page 1 • B3 - w water sample B3 w with HCl preserved 3x Amber men preserved.
Email:	Address:	Global ID:	Address:	2		1331				TPH (8018)	
Address:	Address:	Global ID:	Address:	3		1335				TPH (8018)	
Phone:	Address:	Global ID:	Address:	4		1338				TPH (8018)	
Fax:	Address:	Global ID:	Address:	5		1340				TPH (8018)	
	Address:	Global ID:	Address:	6		1339				TPH (8018)	
	Address:	Global ID:	Address:	7		1339				TPH (8018)	
	Address:	Global ID:	Address:	8	4-5-22	900	W	8		TPH (8018)	
	Address:	Global ID:	Address:	9	4-5-22	900	W			TPH (8018)	
	Address:	Global ID:	Address:	10						TPH (8018)	

Signature	Print Name	Company / Title	Date / Time
	Yusef Dostanovic	Orange Justice (Orange)	4-5-22 1727
	G. Kim	CA	4/5/22 1724
1 Relinquished By:			
2 Relinquished By:			
3 Relinquished By:			
4 Relinquished By:			



**Enthalpy Analytical - Orange**  
 931 W. Barkley Avenue, Orange, CA 92868  
 Phone 714-771-6900

Chain of Custody Record  
 Lab No: 460865  
 Page: 5 of 6

Turn Around Time (rush by advanced notice only)  
 Standard: 5 Day: 3 Day  
 2 Day: 1 Day  
 Custom TAT:

Matrix: A = Air, W = Water, Seaw = Sea Water, DW = Drinking Water, WP = Wipe, S = Soil, O = Oil, M = Other matrices (solid), L = Other matrices (aqueous)  
 Preservatives:  
 1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
 4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other  
 Sample Receipt Temp:  
 (lab use only)

CUSTOMER INFORMATION		PROJECT INFORMATION				Analysis Request		Test Instructions / Comments	
Company:	Quote #:	Sampling Date	Sampling Time	Matrix	Container No.	Pres.			
See Page 1		4-5-22	720	G	1	None	See Page 1		
Report To:	Proj. Name:		750				All gas Sample		
Email:	Proj. #:		755				one 1L Tedlar bag.		
Address:	P.O. #:		820						
Phone:	Address:		825						
Fax:	Global ID:		840						
	Sampled By:		1005						
			1030						
			1040						
			1055						

Sample ID	Sampling Date	Sampling Time	Matrix	Container No.	Pres.	Company / Title	Date / Time
B1-SV-5	4-5-22	720	G	1	None	Geo-Systems / Geologist	4-5-22 1924
B1-SV-10		750				BA	4-5-22 1927
C1-SV-5		755					
C1-SV-10		820					
C3-SV-5		825					
C3-SV-10		840					
A3-SV-5		1005					
A3-SV-10		1030					
D1-SV-5		1040					
D1-SV-10		1055					

Signature	Print Name
	Vance's Destanneville
	BA
1 Relinquished By:	
1 Received By:	
2 Relinquished By:	
2 Received By:	
3 Relinquished By:	
3 Received By:	

# ENTHALPY ANALYTICAL

**Enthalpy Analytical - Orange**  
 931 W. Barkley Avenue, Orange, CA 92868  
 Phone 714-771-6900

Chain of Custody Record  
 Lab No: 4409805  
 Page: 6 of 6

Turn Around Time (rush by advanced notice only)  
 Standard: 5 Day: 72Hr.  
 2 Day: 1 Day: Custom TAT:

Matrix: A = Air, W = Water, SeaW = Sea Water, DW = Drinking Water, WP = Wipe, S = Soil, O = Oil, M = Other matrices (solid), L = Other matrices (aqueous)  
 Preservatives:  
 1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
 4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other  
 Sample Receipt Temp: (lab use only)

CUSTOMER INFORMATION			PROJECT INFORMATION				Analysis Request		Test Instructions / Comments	
Company:	Quote #:	Proj. Name:	Sampling Date	Sampling Time	Matrix	Container No.	Pres.			
See Page 1			4-1-22		G-	1	NONE		See Page 1 All gross Sample are in 12 Tedlan bags.	
			4-5-22	1120						
				1145						
				1155						
				1210						

Methanol (80%)

Signature	Print Name	Company / Title	Date / Time
	James Bontamine	Greenspring	4-1-22 (AM)
	G. K. G.	GA	4/5/22 (AM)



# ENTHALPY ANALYTICAL

## SAMPLE ACCEPTANCE CHECKLIST

**Section 1**  
 Client: Geosyntec Project: La Cienega  
 Date Received: 4/5/22 Sampler's Name Present:  Yes  No

**Section 2**  
 Sample(s) received in a cooler?  Yes, How many? 2  No (skip section 2) Sample Temp (°C) (No Cooler) : ambie  
 Sample Temp (°C), One from each cooler: #1: 6.8 #2: 12.3 #3: \_\_\_\_\_ #4: \_\_\_\_\_  
*(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)*  
 Shipping Information: \_\_\_\_\_

**Section 3**  
 Was the cooler packed with:  Ice  Ice Packs  Bubble Wrap  Styrofoam  
 Paper  None  Other \_\_\_\_\_  
 Cooler Temp (°C): #1: 5.2 #2: 9.5 #3: \_\_\_\_\_ #4: \_\_\_\_\_

Section 4	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are sample IDs present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are sampling dates & times present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Is a relinquished signature present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are the tests required clearly indicated on the COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are custody seals present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If custody seals are present, were they intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Did all samples arrive intact? If no, indicate in Section 4 below.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were the samples collected in the correct containers for the required tests?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are the containers labeled with the correct preservatives?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Is there headspace in the VOA vials greater than 5-6 mm in diameter?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Was a sufficient amount of sample submitted for the requested tests?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Section 5** Explanations/Comments

\_\_\_\_\_

**Section 6**  
 For discrepancies, how was the Project Manager notified?  Verbal PM Initials: \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Email (email sent to/on): \_\_\_\_\_ / \_\_\_\_\_  
 Project Manager's response:  
 \_\_\_\_\_

Completed By:  Date: 4/5/22

## Patty Mata

---

**From:** Brian Pierce <BPierce@Geosyntec.com> on behalf of Brian Pierce  
**Sent:** Tuesday, April 12, 2022 5:39 PM  
**To:** patty.mata@enthalpy.com  
**Subject:** [EXTERNAL] RE: La Cienega Phase II (4/05/22) - Enthalpy Data (460985)

Hi Patty,

Let's go ahead and run STLC Cr for E1-5 and then E1-10 and E1-20 for Title 22 Metals.

Additional Title 22 metals:

C2-10, C2-15, B3-10 and B3-20

All additional analyses on 5-day TAT. I think this will be the last of it barring any STLC/TCLP needs.

Thanks,

**Brian Pierce, PG** (CA)  
**Project Geologist**  
Direct: (619) 810-4011  
Mobile: (734) 564-3949  
[www.geosyntec.com](http://www.geosyntec.com)



---

**From:** Patty Mata <patty.mata@enthalpy.com>  
**Sent:** Tuesday, April 12, 2022 1:49 PM  
**To:** Brian Pierce <BPierce@Geosyntec.com>  
**Subject:** La Cienega Phase II (4/05/22) - Enthalpy Data (460985)

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe. If you have any suspicion, please confirm with the sender verbally that this email is authentic.

Hi Brian,

One sample has Cr over 50 mg/kg.

Data qualifiers and additional information necessary for the interpretation of the test results are contained in the PDF file and may not be included in the EDD.

Please find attached the following files:

- PDF Deliverable
- Standard Pivot Table EDD (460985\_standard\_excel\_pivot.zip)

With Regards,

**Patty Mata**

## Analysis Results for 460985

Brian Pierce  
 GeoSyntec Consultants San Diego  
 16644 W Bernardo Dr #301  
 San Diego, CA 92127

Lab Job #: 460985  
 Location: La Cienega Phase II  
 Date Received: 04/05/22

<b>Sample ID: B3-1</b>	<b>Lab ID: 460985-001</b>	<b>Collected: 04/05/22 07:40</b>
<b>Matrix: Soil</b>		

460985-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.6	0.87	286966	04/06/22	04/07/22	SBW
Arsenic	<b>2.7</b>		mg/Kg	0.87	0.87	286966	04/06/22	04/07/22	SBW
Barium	<b>84</b>		mg/Kg	0.87	0.87	286966	04/06/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.43	0.87	286966	04/06/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.43	0.87	286966	04/06/22	04/07/22	SBW
Chromium	<b>33</b>		mg/Kg	0.87	0.87	286966	04/06/22	04/07/22	SBW
Cobalt	<b>9.2</b>		mg/Kg	0.43	0.87	286966	04/06/22	04/07/22	SBW
Copper	<b>25</b>		mg/Kg	0.87	0.87	286966	04/06/22	04/07/22	SBW
Lead	<b>30</b>		mg/Kg	0.87	0.87	286966	04/06/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.87	0.87	286966	04/06/22	04/07/22	SBW
Nickel	<b>19</b>		mg/Kg	0.87	0.87	286966	04/06/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.6	0.87	286966	04/06/22	04/07/22	SBW
Silver	ND		mg/Kg	0.43	0.87	286966	04/06/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.6	0.87	286966	04/06/22	04/07/22	SBW
Vanadium	<b>40</b>		mg/Kg	0.87	0.87	286966	04/06/22	04/07/22	SBW
Zinc	<b>110</b>		mg/Kg	4.3	0.87	286966	04/06/22	04/07/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	90%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID:</b> B3-5	<b>Lab ID:</b> 460985-002	<b>Collected:</b> 04/05/22 07:43
<b>Matrix:</b> Soil		

460985-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.8	0.94	286966	04/06/22	04/07/22	SBW
Arsenic	1.9		mg/Kg	0.94	0.94	286966	04/06/22	04/07/22	SBW
Barium	94		mg/Kg	0.94	0.94	286966	04/06/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.47	0.94	286966	04/06/22	04/07/22	SBW
Cadmium	ND		mg/Kg	0.47	0.94	286966	04/06/22	04/07/22	SBW
Chromium	48		mg/Kg	0.94	0.94	286966	04/06/22	04/07/22	SBW
Cobalt	13		mg/Kg	0.47	0.94	286966	04/06/22	04/07/22	SBW
Copper	16		mg/Kg	0.94	0.94	286966	04/06/22	04/07/22	SBW
Lead	3.6		mg/Kg	0.94	0.94	286966	04/06/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.94	0.94	286966	04/06/22	04/07/22	SBW
Nickel	31		mg/Kg	0.94	0.94	286966	04/06/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.8	0.94	286966	04/06/22	04/07/22	SBW
Silver	ND		mg/Kg	0.47	0.94	286966	04/06/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.8	0.94	286966	04/06/22	04/07/22	SBW
Vanadium	54		mg/Kg	0.94	0.94	286966	04/06/22	04/07/22	SBW
Zinc	36		mg/Kg	4.7	0.94	286966	04/06/22	04/07/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	85%		%REC	70-130	1	286929	04/06/22	04/10/22	MES



## Analysis Results for 460985

<b>Sample ID: B3-10</b>	<b>Lab ID: 460985-003</b>	<b>Collected: 04/05/22 07:46</b>
<b>Matrix: Soil</b>		

460985-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.1	1	287424	04/13/22	04/14/22	SBW
Arsenic	3.6		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Barium	150		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.52	1	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.52	1	287424	04/13/22	04/14/22	SBW
Chromium	68		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Cobalt	21		mg/Kg	0.52	1	287424	04/13/22	04/14/22	SBW
Copper	37		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Lead	6.5		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Nickel	52		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	3.1	1	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.52	1	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	3.1	1	287424	04/13/22	04/14/22	SBW
Vanadium	73		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Zinc	91		mg/Kg	5.2	1	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	92%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

<b>Sample ID: B3-15</b>	<b>Lab ID: 460985-004</b>	<b>Collected: 04/05/22 08:00</b>
<b>Matrix: Soil</b>		

460985-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	91%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID: B3-20</b>	<b>Lab ID: 460985-005</b>	<b>Collected: 04/05/22 08:07</b>
<b>Matrix: Soil</b>		

460985-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.96	287424	04/13/22	04/14/22	SBW
Arsenic	<b>3.2</b>		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Barium	<b>50</b>		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.48	0.96	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.48	0.96	287424	04/13/22	04/14/22	SBW
Chromium	<b>29</b>		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Cobalt	<b>9.6</b>		mg/Kg	0.48	0.96	287424	04/13/22	04/14/22	SBW
Copper	<b>15</b>		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Lead	<b>1.5</b>		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Nickel	<b>23</b>		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	2.9	0.96	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.48	0.96	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	2.9	0.96	287424	04/13/22	04/14/22	SBW
Vanadium	<b>36</b>		mg/Kg	0.96	0.96	287424	04/13/22	04/14/22	SBW
Zinc	<b>36</b>		mg/Kg	4.8	0.96	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	89%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID:</b> E1-1	<b>Lab ID:</b> 460985-006	<b>Collected:</b> 04/05/22 09:31
<b>Matrix:</b> Soil		

460985-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.97	286966	04/06/22	04/07/22	SBW
Arsenic	5.1		mg/Kg	0.97	0.97	286966	04/06/22	04/07/22	SBW
Barium	120		mg/Kg	0.97	0.97	286966	04/06/22	04/07/22	SBW
Beryllium	ND		mg/Kg	0.49	0.97	286966	04/06/22	04/07/22	SBW
Cadmium	0.75		mg/Kg	0.49	0.97	286966	04/06/22	04/07/22	SBW
Chromium	36		mg/Kg	0.97	0.97	286966	04/06/22	04/07/22	SBW
Cobalt	11		mg/Kg	0.49	0.97	286966	04/06/22	04/07/22	SBW
Copper	27		mg/Kg	0.97	0.97	286966	04/06/22	04/07/22	SBW
Lead	25		mg/Kg	0.97	0.97	286966	04/06/22	04/07/22	SBW
Molybdenum	ND		mg/Kg	0.97	0.97	286966	04/06/22	04/07/22	SBW
Nickel	24		mg/Kg	0.97	0.97	286966	04/06/22	04/07/22	SBW
Selenium	ND		mg/Kg	2.9	0.97	286966	04/06/22	04/07/22	SBW
Silver	ND		mg/Kg	0.49	0.97	286966	04/06/22	04/07/22	SBW
Thallium	ND		mg/Kg	2.9	0.97	286966	04/06/22	04/07/22	SBW
Vanadium	51		mg/Kg	0.97	0.97	286966	04/06/22	04/07/22	SBW
Zinc	110		mg/Kg	4.9	0.97	286966	04/06/22	04/07/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	23		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	64		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	86%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

**Sample ID: E1-5                      Lab ID: 460985-007                      Collected: 04/05/22 09:32**

460985-007 Analyte	Result	Qual	Units	RL	Matrix	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B										
Prep Method: EPA 3050B										
Antimony	ND		mg/Kg	2.7	Soil	0.88	286982	04/06/22	04/07/22	KLN
Arsenic	2.0		mg/Kg	0.88	Soil	0.88	286982	04/06/22	04/07/22	KLN
Barium	78		mg/Kg	0.88	Soil	0.88	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.44	Soil	0.88	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.44	Soil	0.88	286982	04/06/22	04/07/22	KLN
Chromium	51		mg/Kg	0.88	Soil	0.88	286982	04/06/22	04/07/22	KLN
Cobalt	17		mg/Kg	0.44	Soil	0.88	286982	04/06/22	04/07/22	KLN
Copper	22		mg/Kg	0.88	Soil	0.88	286982	04/06/22	04/07/22	KLN
Lead	4.4		mg/Kg	0.88	Soil	0.88	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.88	Soil	0.88	286982	04/06/22	04/07/22	KLN
Nickel	41		mg/Kg	0.88	Soil	0.88	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.7	Soil	0.88	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.44	Soil	0.88	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.7	Soil	0.88	286982	04/06/22	04/07/22	KLN
Vanadium	70		mg/Kg	0.88	Soil	0.88	286982	04/06/22	04/07/22	KLN
Zinc	45		mg/Kg	4.4	Soil	0.88	286982	04/06/22	04/08/22	KLN
Method: EPA 6010B										
Prep Method: METHOD										
Chromium	ND		mg/L	0.30	WET Leachate	10	287737	04/21/22	04/21/22	KLN
Method: EPA 7471A										
Prep Method: METHOD										
Mercury	ND		mg/Kg	0.14	Soil	1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M										
Prep Method: EPA 3580										
GRO C8-C10	ND		mg/Kg	10	Soil	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	Soil	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	Soil	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>				<b>Limits</b>						
n-Triacontane	87%		%REC	70-130	Soil	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID: E1-10</b>	<b>Lab ID: 460985-008</b>	<b>Collected: 04/05/22 09:40</b>
<b>Matrix: Soil</b>		

460985-008 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.97	287424	04/13/22	04/14/22	SBW
Arsenic	4.1		mg/Kg	0.97	0.97	287424	04/13/22	04/14/22	SBW
Barium	180		mg/Kg	0.97	0.97	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.49	0.97	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.49	0.97	287424	04/13/22	04/14/22	SBW
Chromium	38		mg/Kg	0.97	0.97	287424	04/13/22	04/14/22	SBW
Cobalt	16		mg/Kg	0.49	0.97	287424	04/13/22	04/14/22	SBW
Copper	20		mg/Kg	0.97	0.97	287424	04/13/22	04/14/22	SBW
Lead	5.4		mg/Kg	0.97	0.97	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	0.97	0.97	287424	04/13/22	04/14/22	SBW
Nickel	27		mg/Kg	0.97	0.97	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	2.9	0.97	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.49	0.97	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	2.9	0.97	287424	04/13/22	04/14/22	SBW
Vanadium	60		mg/Kg	0.97	0.97	287424	04/13/22	04/14/22	SBW
Zinc	61		mg/Kg	4.9	0.97	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	93%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

<b>Sample ID: E1-15</b>	<b>Lab ID: 460985-009</b>	<b>Collected: 04/05/22 09:45</b>
<b>Matrix: Soil</b>		

460985-009 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	93%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID:</b> E1-20	<b>Lab ID:</b> 460985-010	<b>Collected:</b> 04/05/22 09:56
<b>Matrix:</b> Soil		

460985-010 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.6	0.85	287424	04/13/22	04/14/22	SBW
Arsenic	1.6		mg/Kg	0.85	0.85	287424	04/13/22	04/14/22	SBW
Barium	54		mg/Kg	0.85	0.85	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.43	0.85	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.43	0.85	287424	04/13/22	04/14/22	SBW
Chromium	15		mg/Kg	0.85	0.85	287424	04/13/22	04/14/22	SBW
Cobalt	4.9		mg/Kg	0.43	0.85	287424	04/13/22	04/14/22	SBW
Copper	11		mg/Kg	0.85	0.85	287424	04/13/22	04/14/22	SBW
Lead	2.3		mg/Kg	0.85	0.85	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	0.85	0.85	287424	04/13/22	04/14/22	SBW
Nickel	9.6		mg/Kg	0.85	0.85	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	2.6	0.85	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.43	0.85	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	2.6	0.85	287424	04/13/22	04/14/22	SBW
Vanadium	24		mg/Kg	0.85	0.85	287424	04/13/22	04/14/22	SBW
Zinc	31		mg/Kg	4.3	0.85	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	95%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID:</b> C4-1	<b>Lab ID:</b> 460985-011	<b>Collected:</b> 04/05/22 10:10
<b>Matrix:</b> Soil		

460985-011 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.1	1	286982	04/06/22	04/07/22	KLN
Arsenic	1.0		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Barium	64		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Chromium	26		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Cobalt	12		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Copper	16		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Lead	3.3		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Nickel	14		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	3.1	1	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	3.1	1	286982	04/06/22	04/07/22	KLN
Vanadium	31		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Zinc	25		mg/Kg	5.1	1	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	50	5	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	50	5	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	100	5	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>									
			<b>Limits</b>						
n-Triacontane	82%		%REC	70-130	5	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID: C4-5</b>	<b>Lab ID: 460985-012</b>	<b>Collected: 04/05/22 10:13</b>
<b>Matrix: Soil</b>		

460985-012 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.97	286982	04/06/22	04/07/22	KLN
Arsenic	1.5		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Barium	63		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Chromium	41		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Cobalt	11		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Copper	16		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Lead	3.2		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Nickel	27		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.9	0.97	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.9	0.97	286982	04/06/22	04/07/22	KLN
Vanadium	47		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Zinc	35		mg/Kg	4.9	0.97	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	96%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

<b>Sample ID: C4-10</b>	<b>Lab ID: 460985-013</b>	<b>Collected: 04/05/22 10:18</b>
<b>Matrix: Soil</b>		

460985-013 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	94%		%REC	70-130	1	286929	04/06/22	04/10/22	MES



## Analysis Results for 460985

<b>Sample ID: C4-15</b>	<b>Lab ID: 460985-014</b>	<b>Collected: 04/05/22 10:20</b>
<b>Matrix: Soil</b>		

460985-014 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	100%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

<b>Sample ID: C4-20</b>	<b>Lab ID: 460985-015</b>	<b>Collected: 04/05/22 10:31</b>
<b>Matrix: Soil</b>		

460985-015 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	92%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID:</b> A1-1	<b>Lab ID:</b> 460985-016	<b>Collected:</b> 04/05/22 11:10
<b>Matrix:</b> Soil		

460985-016 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.96	286982	04/06/22	04/07/22	KLN
Arsenic	<b>2.9</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Barium	<b>100</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.48	0.96	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.48	0.96	286982	04/06/22	04/07/22	KLN
Chromium	<b>34</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Cobalt	<b>12</b>		mg/Kg	0.48	0.96	286982	04/06/22	04/07/22	KLN
Copper	<b>19</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Lead	<b>13</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Nickel	<b>20</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.9	0.96	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.48	0.96	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.9	0.96	286982	04/06/22	04/07/22	KLN
Vanadium	<b>42</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Zinc	<b>51</b>		mg/Kg	4.8	0.96	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	94%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID: A1-5</b>	<b>Lab ID: 460985-017</b>	<b>Collected: 04/05/22 11:11</b>
<b>Matrix: Soil</b>		

460985-017 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.98	286982	04/06/22	04/07/22	KLN
Arsenic	ND		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Barium	<b>62</b>		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.49	0.98	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.49	0.98	286982	04/06/22	04/07/22	KLN
Chromium	<b>36</b>		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Cobalt	<b>8.6</b>		mg/Kg	0.49	0.98	286982	04/06/22	04/07/22	KLN
Copper	<b>13</b>		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Lead	<b>3.3</b>		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Nickel	<b>18</b>		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.9	0.98	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.49	0.98	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.9	0.98	286982	04/06/22	04/07/22	KLN
Vanadium	<b>34</b>		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Zinc	<b>30</b>		mg/Kg	4.9	0.98	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	94%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

<b>Sample ID: A1-10</b>	<b>Lab ID: 460985-018</b>	<b>Collected: 04/05/22 11:18</b>
<b>Matrix: Soil</b>		

460985-018 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	91%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

Sample ID: A1-15

Lab ID: 460985-019

Collected: 04/05/22 11:21

Matrix: Soil

460985-019 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.97	286982	04/06/22	04/07/22	KLN
Arsenic	8.6		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Barium	110		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Chromium	26		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Cobalt	11		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Copper	12		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Lead	2.6		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Molybdenum	1.1		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Nickel	22		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.9	0.97	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.9	0.97	286982	04/06/22	04/07/22	KLN
Vanadium	38		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Zinc	31		mg/Kg	4.9	0.97	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	84%		%REC	70-130	1	286930	04/06/22	04/11/22	MES
Method: EPA 8260B Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Freon 12	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromomethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Acetone	ND		ug/Kg	100	1	286927	04/06/22	04/06/22	RAO
Freon 113	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Methylene Chloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
MTBE	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO

### Analysis Results for 460985

460985-019 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2-Butanone	ND		ug/Kg	100	1	286927	04/06/22	04/06/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloroform	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Benzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Trichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Dibromomethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Toluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
m,p-Xylenes	ND		ug/Kg	10	1	286927	04/06/22	04/06/22	RAO
o-Xylene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Styrene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromoform	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Propylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO

### Analysis Results for 460985

460985-019 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Naphthalene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Xylene (total)	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
<b>Surrogates</b>									
									<b>Limits</b>
Dibromofluoromethane	101%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane-d4	105%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
Toluene-d8	98%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
Bromofluorobenzene	94%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO

## Analysis Results for 460985

Sample ID: A1-20

Lab ID: 460985-020

Collected: 04/05/22 11:33

Matrix: Soil

460985-020 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.0	0.99	286982	04/06/22	04/07/22	KLN
Arsenic	4.7		mg/Kg	0.99	0.99	286982	04/06/22	04/07/22	KLN
Barium	63		mg/Kg	0.99	0.99	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.50	0.99	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.50	0.99	286982	04/06/22	04/07/22	KLN
Chromium	34		mg/Kg	0.99	0.99	286982	04/06/22	04/07/22	KLN
Cobalt	10		mg/Kg	0.50	0.99	286982	04/06/22	04/07/22	KLN
Copper	16		mg/Kg	0.99	0.99	286982	04/06/22	04/07/22	KLN
Lead	4.4		mg/Kg	0.99	0.99	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.99	0.99	286982	04/06/22	04/07/22	KLN
Nickel	20		mg/Kg	0.99	0.99	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	3.0	0.99	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.50	0.99	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	3.0	0.99	286982	04/06/22	04/07/22	KLN
Vanadium	53		mg/Kg	0.99	0.99	286982	04/06/22	04/07/22	KLN
Zinc	43		mg/Kg	5.0	0.99	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	84%		%REC	70-130	1	286930	04/06/22	04/11/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Freon 12	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromomethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Acetone	ND		ug/Kg	100	1	286927	04/06/22	04/06/22	RAO
Freon 113	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Methylene Chloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
MTBE	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO

## Analysis Results for 460985

460985-020 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2-Butanone	ND		ug/Kg	100	1	286927	04/06/22	04/06/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloroform	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Benzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Trichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Dibromomethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Toluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
m,p-Xylenes	ND		ug/Kg	10	1	286927	04/06/22	04/06/22	RAO
o-Xylene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Styrene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromoform	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Propylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO



### Analysis Results for 460985

460985-020 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Naphthalene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Xylene (total)	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
<b>Surrogates</b>									
				<b>Limits</b>					
Dibromofluoromethane	103%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane-d4	109%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
Toluene-d8	98%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
Bromofluorobenzene	94%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO

## Analysis Results for 460985

<b>Sample ID:</b> C2-1	<b>Lab ID:</b> 460985-021	<b>Collected:</b> 04/05/22 11:50
<b>Matrix:</b> Soil		

460985-021 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.0	1	286982	04/06/22	04/07/22	KLN
Arsenic	7.1		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Barium	86		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.50	1	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.50	1	286982	04/06/22	04/07/22	KLN
Chromium	29		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Cobalt	8.9		mg/Kg	0.50	1	286982	04/06/22	04/07/22	KLN
Copper	19		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Lead	21		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Nickel	18		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	3.0	1	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.50	1	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	3.0	1	286982	04/06/22	04/07/22	KLN
Vanadium	37		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Zinc	85		mg/Kg	5.0	1	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	100	10	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	100	10	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	200	10	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	71%		%REC	70-130	10	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID:</b> C2-5	<b>Lab ID:</b> 460985-022	<b>Collected:</b> 04/05/22 11:51
<b>Matrix:</b> Soil		

460985-022 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.0	1	286982	04/06/22	04/07/22	KLN
Arsenic	<b>1.6</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Barium	<b>67</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.50	1	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.50	1	286982	04/06/22	04/07/22	KLN
Chromium	<b>44</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Cobalt	<b>14</b>		mg/Kg	0.50	1	286982	04/06/22	04/07/22	KLN
Copper	<b>17</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Lead	<b>3.5</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Nickel	<b>31</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	3.0	1	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.50	1	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	3.0	1	286982	04/06/22	04/07/22	KLN
Vanadium	<b>50</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Zinc	<b>36</b>		mg/Kg	5.0	1	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286929	04/06/22	04/10/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286929	04/06/22	04/10/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	98%		%REC	70-130	1	286929	04/06/22	04/10/22	MES

## Analysis Results for 460985

<b>Sample ID: C2-10</b>	<b>Lab ID: 460985-023</b>	<b>Collected: 04/05/22 11:55</b>
<b>Matrix: Soil</b>		

460985-023 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.1	1	287424	04/13/22	04/14/22	SBW
Arsenic	2.7		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Barium	120		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.51	1	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.51	1	287424	04/13/22	04/14/22	SBW
Chromium	56		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Cobalt	17		mg/Kg	0.51	1	287424	04/13/22	04/14/22	SBW
Copper	22		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Lead	4.7		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Nickel	35		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	3.1	1	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.51	1	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	3.1	1	287424	04/13/22	04/14/22	SBW
Vanadium	60		mg/Kg	1.0	1	287424	04/13/22	04/14/22	SBW
Zinc	67		mg/Kg	5.1	1	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	95%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

## Analysis Results for 460985

<b>Sample ID: C2-15</b>	<b>Lab ID: 460985-024</b>	<b>Collected: 04/05/22 11:58</b>
<b>Matrix: Soil</b>		

460985-024 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.95	287424	04/13/22	04/14/22	SBW
Arsenic	ND		mg/Kg	0.95	0.95	287424	04/13/22	04/14/22	SBW
Barium	<b>78</b>		mg/Kg	0.95	0.95	287424	04/13/22	04/14/22	SBW
Beryllium	ND		mg/Kg	0.48	0.95	287424	04/13/22	04/14/22	SBW
Cadmium	ND		mg/Kg	0.48	0.95	287424	04/13/22	04/14/22	SBW
Chromium	<b>39</b>		mg/Kg	0.95	0.95	287424	04/13/22	04/14/22	SBW
Cobalt	<b>21</b>		mg/Kg	0.48	0.95	287424	04/13/22	04/14/22	SBW
Copper	<b>20</b>		mg/Kg	0.95	0.95	287424	04/13/22	04/14/22	SBW
Lead	<b>3.9</b>		mg/Kg	0.95	0.95	287424	04/13/22	04/14/22	SBW
Molybdenum	ND		mg/Kg	0.95	0.95	287424	04/13/22	04/14/22	SBW
Nickel	<b>23</b>		mg/Kg	0.95	0.95	287424	04/13/22	04/14/22	SBW
Selenium	ND		mg/Kg	2.9	0.95	287424	04/13/22	04/14/22	SBW
Silver	ND		mg/Kg	0.48	0.95	287424	04/13/22	04/14/22	SBW
Thallium	ND		mg/Kg	2.9	0.95	287424	04/13/22	04/14/22	SBW
Vanadium	<b>42</b>		mg/Kg	0.95	0.95	287424	04/13/22	04/14/22	SBW
Zinc	<b>51</b>		mg/Kg	4.8	0.95	287424	04/13/22	04/14/22	SBW
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	287497	04/13/22	04/14/22	SBW
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	92%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

## Analysis Results for 460985

<b>Sample ID:</b> B2-1	<b>Lab ID:</b> 460985-025	<b>Collected:</b> 04/05/22 12:50
<b>Matrix:</b> Soil		

460985-025 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.1	1	286982	04/06/22	04/07/22	KLN
Arsenic	<b>3.5</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Barium	<b>150</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Chromium	<b>35</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Cobalt	<b>10</b>		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Copper	<b>15</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Lead	<b>40</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Nickel	<b>18</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	3.1	1	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	3.1	1	286982	04/06/22	04/07/22	KLN
Vanadium	<b>45</b>		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Zinc	<b>91</b>		mg/Kg	5.1	1	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	<b>13</b>		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	83%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

## Analysis Results for 460985

<b>Sample ID: B2-5</b>	<b>Lab ID: 460985-026</b>	<b>Collected: 04/05/22 12:55</b>
<b>Matrix: Soil</b>		

460985-026 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.96	286982	04/06/22	04/07/22	KLN
Arsenic	ND		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Barium	<b>54</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.48	0.96	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.48	0.96	286982	04/06/22	04/07/22	KLN
Chromium	<b>29</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Cobalt	<b>7.3</b>		mg/Kg	0.48	0.96	286982	04/06/22	04/07/22	KLN
Copper	<b>11</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Lead	<b>2.7</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Nickel	<b>18</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.9	0.96	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.48	0.96	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.9	0.96	286982	04/06/22	04/07/22	KLN
Vanadium	<b>30</b>		mg/Kg	0.96	0.96	286982	04/06/22	04/07/22	KLN
Zinc	<b>26</b>		mg/Kg	4.8	0.96	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	96%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

<b>Sample ID: B2-10</b>	<b>Lab ID: 460985-027</b>	<b>Collected: 04/05/22 13:00</b>
<b>Matrix: Soil</b>		

460985-027 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	97%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

## Analysis Results for 460985

<b>Sample ID: B2-15</b>	<b>Lab ID: 460985-028</b>	<b>Collected: 04/05/22 13:08</b>
<b>Matrix: Soil</b>		

460985-028 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	98%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

<b>Sample ID: B2-20</b>	<b>Lab ID: 460985-029</b>	<b>Collected: 04/05/22 13:13</b>
<b>Matrix: Soil</b>		

460985-029 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	91%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

<b>Sample ID: C2-20</b>	<b>Lab ID: 460985-030</b>	<b>Collected: 04/05/22 12:08</b>
<b>Matrix: Soil</b>		

460985-030 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	95%		%REC	70-130	1	286930	04/06/22	04/11/22	MES



## Analysis Results for 460985

<b>Sample ID:</b> A2-1	<b>Lab ID:</b> 460985-031	<b>Collected:</b> 04/05/22 13:30
<b>Matrix:</b> Soil		

460985-031 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.97	286982	04/06/22	04/07/22	KLN
Arsenic	<b>1.8</b>		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Barium	<b>95</b>		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Chromium	<b>34</b>		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Cobalt	<b>11</b>		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Copper	<b>16</b>		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Lead	<b>11</b>		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Nickel	<b>20</b>		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.9	0.97	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.49	0.97	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.9	0.97	286982	04/06/22	04/07/22	KLN
Vanadium	<b>38</b>		mg/Kg	0.97	0.97	286982	04/06/22	04/07/22	KLN
Zinc	<b>46</b>		mg/Kg	4.9	0.97	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	91%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

## Analysis Results for 460985

<b>Sample ID:</b> A2-5	<b>Lab ID:</b> 460985-032	<b>Collected:</b> 04/05/22 13:31
<b>Matrix:</b> Soil		

460985-032 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.8	0.94	286982	04/06/22	04/07/22	KLN
Arsenic	<b>0.96</b>		mg/Kg	0.94	0.94	286982	04/06/22	04/07/22	KLN
Barium	<b>63</b>		mg/Kg	0.94	0.94	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.47	0.94	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.47	0.94	286982	04/06/22	04/07/22	KLN
Chromium	<b>37</b>		mg/Kg	0.94	0.94	286982	04/06/22	04/07/22	KLN
Cobalt	<b>11</b>		mg/Kg	0.47	0.94	286982	04/06/22	04/07/22	KLN
Copper	<b>15</b>		mg/Kg	0.94	0.94	286982	04/06/22	04/07/22	KLN
Lead	<b>4.1</b>		mg/Kg	0.94	0.94	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.94	0.94	286982	04/06/22	04/07/22	KLN
Nickel	<b>23</b>		mg/Kg	0.94	0.94	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.8	0.94	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.47	0.94	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.8	0.94	286982	04/06/22	04/07/22	KLN
Vanadium	<b>40</b>		mg/Kg	0.94	0.94	286982	04/06/22	04/07/22	KLN
Zinc	<b>36</b>		mg/Kg	4.7	0.94	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.17	1.2	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	95%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

<b>Sample ID:</b> A2-10	<b>Lab ID:</b> 460985-033	<b>Collected:</b> 04/05/22 13:55
<b>Matrix:</b> Soil		

460985-033 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	92%		%REC	70-130	1	286930	04/06/22	04/11/22	MES

## Analysis Results for 460985

Sample ID: A2-15

Lab ID: 460985-034

Collected: 04/05/22 13:38

Matrix: Soil

460985-034 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.1	1	286982	04/06/22	04/07/22	KLN
Arsenic	1.7		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Barium	44		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Chromium	25		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Cobalt	7.2		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Copper	11		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Lead	3.0		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Nickel	17		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	3.1	1	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.51	1	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	3.1	1	286982	04/06/22	04/07/22	KLN
Vanadium	33		mg/Kg	1.0	1	286982	04/06/22	04/07/22	KLN
Zinc	28		mg/Kg	5.1	1	286982	04/06/22	04/08/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	87%		%REC	70-130	1	286930	04/06/22	04/11/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Freon 12	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromomethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Acetone	ND		ug/Kg	100	1	286927	04/06/22	04/06/22	RAO
Freon 113	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Methylene Chloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
MTBE	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO

### Analysis Results for 460985

460985-034 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2-Butanone	ND		ug/Kg	100	1	286927	04/06/22	04/06/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloroform	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Benzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Trichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Dibromomethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Toluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
m,p-Xylenes	ND		ug/Kg	10	1	286927	04/06/22	04/06/22	RAO
o-Xylene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Styrene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromoform	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Propylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO

### Analysis Results for 460985

460985-034 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Naphthalene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Xylene (total)	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
<b>Surrogates</b>				<b>Limits</b>					
Dibromofluoromethane	99%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane-d4	106%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
Toluene-d8	99%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
Bromofluorobenzene	95%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO

## Analysis Results for 460985

Sample ID: A2-20

Lab ID: 460985-035

Collected: 04/05/22 13:40

Matrix: Soil

460985-035 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	3.2	1.1	286982	04/06/22	04/07/22	KLN
Arsenic	1.7		mg/Kg	1.1	1.1	286982	04/06/22	04/07/22	KLN
Barium	24		mg/Kg	1.1	1.1	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.53	1.1	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.53	1.1	286982	04/06/22	04/07/22	KLN
Chromium	9.0		mg/Kg	1.1	1.1	286982	04/06/22	04/07/22	KLN
Cobalt	2.9		mg/Kg	0.53	1.1	286982	04/06/22	04/07/22	KLN
Copper	4.0		mg/Kg	1.1	1.1	286982	04/06/22	04/07/22	KLN
Lead	ND		mg/Kg	1.1	1.1	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	1.1	1.1	286982	04/06/22	04/07/22	KLN
Nickel	6.2		mg/Kg	1.1	1.1	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	3.2	1.1	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.53	1.1	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	3.2	1.1	286982	04/06/22	04/07/22	KLN
Vanadium	16		mg/Kg	1.1	1.1	286982	04/06/22	04/07/22	KLN
Zinc	11		mg/Kg	5.3	1.1	286982	04/06/22	04/07/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.16	1.2	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	82%		%REC	70-130	1	286930	04/06/22	04/11/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Freon 12	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Vinyl Chloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromomethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Trichlorofluoromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Acetone	ND		ug/Kg	100	1	286927	04/06/22	04/06/22	RAO
Freon 113	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Methylene Chloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
MTBE	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO

## Analysis Results for 460985

460985-035 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2-Butanone	ND		ug/Kg	100	1	286927	04/06/22	04/06/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2,2-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chloroform	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromochloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Carbon Tetrachloride	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Benzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Trichloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromodichloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Dibromomethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Toluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3-Dichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Tetrachloroethene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Dibromochloromethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dibromoethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Chlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Ethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
m,p-Xylenes	ND		ug/Kg	10	1	286927	04/06/22	04/06/22	RAO
o-Xylene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Styrene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromoform	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Isopropylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Propylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Bromobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
2-Chlorotoluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
4-Chlorotoluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
tert-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
sec-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO

### Analysis Results for 460985

460985-035 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Hexachlorobutadiene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Naphthalene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
Xylene (total)	ND		ug/Kg	5.0	1	286927	04/06/22	04/06/22	RAO
<b>Surrogates</b>				<b>Limits</b>					
Dibromofluoromethane	101%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane-d4	110%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
Toluene-d8	97%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO
Bromofluorobenzene	94%		%REC	70-145	1	286927	04/06/22	04/06/22	RAO



## Analysis Results for 460985

Sample ID: A2-17

Lab ID: 460985-036

Collected: 04/05/22 13:39

Matrix: Soil

460985-036 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.9	0.98	286982	04/06/22	04/07/22	KLN
Arsenic	2.8		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Barium	39		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.49	0.98	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.49	0.98	286982	04/06/22	04/07/22	KLN
Chromium	21		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Cobalt	6.6		mg/Kg	0.49	0.98	286982	04/06/22	04/07/22	KLN
Copper	9.9		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Lead	4.9		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Nickel	14		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.9	0.98	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.49	0.98	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.9	0.98	286982	04/06/22	04/07/22	KLN
Vanadium	36		mg/Kg	0.98	0.98	286982	04/06/22	04/07/22	KLN
Zinc	24		mg/Kg	4.9	0.98	286982	04/06/22	04/07/22	KLN
Method: EPA 7471A Prep Method: METHOD									
Mercury	ND		mg/Kg	0.15	1.1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	85%		%REC	70-130	1	286930	04/06/22	04/11/22	MES
Method: EPA 8260B Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Freon 12	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Chloromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Vinyl Chloride	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromomethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Chloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Trichlorofluoromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Acetone	ND		ug/Kg	500	5	286927	04/06/22	04/06/22	RAO
Freon 113	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Methylene Chloride	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
MTBE	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO

## Analysis Results for 460985

460985-036 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
2-Butanone	ND		ug/Kg	500	5	286927	04/06/22	04/06/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
2,2-Dichloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Chloroform	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromochloromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1-Dichloropropene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Carbon Tetrachloride	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Benzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Trichloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dichloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromodichloromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Dibromomethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Toluene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,3-Dichloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Tetrachloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Dibromochloromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dibromoethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Chlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Ethylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
m,p-Xylenes	ND		ug/Kg	50	5	286927	04/06/22	04/06/22	RAO
o-Xylene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Styrene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromoform	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Isopropylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Propylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
2-Chlorotoluene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
4-Chlorotoluene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
tert-Butylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
sec-Butylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO

### Analysis Results for 460985

460985-036 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Hexachlorobutadiene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Naphthalene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Xylene (total)	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
<b>Surrogates</b>									
									<b>Limits</b>
Dibromofluoromethane	101%		%REC	70-145	5	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane-d4	104%		%REC	70-145	5	286927	04/06/22	04/06/22	RAO
Toluene-d8	98%		%REC	70-145	5	286927	04/06/22	04/06/22	RAO
Bromofluorobenzene	97%		%REC	70-145	5	286927	04/06/22	04/06/22	RAO

## Analysis Results for 460985

Sample ID: A2-19

Lab ID: 460985-037

Collected: 04/05/22 13:39

Matrix: Soil

460985-037 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 6010B									
Prep Method: EPA 3050B									
Antimony	ND		mg/Kg	2.8	0.92	286982	04/06/22	04/07/22	KLN
Arsenic	2.0		mg/Kg	0.92	0.92	286982	04/06/22	04/07/22	KLN
Barium	71		mg/Kg	0.92	0.92	286982	04/06/22	04/07/22	KLN
Beryllium	ND		mg/Kg	0.46	0.92	286982	04/06/22	04/07/22	KLN
Cadmium	ND		mg/Kg	0.46	0.92	286982	04/06/22	04/07/22	KLN
Chromium	21		mg/Kg	0.92	0.92	286982	04/06/22	04/07/22	KLN
Cobalt	6.5		mg/Kg	0.46	0.92	286982	04/06/22	04/07/22	KLN
Copper	8.9		mg/Kg	0.92	0.92	286982	04/06/22	04/07/22	KLN
Lead	3.3		mg/Kg	0.92	0.92	286982	04/06/22	04/07/22	KLN
Molybdenum	ND		mg/Kg	0.92	0.92	286982	04/06/22	04/07/22	KLN
Nickel	13		mg/Kg	0.92	0.92	286982	04/06/22	04/07/22	KLN
Selenium	ND		mg/Kg	2.8	0.92	286982	04/06/22	04/07/22	KLN
Silver	ND		mg/Kg	0.46	0.92	286982	04/06/22	04/07/22	KLN
Thallium	ND		mg/Kg	2.8	0.92	286982	04/06/22	04/07/22	KLN
Vanadium	32		mg/Kg	0.92	0.92	286982	04/06/22	04/07/22	KLN
Zinc	24		mg/Kg	4.6	0.92	286982	04/06/22	04/07/22	KLN
Method: EPA 7471A									
Prep Method: METHOD									
Mercury	ND		mg/Kg	0.14	1	286987	04/06/22	04/07/22	KLN
Method: EPA 8015M									
Prep Method: EPA 3580									
GRO C8-C10	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
DRO C10-C28	ND		mg/Kg	10	1	286930	04/06/22	04/11/22	MES
ORO C28-C44	ND		mg/Kg	20	1	286930	04/06/22	04/11/22	MES
<b>Surrogates</b>				<b>Limits</b>					
n-Triacontane	78%		%REC	70-130	1	286930	04/06/22	04/11/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Freon 12	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Chloromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Vinyl Chloride	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromomethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Chloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Trichlorofluoromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Acetone	ND		ug/Kg	500	5	286927	04/06/22	04/06/22	RAO
Freon 113	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Methylene Chloride	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
MTBE	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO

### Analysis Results for 460985

460985-037 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,2-Dichloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1-Dichloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
2-Butanone	ND		ug/Kg	500	5	286927	04/06/22	04/06/22	RAO
cis-1,2-Dichloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
2,2-Dichloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Chloroform	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromochloromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1,1-Trichloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1-Dichloropropene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Carbon Tetrachloride	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Benzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Trichloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dichloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromodichloromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Dibromomethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
4-Methyl-2-Pentanone	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
cis-1,3-Dichloropropene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Toluene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
trans-1,3-Dichloropropene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1,2-Trichloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,3-Dichloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Tetrachloroethene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Dibromochloromethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dibromoethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Chlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1,1,2-Tetrachloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Ethylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
m,p-Xylenes	ND		ug/Kg	50	5	286927	04/06/22	04/06/22	RAO
o-Xylene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Styrene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromoform	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Isopropylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,1,2,2-Tetrachloroethane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2,3-Trichloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Propylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Bromobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,3,5-Trimethylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
2-Chlorotoluene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
4-Chlorotoluene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
tert-Butylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2,4-Trimethylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
sec-Butylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
para-Isopropyl Toluene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,3-Dichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,4-Dichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO

### Analysis Results for 460985

460985-037 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
n-Butylbenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2,4-Trichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Hexachlorobutadiene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Naphthalene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
1,2,3-Trichlorobenzene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
cis-1,4-Dichloro-2-butene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
trans-1,4-Dichloro-2-butene	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
Xylene (total)	ND		ug/Kg	25	5	286927	04/06/22	04/06/22	RAO
<b>Surrogates</b>									
									<b>Limits</b>
Dibromofluoromethane	98%		%REC	70-145	5	286927	04/06/22	04/06/22	RAO
1,2-Dichloroethane-d4	106%		%REC	70-145	5	286927	04/06/22	04/06/22	RAO
Toluene-d8	97%		%REC	70-145	5	286927	04/06/22	04/06/22	RAO
Bromofluorobenzene	95%		%REC	70-145	5	286927	04/06/22	04/06/22	RAO

## Analysis Results for 460985

<b>Sample ID: B3-W</b>	<b>Lab ID: 460985-038</b>	<b>Collected: 04/05/22 09:00</b>
<b>Matrix: Water</b>		

460985-038 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B									
Prep Method: EPA 5030B									
TPH Gasoline	ND		ug/L	50	1	287057	04/08/22	04/08/22	EMW
<b>Surrogates</b>					<b>Limits</b>				
Bromofluorobenzene (FID)	85%		%REC	60-140	1	287057	04/08/22	04/08/22	EMW
Method: EPA 8015B									
Prep Method: EPA 3510C									
DRO C10-C28	ND		mg/L	0.094	0.94	286871	04/06/22	04/09/22	MES
ORO C28-C44	ND		mg/L	0.28	0.94	286871	04/06/22	04/09/22	MES
<b>Surrogates</b>					<b>Limits</b>				
n-Triacontane	87%		%REC	35-130	0.94	286871	04/06/22	04/09/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
3-Chloropropene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Freon 12	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Chloromethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Vinyl Chloride	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Bromomethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Chloroethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Trichlorofluoromethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Acetone	ND		ug/L	100	1	286931	04/06/22	04/06/22	TCN
Freon 113	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,1-Dichloroethene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Methylene Chloride	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
MTBE	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
trans-1,2-Dichloroethene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,1-Dichloroethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
2-Butanone	ND		ug/L	100	1	286931	04/06/22	04/06/22	TCN
cis-1,2-Dichloroethene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
2,2-Dichloropropane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Chloroform	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Bromochloromethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,1,1-Trichloroethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,1-Dichloropropene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Carbon Tetrachloride	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,2-Dichloroethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Benzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Trichloroethene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,2-Dichloropropane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Bromodichloromethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Dibromomethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
4-Methyl-2-Pentanone	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN

### Analysis Results for 460985

460985-038 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
cis-1,3-Dichloropropene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Toluene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
trans-1,3-Dichloropropene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,1,2-Trichloroethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,3-Dichloropropane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Tetrachloroethene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Dibromochloromethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,2-Dibromoethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Chlorobenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,1,1,2-Tetrachloroethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Ethylbenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
m,p-Xylenes	ND		ug/L	10	1	286931	04/06/22	04/06/22	TCN
o-Xylene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Styrene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Bromoform	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Isopropylbenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,1,2,2-Tetrachloroethane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,2,3-Trichloropropane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Propylbenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Bromobenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,3,5-Trimethylbenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
2-Chlorotoluene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
4-Chlorotoluene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
tert-Butylbenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,2,4-Trimethylbenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
sec-Butylbenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
para-Isopropyl Toluene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,3-Dichlorobenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,4-Dichlorobenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
n-Butylbenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,2-Dichlorobenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,2-Dibromo-3-Chloropropane	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,2,4-Trichlorobenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Hexachlorobutadiene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Naphthalene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
1,2,3-Trichlorobenzene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
cis-1,4-Dichloro-2-butene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
trans-1,4-Dichloro-2-butene	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
Xylene (total)	ND		ug/L	5.0	1	286931	04/06/22	04/06/22	TCN
<b>Surrogates</b>				<b>Limits</b>					
Dibromofluoromethane	100%		%REC	70-140	1	286931	04/06/22	04/06/22	TCN
1,2-Dichloroethane-d4	96%		%REC	70-140	1	286931	04/06/22	04/06/22	TCN
Toluene-d8	96%		%REC	70-140	1	286931	04/06/22	04/06/22	TCN
Bromofluorobenzene	98%		%REC	70-140	1	286931	04/06/22	04/06/22	TCN



## Analysis Results for 460985

<b>Sample ID: B1-SV-5</b>	<b>Lab ID: 460985-039</b>	<b>Collected: 04/05/22 07:20</b>
	<b>Matrix: Air</b>	

460985-039 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	4.7		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	3,100		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID: B1-SV-10</b>	<b>Lab ID: 460985-040</b>	<b>Collected: 04/05/22 07:50</b>
	<b>Matrix: Air</b>	

460985-040 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.3		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	880		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID: C1-SV-5</b>	<b>Lab ID: 460985-041</b>	<b>Collected: 04/05/22 07:55</b>
	<b>Matrix: Air</b>	

460985-041 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	0.93		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	610		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID: C1-SV-10</b>	<b>Lab ID: 460985-042</b>	<b>Collected: 04/05/22 08:20</b>
	<b>Matrix: Air</b>	

460985-042 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.4		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	910		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID: C3-SV-5</b>	<b>Lab ID: 460985-043</b>	<b>Collected: 04/05/22 08:25</b>
	<b>Matrix: Air</b>	

460985-043 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	0.86		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	560		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

## Analysis Results for 460985

<b>Sample ID:</b> C3-SV-10	<b>Lab ID:</b> 460985-044	<b>Collected:</b> 04/05/22 08:40
	<b>Matrix:</b> Air	

460985-044 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.0		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	680		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID:</b> A3-SV-5	<b>Lab ID:</b> 460985-045	<b>Collected:</b> 04/05/22 10:05
	<b>Matrix:</b> Air	

460985-045 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	2.4		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	1,600		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID:</b> A3-SV-10	<b>Lab ID:</b> 460985-046	<b>Collected:</b> 04/05/22 10:30
	<b>Matrix:</b> Air	

460985-046 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	2.6		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	1,700		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID:</b> D1-SV-5	<b>Lab ID:</b> 460985-047	<b>Collected:</b> 04/05/22 10:40
	<b>Matrix:</b> Air	

460985-047 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.2		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	810		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID:</b> D1-SV-10	<b>Lab ID:</b> 460985-048	<b>Collected:</b> 04/05/22 10:55
	<b>Matrix:</b> Air	

460985-048 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.5		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	960		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

## Analysis Results for 460985

<b>Sample ID: D3-SV-5</b>	<b>Lab ID: 460985-049</b>	<b>Collected: 04/05/22 11:20</b>
	<b>Matrix: Air</b>	

460985-049 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	<b>0.82</b>		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	<b>540</b>		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID: D3-SV-10</b>	<b>Lab ID: 460985-050</b>	<b>Collected: 04/05/22 11:45</b>
	<b>Matrix: Air</b>	

460985-050 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	<b>1.2</b>		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	<b>790</b>		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID: E3-SV-5</b>	<b>Lab ID: 460985-051</b>	<b>Collected: 04/05/22 11:55</b>
	<b>Matrix: Air</b>	

460985-051 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	<b>2.9</b>		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	<b>1,900</b>		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

<b>Sample ID: E3-SV-10</b>	<b>Lab ID: 460985-052</b>	<b>Collected: 04/05/22 12:10</b>
	<b>Matrix: Air</b>	

460985-052 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	<b>2.8</b>		ppmv	0.50	1	286933	04/06/22	04/06/22	MPD
Methane	<b>1,800</b>		ug/m3	330	1	286933	04/06/22	04/06/22	MPD

ND Not Detected

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC985192</b>	<b>Batch: 287737</b>
<b>Matrix: WET Leachate</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: METHOD</b>

QC985192 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Chromium	ND		mg/L	0.30	04/21/22	04/21/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC985193</b>	<b>Batch: 287737</b>
<b>Matrix: WET Leachate</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: METHOD</b>

QC985193 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Chromium	5.572	5.000	mg/L	111%		80-120

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC985194</b>	<b>Batch: 287737</b>
<b>Matrix: WET Leachate</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: METHOD</b>

QC985194 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Chromium	5.587	5.000	mg/L	112%		80-120	0	20

<b>Type: Blank</b>	<b>Lab ID: QC981874</b>	<b>Batch: 286966</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981874 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Antimony	ND		mg/Kg	3.0	04/06/22	04/07/22
Arsenic	ND		mg/Kg	1.0	04/06/22	04/07/22
Barium	ND		mg/Kg	1.0	04/06/22	04/07/22
Beryllium	ND		mg/Kg	0.50	04/06/22	04/07/22
Cadmium	ND		mg/Kg	0.50	04/06/22	04/07/22
Chromium	ND		mg/Kg	1.0	04/06/22	04/07/22
Cobalt	ND		mg/Kg	0.50	04/06/22	04/07/22
Copper	ND		mg/Kg	1.0	04/06/22	04/07/22
Lead	ND		mg/Kg	1.0	04/06/22	04/07/22
Molybdenum	ND		mg/Kg	1.0	04/06/22	04/07/22
Nickel	ND		mg/Kg	1.0	04/06/22	04/07/22
Selenium	ND		mg/Kg	3.0	04/06/22	04/07/22
Silver	ND		mg/Kg	0.50	04/06/22	04/07/22
Thallium	ND		mg/Kg	3.0	04/06/22	04/07/22
Vanadium	ND		mg/Kg	1.0	04/06/22	04/07/22
Zinc	ND		mg/Kg	5.0	04/06/22	04/07/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981875</b>	<b>Batch: 286966</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981875 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Antimony	97.97	100.0	mg/Kg	98%		80-120
Arsenic	101.9	100.0	mg/Kg	102%		80-120
Barium	103.2	100.0	mg/Kg	103%		80-120
Beryllium	100.1	100.0	mg/Kg	100%		80-120
Cadmium	100.8	100.0	mg/Kg	101%		80-120
Chromium	105.2	100.0	mg/Kg	105%		80-120
Cobalt	105.6	100.0	mg/Kg	106%		80-120
Copper	96.66	100.0	mg/Kg	97%		80-120
Lead	108.2	100.0	mg/Kg	108%		80-120
Molybdenum	103.8	100.0	mg/Kg	104%		80-120
Nickel	105.9	100.0	mg/Kg	106%		80-120
Selenium	86.88	100.0	mg/Kg	87%		80-120
Silver	50.36	50.00	mg/Kg	101%		80-120
Thallium	102.4	100.0	mg/Kg	102%		80-120
Vanadium	102.5	100.0	mg/Kg	103%		80-120
Zinc	109.8	100.0	mg/Kg	110%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981876</b>	<b>Batch: 286966</b>
<b>Matrix (Source ID): Soil (460870-025)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981876 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Antimony	35.77	1.988	104.2	mg/Kg	32%	*	75-125	1
Arsenic	109.4	4.187	104.2	mg/Kg	101%		75-125	1
Barium	225.8	115.8	104.2	mg/Kg	106%		75-125	1
Beryllium	104.8	0.1942	104.2	mg/Kg	100%		75-125	1
Cadmium	108.7	0.4025	104.2	mg/Kg	104%		75-125	1
Chromium	200.0	86.31	104.2	mg/Kg	109%		75-125	1
Cobalt	122.4	16.99	104.2	mg/Kg	101%		75-125	1
Copper	187.8	76.18	104.2	mg/Kg	107%		75-125	1
Lead	533.5	415.5	104.2	mg/Kg	113%		75-125	1
Molybdenum	100.4	ND	104.2	mg/Kg	96%		75-125	1
Nickel	168.7	58.36	104.2	mg/Kg	106%		75-125	1
Selenium	91.64	ND	104.2	mg/Kg	88%		75-125	1
Silver	54.75	ND	52.08	mg/Kg	105%		75-125	1
Thallium	106.6	1.082	104.2	mg/Kg	101%		75-125	1
Vanadium	194.3	78.81	104.2	mg/Kg	111%		75-125	1
Zinc	384.0	266.3	104.2	mg/Kg	113%		75-125	1

## Batch QC

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981877</b>	<b>Batch: 286966</b>
<b>Matrix (Source ID): Soil (460870-025)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981877 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Antimony	29.04	1.988	91.74	mg/Kg	29%	*	75-125	8	41	0.92
Arsenic	97.04	4.187	91.74	mg/Kg	101%		75-125	0	35	0.92
Barium	215.6	115.8	91.74	mg/Kg	109%		75-125	1	20	0.92
Beryllium	92.37	0.1942	91.74	mg/Kg	100%		75-125	0	20	0.92
Cadmium	95.77	0.4025	91.74	mg/Kg	104%		75-125	0	20	0.92
Chromium	188.8	86.31	91.74	mg/Kg	112%		75-125	1	20	0.92
Cobalt	109.6	16.99	91.74	mg/Kg	101%		75-125	0	20	0.92
Copper	170.9	76.18	91.74	mg/Kg	103%		75-125	2	20	0.92
Lead	517.7	415.5	91.74	mg/Kg	111%	NM	75-125	1	20	0.92
Molybdenum	85.48	ND	91.74	mg/Kg	93%		75-125	3	20	0.92
Nickel	156.4	58.36	91.74	mg/Kg	107%		75-125	0	20	0.92
Selenium	80.60	ND	91.74	mg/Kg	88%		75-125	0	20	0.92
Silver	47.49	ND	45.87	mg/Kg	104%		75-125	2	20	0.92
Thallium	93.73	1.082	91.74	mg/Kg	101%		75-125	0	20	0.92
Vanadium	183.1	78.81	91.74	mg/Kg	114%		75-125	1	20	0.92
Zinc	361.7	266.3	91.74	mg/Kg	104%		75-125	3	20	0.92

<b>Type: Blank</b>	<b>Lab ID: QC981897</b>	<b>Batch: 286982</b>
<b>Matrix: Miscell.</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981897 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Antimony	ND		mg/Kg	3.0	04/06/22	04/07/22
Arsenic	ND		mg/Kg	1.0	04/06/22	04/07/22
Barium	ND		mg/Kg	1.0	04/06/22	04/07/22
Beryllium	ND		mg/Kg	0.50	04/06/22	04/07/22
Cadmium	ND		mg/Kg	0.50	04/06/22	04/07/22
Chromium	ND		mg/Kg	1.0	04/06/22	04/07/22
Cobalt	ND		mg/Kg	0.50	04/06/22	04/07/22
Copper	ND		mg/Kg	1.0	04/06/22	04/07/22
Lead	ND		mg/Kg	1.0	04/06/22	04/07/22
Molybdenum	ND		mg/Kg	1.0	04/06/22	04/07/22
Nickel	ND		mg/Kg	1.0	04/06/22	04/07/22
Selenium	ND		mg/Kg	3.0	04/06/22	04/07/22
Silver	ND		mg/Kg	0.50	04/06/22	04/07/22
Thallium	ND		mg/Kg	3.0	04/06/22	04/07/22
Vanadium	ND		mg/Kg	1.0	04/06/22	04/07/22
Zinc	ND		mg/Kg	5.0	04/06/22	04/08/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981898</b>	<b>Batch: 286982</b>
<b>Matrix: Miscell.</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981898 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Antimony	95.68	100.0	mg/Kg	96%		80-120
Arsenic	94.91	100.0	mg/Kg	95%		80-120
Barium	98.45	100.0	mg/Kg	98%		80-120
Beryllium	97.49	100.0	mg/Kg	97%		80-120
Cadmium	95.63	100.0	mg/Kg	96%		80-120
Chromium	97.94	100.0	mg/Kg	98%		80-120
Cobalt	97.91	100.0	mg/Kg	98%		80-120
Copper	92.82	100.0	mg/Kg	93%		80-120
Lead	98.06	100.0	mg/Kg	98%		80-120
Molybdenum	99.36	100.0	mg/Kg	99%		80-120
Nickel	97.32	100.0	mg/Kg	97%		80-120
Selenium	80.62	100.0	mg/Kg	81%		80-120
Silver	47.93	50.00	mg/Kg	96%		80-120
Thallium	97.73	100.0	mg/Kg	98%		80-120
Vanadium	93.19	100.0	mg/Kg	93%		80-120
Zinc	95.92	100.0	mg/Kg	96%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981899</b>	<b>Batch: 286982</b>
<b>Matrix (Source ID): Soil (460985-007)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981899 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Antimony	11.08	ND	83.33	mg/Kg	13%	*	75-125	0.83
Arsenic	83.07	2.020	83.33	mg/Kg	97%		75-125	0.83
Barium	175.9	77.99	83.33	mg/Kg	117%		75-125	0.83
Beryllium	81.49	0.2156	83.33	mg/Kg	98%		75-125	0.83
Cadmium	86.99	ND	83.33	mg/Kg	104%		75-125	0.83
Chromium	139.2	51.43	83.33	mg/Kg	105%		75-125	0.83
Cobalt	99.59	17.23	83.33	mg/Kg	99%		75-125	0.83
Copper	110.9	21.85	83.33	mg/Kg	107%		75-125	0.83
Lead	84.06	4.409	83.33	mg/Kg	96%		75-125	0.83
Molybdenum	68.35	ND	83.33	mg/Kg	82%		75-125	0.83
Nickel	124.5	41.36	83.33	mg/Kg	100%		75-125	0.83
Selenium	69.99	ND	83.33	mg/Kg	84%		75-125	0.83
Silver	43.31	ND	41.67	mg/Kg	104%		75-125	0.83
Thallium	84.01	1.295	83.33	mg/Kg	99%		75-125	0.83
Vanadium	155.6	69.79	83.33	mg/Kg	103%		75-125	0.83
Zinc	125.7	44.52	83.33	mg/Kg	97%		75-125	0.83

## Batch QC

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981900</b>	<b>Batch: 286982</b>
<b>Matrix (Source ID): Soil (460985-007)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC981900 Analyte	Result	Source Sample	Spiked	Units	Recovery	Qual	Limits	RPD		DF
		Result						RPD	Lim	
Antimony	14.07	ND	100.0	mg/Kg	14%	*	75-125	6	41	1
Arsenic	95.44	2.020	100.0	mg/Kg	93%		75-125	4	35	1
Barium	192.8	77.99	100.0	mg/Kg	115%		75-125	1	20	1
Beryllium	92.20	0.2156	100.0	mg/Kg	92%		75-125	6	20	1
Cadmium	102.1	ND	100.0	mg/Kg	102%		75-125	2	20	1
Chromium	149.8	51.43	100.0	mg/Kg	98%		75-125	4	20	1
Cobalt	112.2	17.23	100.0	mg/Kg	95%		75-125	3	20	1
Copper	124.6	21.85	100.0	mg/Kg	103%		75-125	3	20	1
Lead	94.93	4.409	100.0	mg/Kg	91%		75-125	5	20	1
Molybdenum	83.54	ND	100.0	mg/Kg	84%		75-125	2	20	1
Nickel	136.7	41.36	100.0	mg/Kg	95%		75-125	3	20	1
Selenium	81.22	ND	100.0	mg/Kg	81%		75-125	3	20	1
Silver	49.88	ND	50.00	mg/Kg	100%		75-125	4	20	1
Thallium	98.55	1.295	100.0	mg/Kg	97%		75-125	2	20	1
Vanadium	156.9	69.79	100.0	mg/Kg	87%		75-125	9	20	1
Zinc	139.1	44.52	100.0	mg/Kg	95%		75-125	2	20	1

<b>Type: Blank</b>	<b>Lab ID: QC983445</b>	<b>Batch: 287424</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC983445 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Antimony	ND		mg/Kg	3.0	04/13/22	04/14/22
Arsenic	ND		mg/Kg	1.0	04/13/22	04/14/22
Barium	ND		mg/Kg	1.0	04/13/22	04/14/22
Beryllium	ND		mg/Kg	0.50	04/13/22	04/14/22
Cadmium	ND		mg/Kg	0.50	04/13/22	04/14/22
Chromium	ND		mg/Kg	1.0	04/13/22	04/14/22
Cobalt	ND		mg/Kg	0.50	04/13/22	04/14/22
Copper	ND		mg/Kg	1.0	04/13/22	04/14/22
Lead	ND		mg/Kg	1.0	04/13/22	04/14/22
Molybdenum	ND		mg/Kg	1.0	04/13/22	04/14/22
Nickel	ND		mg/Kg	1.0	04/13/22	04/14/22
Selenium	ND		mg/Kg	3.0	04/13/22	04/14/22
Silver	ND		mg/Kg	0.50	04/13/22	04/14/22
Thallium	ND		mg/Kg	3.0	04/13/22	04/14/22
Vanadium	ND		mg/Kg	1.0	04/13/22	04/14/22
Zinc	ND		mg/Kg	5.0	04/13/22	04/14/22



## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC983446</b>	<b>Batch: 287424</b>
<b>Matrix: Soil</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC983446 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Antimony	97.89	100.0	mg/Kg	98%		80-120
Arsenic	101.1	100.0	mg/Kg	101%		80-120
Barium	107.5	100.0	mg/Kg	107%		80-120
Beryllium	93.02	100.0	mg/Kg	93%		80-120
Cadmium	101.3	100.0	mg/Kg	101%		80-120
Chromium	105.4	100.0	mg/Kg	105%		80-120
Cobalt	109.9	100.0	mg/Kg	110%		80-120
Copper	99.16	100.0	mg/Kg	99%		80-120
Lead	108.8	100.0	mg/Kg	109%		80-120
Molybdenum	107.2	100.0	mg/Kg	107%		80-120
Nickel	108.4	100.0	mg/Kg	108%		80-120
Selenium	89.96	100.0	mg/Kg	90%		80-120
Silver	50.90	50.00	mg/Kg	102%		80-120
Thallium	110.9	100.0	mg/Kg	111%		80-120
Vanadium	102.2	100.0	mg/Kg	102%		80-120
Zinc	92.05	100.0	mg/Kg	92%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC983447</b>	<b>Batch: 287424</b>
<b>Matrix (Source ID): Soil (460883-018)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC983447 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Antimony	29.84	1.844	105.3	mg/Kg	27%	*	75-125	1.1
Arsenic	116.5	2.667	105.3	mg/Kg	108%		75-125	1.1
Barium	233.0	91.65	105.3	mg/Kg	134%	*	75-125	1.1
Beryllium	104.6	0.1678	105.3	mg/Kg	99%		75-125	1.1
Cadmium	114.9	0.07713	105.3	mg/Kg	109%		75-125	1.1
Chromium	179.3	56.46	105.3	mg/Kg	117%		75-125	1.1
Cobalt	137.5	15.70	105.3	mg/Kg	116%		75-125	1.1
Copper	132.8	20.56	105.3	mg/Kg	107%		75-125	1.1
Lead	117.2	3.622	105.3	mg/Kg	108%		75-125	1.1
Molybdenum	110.9	ND	105.3	mg/Kg	105%		75-125	1.1
Nickel	162.4	42.55	105.3	mg/Kg	114%		75-125	1.1
Selenium	98.58	ND	105.3	mg/Kg	94%		75-125	1.1
Silver	54.73	ND	52.63	mg/Kg	104%		75-125	1.1
Thallium	116.0	1.222	105.3	mg/Kg	109%		75-125	1.1
Vanadium	183.2	60.77	105.3	mg/Kg	116%		75-125	1.1
Zinc	143.3	38.20	105.3	mg/Kg	100%		75-125	1.1

## Batch QC

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC983448</b>	<b>Batch: 287424</b>
<b>Matrix (Source ID): Soil (460883-018)</b>	<b>Method: EPA 6010B</b>	<b>Prep Method: EPA 3050B</b>

QC983448 Analyte	Result	Source Sample		Units	Recovery	Qual	Limits	RPD		DF
		Result	Spiked					RPD	Lim	
Antimony	29.99	1.844	103.1	mg/Kg	27%	*	75-125	3	41	1
Arsenic	109.6	2.667	103.1	mg/Kg	104%		75-125	4	35	1
Barium	210.2	91.65	103.1	mg/Kg	115%		75-125	9	20	1
Beryllium	98.57	0.1678	103.1	mg/Kg	95%		75-125	4	20	1
Cadmium	107.3	0.07713	103.1	mg/Kg	104%		75-125	5	20	1
Chromium	166.7	56.46	103.1	mg/Kg	107%		75-125	6	20	1
Cobalt	125.6	15.70	103.1	mg/Kg	107%		75-125	7	20	1
Copper	123.8	20.56	103.1	mg/Kg	100%		75-125	5	20	1
Lead	110.6	3.622	103.1	mg/Kg	104%		75-125	4	20	1
Molybdenum	105.4	ND	103.1	mg/Kg	102%		75-125	3	20	1
Nickel	149.5	42.55	103.1	mg/Kg	104%		75-125	7	20	1
Selenium	93.59	ND	103.1	mg/Kg	91%		75-125	3	20	1
Silver	52.01	ND	51.55	mg/Kg	101%		75-125	3	20	1
Thallium	110.1	1.222	103.1	mg/Kg	106%		75-125	3	20	1
Vanadium	165.8	60.77	103.1	mg/Kg	102%		75-125	9	20	1
Zinc	130.5	38.20	103.1	mg/Kg	90%		75-125	8	20	1

<b>Type: Blank</b>	<b>Lab ID: QC981953</b>	<b>Batch: 286987</b>
<b>Matrix: Soil</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981953 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Mercury	ND		mg/Kg	0.14	04/06/22	04/07/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981954</b>	<b>Batch: 286987</b>
<b>Matrix: Soil</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981954 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Mercury	0.8323	0.8333	mg/Kg	100%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981955</b>	<b>Batch: 286987</b>
<b>Matrix (Source ID): Soil (460985-007)</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981955 Analyte	Result	Source Sample		Units	Recovery	Qual	Limits	DF
		Result	Spiked					
Mercury	1.000	ND	0.9804	mg/Kg	102%		75-125	1.2

## Batch QC

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981956</b>	<b>Batch: 286987</b>
<b>Matrix (Source ID): Soil (460985-007)</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC981956 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Mercury	0.8979	ND	0.8621	mg/Kg	104%		75-125	2	20	1

<b>Type: Blank</b>	<b>Lab ID: QC983672</b>	<b>Batch: 287497</b>
<b>Matrix: Miscell.</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC983672 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Mercury	ND		mg/Kg	0.14	04/13/22	04/14/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC983673</b>	<b>Batch: 287497</b>
<b>Matrix: Miscell.</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC983673 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Mercury	0.8790	0.8333	mg/Kg	105%		80-120

<b>Type: Matrix Spike</b>	<b>Lab ID: QC983674</b>	<b>Batch: 287497</b>
<b>Matrix (Source ID): Soil (460883-018)</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC983674 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Mercury	0.9576	ND	0.9091	mg/Kg	105%		75-125	1.1

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC983675</b>	<b>Batch: 287497</b>
<b>Matrix (Source ID): Soil (460883-018)</b>	<b>Method: EPA 7471A</b>	<b>Prep Method: METHOD</b>

QC983675 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Mercury	0.9361	ND	0.9091	mg/Kg	103%		75-125	2	20	1.1

<b>Type: Blank</b>	<b>Lab ID: QC981577</b>	<b>Batch: 286871</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 3510C</b>

QC981577 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
DRO C10-C28	0.18		mg/L	0.10	04/05/22	04/08/22
ORO C28-C44	ND		mg/L	0.30	04/05/22	04/08/22
<b>Surrogates</b>				<b>Limits</b>		
n-Triacontane	91%		%REC	35-130	04/05/22	04/08/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981578</b>	<b>Batch: 286871</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 3510C</b>

QC981578 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	0.8345	1.000	mg/L	83%		42-120
<b>Surrogates</b>						
n-Triacontane	0.01370	0.02000	mg/L	68%		35-130

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC981579</b>	<b>Batch: 286871</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 3510C</b>

QC981579 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Diesel C10-C28	0.8556	1.000	mg/L	86%		42-120	3	36
<b>Surrogates</b>								
n-Triacontane	0.01441	0.02000	mg/L	72%		35-130		

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC982125</b>	<b>Batch: 287057</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 5030B</b>

QC982125 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
TPH Gasoline	604.8	500.0	ug/L	121%		70-130
<b>Surrogates</b>						
Bromofluorobenzene (FID)	198.3	200.0	ug/L	99%		60-140

<b>Type: Matrix Spike</b>	<b>Lab ID: QC982126</b>	<b>Batch: 287057</b>
<b>Matrix (Source ID): Water (460811-001)</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 5030B</b>

QC982126 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
TPH Gasoline	513.1	ND	500.0	ug/L	103%		70-130	1
<b>Surrogates</b>								
Bromofluorobenzene (FID)	169.0		200.0	ug/L	84%		60-140	1

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC982127</b>	<b>Batch: 287057</b>
<b>Matrix (Source ID): Water (460811-001)</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 5030B</b>

QC982127 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
TPH Gasoline	496.5	ND	500.0	ug/L	99%		70-130	3	30	1
<b>Surrogates</b>										
Bromofluorobenzene (FID)	192.6		200.0	ug/L	96%		60-140			1

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC982128</b>	<b>Batch: 287057</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 5030B</b>

QC982128 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH Gasoline	ND		ug/L	50	04/08/22	04/08/22
<b>Surrogates</b>				<b>Limits</b>		
Bromofluorobenzene (FID)	76%		%REC	60-140	04/08/22	04/08/22

<b>Type: Blank</b>	<b>Lab ID: QC981808</b>	<b>Batch: 286929</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981808 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
GRO C8-C10	ND		mg/Kg	10	04/06/22	04/10/22
DRO C10-C28	ND		mg/Kg	10	04/06/22	04/10/22
ORO C28-C44	ND		mg/Kg	20	04/06/22	04/10/22
<b>Surrogates</b>				<b>Limits</b>		
n-Triacontane	86%		%REC	70-130	04/06/22	04/10/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981809</b>	<b>Batch: 286929</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981809 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	221.5	250.0	mg/Kg	89%		76-122
<b>Surrogates</b>						
n-Triacontane	9.124	10.00	mg/Kg	91%		70-130

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981810</b>	<b>Batch: 286929</b>
<b>Matrix (Source ID): Soil (460985-001)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981810 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	240.4	1.782	250.0	mg/Kg	95%		62-126	1
<b>Surrogates</b>								
n-Triacontane	9.196		10.00	mg/Kg	92%		70-130	1

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981811</b>	<b>Batch: 286929</b>
<b>Matrix (Source ID): Soil (460985-001)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981811 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Diesel C10-C28	241.2	1.782	250.0	mg/Kg	96%		62-126	0	35	1
<b>Surrogates</b>										
n-Triacontane	9.340		10.00	mg/Kg	93%		70-130			1

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC981812</b>	<b>Batch: 286930</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981812 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
GRO C8-C10	ND		mg/Kg	10	04/06/22	04/11/22
DRO C10-C28	ND		mg/Kg	10	04/06/22	04/11/22
ORO C28-C44	ND		mg/Kg	20	04/06/22	04/11/22
Surrogates				Limits		
n-Triacontane	95%		%REC	70-130	04/06/22	04/11/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981813</b>	<b>Batch: 286930</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981813 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	232.6	250.0	mg/Kg	93%		76-122
Surrogates						
n-Triacontane	9.604	10.00	mg/Kg	96%		70-130

<b>Type: Matrix Spike</b>	<b>Lab ID: QC981814</b>	<b>Batch: 286930</b>
<b>Matrix (Source ID): Soil (460985-023)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981814 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Diesel C10-C28	218.5	2.264	250.0	mg/Kg	86%		62-126	1
Surrogates								
n-Triacontane	8.208		10.00	mg/Kg	82%		70-130	1

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC981815</b>	<b>Batch: 286930</b>
<b>Matrix (Source ID): Soil (460985-023)</b>	<b>Method: EPA 8015M</b>	<b>Prep Method: EPA 3580</b>

QC981815 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Diesel C10-C28	224.4	2.264	250.0	mg/Kg	89%		62-126	3	35	1
Surrogates										
n-Triacontane	9.205		10.00	mg/Kg	92%		70-130			1

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC981740</b>	<b>Batch: 286931</b>
<b>Matrix: Water</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981740 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/L	5.0	04/06/22	04/06/22
Freon 12	ND		ug/L	5.0	04/06/22	04/06/22
Chloromethane	ND		ug/L	5.0	04/06/22	04/06/22
Vinyl Chloride	ND		ug/L	5.0	04/06/22	04/06/22
Bromomethane	ND		ug/L	5.0	04/06/22	04/06/22
Chloroethane	ND		ug/L	5.0	04/06/22	04/06/22
Trichlorofluoromethane	ND		ug/L	5.0	04/06/22	04/06/22
Acetone	ND		ug/L	100	04/06/22	04/06/22
Freon 113	ND		ug/L	5.0	04/06/22	04/06/22
1,1-Dichloroethene	ND		ug/L	5.0	04/06/22	04/06/22
Methylene Chloride	ND		ug/L	5.0	04/06/22	04/06/22
MTBE	ND		ug/L	5.0	04/06/22	04/06/22
trans-1,2-Dichloroethene	ND		ug/L	5.0	04/06/22	04/06/22
1,1-Dichloroethane	ND		ug/L	5.0	04/06/22	04/06/22
2-Butanone	ND		ug/L	100	04/06/22	04/06/22
cis-1,2-Dichloroethene	ND		ug/L	5.0	04/06/22	04/06/22
2,2-Dichloropropane	ND		ug/L	5.0	04/06/22	04/06/22
Chloroform	ND		ug/L	5.0	04/06/22	04/06/22
Bromochloromethane	ND		ug/L	5.0	04/06/22	04/06/22
1,1,1-Trichloroethane	ND		ug/L	5.0	04/06/22	04/06/22
1,1-Dichloropropene	ND		ug/L	5.0	04/06/22	04/06/22
Carbon Tetrachloride	ND		ug/L	5.0	04/06/22	04/06/22
1,2-Dichloroethane	ND		ug/L	5.0	04/06/22	04/06/22
Benzene	ND		ug/L	5.0	04/06/22	04/06/22
Trichloroethene	ND		ug/L	5.0	04/06/22	04/06/22
1,2-Dichloropropane	ND		ug/L	5.0	04/06/22	04/06/22
Bromodichloromethane	ND		ug/L	5.0	04/06/22	04/06/22
Dibromomethane	ND		ug/L	5.0	04/06/22	04/06/22
4-Methyl-2-Pentanone	ND		ug/L	5.0	04/06/22	04/06/22
cis-1,3-Dichloropropene	ND		ug/L	5.0	04/06/22	04/06/22
Toluene	ND		ug/L	5.0	04/06/22	04/06/22
trans-1,3-Dichloropropene	ND		ug/L	5.0	04/06/22	04/06/22
1,1,2-Trichloroethane	ND		ug/L	5.0	04/06/22	04/06/22
1,3-Dichloropropane	ND		ug/L	5.0	04/06/22	04/06/22
Tetrachloroethene	ND		ug/L	5.0	04/06/22	04/06/22
Dibromochloromethane	ND		ug/L	5.0	04/06/22	04/06/22
1,2-Dibromoethane	ND		ug/L	5.0	04/06/22	04/06/22
Chlorobenzene	ND		ug/L	5.0	04/06/22	04/06/22
1,1,1,2-Tetrachloroethane	ND		ug/L	5.0	04/06/22	04/06/22
Ethylbenzene	ND		ug/L	5.0	04/06/22	04/06/22
m,p-Xylenes	ND		ug/L	10	04/06/22	04/06/22
o-Xylene	ND		ug/L	5.0	04/06/22	04/06/22

### Batch QC

QC981740 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Styrene	ND		ug/L	5.0	04/06/22	04/06/22
Bromoform	ND		ug/L	5.0	04/06/22	04/06/22
Isopropylbenzene	ND		ug/L	5.0	04/06/22	04/06/22
1,1,2,2-Tetrachloroethane	ND		ug/L	5.0	04/06/22	04/06/22
1,2,3-Trichloropropane	ND		ug/L	5.0	04/06/22	04/06/22
Propylbenzene	ND		ug/L	5.0	04/06/22	04/06/22
Bromobenzene	ND		ug/L	5.0	04/06/22	04/06/22
1,3,5-Trimethylbenzene	ND		ug/L	5.0	04/06/22	04/06/22
2-Chlorotoluene	ND		ug/L	5.0	04/06/22	04/06/22
4-Chlorotoluene	ND		ug/L	5.0	04/06/22	04/06/22
tert-Butylbenzene	ND		ug/L	5.0	04/06/22	04/06/22
1,2,4-Trimethylbenzene	ND		ug/L	5.0	04/06/22	04/06/22
sec-Butylbenzene	ND		ug/L	5.0	04/06/22	04/06/22
para-Isopropyl Toluene	ND		ug/L	5.0	04/06/22	04/06/22
1,3-Dichlorobenzene	ND		ug/L	5.0	04/06/22	04/06/22
1,4-Dichlorobenzene	ND		ug/L	5.0	04/06/22	04/06/22
n-Butylbenzene	ND		ug/L	5.0	04/06/22	04/06/22
1,2-Dichlorobenzene	ND		ug/L	5.0	04/06/22	04/06/22
1,2-Dibromo-3-Chloropropane	ND		ug/L	5.0	04/06/22	04/06/22
1,2,4-Trichlorobenzene	ND		ug/L	5.0	04/06/22	04/06/22
Hexachlorobutadiene	ND		ug/L	5.0	04/06/22	04/06/22
Naphthalene	ND		ug/L	5.0	04/06/22	04/06/22
1,2,3-Trichlorobenzene	ND		ug/L	5.0	04/06/22	04/06/22
cis-1,4-Dichloro-2-butene	ND		ug/L	5.0	04/06/22	04/06/22
trans-1,4-Dichloro-2-butene	ND		ug/L	5.0	04/06/22	04/06/22
Xylene (total)	ND		ug/L	5.0	04/06/22	04/06/22
<b>Surrogates</b>				<b>Limits</b>		
Dibromofluoromethane	103%		%REC	70-140	04/06/22	04/06/22
1,2-Dichloroethane-d4	96%		%REC	70-140	04/06/22	04/06/22
Toluene-d8	96%		%REC	70-140	04/06/22	04/06/22
Bromofluorobenzene	98%		%REC	70-140	04/06/22	04/06/22



## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981741</b>	<b>Batch: 286931</b>
<b>Matrix: Water</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981741 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	53.39	50.00	ug/L	107%		70-135
MTBE	44.53	50.00	ug/L	89%		70-130
Benzene	50.29	50.00	ug/L	101%		70-130
Trichloroethene	52.49	50.00	ug/L	105%		70-130
Toluene	49.02	50.00	ug/L	98%		70-130
Chlorobenzene	51.01	50.00	ug/L	102%		70-130
<b>Surrogates</b>						
Dibromofluoromethane	53.31	50.00	ug/L	107%		70-140
1,2-Dichloroethane-d4	48.89	50.00	ug/L	98%		70-140
Toluene-d8	47.51	50.00	ug/L	95%		70-140
Bromofluorobenzene	49.45	50.00	ug/L	99%		70-140

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC981742</b>	<b>Batch: 286931</b>
<b>Matrix: Water</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981742 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
1,1-Dichloroethene	48.27	50.00	ug/L	97%		70-135	10	30
MTBE	40.23	50.00	ug/L	80%		70-130	10	30
Benzene	45.36	50.00	ug/L	91%		70-130	10	30
Trichloroethene	48.45	50.00	ug/L	97%		70-130	8	30
Toluene	44.38	50.00	ug/L	89%		70-130	10	30
Chlorobenzene	46.17	50.00	ug/L	92%		70-130	10	30
<b>Surrogates</b>								
Dibromofluoromethane	51.35	50.00	ug/L	103%		70-140		
1,2-Dichloroethane-d4	47.15	50.00	ug/L	94%		70-140		
Toluene-d8	48.35	50.00	ug/L	97%		70-140		
Bromofluorobenzene	48.84	50.00	ug/L	98%		70-140		

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC981730</b>	<b>Batch: 286927</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981730 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
3-Chloropropene	ND		ug/Kg	5.0	04/06/22	04/06/22
Freon 12	ND		ug/Kg	5.0	04/06/22	04/06/22
Chloromethane	ND		ug/Kg	5.0	04/06/22	04/06/22
Vinyl Chloride	ND		ug/Kg	5.0	04/06/22	04/06/22
Bromomethane	ND		ug/Kg	5.0	04/06/22	04/06/22
Chloroethane	ND		ug/Kg	5.0	04/06/22	04/06/22
Trichlorofluoromethane	ND		ug/Kg	5.0	04/06/22	04/06/22
Acetone	ND		ug/Kg	100	04/06/22	04/06/22
Freon 113	ND		ug/Kg	5.0	04/06/22	04/06/22
1,1-Dichloroethene	ND		ug/Kg	5.0	04/06/22	04/06/22
Methylene Chloride	ND		ug/Kg	5.0	04/06/22	04/06/22
MTBE	ND		ug/Kg	5.0	04/06/22	04/06/22
trans-1,2-Dichloroethene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,1-Dichloroethane	ND		ug/Kg	5.0	04/06/22	04/06/22
2-Butanone	ND		ug/Kg	100	04/06/22	04/06/22
cis-1,2-Dichloroethene	ND		ug/Kg	5.0	04/06/22	04/06/22
2,2-Dichloropropane	ND		ug/Kg	5.0	04/06/22	04/06/22
Chloroform	ND		ug/Kg	5.0	04/06/22	04/06/22
Bromochloromethane	ND		ug/Kg	5.0	04/06/22	04/06/22
1,1,1-Trichloroethane	ND		ug/Kg	5.0	04/06/22	04/06/22
1,1-Dichloropropene	ND		ug/Kg	5.0	04/06/22	04/06/22
Carbon Tetrachloride	ND		ug/Kg	5.0	04/06/22	04/06/22
1,2-Dichloroethane	ND		ug/Kg	5.0	04/06/22	04/06/22
Benzene	ND		ug/Kg	5.0	04/06/22	04/06/22
Trichloroethene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,2-Dichloropropane	ND		ug/Kg	5.0	04/06/22	04/06/22
Bromodichloromethane	ND		ug/Kg	5.0	04/06/22	04/06/22
Dibromomethane	ND		ug/Kg	5.0	04/06/22	04/06/22
4-Methyl-2-Pentanone	ND		ug/Kg	5.0	04/06/22	04/06/22
cis-1,3-Dichloropropene	ND		ug/Kg	5.0	04/06/22	04/06/22
Toluene	ND		ug/Kg	5.0	04/06/22	04/06/22
trans-1,3-Dichloropropene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,1,2-Trichloroethane	ND		ug/Kg	5.0	04/06/22	04/06/22
1,3-Dichloropropane	ND		ug/Kg	5.0	04/06/22	04/06/22
Tetrachloroethene	ND		ug/Kg	5.0	04/06/22	04/06/22
Dibromochloromethane	ND		ug/Kg	5.0	04/06/22	04/06/22
1,2-Dibromoethane	ND		ug/Kg	5.0	04/06/22	04/06/22
Chlorobenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,1,1,2-Tetrachloroethane	ND		ug/Kg	5.0	04/06/22	04/06/22
Ethylbenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
m,p-Xylenes	ND		ug/Kg	10	04/06/22	04/06/22
o-Xylene	ND		ug/Kg	5.0	04/06/22	04/06/22

### Batch QC

QC981730 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Styrene	ND		ug/Kg	5.0	04/06/22	04/06/22
Bromoform	ND		ug/Kg	5.0	04/06/22	04/06/22
Isopropylbenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,1,2,2-Tetrachloroethane	ND		ug/Kg	5.0	04/06/22	04/06/22
1,2,3-Trichloropropane	ND		ug/Kg	5.0	04/06/22	04/06/22
Propylbenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
Bromobenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,3,5-Trimethylbenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
2-Chlorotoluene	ND		ug/Kg	5.0	04/06/22	04/06/22
4-Chlorotoluene	ND		ug/Kg	5.0	04/06/22	04/06/22
tert-Butylbenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,2,4-Trimethylbenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
sec-Butylbenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
para-Isopropyl Toluene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,3-Dichlorobenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,4-Dichlorobenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
n-Butylbenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,2-Dichlorobenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,2-Dibromo-3-Chloropropane	ND		ug/Kg	5.0	04/06/22	04/06/22
1,2,4-Trichlorobenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
Hexachlorobutadiene	ND		ug/Kg	5.0	04/06/22	04/06/22
Naphthalene	ND		ug/Kg	5.0	04/06/22	04/06/22
1,2,3-Trichlorobenzene	ND		ug/Kg	5.0	04/06/22	04/06/22
cis-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/06/22	04/06/22
trans-1,4-Dichloro-2-butene	ND		ug/Kg	5.0	04/06/22	04/06/22
Xylene (total)	ND		ug/Kg	5.0	04/06/22	04/06/22
<b>Surrogates</b>				<b>Limits</b>		
Dibromofluoromethane	102%		%REC	70-130	04/06/22	04/06/22
1,2-Dichloroethane-d4	108%		%REC	70-145	04/06/22	04/06/22
Toluene-d8	99%		%REC	70-145	04/06/22	04/06/22
Bromofluorobenzene	93%		%REC	70-145	04/06/22	04/06/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981731</b>	<b>Batch: 286927</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981731 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	49.64	50.00	ug/Kg	99%		70-131
MTBE	49.76	50.00	ug/Kg	100%		69-130
Benzene	49.09	50.00	ug/Kg	98%		70-130
Trichloroethene	49.99	50.00	ug/Kg	100%		70-130
Toluene	48.31	50.00	ug/Kg	97%		70-130
Chlorobenzene	50.41	50.00	ug/Kg	101%		70-130
<b>Surrogates</b>						
Dibromofluoromethane	52.50	50.00	ug/Kg	105%		70-130
1,2-Dichloroethane-d4	53.34	50.00	ug/Kg	107%		70-145
Toluene-d8	49.66	50.00	ug/Kg	99%		70-145
Bromofluorobenzene	49.52	50.00	ug/Kg	99%		70-145

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC981732</b>	<b>Batch: 286927</b>
<b>Matrix: Soil</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981732 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
1,1-Dichloroethene	47.78	50.00	ug/Kg	96%		70-131	4	33
MTBE	49.25	50.00	ug/Kg	98%		69-130	1	30
Benzene	48.26	50.00	ug/Kg	97%		70-130	2	30
Trichloroethene	51.08	50.00	ug/Kg	102%		70-130	2	30
Toluene	47.59	50.00	ug/Kg	95%		70-130	2	30
Chlorobenzene	48.71	50.00	ug/Kg	97%		70-130	3	30
<b>Surrogates</b>								
Dibromofluoromethane	51.71	50.00	ug/Kg	103%		70-130		
1,2-Dichloroethane-d4	52.45	50.00	ug/Kg	105%		70-145		
Toluene-d8	49.29	50.00	ug/Kg	99%		70-145		
Bromofluorobenzene	49.21	50.00	ug/Kg	98%		70-145		

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981747</b>	<b>Batch: 286933</b>
<b>Matrix: Air</b>	<b>Method: EPA TO-3M</b>	

QC981747 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Methane	99.09	100.0	ppmv	99%		85-115

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC981748</b>	<b>Batch: 286933</b>
<b>Matrix: Air</b>	<b>Method: EPA TO-3M</b>	

QC981748 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
Methane	98.35	100.0	ppmv	98%		85-115	1	10

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC981749</b>	<b>Batch: 286933</b>
<b>Matrix: Air</b>	<b>Method: EPA TO-3M</b>	

QC981749 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Methane	ND		ppmv	0.50	04/06/22	04/06/22

<b>Type: Sample Duplicate</b>	<b>Lab ID: QC981750</b>	<b>Batch: 286933</b>
<b>Matrix (Source ID): Air (460985-039)</b>	<b>Method: EPA TO-3M</b>	

QC981750 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Methane	4.410	4.690	ppmv		6	25	1

<b>Type: Sample Duplicate</b>	<b>Lab ID: QC981751</b>	<b>Batch: 286933</b>
<b>Matrix (Source ID): Air (460985-050)</b>	<b>Method: EPA TO-3M</b>	

QC981751 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Methane	1.260	1.210	ppmv		4	25	1

\* Value is outside QC limits

ND Not Detected

NM Not Meaningful



Enthalpy Analytical  
931 West Barkley Ave  
Orange, CA 92868  
(714) 771-6900

enthalpy.com

Lab Job Number: 461030  
Report Level: II  
Report Date: 04/11/2022

**Analytical Report** *prepared for:*

Brian Pierce  
GeoSyntec Consultants San Diego  
16644 W Bernardo Dr #301  
San Diego, CA 92127

Location: La Cienega Phase II

*Authorized for release by:*

Patty Mata, Project Manager  
[patty.mata@enthalpy.com](mailto:patty.mata@enthalpy.com)

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105

## Sample Summary

Brian Pierce  
GeoSyntec Consultants San Diego  
16644 W Bernardo Dr #301  
San Diego, CA 92127

Lab Job #: 461030  
Location: La Cienega Phase II  
Date Received: 04/06/22

Sample ID	Lab ID	Collected	Matrix
B1-SV-5.0	461030-001	04/06/22 08:00	Air
C1-SV-5.0	461030-002	04/06/22 08:26	Air
B1-SV-10.0	461030-003	04/06/22 08:10	Air
C1-SV-10.0	461030-004	04/06/22 08:40	Air
C3-SV-5.0	461030-005	04/06/22 08:55	Air
C3-SV-10.0	461030-006	04/06/22 09:11	Air
A3-SV-5.0	461030-007	04/06/22 10:10	Air
A3-SV-10.0	461030-008	04/06/22 10:31	Air
D1-SV-5.0	461030-009	04/06/22 10:45	Air
D1-SV-10.0	461030-010	04/06/22 10:58	Air
D3-SV-5.0	461030-011	04/06/22 11:17	Air
D3-SV-10.0	461030-012	04/06/22 11:31	Air
E3-SV-5.0	461030-013	04/06/22 11:56	Air
E3-SV-10.0	461030-014	04/06/22 12:15	Air

# ENTHALPY ANALYTICAL

Enthalpy Analytical - Orange

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

## Chain of Custody Record

Lab No: UCL1050

Page: 1 of 2

Matrix: A = Air, W = Water, SeaW = Sea Water, DW = Drinking Water, WP = Wipe, S = Soil, O = Oil, M = Other matrices (solid), L = Other matrices (aqueous)

Standard:

5 Day:

1 Day:

2 Day:

3 Day:

Custom TAT:

Sample Receipt Temp:

Preservatives:

1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>

4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other

(lab use only)

## PROJECT INFORMATION

Company: Geosyntec Consultants  
 Report To: Brian Pierce  
 Email: B.Pierce@Geosyntec.com  
 Address: 1664 W Bernardo Dr, Suite 301  
San Diego, Ca.  
 Phone: 619-810-4011  
 Fax: /

## Analysis Request

Quote #: (801)  
 Proj. Name: La Cienega Phase II  
 Proj. #: /  
 P.O. #: /  
 Address: 1050 La Cienega Blvd  
 Global ID: /  
 Sampled By: Yusef Bentamine

## Test Instructions / Comments

Samples collected in 12 Tecton bags  
Matrix A = air

## CUSTOMER INFORMATION

Sample ID	Sampling Date	Sampling Time	Matrix	Container No.	Pres.
1 B1-SV-5.0	4-6-22	800	A	1	NONE
2 K1-SV-5.0		826			
3 B1-SV-10.0		820			
4 C1-SV-10.0		840			
5 C3-SV-5.0		855			
6 C3-SV-10.0		911			
7 A3-SV-5.0		1010			
8 A3-SV-10.0		1031			
9 D1-SV-5.0		1045			
10 D1-SV-10.0		1058			

## Company / Title

Geosyntec / Geologist  
EA

## Date / Time

4-6-22  
11:47

Signature

[Signature]

1 Relinquished By:

1 Received By:

2 Relinquished By:

2 Received By:

3 Relinquished By:

3 Received By:



# ENTHALPY ANALYTICAL

**Enthalpy Analytical - Orange**

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

**Chain of Custody Record**

Lab No: UPL0030

Page: 2 of 2

**Turn Around Time (rush by advanced notice only)**

Standard: 3 Day: 72h

5 Day:       
1 Day:       
Custom TAT:     

Matrix: A = Air, W = Water, SeaW = Sea Water, DW = Drinking Water, WP = Wipe, S = Soil, O = Oil, M = Other matrices (solid), L = Other matrices (aqueous)

Preservatives:  
1 = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> 2 = HCl 3 = HNO<sub>3</sub>  
4 = H<sub>2</sub>SO<sub>4</sub> 5 = NaOH 6 = Other

Sample Receipt Temp:      (lab use only)

**CUSTOMER INFORMATION**

Company: See Page 1  
 Report To:       
 Email:       
 Address:       
 Phone:       
 Fax:     

**PROJECT INFORMATION**

Quote #:       
 Proj. Name: See Page 1  
 Proj. #:       
 P.O. #:       
 Address:       
 Global ID:       
 Sampled By:     

**Analysis Request**

Methane (8015),  
 TPH (8011),  
 Total 22 Metals (6010),  
 VOCs (8062)

**Test Instructions / Comments**

See Page 1

Sample ID	Sampling Date	Sampling Time	Matrix	Container No.	Pres.
1 D3-SV-5.0	4-6-22	1117	A	1	NONE X
2 D3-SV-10.0		1131			X ↓
3 E3-SV-5.0		1156			X ↓
4 E3-SV-10.0		1215			X ↓
<del>5 DW-20406</del>	<del>4-6-22</del>	<del>909</del>	<del>S</del>	<del>3</del>	<del>NONE X</del>
6					
7					
8					
9					
10					

Signature	Print Name	Company / Title	Date / Time
<u>[Signature]</u>	<u>Vonced Boatman</u>	<u>Creosolite/Creatolite</u>	<u>4-6-22</u>
<u>[Signature]</u>	<u>John Shine C.</u>	<u>EA</u>	<u>4/6/22 1447</u>
1 Relinquished By:			
2 Relinquished By:			
3 Relinquished By:			



# ENTHALPY ANALYTICAL

## SAMPLE ACCEPTANCE CHECKLIST

**Section 1**  
 Client: Geosyntec Consultants Project: La Cienega Phase II  
 Date Received: 04/06/22 Sampler's Name Present:  Yes  No


**Section 2**  
 Sample(s) received in a cooler?  Yes, How many? \_\_\_\_\_  No (skip section 2) Sample Temp (°C) : Ambient  
 (No Cooler) : \_\_\_\_\_  
 Sample Temp (°C), One from each cooler: #1: \_\_\_\_\_ #2: \_\_\_\_\_ #3: \_\_\_\_\_ #4: \_\_\_\_\_  
*(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)*  
 Shipping Information: \_\_\_\_\_

**Section 3**  
 Was the cooler packed with:  Ice  Ice Packs  Bubble Wrap  Styrofoam  
 Paper  None  Other \_\_\_\_\_  
 Cooler Temp (°C): #1: \_\_\_\_\_ #2: \_\_\_\_\_ #3: \_\_\_\_\_ #4: \_\_\_\_\_

Section 4	YES	NO	N/A
Was a COC received?	✓		
Are sample IDs present?	✓		
Are sampling dates & times present?	✓		
Is a relinquished signature present?	✓		
Are the tests required clearly indicated on the COC?	✓		
Are custody seals present?		✓	
If custody seals are present, were they intact?			✓
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)			✓
Did all samples arrive intact? If no, indicate in Section 4 below.	✓		
Did all bottle labels agree with COC? (ID, dates and times)	✓		
Were the samples collected in the correct containers for the required tests?	✓		
Are the containers labeled with the correct preservatives?			✓
Is there headspace in the VOA vials greater than 5-6 mm in diameter?			✓
Was a sufficient amount of sample submitted for the requested tests?	✓		

**Section 5 Explanations/Comments**  
 \_\_\_\_\_  
 \_\_\_\_\_

**Section 6**  
 For discrepancies, how was the Project Manager notified?  Verbal PM Initials: \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Email (email sent to/on): \_\_\_\_\_ / \_\_\_\_\_  
 Project Manager's response:  
 \_\_\_\_\_

Completed By:  Date: 04/06/22

Enthalpy Analytical, a subsidiary of Montrose Environmental Group, Inc.  
 931 W. Barkley Ave, Orange, CA 92868 • T: (714) 771-6900 • F: (714) 538-1209

www.enthalpy.com/socal

Sample Acceptance Checklist – Rev 4, 8/8/2017

## Analysis Results for 461030

Brian Pierce  
 GeoSyntec Consultants San Diego  
 16644 W Bernardo Dr #301  
 San Diego, CA 92127

Lab Job #: 461030  
 Location: La Cienega Phase II  
 Date Received: 04/06/22

**Sample ID: B1-SV-5.0**                      **Lab ID: 461030-001**                      **Collected: 04/06/22 08:00**  
**Matrix: Air**

461030-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.1		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	710		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

**Sample ID: C1-SV-5.0**                      **Lab ID: 461030-002**                      **Collected: 04/06/22 08:26**  
**Matrix: Air**

461030-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	0.82		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	540		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

**Sample ID: B1-SV-10.0**                      **Lab ID: 461030-003**                      **Collected: 04/06/22 08:10**  
**Matrix: Air**

461030-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	0.74		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	490		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

**Sample ID: C1-SV-10.0**                      **Lab ID: 461030-004**                      **Collected: 04/06/22 08:40**  
**Matrix: Air**

461030-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	0.68		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	450		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

**Sample ID: C3-SV-5.0**                      **Lab ID: 461030-005**                      **Collected: 04/06/22 08:55**  
**Matrix: Air**

461030-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	0.83		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	540		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

## Analysis Results for 461030

<b>Sample ID: C3-SV-10.0</b>	<b>Lab ID: 461030-006</b>	<b>Collected: 04/06/22 09:11</b>
	<b>Matrix: Air</b>	

461030-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	0.68		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	450		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

<b>Sample ID: A3-SV-5.0</b>	<b>Lab ID: 461030-007</b>	<b>Collected: 04/06/22 10:10</b>
	<b>Matrix: Air</b>	

461030-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	0.71		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	470		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

<b>Sample ID: A3-SV-10.0</b>	<b>Lab ID: 461030-008</b>	<b>Collected: 04/06/22 10:31</b>
	<b>Matrix: Air</b>	

461030-008 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.3		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	880		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

<b>Sample ID: D1-SV-5.0</b>	<b>Lab ID: 461030-009</b>	<b>Collected: 04/06/22 10:45</b>
	<b>Matrix: Air</b>	

461030-009 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	2.2		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	1,500		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

<b>Sample ID: D1-SV-10.0</b>	<b>Lab ID: 461030-010</b>	<b>Collected: 04/06/22 10:58</b>
	<b>Matrix: Air</b>	

461030-010 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.2		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	800		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

## Analysis Results for 461030

<b>Sample ID: D3-SV-5.0</b>	<b>Lab ID: 461030-011</b>	<b>Collected: 04/06/22 11:17</b>
	<b>Matrix: Air</b>	

461030-011 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.9		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	1,200		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

<b>Sample ID: D3-SV-10.0</b>	<b>Lab ID: 461030-012</b>	<b>Collected: 04/06/22 11:31</b>
	<b>Matrix: Air</b>	

461030-012 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	1.2		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	780		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

<b>Sample ID: E3-SV-5.0</b>	<b>Lab ID: 461030-013</b>	<b>Collected: 04/06/22 11:56</b>
	<b>Matrix: Air</b>	

461030-013 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	2.4		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	1,600		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

<b>Sample ID: E3-SV-10.0</b>	<b>Lab ID: 461030-014</b>	<b>Collected: 04/06/22 12:15</b>
	<b>Matrix: Air</b>	

461030-014 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-3M									
Methane	3.0		ppmv	0.50	1	287032	04/07/22	04/07/22	MPD
Methane	2,000		ug/m3	330	1	287032	04/07/22	04/07/22	MPD

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC982042</b>	<b>Batch: 287032</b>
<b>Matrix: Air</b>	<b>Method: EPA TO-3M</b>	

QC982042 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Methane	101.0	100.0	ppmv	101%		85-115

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC982043</b>	<b>Batch: 287032</b>
<b>Matrix: Air</b>	<b>Method: EPA TO-3M</b>	

QC982043 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
Methane	99.58	100.0	ppmv	100%		85-115	1	10

<b>Type: Blank</b>	<b>Lab ID: QC982044</b>	<b>Batch: 287032</b>
<b>Matrix: Air</b>	<b>Method: EPA TO-3M</b>	

QC982044 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Methane	ND		ppmv	0.50	04/07/22	04/07/22

<b>Type: Sample Duplicate</b>	<b>Lab ID: QC982045</b>	<b>Batch: 287032</b>
<b>Matrix (Source ID): Air (461030-001)</b>	<b>Method: EPA TO-3M</b>	

QC982045 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Methane	0.9200	1.080	ppmv		16	25	1

<b>Type: Sample Duplicate</b>	<b>Lab ID: QC982046</b>	<b>Batch: 287032</b>
<b>Matrix (Source ID): Air (461030-011)</b>	<b>Method: EPA TO-3M</b>	

QC982046 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Methane	1.810	1.880	ppmv		4	25	1

ND Not Detected




# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CASE NARRATIVE

Authorized Signature Name / Title (print)	Ken Zheng, President
Signature / Date	 Ken Zheng, President 04/08/2022 12:05:36
Laboratory Job No. (Certificate of Analysis No.)	2204-00039
Project Name / No.	1050 La Cienega Blvd., Los Angeles, CA 90035 100035877
Dates Sampled (from/to)	04/06/22 To 04/06/22
Dates Received (from/to)	04/06/22 To 04/06/22
Dates Reported (from/to)	04/08/22 To 4/8/2022
Chains of Custody Received	Yes

Comments:

**Subcontracting**

Organic Analyses  
No analyses sub-contracted

Other Analyses  
No analyses sub-contracted

**Sample Condition(s)**

All samples intact



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 001 <b>B-1-220406</b>	Date & Time Sampled: 04/06/22 @ 9:10												
Sample Matrix: Air													
[TPH Gasoline by GCMS ]													
C4-C12	<1.5000	1.5	3.0	µg/L	<1,500.0	1,500.0	3,000	µg/m3	0.30		LUFT GCMS	04/06/22	KZ
[VOCs by GCMS]													
Acetone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Amyl Methyl Ether (TAME)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Benzene	<0.0072	0.0072	0.030	µg/L	<7.2	7.2	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromodichloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromoform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Butanol (TBA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Butanone (MEK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
n-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
sec-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
tert-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Disulfide	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Tetrachloride	<0.0075	0.0075	0.015	µg/L	<7.5	7.5	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dibromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dibromoethane (EDB)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dibromo-3-Chloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dibromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,4-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research





# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 001 <b>B-1-220406</b>	Date & Time Sampled: 04/06/22 @ 9:10												
Sample Matrix: Air													
.....continued													
Dichlorodifluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
cis-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
trans-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
cis-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
trans-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Diisopropyl Ether (DiPE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Ethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Hexachlorobutadiene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Hexanone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Isopropylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Isopropyltoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methylene Chloride	<0.0150	0.015	0.03	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Methyl-2-Pentanone (MIBK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methyl-t-butyl Ether (MtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Naphthalene	<0.0063	0.0063	0.015	µg/L	<6.3	6.3	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
n-Propylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Styrene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,1,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Tetrachloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Toluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 001 <b>B-1-220406</b>										Date & Time Sampled: 04/06/22 @ 9:10			
Sample Matrix: Air													
.....continued													
1,1,1-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichloropropane	<0.0060	0.006	0.030	µg/L	<6.0	6.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorofluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorotrifluoroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3,5-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Vinyl Chloride	<0.0007	0.00072	0.015	µg/L	<0.7	0.7	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
m,p-Xylenes	<0.0300	0.03	0.060	µg/L	<30.0	30.0	60	µg/m3	0.30		EPA 8260B	04/06/22	KZ
o-Xylene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
[VOC Surrogates]													
Dibromofluoromethane	98		70-130	%REC							EPA 8260B	04/06/22	KZ
Toluene-D8	122		70-130	%REC							EPA 8260B	04/06/22	KZ
Bromofluorobenzene	107		70-130	%REC							EPA 8260B	04/06/22	KZ
Sample: 002 <b>C-1-220406</b>										Date & Time Sampled: 04/06/22 @ 9:30			
Sample Matrix: Air													
[TPH Gasoline by GCMS ]													
C4-C12	<1.5000	1.5	3.0	µg/L	<1,500.0	1,500.0	3,000	µg/m3	0.30		LUFT GCMS	04/06/22	KZ
[VOCs by GCMS]													
Acetone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Amyl Methyl Ether (TAME)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Benzene	<0.0072	0.0072	0.030	µg/L	<7.2	7.2	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromodichloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromoform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 002 <b>C-1-220406</b>										Date & Time Sampled: 04/06/22 @ 9:30			
Sample Matrix: Air													
.....continued													
t-Butanol (TBA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
2-Butanone (MEK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
n-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
sec-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
tert-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Carbon Disulfide	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Carbon Tetrachloride	<0.0075	0.0075	0.015	µg/L	<7.5	7.5	15	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Chlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Chloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Chloroform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Chloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
2-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
4-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Dibromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dibromoethane (EDB)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dibromo-3-Chloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Dibromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,3-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,4-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Dichlorodifluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,1-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,1-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
cis-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
trans-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,3-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
2,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,1-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
cis-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 002 <b>C-1-220406</b>										Date & Time Sampled: 04/06/22 @ 9:30			
Sample Matrix: Air													
.....continued													
trans-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Diisopropyl Ether (DIPE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Ethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Hexachlorobutadiene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Hexanone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Isopropylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Isopropyltoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methylene Chloride	<0.0150	0.015	0.03	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Methyl-2-Pentanone (MIBK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methyl-t-butyl Ether (MtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Naphthalene	<0.0063	0.0063	0.015	µg/L	<6.3	6.3	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
n-Propylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Styrene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,1,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Tetrachloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Toluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,1-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichloropropane	<0.0060	0.006	0.030	µg/L	<6.0	6.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorofluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorotrifluoroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3,5-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Vinyl Chloride	<0.0007	0.00072	0.015	µg/L	<0.7	0.7	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
m,p-Xylenes	<0.0300	0.03	0.060	µg/L	<30.0	30.0	60	µg/m3	0.30		EPA 8260B	04/06/22	KZ
o-Xylene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTARIO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 002 <b>C-1-220406</b>										Date & Time Sampled: 04/06/22 @ 9:30			
Sample Matrix: Air													
.....continued													
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
[VOC Surrogates]													
Dibromofluoromethane	94		70-130	%REC							EPA 8260B	04/06/22	KZ
Toluene-D8	113		70-130	%REC							EPA 8260B	04/06/22	KZ
Bromofluorobenzene	93		70-130	%REC							EPA 8260B	04/06/22	KZ
Sample: 003 <b>C-3-220406</b>										Date & Time Sampled: 04/06/22 @ 10:00			
Sample Matrix: Air													
[TPH Gasoline by GCMS ]													
C4-C12	<b>3.8</b>	1.5	3.0	µg/L	<b>3,800</b>	1,500.0	3,000	µg/m3	0.30		LUFT GCMS	04/06/22	KZ
[VOCs by GCMS]													
Acetone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Amyl Methyl Ether (TAME)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Benzene	<0.0072	0.0072	0.030	µg/L	<7.2	7.2	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromodichloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromoform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Butanol (TBA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Butanone (MEK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
n-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
sec-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
tert-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Disulfide	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Tetrachloride	<0.0075	0.0075	0.015	µg/L	<7.5	7.5	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 003 C-3-220406										Date & Time Sampled: 04/06/22 @ 10:00			
Sample Matrix: Air													
.....continued													
2-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
4-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Dibromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dibromoethane (EDB)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dibromo-3-Chloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Dibromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,3-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,4-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Dichlorodifluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,1-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,1-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
cis-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
trans-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,3-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
2,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
1,1-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
cis-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
trans-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Diisopropyl Ether (DIPE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Ethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Ethyl-t-Butyl Ether (EtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Hexachlorobutadiene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
2-Hexanone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Isopropylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
4-Isopropyltoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Methylene Chloride	<0.0150	0.015	0.03	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
4-Methyl-2-Pentanone (MIBK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30	EPA 8260B	04/06/22	KZ	
Methyl-t-butyl Ether (MtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/06/22	KZ	

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 003 C-3-220406										Date & Time Sampled: 04/06/22 @ 10:00			
Sample Matrix: Air													
.....continued													
Naphthalene	<0.0063	0.0063	0.015	µg/L	<6.3	6.3	15	µg/m3		0.30	EPA 8260B	04/06/22	KZ
n-Propylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
Styrene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
1,1,1,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
1,1,2,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
Tetrachloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
Toluene	<b>0.020</b>	0.015	0.030	µg/L	<b>20</b>	15.0	30	µg/m3	J	0.30	EPA 8260B	04/06/22	KZ
1,2,3-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
1,2,4-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
1,1,1-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
1,1,2-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
Trichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
1,2,3-Trichloropropane	<0.0060	0.006	0.030	µg/L	<6.0	6.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
Trichlorofluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
Trichlorotrifluoroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
1,2,4-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
1,3,5-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
Vinyl Chloride	<0.0007	0.00072	0.015	µg/L	<0.7	0.7	15	µg/m3		0.30	EPA 8260B	04/06/22	KZ
m,p-Xylenes	<0.0300	0.03	0.060	µg/L	<30.0	30.0	60	µg/m3		0.30	EPA 8260B	04/06/22	KZ
o-Xylene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3		0.30	EPA 8260B	04/06/22	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3		0.30	EPA 8260B	04/06/22	KZ
[VOC Surrogates]													
Dibromofluoromethane	95		70-130	%REC							EPA 8260B	04/06/22	KZ
Toluene-D8	112		70-130	%REC							EPA 8260B	04/06/22	KZ
Bromofluorobenzene	102		70-130	%REC							EPA 8260B	04/06/22	KZ

Sample: 004 A-3-220406										Date & Time Sampled: 04/06/22 @ 10:30			
Sample Matrix: Air													
[TPH Gasoline by GCMS ]													
C4-C12	<1.5000	1.5	3.0	µg/L	<1,500.0	1,500.0	3,000	µg/m3		0.30	LUFT GCMS	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.





# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 004 <b>A-3-220406</b>										Date & Time Sampled: 04/06/22 @ 10:30			
Sample Matrix: Air													
.....continued													
[VOCs by GCMS]													
Acetone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Amyl Methyl Ether (TAME)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Benzene	<0.0072	0.0072	0.030	µg/L	<7.2	7.2	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromodichloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromoform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Butanol (TBA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Butanone (MEK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
n-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
sec-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
tert-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Disulfide	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Tetrachloride	<0.0075	0.0075	0.015	µg/L	<7.5	7.5	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dibromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dibromoethane (EDB)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dibromo-3-Chloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dibromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,4-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dichlorodifluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.





# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 004 <b>A-3-220406</b>										Date & Time Sampled: 04/06/22 @ 10:30			
Sample Matrix: Air													
.....continued													
1,2-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
cis-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
trans-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
cis-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
trans-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Diisopropyl Ether (DiPE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Ethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Hexachlorobutadiene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Hexanone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Isopropylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Isopropyltoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methylene Chloride	<0.0150	0.015	0.03	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Methyl-2-Pentanone (MIBK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methyl-t-butyl Ether (MtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Naphthalene	<0.0063	0.0063	0.015	µg/L	<6.3	6.3	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
n-Propylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Styrene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,1,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Tetrachloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Toluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,1-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
 ONTARIO, CA 91761  
 909-781-6335  
 www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
 FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

**2204-00039**

**GEOSYNTEC CONSULTANTS**  
**BRIAN PIERCE**  
 16644 W. BERNARDO DR.  
 SAN DIEGO, CA 92127

Date Reported 04/08/22  
 Date Received 04/06/22  
 Invoice No. 94618  
 Cust # 1710  
 Permit Number  
 Customer P.O. 100035877

**Project: 1050 La Cienega Blvd., Los Angeles, CA 90035**

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 004 <b>A-3-220406</b>										Date & Time Sampled: 04/06/22 @ 10:30			
Sample Matrix: Air													
.....continued													
Trichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichloropropane	<0.0060	0.006	0.030	µg/L	<6.0	6.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorofluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorotrifluoroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3,5-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Vinyl Chloride	<0.0007	0.00072	0.015	µg/L	<0.7	0.7	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
m,p-Xylenes	<0.0300	0.03	0.060	µg/L	<30.0	30.0	60	µg/m3	0.30		EPA 8260B	04/06/22	KZ
o-Xylene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
[VOC Surrogates]													
Dibromofluoromethane	88		70-130	%REC							EPA 8260B	04/06/22	KZ
Toluene-D8	111		70-130	%REC							EPA 8260B	04/06/22	KZ
Bromofluorobenzene	97		70-130	%REC							EPA 8260B	04/06/22	KZ
Sample: 005 <b>D-1-220406</b>										Date & Time Sampled: 04/06/22 @ 11:10			
Sample Matrix: Air													
[TPH Gasoline by GCMS]													
C4-C12	<b>5.6</b>	1.5	3.0	µg/L	<b>5,600</b>	1,500.0	3,000	µg/m3	0.30		LUFT GCMS	04/06/22	KZ
[VOCs by GCMS]													
Acetone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Amyl Methyl Ether (TAME)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Benzene	<0.0072	0.0072	0.030	µg/L	<7.2	7.2	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromodichloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromoform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Butanol (TBA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Butanone (MEK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 005 <b>D-1-220406</b>										Date & Time Sampled: 04/06/22 @ 11:10			
Sample Matrix: Air													
.....continued													
n-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
sec-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
tert-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Disulfide	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Tetrachloride	<0.0075	0.0075	0.015	µg/L	<7.5	7.5	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dibromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dibromoethane (EDB)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dibromo-3-Chloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dibromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,4-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dichlorodifluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
cis-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
trans-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
cis-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
trans-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Diisopropyl Ether (DiPE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 005 <b>D-1-220406</b>										Date & Time Sampled: 04/06/22 @ 11:10			
Sample Matrix: Air													
.....continued													
Ethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Hexachlorobutadiene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Hexanone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Isopropylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Isopropyltoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methylene Chloride	<0.0150	0.015	0.03	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Methyl-2-Pentanone (MIBK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methyl-t-butyl Ether (MtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Naphthalene	<0.0063	0.0063	0.015	µg/L	<6.3	6.3	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
n-Propylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Styrene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,1,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Tetrachloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Toluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,1-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichloropropane	<0.0060	0.006	0.030	µg/L	<6.0	6.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorofluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorotrifluoroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3,5-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Vinyl Chloride	<0.0007	0.00072	0.015	µg/L	<0.7	0.7	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
m,p-Xylenes	<0.0300	0.03	0.060	µg/L	<30.0	30.0	60	µg/m3	0.30		EPA 8260B	04/06/22	KZ
o-Xylene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 005 <b>D-1-220406</b>										Date & Time Sampled: 04/06/22 @ 11:10			
Sample Matrix: Air													
.....continued													
[VOC Surrogates]													
Dibromofluoromethane	85		70-130	%REC							EPA 8260B	04/06/22	KZ
Toluene-D8	111		70-130	%REC							EPA 8260B	04/06/22	KZ
Bromofluorobenzene	102		70-130	%REC							EPA 8260B	04/06/22	KZ
Sample: 006 <b>D-3-220406</b>										Date & Time Sampled: 04/06/22 @ 11:35			
Sample Matrix: Air													
[TPH Gasoline by GCMS ]													
C4-C12	<1.5000	1.5	3.0	µg/L	<1,500.0	1,500.0	3,000	µg/m3	0.30		LUFT GCMS	04/06/22	KZ
[VOCs by GCMS]													
Acetone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Amyl Methyl Ether (TAME)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Benzene	<0.0072	0.0072	0.030	µg/L	<7.2	7.2	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromodichloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromoform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Bromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
t-Butanol (TBA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Butanone (MEK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
n-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
sec-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
tert-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Disulfide	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Carbon Tetrachloride	<0.0075	0.0075	0.015	µg/L	<7.5	7.5	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloroform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Chloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 006 <b>D-3-220406</b>										Date & Time Sampled: 04/06/22 @ 11:35			
Sample Matrix: Air													
.....continued													
Dibromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dibromoethane (EDB)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dibromo-3-Chloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dibromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,4-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Dichlorodifluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
cis-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
trans-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
cis-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
trans-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Diisopropyl Ether (DiPE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Ethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Hexachlorobutadiene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
2-Hexanone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Isopropylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Isopropyltoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methylene Chloride	<0.0150	0.015	0.03	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
4-Methyl-2-Pentanone (MIBK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Methyl-t-butyl Ether (MtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Naphthalene	<0.0063	0.0063	0.015	µg/L	<6.3	6.3	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
n-Propylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 006 <b>D-3-220406</b>										Date & Time Sampled: 04/06/22 @ 11:35			
Sample Matrix: Air													
.....continued													
Styrene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,1,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Tetrachloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Toluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,1-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,1,2-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,3-Trichloropropane	<0.0060	0.006	0.030	µg/L	<6.0	6.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorofluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Trichlorotrifluoroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,2,4-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
1,3,5-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
Vinyl Chloride	<0.0007	0.00072	0.015	µg/L	<0.7	0.7	15	µg/m3	0.30		EPA 8260B	04/06/22	KZ
m,p-Xylenes	<0.0300	0.03	0.060	µg/L	<30.0	30.0	60	µg/m3	0.30		EPA 8260B	04/06/22	KZ
o-Xylene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/06/22	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/06/22	KZ
[VOC Surrogates]													
Dibromofluoromethane	89		70-130	%REC							EPA 8260B	04/06/22	KZ
Toluene-D8	112		70-130	%REC							EPA 8260B	04/06/22	KZ
Bromofluorobenzene	100		70-130	%REC							EPA 8260B	04/06/22	KZ
Sample: 007 <b>E-3-220406</b>										Date & Time Sampled: 04/06/22 @ 12:00			
Sample Matrix: Air													
[TPH Gasoline by GCMS]													
C4-C12	<1.5000	1.5	3.0	µg/L	<1,500.0	1,500.0	3,000	µg/m3	0.30		LUFT GCMS	04/07/22	KZ
[VOCs by GCMS]													
Acetone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.





# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 007 <b>E-3-220406</b>										Date & Time Sampled: 04/06/22 @ 12:00			
Sample Matrix: Air													
.....continued													
t-Amyl Methyl Ether (TAME)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Benzene	<0.0072	0.0072	0.030	µg/L	<7.2	7.2	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromodichloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromoform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
t-Butanol (TBA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
2-Butanone (MEK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
n-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
sec-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
tert-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Carbon Disulfide	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Carbon Tetrachloride	<0.0075	0.0075	0.015	µg/L	<7.5	7.5	15	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Chlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Chloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Chloroform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Chloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
2-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
4-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Dibromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2-Dibromoethane (EDB)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2-Dibromo-3-Chloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Dibromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,3-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,4-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Dichlorodifluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.





# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 007 <b>E-3-220406</b>										Date & Time Sampled: 04/06/22 @ 12:00			
Sample Matrix: Air													
.....continued													
cis-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
trans-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,3-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
2,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
cis-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
trans-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Diisopropyl Ether (DiPE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Ethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Ethyl-t-Butyl Ether (EtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Hexachlorobutadiene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
2-Hexanone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Isopropylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
4-Isopropyltoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Methylene Chloride	<0.0150	0.015	0.03	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
4-Methyl-2-Pentanone (MIBK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Methyl-t-butyl Ether (MtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Naphthalene	<0.0063	0.0063	0.015	µg/L	<6.3	6.3	15	µg/m3	0.30		EPA 8260B	04/07/22	KZ
n-Propylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Styrene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1,1,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1,2,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Tetrachloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Toluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2,3-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2,4-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1,1-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1,2-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Trichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2,3-Trichloropropane	<0.0060	0.006	0.030	µg/L	<6.0	6.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 007 <b>E-3-220406</b>										Date & Time Sampled: 04/06/22 @ 12:00			
Sample Matrix: Air													
.....continued													
Trichlorofluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Trichlorotrifluoroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2,4-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,3,5-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Vinyl Chloride	<0.0007	0.00072	0.015	µg/L	<0.7	0.7	15	µg/m3	0.30		EPA 8260B	04/07/22	KZ
m,p-Xylenes	<0.0300	0.03	0.060	µg/L	<30.0	30.0	60	µg/m3	0.30		EPA 8260B	04/07/22	KZ
o-Xylene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
[VOC Surrogates]													
Dibromofluoromethane	86		70-130	%REC							EPA 8260B	04/07/22	KZ
Toluene-D8	113		70-130	%REC							EPA 8260B	04/07/22	KZ
Bromofluorobenzene	101		70-130	%REC							EPA 8260B	04/07/22	KZ
Sample: 008 <b>E-3-220406 DUP</b>										Date & Time Sampled: 04/06/22 @ 12:00			
Sample Matrix: Air													
[TPH Gasoline by GCMS]													
C4-C12	<1.5000	1.5	3.0	µg/L	<1,500.0	1,500.0	3,000	µg/m3	0.30		LUFT GCMS	04/07/22	KZ
[VOCs by GCMS]													
Acetone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
t-Amyl Methyl Ether (TAME)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Benzene	<0.0072	0.0072	0.030	µg/L	<7.2	7.2	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromodichloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromoform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Bromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
t-Butanol (TBA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
2-Butanone (MEK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
n-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
sec-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 008 E-3-220406 DUP										Date & Time Sampled: 04/06/22 @ 12:00			
Sample Matrix: Air													
.....continued													
tert-Butylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Carbon Disulfide	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Carbon Tetrachloride	<0.0075	0.0075	0.015	µg/L	<7.5	7.5	15	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Chlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Chloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Chloroform	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Chloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
2-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
4-Chlorotoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Dibromochloromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,2-Dibromoethane (EDB)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,2-Dibromo-3-Chloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Dibromomethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,2-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,3-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,4-Dichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Dichlorodifluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,1-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,2-Dichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,1-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
cis-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
trans-1,2-Dichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,3-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
2,2-Dichloropropane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
1,1-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
cis-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
trans-1,3-Dichloropropene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Diisopropyl Ether (DiPE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Ethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	
Ethyl-t-Butyl Ether (EtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30	EPA 8260B	04/07/22	KZ	

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 008 E-3-220406 DUP										Date & Time Sampled: 04/06/22 @ 12:00			
Sample Matrix: Air													
.....continued													
Hexachlorobutadiene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
2-Hexanone	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Isopropylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
4-Isopropyltoluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Methylene Chloride	<0.0150	0.015	0.03	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
4-Methyl-2-Pentanone (MIBK)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Methyl-t-butyl Ether (MtBE)	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Naphthalene	<0.0063	0.0063	0.015	µg/L	<6.3	6.3	15	µg/m3	0.30		EPA 8260B	04/07/22	KZ
n-Propylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Styrene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1,1,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1,2,2-Tetrachloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Tetrachloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Toluene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2,3-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2,4-Trichlorobenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1,1-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,1,2-Trichloroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Trichloroethene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2,3-Trichloropropane	<0.0060	0.006	0.030	µg/L	<6.0	6.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Trichlorofluoromethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Trichlorotrifluoroethane	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,2,4-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
1,3,5-Trimethylbenzene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
Vinyl Chloride	<0.0007	0.00072	0.015	µg/L	<0.7	0.7	15	µg/m3	0.30		EPA 8260B	04/07/22	KZ
m,p-Xylenes	<0.0300	0.03	0.060	µg/L	<30.0	30.0	60	µg/m3	0.30		EPA 8260B	04/07/22	KZ
o-Xylene	<0.0150	0.015	0.030	µg/L	<15.0	15.0	30	µg/m3	0.30		EPA 8260B	04/07/22	KZ
[VOC Vapor Sampling Tracer]													
Isopropanol (IPA)	<0.1500	0.15	0.30	µg/L	<150.0	150.0	300	µg/m3	0.30		EPA 8260B	04/07/22	KZ
[VOC Surrogates]													
Dibromofluoromethane	90		70-130	%REC							EPA 8260B	04/07/22	KZ

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced, wholly or in part, for advertising or other purposes without approval from the laboratory.



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C  
ONTARIO, CA 91761  
909-781-6335  
www.arlaboratories.com office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## CERTIFICATE OF ANALYSIS

2204-00039

GEOSYNTEC CONSULTANTS  
BRIAN PIERCE  
16644 W. BERNARDO DR.  
SAN DIEGO, CA 92127

Date Reported 04/08/22  
Date Received 04/06/22  
Invoice No. 94618  
Cust # 1710  
Permit Number  
Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Analysis	Result	MDL	RL	Units	Result	MDL	RL	Units	Qual	DF	Method	Date	Tech
Sample: 008 <b>E-3-220406 DUP</b>										Date & Time Sampled: 04/06/22 @ 12:00			
Sample Matrix: Air													
.....continued													
Toluene-D8	113		70-130	%REC							EPA 8260B	04/07/22	KZ
Bromofluorobenzene	101		70-130	%REC							EPA 8260B	04/07/22	KZ

Respectfully Submitted:

Ken Zheng - President

### QUALIFIERS

B = Detected in the associated Method Blank at a concentration above the routine RL  
B1= BOD blank is over specifications . The reported result may be biased high.  
D = Surrogate recoveries are not calculated due to sample dilution  
E = Estimated value  
H = Analyte was prepared and/or analyzed outside of the analytical method holding time  
I = Matrix Interference  
J = Analyte concentration detected between RL and MDL

### ABBREVIATIONS

DF = Dilution Factor  
RL = Reporting Limit  
MDL = Method Detection Limit  
Qual = Qualifier  
Tech = Technician



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTAIRO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## QUALITY CONTROL DATA REPORT

GEOSYNTEC CONSULTANTS

2204-00039

BRIAN PIERCE

Date Reported 04/08/2022

16644 W. BERNARDO DR.

Date Received 04/06/2022

SAN DIEGO, CA 92127

Date Sampled 04/06/2022

Invoice No. 94618

Customer # 1710

Customer P.O. 100035877

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

Method #	EPA 8260B							
QC Reference #	102139		Date Analyzed: 4/6/2022			Technician: KZ		
Samples	001	002	003	004	005	006	007	008
<b>Results</b>					<b>Control Ranges</b>			
	LCS %REC	LCS %DUP	LCS %RPD	BLKSRR% REC	LCS %REC	LCS %RPD	BLKSRR%REC	
1,1-Dichloroethene	79	78	1.1		70 - 130	0 - 25		
Benzene	73	73	0.3		70 - 130	0 - 25		
Bromofluorobenzene				97			50 - 150	
Chlorobenzene	81	82	1.5		70 - 130	0 - 25		
Dibromofluoromethan				87			50 - 150	
Toluene	79	77	3.8		70 - 130	0 - 25		
Toluene-D8				111			50 - 150	
Trichloroethene	75	72	3.8		70 - 130	0 - 25		
Method #	LUFT GCMS							
QC Reference #	102140		Date Analyzed: 4/6/2022			Technician: KZ		
Samples	001	002	003	004	005	006	007	008
<b>Results</b>					<b>Control Ranges</b>			
	LCS %REC	LCS %DUP	LCS %RPD		LCS %REC	LCS %RPD		
C4-C12	116	100	16		70 - 130	0 - 25		



# A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTAIRO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

## QUALITY CONTROL DATA REPORT

2204-00039

GEOSYNTEC CONSULTANTS

BRIAN PIERCE

Date Reported

04/08/2022

Date Received

04/06/2022

Date Sampled

04/06/2022

**Project: 1050 La Cienega Blvd., Los Angeles, CA 90035**

### Method blank results

Ref	Test Name	Result	Qualif	Units	MDL	Ref	Test Name	Result	Qualif	Units	MDL
102139	Acetone	<0.0650		µg/L	0.0650		Isopropylbenzene	<0.0065		µg/L	0.0065
	t-Amyl Methyl Ether (TAME)	<0.0065		µg/L	0.0065		4-Isopropyltoluene	<0.0065		µg/L	0.0065
	Benzene	<0.0031		µg/L	0.0031		Methylene Chloride	<0.0065		µg/L	0.0065
	Bromobenzene	<0.0065		µg/L	0.0065		4-Methyl-2-Pentanone (MIBK)	<0.0650		µg/L	0.0650
	Bromochloromethane	<0.0065		µg/L	0.0065		Methyl-t-butyl Ether (MtBE)	<0.0065		µg/L	0.0065
	Bromodichloromethane	<0.0065		µg/L	0.0065		Naphthalene	<0.0027		µg/L	0.0027
	Bromoform	<0.0065		µg/L	0.0065		n-Propylbenzene	<0.0065		µg/L	0.0065
	Bromomethane	<0.0065		µg/L	0.0065		Styrene	<0.0065		µg/L	0.0065
	t-Butanol (TBA)	<0.0650		µg/L	0.0650		1,1,1,2-Tetrachloroethane	<0.0065		µg/L	0.0065
	2-Butanone (MEK)	<0.0650		µg/L	0.0650		1,1,2,2-Tetrachloroethane	<0.0065		µg/L	0.0065
	n-Butylbenzene	<0.0065		µg/L	0.0065		Tetrachloroethene	<0.0065		µg/L	0.0065
	sec-Butylbenzene	<0.0065		µg/L	0.0065		Toluene	<0.0065		µg/L	0.0065
	tert-Butylbenzene	<0.0065		µg/L	0.0065		1,2,3-Trichlorobenzene	<0.0065		µg/L	0.0065
	Carbon Disulfide	<0.0650		µg/L	0.0650		1,2,4-Trichlorobenzene	<0.0065		µg/L	0.0065
	Carbon Tetrachloride	<0.0033		µg/L	0.0033		1,1,1-Trichloroethane	<0.0065		µg/L	0.0065
	Chlorobenzene	<0.0065		µg/L	0.0065		1,1,2-Trichloroethane	<0.0065		µg/L	0.0065
	Chloroethane	<0.0065		µg/L	0.0065		Trichloroethene	<0.0065		µg/L	0.0065
	Chloroform	<0.0065		µg/L	0.0065		1,2,3-Trichloropropane	<0.0026		µg/L	0.0026
	Chloromethane	<0.0065		µg/L	0.0065		Trichlorofluoromethane	<0.0065		µg/L	0.0065
	2-Chlorotoluene	<0.0065		µg/L	0.0065		Trichlorotrifluoroethane	<0.0065		µg/L	0.0065
	4-Chlorotoluene	<0.0065		µg/L	0.0065		1,2,4-Trimethylbenzene	<0.0065		µg/L	0.0065
	Dibromochloromethane	<0.0065		µg/L	0.0065		1,3,5-Trimethylbenzene	<0.0065		µg/L	0.0065
	1,2-Dibromoethane (EDB)	<0.0065		µg/L	0.0065		Vinyl Chloride	<0.0003		µg/L	0.0003
	1,2-Dibromo-3-Chloropropane	<0.0065		µg/L	0.0065		m,p-Xylenes	<0.0130		µg/L	0.0130
	Dibromomethane	<0.0065		µg/L	0.0065		o-Xylene	<0.0065		µg/L	0.0065
	1,2-Dichlorobenzene	<0.0065		µg/L	0.0065		Isopropanol (IPA)	<0.0650		µg/L	0.0650
	1,3-Dichlorobenzene	<0.0065		µg/L	0.0065	102140	C4-C12	<0.6500		µg/L	0.6500
	1,4-Dichlorobenzene	<0.0065		µg/L	0.0065						
	Dichlorodifluoromethane	<0.0065		µg/L	0.0065						
	1,1-Dichloroethane	<0.0065		µg/L	0.0065						
	1,2-Dichloroethane	<0.0065		µg/L	0.0065						
	1,1-Dichloroethene	<0.0065		µg/L	0.0065						
	cis-1,2-Dichloroethene	<0.0065		µg/L	0.0065						
	trans-1,2-Dichloroethene	<0.0065		µg/L	0.0065						
	1,2-Dichloropropane	<0.0065		µg/L	0.0065						
	1,3-Dichloropropane	<0.0065		µg/L	0.0065						
	2,2-Dichloropropane	<0.0065		µg/L	0.0065						
	1,1-Dichloropropene	<0.0065		µg/L	0.0065						
	cis-1,3-Dichloropropene	<0.0065		µg/L	0.0065						
	trans-1,3-Dichloropropene	<0.0065		µg/L	0.0065						
	Diisopropyl Ether (DIPE)	<0.0065		µg/L	0.0065						
	Ethylbenzene	<0.0065		µg/L	0.0065						
	Ethyl-t-Butyl Ether (EtBE)	<0.0065		µg/L	0.0065						
	Hexachlorobutadiene	<0.0065		µg/L	0.0065						
	2-Hexanone	<0.0650		µg/L	0.0650						



## A & R Laboratories, Inc.

1650 S. GROVE AVE., SUITE C

ONTAIRO, CA 91761

909-781-6335

www.arlaboratories.com

office@arlaboratories.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · MOBILE LABORATORIES  
FOOD · COSMETICS · WATER · SOIL · SOIL VAPOR · WASTES

### QUALITY CONTROL DATA REPORT

GEOSYNTEC CONSULTANTS

**2204-00039**

Date Reported

04/08/2022

BRIAN PIERCE

Date Received

04/06/2022

Date Sampled

04/06/2022

Project: 1050 La Cienega Blvd., Los Angeles, CA 90035

*Respectfully Submitted:*

A handwritten signature in black ink that reads 'Ken Zheng'.

Ken Zheng - President





**A & R Laboratories**  
 1650 S. Grove Ave., Ste C, Ontario, CA 91761  
 Tel: 951-779-0310 / 909-781-6335 Fax: 951-779-0344  
 E-mail: office@arlaboratories.com

**CHAIN OF CUSTODY**

A & R Work Order #:

2204-39

Client Name <b>Geo Syntec</b>				<input type="checkbox"/> Chilled <input type="checkbox"/> Intact <input type="checkbox"/> Seal			<b>Analyses Requested</b>										Turn Around Time Requested
E-mail																	<input type="checkbox"/> Rush 8 12 24 48 Hours <input type="checkbox"/> Normal
Address <b>2100 Main St, Huntington Beach</b>				Report Attention													
Project No./ Name		Project Site		Sampled By													
		<b>1050 La Cienega Blvd, CA, CA</b>															
Lab #	Client Sample ID	Sample Collection		Matrix Type	Sample Preserve	No., type* & size of container	EPA8260B (VOCs & Oxygenates)	EPA8260B(BTEX & Oxygenates)	8260B / 8015 (Gasoline)	8015 (Diesel)	EPA8081A (Organochlorine Pesticides)	EPA 8082 (PCBs)	EPA 8015M (Carbon Chain C4-C40)	EPA 6010B/7000 (CAM 17 Metals)	Micro: Plate Cnt., Coliform, E-Coli	Remarks	
		Date	Time														
-1	B-1-220406	4/6/22	9:10	Air		250ml G	X		X								
-2	C-1-		9:30														
-3	C-3-		10:00														
-4	A-3-		10:30														
-5	D-1-		11:10														
-6	D-3-		11:35														
-7	E-3-		12:00														
-8	E-3- V	DWP	12:00	V			V		V								

Relinquished By <b>[Signature]</b>	Company <b>Geo Syntec</b>	Date <b>4/6/22</b>	Time <b>13:00</b>	Received By <b>[Signature]</b>	Company <b>ARL</b>	Date <b>4/6/22</b>	Time <b>13:00</b>	Note: Samples are discarded 30 days after results are reported unless other arrangements are made.
Relinquished By	Company	Date	Time	Received By <b>[Signature]</b>	Company <b>ARLAB</b>	Date <b>4/10/22</b>	Time <b>13:00 M.M.C</b>	

Matrix Code:	DW=Drinking Water GW=Ground Water WW=Waste Water SD=Solid Waste	SL=Sludge SS=Soil/Sediment AR=Air PP=Pure Product	Preservative Code	IC=Ice HC=HCl HN=HNO <sub>3</sub>	SH=NaOH ST=Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> HS=H <sub>2</sub> SO <sub>4</sub>	* Sample Container Types: T=Tedlar Air Bag G=Glass Container ST= Steel Tube	B= Brass Tube P=Plastic Bottle V=VOA Vial	E= EnCore
--------------	--	--	-------------------	---	--	--	---	-----------



Enthalpy Analytical  
931 West Barkley Ave  
Orange, CA 92868  
(714) 771-6900

enthalpy.com

Lab Job Number: 460404  
Report Level: II  
Report Date: 04/04/2022

**Analytical Report** *prepared for:*

Brian Pierce  
GeoSyntec Consultants San Diego  
2355 Northside Drive  
Suite 250  
San Diego, CA 92108

Location: 1050 La Cienega Blvd, Los Angeles

*Authorized for release by:*

Patty Mata, Project Manager  
[patty.mata@enthalpy.com](mailto:patty.mata@enthalpy.com)

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105

## Sample Summary

---

Brian Pierce	Lab Job #:	460404
GeoSyntec Consultants San Diego	Location:	1050 La Cienega Blvd, Los Angeles
2355 Northside Drive	Date Received:	03/28/22
Suite 250		
San Diego, CA 92108		

---

Sample ID	Lab ID	Collected	Matrix
MW-25U	460404-001	03/28/22 00:00	Water
MW-25D	460404-002	03/28/22 00:00	Water
W-2	460404-003	03/28/22 00:00	Water
W-5	460404-004	03/28/22 00:00	Water
TB	460404-005	03/28/22 00:00	Water

## Case Narrative

---

GeoSyntec Consultants San Diego  
2355 Northside Drive  
Suite 250  
San Diego, CA 92108  
Brian Pierce

Lab Job Number: 460404

Location: 1050 La Cienega Blvd, Los Angeles

Date Received: 03/28/22

---

This data package contains sample and QC results for four water samples, requested for the above referenced project on 03/28/22. The samples were received cold and intact.

**TPH-Purgeables and/or BTXE by GC (EPA 8015B):**

No analytical problems were encountered.

**TPH-Extractables by GC (EPA 8015B):**

No analytical problems were encountered.

**Volatile Organics by GC/MS (EPA 8260B):**

No analytical problems were encountered.





Confluence Environmental, Inc.  
 3808 El Garmino Ave, Suite 300 #148  
 Sacramento, CA 95821  
 916-760-7641 - main  
 916-478-8617 - fax  
 www.confluence-env.com

# Chain of Custody

Project Name: 1050 La Cienega Blvd, Los Angeles

Job Number: 160404

TAT: **STANDARD** 5 DAY 2 DAY 24 HOUR OTHER:

Page \_\_\_ of \_\_\_

Lab: Enthelopy Address: 931 W Barkley Ave, Orange Contact: Patty Mata Phone/ Fax: 714-323-2586		Site Address: 1050 La Cienega Blvd, Los Angeles California Global ID No.: Include EDF w/ Report: Yes No Consultant / PM: Geosyntec Brian Pierce Phone / Fax: (619) 810-4011		Confluence PM: Eric Morse Phone / Fax: 916-760-7641 / 916-276-3017 Confluence Log Code: CESC Report to: Invoice to:													
Sample ID	Time	Date	Matrix			Laboratory No.	No. of Containers	Preservative					Requested Analysis			Notes and Comments	
			Soil/Solid	Water/Liquid	Air			Unpreserved	H <sub>2</sub> SO <sub>4</sub>	HNO <sub>3</sub>	HCl	NaOH	VOCs by 8260B	TPH-G	TPH-D		
MW-25U		3/28/22	X				7	1	6				X	X			
MW-25D		3/28/22	X				7	1	6				X	X			
W-2		3/28/22	X				7	1	6				X	X			
W-5		3/28/22	X				7	1	6				X	X			
TB	NA	NA	X				2						X				On hold
Sampler's Name: AUSTYN GENTRY Sampler's Company: Confluence Environmental Shipment Date: Shipment Method:			Relinquished By / Affiliation Austyn Gentry / CPE <i>[Signature]</i>		Date 03-28-22 3-28-22		Time 1555 1640		Accepted By / Affiliation <i>[Signature]</i> / PA <i>[Signature]</i>		Date 3/28/22 3/28/22		Time 1555 1640		Notes and Comments 1555 1640		
Special Instructions:																	

2.1 3.8



# ENTHALPY ANALYTICAL

## SAMPLE ACCEPTANCE CHECKLIST


**Section 1**  
 Client: Geosyntec Project: 1050 La Cienega Blvd, Los Angeles  
 Date Received: 3/28/22 Sampler's Name Present:  Yes  No

**Section 2**  
 Sample(s) received in a cooler?  Yes, How many? 1  No (skip section 2) Sample Temp (°C) (No Cooler) : \_\_\_\_\_  
 Sample Temp (°C), One from each cooler: #1: 3.8 #2: \_\_\_\_\_ #3: \_\_\_\_\_ #4: \_\_\_\_\_  
*(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)*  
 Shipping Information: \_\_\_\_\_

**Section 3**  
 Was the cooler packed with:  Ice  Ice Packs  Bubble Wrap  Styrofoam  
 Paper  None  Other \_\_\_\_\_  
 Cooler Temp (°C): #1: 2.1 #2: \_\_\_\_\_ #3: \_\_\_\_\_ #4: \_\_\_\_\_

Section 4	YES	NO	N/A
Was a COC received?	✓		
Are sample IDs present?	✓		
Are sampling dates & times present?	✓		
Is a relinquished signature present?	✓		
Are the tests required clearly indicated on the COC?	✓		
Are custody seals present?		✓	
If custody seals are present, were they intact?			✓
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)	✓		
Did all samples arrive intact? If no, indicate in Section 4 below.	✓		
Did all bottle labels agree with COC? (ID, dates and times)	✓		
Were the samples collected in the correct containers for the required tests?	✓		
Are the containers labeled with the correct preservatives?	✓		
Is there headspace in the VOA vials greater than 5-6 mm in diameter?		✓	
Was a sufficient amount of sample submitted for the requested tests?	✓		

**Section 5 Explanations/Comments**  
 \_\_\_\_\_  
 \_\_\_\_\_

**Section 6**  
 For discrepancies, how was the Project Manager notified?  Verbal PM Initials: \_\_\_\_\_ Date/Time \_\_\_\_\_  
 Email (email sent to/on): \_\_\_\_\_ / \_\_\_\_\_  
 Project Manager's response:  


Completed By: \_\_\_\_\_ Date: 3/28/22

## Analysis Results for 460404

Brian Pierce  
 GeoSyntec Consultants San Diego  
 2355 Northside Drive  
 Suite 250  
 San Diego, CA 92108

Lab Job #: 460404  
 Location: 1050 La Cienega Blvd, Los Angeles  
 Date Received: 03/28/22

<b>Sample ID: MW-25U</b>	<b>Lab ID: 460404-001</b>	<b>Collected: 03/28/22</b>
<b>Matrix: Water</b>		

460404-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B									
Prep Method: EPA 5030B									
TPH Gasoline	<b>41,000</b>		ug/L	2,500	50	286645	04/01/22	04/01/22	EMW
<b>Surrogates</b>	<b>Limits</b>								
Bromofluorobenzene (FID)	105%		%REC	60-140	50	286645	04/01/22	04/01/22	EMW
Method: EPA 8015B									
Prep Method: EPA 3510C									
TPH (C13-C28)	<b>2.0</b>		mg/L	0.81	8.1	286532	03/30/22	04/01/22	MES
<b>Surrogates</b>	<b>Limits</b>								
n-Triacontane	73%		%REC	35-130	8.1	286532	03/30/22	04/01/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
Freon 12	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Chloromethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Vinyl Chloride	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Bromomethane	ND		ug/L	50	50	286767	04/03/22	04/03/22	TCN
Chloroethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Trichlorofluoromethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Acetone	ND		ug/L	1,300	50	286767	04/03/22	04/03/22	TCN
Freon 113	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,1-Dichloroethene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Methylene Chloride	ND		ug/L	250	50	286767	04/03/22	04/03/22	TCN
MTBE	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
trans-1,2-Dichloroethene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,1-Dichloroethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
2-Butanone	ND		ug/L	250	50	286767	04/03/22	04/03/22	TCN
cis-1,2-Dichloroethene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
2,2-Dichloropropane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Chloroform	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Bromochloromethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,1,1-Trichloroethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,1-Dichloropropene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Carbon Tetrachloride	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,2-Dichloroethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Benzene	<b>220</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Trichloroethene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN

## Analysis Results for 460404

460404-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
1,2-Dichloropropane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Bromodichloromethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Dibromomethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
4-Methyl-2-Pentanone	ND		ug/L	250	50	286767	04/03/22	04/03/22	TCN
cis-1,3-Dichloropropene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Toluene	<b>60</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
trans-1,3-Dichloropropene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,1,2-Trichloroethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,3-Dichloropropane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Tetrachloroethene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Dibromochloromethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,2-Dibromoethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Chlorobenzene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,1,1,2-Tetrachloroethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Ethylbenzene	<b>2,400</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
m,p-Xylenes	<b>1,200</b>		ug/L	50	50	286767	04/03/22	04/03/22	TCN
o-Xylene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Styrene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Bromoform	ND		ug/L	50	50	286767	04/03/22	04/03/22	TCN
Propylbenzene	<b>340</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Isopropylbenzene	<b>120</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,1,2,2-Tetrachloroethane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,2,3-Trichloropropane	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Bromobenzene	ND		ug/L	50	50	286767	04/03/22	04/03/22	TCN
1,3,5-Trimethylbenzene	<b>820</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
2-Chlorotoluene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
4-Chlorotoluene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
tert-Butylbenzene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,2,4-Trimethylbenzene	<b>500</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
sec-Butylbenzene	<b>27</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
para-Isopropyl Toluene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,3-Dichlorobenzene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,4-Dichlorobenzene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
n-Butylbenzene	<b>120</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,2-Dichlorobenzene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,2-Dibromo-3-Chloropropane	ND		ug/L	100	50	286767	04/03/22	04/03/22	TCN
1,2,4-Trichlorobenzene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Hexachlorobutadiene	ND		ug/L	50	50	286767	04/03/22	04/03/22	TCN
Naphthalene	<b>580</b>		ug/L	25	50	286767	04/03/22	04/03/22	TCN
1,2,3-Trichlorobenzene	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
cis-1,4-Dichloro-2-butene	ND		ug/L	50	50	286767	04/03/22	04/03/22	TCN
trans-1,4-Dichloro-2-butene	ND		ug/L	50	50	286767	04/03/22	04/03/22	TCN
Isopropyl Ether (DIPE)	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
Ethyl tert-Butyl Ether (ETBE)	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN
tert-Butyl Alcohol (TBA)	ND		ug/L	500	50	286767	04/03/22	04/03/22	TCN
Methyl tert-Amyl Ether (TAME)	ND		ug/L	25	50	286767	04/03/22	04/03/22	TCN



### Analysis Results for 460404

460404-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Xylene (total)	1,200		ug/L	25	50	286767	04/03/22	04/03/22	TCN
<b>Surrogates</b>				<b>Limits</b>					
Dibromofluoromethane	99%		%REC	70-140	50	286767	04/03/22	04/03/22	TCN
1,2-Dichloroethane-d4	93%		%REC	70-140	50	286767	04/03/22	04/03/22	TCN
Toluene-d8	97%		%REC	70-140	50	286767	04/03/22	04/03/22	TCN
Bromofluorobenzene	99%		%REC	70-140	50	286767	04/03/22	04/03/22	TCN

## Analysis Results for 460404

<b>Sample ID: MW-25D</b>	<b>Lab ID: 460404-002</b>	<b>Collected: 03/28/22</b>
<b>Matrix: Water</b>		

460404-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B									
Prep Method: EPA 5030B									
TPH Gasoline	ND		ug/L	50	1	286645	04/01/22	04/01/22	EMW
<b>Surrogates</b>					<b>Limits</b>				
Bromofluorobenzene (FID)	92%		%REC	60-140	1	286645	04/01/22	04/01/22	EMW
Method: EPA 8015B									
Prep Method: EPA 3510C									
TPH (C13-C28)	<b>0.21</b>		mg/L	0.10	1	286532	03/30/22	03/31/22	MES
<b>Surrogates</b>					<b>Limits</b>				
n-Triacontane	89%		%REC	35-130	1	286532	03/30/22	03/31/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
Freon 12	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Chloromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Vinyl Chloride	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromomethane	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
Chloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Trichlorofluoromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Acetone	ND		ug/L	25	1	286767	04/03/22	04/03/22	TCN
Freon 113	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1-Dichloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Methylene Chloride	ND		ug/L	5.0	1	286767	04/03/22	04/03/22	TCN
MTBE	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
trans-1,2-Dichloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1-Dichloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
2-Butanone	ND		ug/L	5.0	1	286767	04/03/22	04/03/22	TCN
cis-1,2-Dichloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
2,2-Dichloropropane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Chloroform	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromochloromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1,1-Trichloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1-Dichloropropene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Carbon Tetrachloride	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dichloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Benzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Trichloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dichloropropane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromodichloromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Dibromomethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
4-Methyl-2-Pentanone	ND		ug/L	5.0	1	286767	04/03/22	04/03/22	TCN
cis-1,3-Dichloropropene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Toluene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN

## Analysis Results for 460404

460404-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,3-Dichloropropene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1,2-Trichloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,3-Dichloropropane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Tetrachloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Dibromochloromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dibromoethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Chlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1,1,2-Tetrachloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Ethylbenzene	<b>1.6</b>		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
m,p-Xylenes	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
o-Xylene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Styrene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromoform	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
Propylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Isopropylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1,2,2-Tetrachloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2,3-Trichloropropane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromobenzene	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
1,3,5-Trimethylbenzene	<b>0.9</b>		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
2-Chlorotoluene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
4-Chlorotoluene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
tert-Butylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2,4-Trimethylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
sec-Butylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
para-Isopropyl Toluene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,3-Dichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,4-Dichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
n-Butylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dibromo-3-Chloropropane	ND		ug/L	2.0	1	286767	04/03/22	04/03/22	TCN
1,2,4-Trichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Hexachlorobutadiene	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
Naphthalene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2,3-Trichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
cis-1,4-Dichloro-2-butene	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
trans-1,4-Dichloro-2-butene	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
Isopropyl Ether (DIPE)	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Ethyl tert-Butyl Ether (ETBE)	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
tert-Butyl Alcohol (TBA)	ND		ug/L	10	1	286767	04/03/22	04/03/22	TCN
Methyl tert-Amyl Ether (TAME)	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Xylene (total)	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
<b>Surrogates</b>				<b>Limits</b>					
Dibromofluoromethane	100%	%REC		70-140	1	286767	04/03/22	04/03/22	TCN
1,2-Dichloroethane-d4	96%	%REC		70-140	1	286767	04/03/22	04/03/22	TCN
Toluene-d8	95%	%REC		70-140	1	286767	04/03/22	04/03/22	TCN
Bromofluorobenzene	98%	%REC		70-140	1	286767	04/03/22	04/03/22	TCN

## Analysis Results for 460404

## Analysis Results for 460404

<b>Sample ID: W-2</b>	<b>Lab ID: 460404-003</b>	<b>Collected: 03/28/22</b>
<b>Matrix: Water</b>		

460404-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B									
Prep Method: EPA 5030B									
TPH Gasoline	ND		ug/L	50	1	286645	04/01/22	04/01/22	EMW
<b>Surrogates</b>					<b>Limits</b>				
Bromofluorobenzene (FID)	96%		%REC	60-140	1	286645	04/01/22	04/01/22	EMW
Method: EPA 8015B									
Prep Method: EPA 3510C									
TPH (C13-C28)	<b>0.23</b>		mg/L	0.10	1	286532	03/30/22	03/31/22	MES
<b>Surrogates</b>					<b>Limits</b>				
n-Triacontane	39%		%REC	35-130	1	286532	03/30/22	03/31/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
Freon 12	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Chloromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Vinyl Chloride	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromomethane	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
Chloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Trichlorofluoromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Acetone	ND		ug/L	25	1	286767	04/03/22	04/03/22	TCN
Freon 113	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1-Dichloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Methylene Chloride	ND		ug/L	5.0	1	286767	04/03/22	04/03/22	TCN
MTBE	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
trans-1,2-Dichloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1-Dichloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
2-Butanone	ND		ug/L	5.0	1	286767	04/03/22	04/03/22	TCN
cis-1,2-Dichloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
2,2-Dichloropropane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Chloroform	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromochloromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1,1-Trichloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1-Dichloropropene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Carbon Tetrachloride	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dichloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Benzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Trichloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dichloropropane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromodichloromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Dibromomethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
4-Methyl-2-Pentanone	ND		ug/L	5.0	1	286767	04/03/22	04/03/22	TCN
cis-1,3-Dichloropropene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Toluene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN

## Analysis Results for 460404

460404-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,3-Dichloropropene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1,2-Trichloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,3-Dichloropropane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Tetrachloroethene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Dibromochloromethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dibromoethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Chlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1,1,2-Tetrachloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Ethylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
m,p-Xylenes	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
o-Xylene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Styrene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromoform	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
Propylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Isopropylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,1,2,2-Tetrachloroethane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2,3-Trichloropropane	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Bromobenzene	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
1,3,5-Trimethylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
2-Chlorotoluene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
4-Chlorotoluene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
tert-Butylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2,4-Trimethylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
sec-Butylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
para-Isopropyl Toluene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,3-Dichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,4-Dichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
n-Butylbenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2-Dibromo-3-Chloropropane	ND		ug/L	2.0	1	286767	04/03/22	04/03/22	TCN
1,2,4-Trichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Hexachlorobutadiene	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
Naphthalene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
1,2,3-Trichlorobenzene	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
cis-1,4-Dichloro-2-butene	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
trans-1,4-Dichloro-2-butene	ND		ug/L	1.0	1	286767	04/03/22	04/03/22	TCN
Isopropyl Ether (DIPE)	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Ethyl tert-Butyl Ether (ETBE)	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
tert-Butyl Alcohol (TBA)	ND		ug/L	10	1	286767	04/03/22	04/03/22	TCN
Methyl tert-Amyl Ether (TAME)	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
Xylene (total)	ND		ug/L	0.5	1	286767	04/03/22	04/03/22	TCN
<b>Surrogates</b>				<b>Limits</b>					
Dibromofluoromethane	97%	%REC		70-140	1	286767	04/03/22	04/03/22	TCN
1,2-Dichloroethane-d4	94%	%REC		70-140	1	286767	04/03/22	04/03/22	TCN
Toluene-d8	96%	%REC		70-140	1	286767	04/03/22	04/03/22	TCN
Bromofluorobenzene	98%	%REC		70-140	1	286767	04/03/22	04/03/22	TCN

## Analysis Results for 460404

## Analysis Results for 460404

<b>Sample ID: W-5</b>	<b>Lab ID: 460404-004</b>	<b>Collected: 03/28/22</b>
<b>Matrix: Water</b>		

460404-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 8015B									
Prep Method: EPA 5030B									
TPH Gasoline	ND		ug/L	50	1	286645	04/01/22	04/01/22	EMW
<b>Surrogates</b>					<b>Limits</b>				
Bromofluorobenzene (FID)	96%		%REC	60-140	1	286645	04/01/22	04/01/22	EMW
Method: EPA 8015B									
Prep Method: EPA 3510C									
TPH (C13-C28)	<b>0.11</b>		mg/L	0.10	1	286532	03/30/22	03/31/22	MES
<b>Surrogates</b>					<b>Limits</b>				
n-Triacontane	87%		%REC	35-130	1	286532	03/30/22	03/31/22	MES
Method: EPA 8260B									
Prep Method: EPA 5030B									
Freon 12	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Chloromethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Vinyl Chloride	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Bromomethane	ND		ug/L	1.0	1	286773	04/04/22	04/04/22	TCN
Chloroethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Trichlorofluoromethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Acetone	ND		ug/L	25	1	286773	04/04/22	04/04/22	TCN
Freon 113	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,1-Dichloroethene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Methylene Chloride	ND		ug/L	5.0	1	286773	04/04/22	04/04/22	TCN
MTBE	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
trans-1,2-Dichloroethene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,1-Dichloroethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
2-Butanone	ND		ug/L	5.0	1	286773	04/04/22	04/04/22	TCN
cis-1,2-Dichloroethene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
2,2-Dichloropropane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Chloroform	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Bromochloromethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,1,1-Trichloroethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,1-Dichloropropene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Carbon Tetrachloride	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,2-Dichloroethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Benzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Trichloroethene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,2-Dichloropropane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Bromodichloromethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Dibromomethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
4-Methyl-2-Pentanone	ND		ug/L	5.0	1	286773	04/04/22	04/04/22	TCN
cis-1,3-Dichloropropene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Toluene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN



## Analysis Results for 460404

460404-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
trans-1,3-Dichloropropene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,1,2-Trichloroethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,3-Dichloropropane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Tetrachloroethene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Dibromochloromethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,2-Dibromoethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Chlorobenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,1,1,2-Tetrachloroethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Ethylbenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
m,p-Xylenes	ND		ug/L	1.0	1	286773	04/04/22	04/04/22	TCN
o-Xylene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Styrene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Bromoform	ND		ug/L	1.0	1	286773	04/04/22	04/04/22	TCN
Propylbenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Isopropylbenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,1,2,2-Tetrachloroethane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,2,3-Trichloropropane	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Bromobenzene	ND		ug/L	1.0	1	286773	04/04/22	04/04/22	TCN
1,3,5-Trimethylbenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
2-Chlorotoluene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
4-Chlorotoluene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
tert-Butylbenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,2,4-Trimethylbenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
sec-Butylbenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
para-Isopropyl Toluene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,3-Dichlorobenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,4-Dichlorobenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
n-Butylbenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,2-Dichlorobenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,2-Dibromo-3-Chloropropane	ND		ug/L	2.0	1	286773	04/04/22	04/04/22	TCN
1,2,4-Trichlorobenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Hexachlorobutadiene	ND		ug/L	1.0	1	286773	04/04/22	04/04/22	TCN
Naphthalene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
1,2,3-Trichlorobenzene	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
cis-1,4-Dichloro-2-butene	ND		ug/L	1.0	1	286773	04/04/22	04/04/22	TCN
trans-1,4-Dichloro-2-butene	ND		ug/L	1.0	1	286773	04/04/22	04/04/22	TCN
Isopropyl Ether (DIPE)	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Ethyl tert-Butyl Ether (ETBE)	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
tert-Butyl Alcohol (TBA)	ND		ug/L	10	1	286773	04/04/22	04/04/22	TCN
Methyl tert-Amyl Ether (TAME)	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
Xylene (total)	ND		ug/L	0.5	1	286773	04/04/22	04/04/22	TCN
<b>Surrogates</b>				<b>Limits</b>					
Dibromofluoromethane	102%	%REC		70-140	1	286773	04/04/22	04/04/22	TCN
1,2-Dichloroethane-d4	96%	%REC		70-140	1	286773	04/04/22	04/04/22	TCN
Toluene-d8	96%	%REC		70-140	1	286773	04/04/22	04/04/22	TCN
Bromofluorobenzene	98%	%REC		70-140	1	286773	04/04/22	04/04/22	TCN

## Analysis Results for 460404

ND Not Detected

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC980508</b>	<b>Batch: 286532</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 3510C</b>

QC980508 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH (C13-C28)	ND		mg/L	0.10	03/30/22	03/31/22
Surrogates				Limits		
n-Triacontane	81%		%REC	35-130	03/30/22	03/31/22

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC980509</b>	<b>Batch: 286532</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 3510C</b>

QC980509 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Diesel C10-C28	0.7551	1.000	mg/L	76%		42-120
Surrogates						
n-Triacontane	0.01524	0.02000	mg/L	76%		35-130

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC980510</b>	<b>Batch: 286532</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 3510C</b>

QC980510 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Diesel C10-C28	0.8240	1.000	mg/L	82%		42-120	9	36
Surrogates								
n-Triacontane	0.01613	0.02000	mg/L	81%		35-130		

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC980816</b>	<b>Batch: 286645</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 5030B</b>

QC980816 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
TPH Gasoline	514.4	500.0	ug/L	103%		70-130
Surrogates						
Bromofluorobenzene (FID)	207.4	200.0	ug/L	104%		60-140

<b>Type: Matrix Spike</b>	<b>Lab ID: QC980817</b>	<b>Batch: 286645</b>
<b>Matrix (Source ID): Water (460491-001)</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 5030B</b>

QC980817 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
TPH Gasoline	515.2	ND	500.0	ug/L	103%		70-130	1
Surrogates								
Bromofluorobenzene (FID)	151.8		200.0	ug/L	76%		60-140	1

## Batch QC

<b>Type: Matrix Spike Duplicate</b>	<b>Lab ID: QC980818</b>	<b>Batch: 286645</b>
<b>Matrix (Source ID): Water (460491-001)</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 5030B</b>

QC980818 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
TPH Gasoline	506.5	ND	500.0	ug/L	101%		70-130	2	30	1
<b>Surrogates</b>										
Bromofluorobenzene (FID)	191.9		200.0	ug/L	96%		60-140			1

<b>Type: Blank</b>	<b>Lab ID: QC980819</b>	<b>Batch: 286645</b>
<b>Matrix: Water</b>	<b>Method: EPA 8015B</b>	<b>Prep Method: EPA 5030B</b>

QC980819 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
TPH Gasoline	ND		ug/L	50	04/01/22	04/01/22
<b>Surrogates</b>				<b>Limits</b>		
Bromofluorobenzene (FID)	82%		%REC	60-140	04/01/22	04/01/22

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC981228</b>	<b>Batch: 286767</b>
<b>Matrix: Water</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981228 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Freon 12	ND		ug/L	0.5	04/03/22	04/03/22
Chloromethane	ND		ug/L	0.5	04/03/22	04/03/22
Vinyl Chloride	ND		ug/L	0.5	04/03/22	04/03/22
Bromomethane	ND		ug/L	1.0	04/03/22	04/03/22
Chloroethane	ND		ug/L	0.5	04/03/22	04/03/22
Trichlorofluoromethane	ND		ug/L	0.5	04/03/22	04/03/22
Acetone	ND		ug/L	25	04/03/22	04/03/22
Freon 113	ND		ug/L	0.5	04/03/22	04/03/22
1,1-Dichloroethene	ND		ug/L	0.5	04/03/22	04/03/22
Methylene Chloride	ND		ug/L	5.0	04/03/22	04/03/22
MTBE	ND		ug/L	0.5	04/03/22	04/03/22
trans-1,2-Dichloroethene	ND		ug/L	0.5	04/03/22	04/03/22
1,1-Dichloroethane	ND		ug/L	0.5	04/03/22	04/03/22
2-Butanone	ND		ug/L	5.0	04/03/22	04/03/22
cis-1,2-Dichloroethene	ND		ug/L	0.5	04/03/22	04/03/22
2,2-Dichloropropane	ND		ug/L	0.5	04/03/22	04/03/22
Chloroform	ND		ug/L	0.5	04/03/22	04/03/22
Bromochloromethane	ND		ug/L	0.5	04/03/22	04/03/22
1,1,1-Trichloroethane	ND		ug/L	0.5	04/03/22	04/03/22
1,1-Dichloropropene	ND		ug/L	0.5	04/03/22	04/03/22
Carbon Tetrachloride	ND		ug/L	0.5	04/03/22	04/03/22
1,2-Dichloroethane	ND		ug/L	0.5	04/03/22	04/03/22
Benzene	ND		ug/L	0.5	04/03/22	04/03/22
Trichloroethene	ND		ug/L	0.5	04/03/22	04/03/22
1,2-Dichloropropane	ND		ug/L	0.5	04/03/22	04/03/22
Bromodichloromethane	ND		ug/L	0.5	04/03/22	04/03/22
Dibromomethane	ND		ug/L	0.5	04/03/22	04/03/22
4-Methyl-2-Pentanone	ND		ug/L	5.0	04/03/22	04/03/22
cis-1,3-Dichloropropene	ND		ug/L	0.5	04/03/22	04/03/22
Toluene	ND		ug/L	0.5	04/03/22	04/03/22
trans-1,3-Dichloropropene	ND		ug/L	0.5	04/03/22	04/03/22
1,1,2-Trichloroethane	ND		ug/L	0.5	04/03/22	04/03/22
1,3-Dichloropropane	ND		ug/L	0.5	04/03/22	04/03/22
Tetrachloroethene	ND		ug/L	0.5	04/03/22	04/03/22
Dibromochloromethane	ND		ug/L	0.5	04/03/22	04/03/22
1,2-Dibromoethane	ND		ug/L	0.5	04/03/22	04/03/22
Chlorobenzene	ND		ug/L	0.5	04/03/22	04/03/22
1,1,1,2-Tetrachloroethane	ND		ug/L	0.5	04/03/22	04/03/22
Ethylbenzene	ND		ug/L	0.5	04/03/22	04/03/22
m,p-Xylenes	ND		ug/L	1.0	04/03/22	04/03/22
o-Xylene	ND		ug/L	0.5	04/03/22	04/03/22
Styrene	ND		ug/L	0.5	04/03/22	04/03/22

### Batch QC

QC981228 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Bromoform	ND		ug/L	1.0	04/03/22	04/03/22
Propylbenzene	ND		ug/L	0.5	04/03/22	04/03/22
Isopropylbenzene	ND		ug/L	0.5	04/03/22	04/03/22
1,1,2,2-Tetrachloroethane	ND		ug/L	0.5	04/03/22	04/03/22
1,2,3-Trichloropropane	ND		ug/L	0.5	04/03/22	04/03/22
Bromobenzene	ND		ug/L	1.0	04/03/22	04/03/22
1,3,5-Trimethylbenzene	ND		ug/L	0.5	04/03/22	04/03/22
2-Chlorotoluene	ND		ug/L	0.5	04/03/22	04/03/22
4-Chlorotoluene	ND		ug/L	0.5	04/03/22	04/03/22
tert-Butylbenzene	ND		ug/L	0.5	04/03/22	04/03/22
1,2,4-Trimethylbenzene	ND		ug/L	0.5	04/03/22	04/03/22
sec-Butylbenzene	ND		ug/L	0.5	04/03/22	04/03/22
para-Isopropyl Toluene	ND		ug/L	0.5	04/03/22	04/03/22
1,3-Dichlorobenzene	ND		ug/L	0.5	04/03/22	04/03/22
1,4-Dichlorobenzene	ND		ug/L	0.5	04/03/22	04/03/22
n-Butylbenzene	ND		ug/L	0.5	04/03/22	04/03/22
1,2-Dichlorobenzene	ND		ug/L	0.5	04/03/22	04/03/22
1,2-Dibromo-3-Chloropropane	ND		ug/L	2.0	04/03/22	04/03/22
1,2,4-Trichlorobenzene	ND		ug/L	0.5	04/03/22	04/03/22
Hexachlorobutadiene	ND		ug/L	1.0	04/03/22	04/03/22
Naphthalene	ND		ug/L	0.5	04/03/22	04/03/22
1,2,3-Trichlorobenzene	ND		ug/L	0.5	04/03/22	04/03/22
cis-1,4-Dichloro-2-butene	ND		ug/L	1.0	04/03/22	04/03/22
trans-1,4-Dichloro-2-butene	ND		ug/L	1.0	04/03/22	04/03/22
Isopropyl Ether (DIPE)	ND		ug/L	0.5	04/03/22	04/03/22
Ethyl tert-Butyl Ether (ETBE)	ND		ug/L	0.5	04/03/22	04/03/22
tert-Butyl Alcohol (TBA)	ND		ug/L	10	04/03/22	04/03/22
Methyl tert-Amyl Ether (TAME)	ND		ug/L	0.5	04/03/22	04/03/22
Xylene (total)	ND		ug/L	0.5	04/03/22	04/03/22
<b>Surrogates</b>				<b>Limits</b>		
Dibromofluoromethane	99%		%REC	70-140	04/03/22	04/03/22
1,2-Dichloroethane-d4	92%		%REC	70-140	04/03/22	04/03/22
Toluene-d8	96%		%REC	70-140	04/03/22	04/03/22
Bromofluorobenzene	100%		%REC	70-140	04/03/22	04/03/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981229</b>	<b>Batch: 286767</b>
<b>Matrix: Water</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981229 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	46.98	50.00	ug/L	94%		70-135
MTBE	40.00	50.00	ug/L	80%		70-130
Benzene	45.51	50.00	ug/L	91%		70-130
Trichloroethene	47.77	50.00	ug/L	96%		70-130
Toluene	45.49	50.00	ug/L	91%		70-130
Chlorobenzene	46.63	50.00	ug/L	93%		70-130
<b>Surrogates</b>						
Dibromofluoromethane	50.49	50.00	ug/L	101%		70-140
1,2-Dichloroethane-d4	46.73	50.00	ug/L	93%		70-140
Toluene-d8	48.74	50.00	ug/L	97%		70-140
Bromofluorobenzene	50.68	50.00	ug/L	101%		70-140

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC981230</b>	<b>Batch: 286767</b>
<b>Matrix: Water</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981230 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
1,1-Dichloroethene	45.97	50.00	ug/L	92%		70-135	2	30
MTBE	40.74	50.00	ug/L	81%		70-130	2	30
Benzene	45.19	50.00	ug/L	90%		70-130	1	30
Trichloroethene	47.93	50.00	ug/L	96%		70-130	0	30
Toluene	44.54	50.00	ug/L	89%		70-130	2	30
Chlorobenzene	46.38	50.00	ug/L	93%		70-130	1	30
<b>Surrogates</b>								
Dibromofluoromethane	50.71	50.00	ug/L	101%		70-140		
1,2-Dichloroethane-d4	46.16	50.00	ug/L	92%		70-140		
Toluene-d8	48.58	50.00	ug/L	97%		70-140		
Bromofluorobenzene	49.99	50.00	ug/L	100%		70-140		

## Batch QC

<b>Type: Blank</b>	<b>Lab ID: QC981243</b>	<b>Batch: 286773</b>
<b>Matrix: Water</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981243 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Freon 12	ND		ug/L	0.5	04/04/22	04/04/22
Chloromethane	ND		ug/L	0.5	04/04/22	04/04/22
Vinyl Chloride	ND		ug/L	0.5	04/04/22	04/04/22
Bromomethane	ND		ug/L	1.0	04/04/22	04/04/22
Chloroethane	ND		ug/L	0.5	04/04/22	04/04/22
Trichlorofluoromethane	ND		ug/L	0.5	04/04/22	04/04/22
Acetone	ND		ug/L	25	04/04/22	04/04/22
Freon 113	ND		ug/L	0.5	04/04/22	04/04/22
1,1-Dichloroethene	ND		ug/L	0.5	04/04/22	04/04/22
Methylene Chloride	ND		ug/L	5.0	04/04/22	04/04/22
MTBE	ND		ug/L	0.5	04/04/22	04/04/22
trans-1,2-Dichloroethene	ND		ug/L	0.5	04/04/22	04/04/22
1,1-Dichloroethane	ND		ug/L	0.5	04/04/22	04/04/22
2-Butanone	ND		ug/L	5.0	04/04/22	04/04/22
cis-1,2-Dichloroethene	ND		ug/L	0.5	04/04/22	04/04/22
2,2-Dichloropropane	ND		ug/L	0.5	04/04/22	04/04/22
Chloroform	ND		ug/L	0.5	04/04/22	04/04/22
Bromochloromethane	ND		ug/L	0.5	04/04/22	04/04/22
1,1,1-Trichloroethane	ND		ug/L	0.5	04/04/22	04/04/22
1,1-Dichloropropene	ND		ug/L	0.5	04/04/22	04/04/22
Carbon Tetrachloride	ND		ug/L	0.5	04/04/22	04/04/22
1,2-Dichloroethane	ND		ug/L	0.5	04/04/22	04/04/22
Benzene	ND		ug/L	0.5	04/04/22	04/04/22
Trichloroethene	ND		ug/L	0.5	04/04/22	04/04/22
1,2-Dichloropropane	ND		ug/L	0.5	04/04/22	04/04/22
Bromodichloromethane	ND		ug/L	0.5	04/04/22	04/04/22
Dibromomethane	ND		ug/L	0.5	04/04/22	04/04/22
4-Methyl-2-Pentanone	ND		ug/L	5.0	04/04/22	04/04/22
cis-1,3-Dichloropropene	ND		ug/L	0.5	04/04/22	04/04/22
Toluene	ND		ug/L	0.5	04/04/22	04/04/22
trans-1,3-Dichloropropene	ND		ug/L	0.5	04/04/22	04/04/22
1,1,2-Trichloroethane	ND		ug/L	0.5	04/04/22	04/04/22
1,3-Dichloropropane	ND		ug/L	0.5	04/04/22	04/04/22
Tetrachloroethene	ND		ug/L	0.5	04/04/22	04/04/22
Dibromochloromethane	ND		ug/L	0.5	04/04/22	04/04/22
1,2-Dibromoethane	ND		ug/L	0.5	04/04/22	04/04/22
Chlorobenzene	ND		ug/L	0.5	04/04/22	04/04/22
1,1,1,2-Tetrachloroethane	ND		ug/L	0.5	04/04/22	04/04/22
Ethylbenzene	ND		ug/L	0.5	04/04/22	04/04/22
m,p-Xylenes	ND		ug/L	1.0	04/04/22	04/04/22
o-Xylene	ND		ug/L	0.5	04/04/22	04/04/22
Styrene	ND		ug/L	0.5	04/04/22	04/04/22



### Batch QC

QC981243 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Bromoform	ND		ug/L	1.0	04/04/22	04/04/22
Propylbenzene	ND		ug/L	0.5	04/04/22	04/04/22
Isopropylbenzene	ND		ug/L	0.5	04/04/22	04/04/22
1,1,2,2-Tetrachloroethane	ND		ug/L	0.5	04/04/22	04/04/22
1,2,3-Trichloropropane	ND		ug/L	0.5	04/04/22	04/04/22
Bromobenzene	ND		ug/L	1.0	04/04/22	04/04/22
1,3,5-Trimethylbenzene	ND		ug/L	0.5	04/04/22	04/04/22
2-Chlorotoluene	ND		ug/L	0.5	04/04/22	04/04/22
4-Chlorotoluene	ND		ug/L	0.5	04/04/22	04/04/22
tert-Butylbenzene	ND		ug/L	0.5	04/04/22	04/04/22
1,2,4-Trimethylbenzene	ND		ug/L	0.5	04/04/22	04/04/22
sec-Butylbenzene	ND		ug/L	0.5	04/04/22	04/04/22
para-Isopropyl Toluene	ND		ug/L	0.5	04/04/22	04/04/22
1,3-Dichlorobenzene	ND		ug/L	0.5	04/04/22	04/04/22
1,4-Dichlorobenzene	ND		ug/L	0.5	04/04/22	04/04/22
n-Butylbenzene	ND		ug/L	0.5	04/04/22	04/04/22
1,2-Dichlorobenzene	ND		ug/L	0.5	04/04/22	04/04/22
1,2-Dibromo-3-Chloropropane	ND		ug/L	2.0	04/04/22	04/04/22
1,2,4-Trichlorobenzene	ND		ug/L	0.5	04/04/22	04/04/22
Hexachlorobutadiene	ND		ug/L	1.0	04/04/22	04/04/22
Naphthalene	ND		ug/L	0.5	04/04/22	04/04/22
1,2,3-Trichlorobenzene	ND		ug/L	0.5	04/04/22	04/04/22
cis-1,4-Dichloro-2-butene	ND		ug/L	1.0	04/04/22	04/04/22
trans-1,4-Dichloro-2-butene	ND		ug/L	1.0	04/04/22	04/04/22
Isopropyl Ether (DIPE)	ND		ug/L	0.5	04/04/22	04/04/22
Ethyl tert-Butyl Ether (ETBE)	ND		ug/L	0.5	04/04/22	04/04/22
tert-Butyl Alcohol (TBA)	ND		ug/L	10	04/04/22	04/04/22
Methyl tert-Amyl Ether (TAME)	ND		ug/L	0.5	04/04/22	04/04/22
Xylene (total)	ND		ug/L	0.5	04/04/22	04/04/22
<b>Surrogates</b>				<b>Limits</b>		
Dibromofluoromethane	101%		%REC	70-140	04/04/22	04/04/22
1,2-Dichloroethane-d4	94%		%REC	70-140	04/04/22	04/04/22
Toluene-d8	97%		%REC	70-140	04/04/22	04/04/22
Bromofluorobenzene	97%		%REC	70-140	04/04/22	04/04/22

## Batch QC

<b>Type: Lab Control Sample</b>	<b>Lab ID: QC981244</b>	<b>Batch: 286773</b>
<b>Matrix: Water</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981244 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1-Dichloroethene	51.36	50.00	ug/L	103%		70-135
MTBE	42.91	50.00	ug/L	86%		70-130
Benzene	48.68	50.00	ug/L	97%		70-130
Trichloroethene	51.40	50.00	ug/L	103%		70-130
Toluene	48.00	50.00	ug/L	96%		70-130
Chlorobenzene	49.55	50.00	ug/L	99%		70-130
<b>Surrogates</b>						
Dibromofluoromethane	52.96	50.00	ug/L	106%		70-140
1,2-Dichloroethane-d4	48.37	50.00	ug/L	97%		70-140
Toluene-d8	48.36	50.00	ug/L	97%		70-140
Bromofluorobenzene	51.04	50.00	ug/L	102%		70-140

<b>Type: Lab Control Sample Duplicate</b>	<b>Lab ID: QC981245</b>	<b>Batch: 286773</b>
<b>Matrix: Water</b>	<b>Method: EPA 8260B</b>	<b>Prep Method: EPA 5030B</b>

QC981245 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim
1,1-Dichloroethene	53.95	50.00	ug/L	108%		70-135	5	30
MTBE	46.89	50.00	ug/L	94%		70-130	9	30
Benzene	52.00	50.00	ug/L	104%		70-130	7	30
Trichloroethene	53.99	50.00	ug/L	108%		70-130	5	30
Toluene	50.98	50.00	ug/L	102%		70-130	6	30
Chlorobenzene	53.09	50.00	ug/L	106%		70-130	7	30
<b>Surrogates</b>								
Dibromofluoromethane	52.19	50.00	ug/L	104%		70-140		
1,2-Dichloroethane-d4	47.28	50.00	ug/L	95%		70-140		
Toluene-d8	48.15	50.00	ug/L	96%		70-140		
Bromofluorobenzene	49.07	50.00	ug/L	98%		70-140		

ND Not Detected

# ATTACHMENT B

**FORM 1 - CERTIFICATE OF COMPLIANCE FOR METHANE TEST DATA**

**Part 1: Certification Sheet**

Site Address: 1056 La Cienega Blvd, Los Angeles, CA 90035

Legal Description: Tract: \_\_\_\_\_ Lot: \_\_\_\_\_ Block: \_\_\_\_\_

Building Use: Vacant Land

Architect=s, Engineer=s or Geologist=s Stamp:

Name of Architect, Engineer, or Geologist:

Mailing Address: 16644 W Bernarda Dr.  
 Suite 301, 92127

Telephone: \_\_\_\_\_

Name of Testing Laboratory: Enthalpy Analytical  
 ELAP 1338

City Test Lab License #: \_\_\_\_\_

Telephone: (714) 771-6900

I hereby certify that I have tested the above site for the purpose of methane mitigation and that all procedures were conducted by a City of Los Angeles licensed testing agency in conformity with the requirements of the LADBS Information Bulletin P/BC 2020-101. Where the inspection and testing of all or part of the work above is delegated, full responsibility shall be assumed by the architect, engineer or geologist whose signature is affixed thereon.

Signed: \_\_\_\_\_ date \_\_\_\_\_

**Required Data:**

- Project is in the (Methane Zone) or (Methane Buffer Zone).
- Depth of ground water observed during testing: 17 feet below the Impervious Membrane.
- Depth of Historical High Ground Water Table Elevation\*: 13 feet below the Impervious Membrane.
- Design Methane Concentration\*\*: 4.7 parts per million in volume (ppmv).
- Design Methane Pressure\*\*\*: 0.0 inches of water column.
- Site Design Level: (Level I) Level II, Level III, Level IV, Level V) with 0.0 inches of water column.

**De-watering:**

- De-watering ( is ) ( is not ) required per Section 7104.3.7.
- Pump discharge rate \_\_\_\_\_ cubic feet per minute per reference geology or soil report:  
 \_\_\_\_\_ dated \_\_\_\_\_

**Additional Investigation:**

- Additional investigation (was) ( was not ) conducted.

**Latest Grading on Site:**

- Date of last grading on site (was) (was not) more than 30 days before Site Testing.
- See Attached explanation of the effect on soil gas survey results by grading operations.

**Notes:**

\* Historical High Ground Water Table Elevation shall mean the highest recorded elevation of ground water table based on historical records and field investigations as determined by the engineer for the methane mitigation system.

\*\* Design Methane Concentration shall mean the highest recorded measured methane concentration from either Shallow Soil Gas Test or any Gas Probe Set on the site.

\*\*\* Design Methane Pressure shall mean the highest total pressure measured from any Gas Probe Set on the site.



**FORM 1 (CONTINUED) - CERTIFICATE OF COMPLIANCE FOR METHANE TEST DATA**

**Part 2: Test Data - Shallow Soil Gas Test and Gas Probe Test**

Site Address: 1056 La Cienega Blvd, Los Angeles, CA 90035

Description of Gas Analysis Instrument(s):

Instrument Name and Model: EPA TO-3 Instrument Accuracy:  $\pm$  0.01 ppmv.

City of Los Angeles Testing License #:

Date	Time	Probe Set #	Concentration (ppmv)	Pressure (inches water column)	Probe Depth (feet)	Description / Probe Location
4/05/22	720	B1-SV-5	4.7	0.0	5	34.058671/-118.375772
	750	B1-SV-10	1.3	0.0	10	Nested probe at 5 and 10 ft bgs
	755	C1-SV-5	0.93	0.0	5	34.058697/-118.375600
	820	C1-SV-10	1.4	0.0	10	Nested probe at 5 and 10 ft bgs
	825	C3-SV-5	0.86	0.0	5	34.058460/-118.35611
	840	C3-SV-10	1.0	0.0	10	Nested probe at 5 and 10 ft bgs
	1005	A3-SV-5	2.4	0.0	5	34.058451/-118.375970
	1030	A3-SV-10	2.6	0.0	10	Nested probe at 5 and 10 ft bgs
	1040	D1-SV-5	1.2	0.0	5	34.05814/-118.37595
	1055	D1-SV-10	1.5	0.0	10	Nested probe at 5 and 10 ft bgs
	1120	D3-SV-5	0.82	0.0	5	34.057736/-118.375958
	1145	D3-SV-10	1.2	0.0	10	Nested probe at 5 and 10 ft bgs
	1155	E3-SV-5	2.9	0.0	5	34.057705/-118.375637
	1210	E3-SV-10	2.8	0.0	10	Nested probe at 5 and 10 ft bgs
✓B						
✓B						



**FORM 1 (CONTINUED) - CERTIFICATE OF COMPLIANCE FOR METHANE TEST DATA**

**Part 2: Test Data - Shallow Soil Gas Test and Gas Probe Test**

Site Address: 1056 La Cienega Blvd, Los Angeles, CA 90035

Description of Gas Analysis Instrument(s):

Instrument Name and Model: EPA TD-3M Instrument Accuracy:  $\pm$  0.01 ppmv.

City of Los Angeles Testing License #:

Date	Time	Probe Set #	Concentration (ppmv)	Pressure (inches water column)	Probe Depth (feet)	Description / Probe Location
4-6-22	800	B1-SV-5.0	1.1	0.0	5	34.058671/-118.375772
	810	B1-SV-10.0	0.74	0.0	10	Nested probe at 5 and 10 ft bgs
	826	C1-SV-5.0	0.82	0.0	5	34.058697/-118.375600
	840	C1-SV-10.0	0.68	0.0	10	Nested probe at 5 and 10 ft bgs
	855	C3-SV-5.0	0.83	0.0	5	34.058460/-118.375600
	911	C3-SV-10.0	0.68	0.0	10	Nested probe at 5 and 10 ft bgs
	1010	A3-SV-5.0	0.71	0.0	5	34.058451/-118.375970
	1031	A3-SV-10.0	1.3	0.0	10	Nested probe at 5 and 10 ft bgs
	1045	D1-SV-5.0	2.2	0.0	5	34.05814/-118.37595
	1058	D1-SV-10.0	1.2	0.0	10	Nested probe at 5 and 10 ft bgs
	1117	D3-SV-5.0	1.9	0.0	5	34.057736/-118.375958
	1131	D3-SV-10.0	1.2	0.0	10	Nested probe at 5 and 10 ft bgs
	1156	E3-SV-5.0	2.4	0.0	5	34.057705/-118.375637
	1215	E3-SV-10.0	3.0	0.0	10	Nested probe at 5 and 10 ft bgs
B						
B						

**TABLE 71. MINIMUM METHANE MITIGATION REQUIREMENTS.**

Site Design Level		LEVEL I	LEVEL II	LEVEL III	LEVEL IV	LEVEL V					
Design Methane Concentration (ppmv)		0-100	101-1,000	1,001-5,000	5,001-12,500	>12,500					
Design Methane Pressure (inches of water pressure)		.2	>2	.2	>2	.2	>2	All Pressures			
PASSIVE SYSTEM	De-watering System <sup>1</sup>		X	X	X	X	X	X	X		
	Sub-Slab Vent System	Perforated Horizontal Pipes	X	X	X	X	X	X	X		
		Gravel Blanket Thickness Under Impervious Membrane	2"	2"	2"	3"	2"	3"	2"	4"	4"
		Gravel Thickness Surrounding Perforated Horizontal Pipes	2"	2"	2"	3"	2"	3"	2"	4"	4"
		Vent Risers	X	X	X	X	X	X	X	X	
	Impervious Membrane		X	X	X	X	X	X	X		
ACTIVE SYSTEM	Sub-Slab System	Mechanical Extraction System <sup>2</sup>						X	X		
	Lowest Occupied Space System	Gas Detection System <sup>3</sup>			X	X	X	X	X	X	
		Mechanical Ventilation <sup>3, 4, 5</sup>			X	X	X	X	X	X	
		Alarm System			X	X	X	X	X	X	
	Control Panel			X	X	X	X	X	X		

MISC. SYSTEM	Trench Dam	X	X	X	X	X	X	X	X	X
	Conduit or Cable Seal Fitting	X	X	X	X	X	X	X	X	X
	Additional Vent Risers <sup>5</sup>									X

For SI: 1 inch = 25.4 mm.

X = Indicates a Required Mitigation Component

1. See Section 91.7104.3.7 for exception.
2. The Mechanical Extraction System shall be capable of providing an equivalent of a complete change of air every 20 minutes of the total volume of the Gravel Blanket.
3. The mechanical ventilation systems shall be capable of providing an equivalent of one complete change of the lowest occupied space air every 15 minutes.
4. Vent opening complying with Section 7104.3.4 may be used in lieu of mechanical ventilation.
5. The total quantity of installed vent risers shall be increased to double the rate for passive system.