

633 West Fifth Street 64th Floor Los Angeles, CA 90071 213.557.7222 www.rpnllp.com

Dave Rand 213.557.7224 Dave@rpnllp.com

August 11, 2023

VIA EMAIL

City Council City of Los Angeles c/o City Clerk 200 North Spring Street Los Angeles, CA 90012

clerk.plumcommittee@lacity.org

Re: Response to SAFER Comment Letter dated June 2, 2023 and Carpenters Comment Letter dated June 6, 2023 re Sustainable Communities Project Exemption, 905 Beacon Avenue Project (ENV-2020-7605-SCPE)

Dear Honorable PLUM Committee Members:

We represent DHS Investment Company, LLC in conjunction with its proposal to construct a new mixed-use residential building with ground floor commercial uses ("Project") at 905 Beacon Avenue ("Site") in the City of Los Angeles ("City"). Supporters Alliance for Environmental Responsibility ("SAFER") submitted a letter dated June 2, 2023 ("SAFER Letter") regarding the Sustainable Communities Project Exemption ("SCPE") analysis and findings prepared for the Project pursuant to California Environmental Quality Act ("CEQA").¹ In addition, the Southwest Mountain States Regional Council of Carpenters ("Carpenters") submitted a letter dated June 6, 2023 ("Carpenters Letter") also regarding the Project's SCPE. Please note that the Project's SCPE, originally prepared in October 2022 ("October 2022 SCPE") has been clarified and reissued ("2023 SCPE").

I. The SAFER Letter

The SAFER Letter alleges that the Project does not qualify for the use of a SCPE because 1) the Project's SCPE does not incorporate mitigation measures of the Southern California Association of Governments ("SCAG") 2020-2045 Regional Transportation Plan / Sustainable Communities Strategy ("RTP/SCS") Environmental Impact Report ("EIR") related to noise and indoor air quality; and 2) the SCPE does not incorporate the appropriate substantive analysis related to noise and indoor air quality. Finally, the SAFER Letter recommends mitigation related to indoor air quality.

To address SAFER's comments regarding potential impacts on noise and indoor air quality, CAJA Environmental Services, LLC ("CAJA") prepared responses confirming the Project's CEQA analysis and

¹ See Pub. Res. Code § 21155.1.

Los Angeles City Planning Commission August 11, 2023 Page 2

findings that the Project would not result in any potentially significant noise and indoor air quality impacts. (See **Exhibit A**, CAJA Response Memo.) The CAJA SAFER Response Memo first responds to the SAFER Letter's claims related to noise. It is true that a SCPE must incorporate "Any applicable mitigation measures or performance standards or criteria set forth in the prior environmental impact reports, and adopted in findings." However, the Mitigation Monitoring and Reporting Program of SCAG's 2020-2045 RTP/SCS Program EIR ("SCAG MMRP") explicitly allows the City to determine the applicability of the SCAG mitigation measures to projects and to choose not to apply SCAG mitigation measures when existing regulations are equal to or more effective than the SCAG mitigation measures. As noted in Table G-1 (Applicability of 2020-2045 RTP/SCS Final EIR Mitigation Measures) in Appendix G of the October 2022 SCPE, the City incorporated all *applicable* components of Mitigation Measure PMM NOISE-1, in addition to complying with existing regulations that are equal to or more effective than components of Mitigation Measure PMM NOISE-1. While the October 2022 SCPE supports this determination, clarifications have been made to the 2023 SCPE's Table G-1 to make clear the Project will incorporate *all* components of Mitigation Measure PMM NOISE-1 as described in Response to Comment No. 3 in the CAJA SAFER Response Memo.

Further, regarding the comments that a more in-depth noise analysis is required, all the requirements for qualifying for a SCPE are outlined in Section 2 (Sustainable Communities Strategy Criteria) of the SCPE. As shown there, a noise impact analysis is not listed as one of the requirements, and therefore is not required to qualify for a SCPE. Pursuant to applicable case law involving statutory exemptions, the sole question is whether the project fits within the language of the exemption.² The California Supreme Court explained: "As a practical matter, the statutory exemptions have in common only this: the *Legislature* determined that each promoted an interest important enough to justify forgoing the benefits of environmental review."³ Given the purposes of statutory exemptions are not necessarily in harmony with CEQA's general purpose, the general rule that CEQA provisions must be interpreted to give the fullest possible protection to the environment does not control the interpretation of a statutory exemption.⁴

Regarding the indoor air quality, the CAJA SAFER Response Memo demonstrates that the Project would comply with all applicable regulations designed to address indoor air quality and potential toxic materials, including but not limited to the California Green Building Standards Code ("CALGreen")⁵, which addresses chemical emissions from indoor building materials installed in new buildings, and CARB's Airborne Toxic Control Measure to Reduce Formaldehyde Emissions from Composite Wood Products, which applies to composite wood products sold and supplied in California.⁶ These measures assure that all building materials and furnishings manufactured, distributed, imported and used in new construction in California meet the maximum allowable concentrations that assure healthful indoor air quality. Therefore, the Project's SCPE analysis and the CAJA SAFER Response Memo provide substantial evidence that the Project would not result in potentially significant indoor air quality impacts.

² Napa Valley Wine Train, Inc. v. PUC (1990) 50 C.3d 370; County of Ventura v. City of Moorpark (2018) 24 Cal.App.5th 377, 386.

³ Napa Valley Wine Train, Inc. v. PUC, supra, at 382.

⁴ Sunset Sky Ranch Pilots Association v. County of Sacramento (2009) 47 C.4th 902, 907; Napa Valley Wine Train, Inc. v. PUC, supra.

⁵ California Green Building Standard Code: https://ww2.arb.ca.gov/our-work/programs/building-decarbonization/buildingstandards-code, accessed August 2, 2022.

⁶ CARB, Composite Wood Products Airborne Toxic Control Measure: https://ww2.arb.ca.gov/our-work/programs/composite-wood-products-program, accessed August 2, 2022.

Los Angeles City Planning Commission August 11, 2023 Page 3

Further, the SCPE criteria does not require a more in-depth air quality analysis. As discussed above, a project that meets the criteria contained "within the language of the exemption," is exempt despite any potential environmental impacts. Further, to the extent the SAFER Letter is alleging impacts to future residents and users of the Project, such effects are not considered CEQA "impacts" and need not be analyzed.⁷

II. The Carpenters Letter

The Carpenters Letter alleges that the Project does not qualify for a SCPE because 1) the City needs to consider utilizing local workforce policies to mitigate impacts; 2) the City should adopt additional requirements to mitigate COVID-19 related public health risks from the Project's construction activities; 3) the SCPE does not provide evidence that there are sufficient utilities to serve the Project or that the Project would comply with the SCPE criteria related to energy and water efficiency; and 4) the City should have required a Preliminary Endangerment Assessment ("PEA") or Phase I report. Finally, the Carpenters Letter alleges that the Project does not comply with the Commercial Corner Development provisions of the Los Angeles Municipal Code ("LAMC").

To address the Carpenters Letter, CAJA prepared responses confirming the Project's CEQA analysis and findings, and its compliance with the LAMC. (See <u>Exhibit A</u>, CAJA Response Memo.) The CAJA Carpenters Response Memo first addresses the Carpenters' arguments related to local workforce policies and COVID-19 related health risks. As discussed therein, the provision of community benefits and the prevention of the spread of COVID-19 and other infectious diseases are not requirements of CEQA. Additionally, all the statutory requirements established by Public Resources Code Sections 21155 and 21155.1 to qualify for a SCPE are outlined in Section 2 (Sustainable Communities Strategy Criteria) of the SCPE. Incorporation of other measures, such as those presented by the commentator, is not necessary. The commentator provides no evidence to the contrary, and thus this comment is completely speculative.

Regarding the Carpenters comments related to utilities, the CAJA Carpenters Response Memo reiterates that Appendix C of the SCPE demonstrates that the existing capacity of energy, water, sewer, and storm drain infrastructure are adequate to accommodate the Project. Similarly, Appendix F of the SCPE demonstrates that the Project will be 15 percent more energy efficient than required by Chapter 6 of Title 24 of the California Code of Regulations and is designed to achieve 25 percent less water usage than the average household use in the region. The commentator provides no evidence demonstrating any deficiency in these analyses, and thus these comments are completely speculative.

The CAJA Carpenters Response Memo also addresses the Carpenters' allegations that the Project did not submit a required PEA or Phase I report. However, Appendix E of the SCPE consists of a Phase I ESA report that concluded that there are no recognized environmental conditions at the Project Site, and no further environmental investigation is required at this time. While the SCPE criteria uses the term "preliminary endangerment assessment," it does so merely to describe the required inquiry regarding hazardous conditions at a proposed project site, not to fulfill the distinct PEA requirements

⁷ California Building Industry Association v. Bay Area Air Quality Management District (2015) 62 Cal.4th 369.

Los Angeles City Planning Commission August 11, 2023 Page 4

identified by the HSC and DTSC, which are not applicable to the inquiry required to be prepared in connection with a SCPE.⁸

Finally, the Carpenters incorrectly claim that the Project is a commercial corner development subject to the regulations of LAMC Section 12.22.A.23. However, as reflected by the Project's application materials and pursuant to LAMC Section 12.22.A.23(d)(1), the Project is exempt from commercial corner development regulations because it meets the definition of a Mixed-Use Project pursuant to LAMC Section 13.09.B.3.

III. Conclusion

As demonstrated herein, the SAFER Letter and Carpenters Letter do not establish any evidence that the Project does not qualify for the SCPE, and the Project's SCPE analysis and the CAJA Response Memos provide substantial evidence that support the findings that the Project qualifies for the SCPE.

Sincerely,

Dave Rand

Dave Rand Partner of RAND PASTER & NELSON, LLP

DR:smd Attachments

⁸ See *Concerned Citizens of Beverly Hills/Beverly Grove v. City of Los Angeles* (Los Angeles Superior Court, Case No. BS168228, January 5, 2018 judgment, pp. 7-8).

EXHIBIT A



9410 Topanga Canyon Boulevard, Suite 101 Chatsworth, CA 91311 Phone 310-469-6700

August 10, 2023

Marie Pichay, City Planning Associate Los Angeles City Planning 200N. Spring Street, Room 620 Los Angeles, CA 90012

Re: Response to SAFER Comment Letter dated June 2, 2023 and Carpenters Comment Letter dated June 6, 2023 re Sustainable Communities Project Exemption, 905 Beacon Avenue Project (ENV-2020-7605-SCPE)

Dear Ms. Pichay:

CAJA Environmental Services, LLC (CAJA) has reviewed the letters submitted to the City of Los Angeles (City) by Supporters Alliance for Environmental Responsibility (SAFER) submitted a letter dated June 2, 2023 (SAFER Letter) regarding the Sustainable Communities Project Exemption (SCPE) analysis and findings prepared for the Project pursuant to California Environmental Quality Act (CEQA) and by Southwest Mountain States Regional Council of Carpenters (Carpenters) submitted a letter dated June 6, 2023 (Carpenters Letter) also regarding the Project's SCPE. Responses to the comments in the SAFER Letter and the Carpenters Letter are attached to this memo.

If you require any additional information or would like to discuss, do not hesitate to contact me. Thank you.

Sincerely,

Kerrie Nicholson

Kerrie Nicholson

CAJA Environmental Services, LLC

Attachments

Response to Supporters Alliance for Environmental Responsibility (SAFER) Letter dated June 2, 2023

Amalia Bowley Fuentes Lozeau Drury, LLP 1939 Harrison Street, Ste. 150 Oakland, CA 94612 <u>Amalia@lozeaudrury.com</u>

Comment No. 1

Dear Chair Harris-Dawson and Members of the Planning and Land Use Committee:

I am writing on behalf of the Supporters Alliance for Environmental Responsibility ("SAFER"), a California nonprofit benefit corporation, regarding the proposed development of a 7-story, 119,508 square foot mixeduse building, located in the City of Los Angeles and known as the 905 Beacon Avenue Project ("Project"). The City has determined that the project is exempt from environmental review under the California Environmental Quality Act ("CEQA") pursuant to Public Resources Code section 21155.1 ("Section 21155.1"), which provides an exemption for sustainable communities projects. However, the Project does not meet the criteria for a sustainable communities project and, therefore, does not qualify for an exemption for CEQA under Section 21155.1. SAFER respectfully requests that the Planning and Land Use Management Committee not approve the Project, and instead direct staff to prepare necessary environmental documents under CEQA.

This comment has been prepared with the assistance of expert noise consulting firm Wilson Ihrig and Certified Industrial Hygienist, Francis "Bud" Offermann, PE, CIH. Wilson Ihrig's comments are attached as Exhibit A, and Mr. Offermann's comments are attached as Exhibit B. We incorporate the Wilson Ihrig and Offermann comments herein by reference.

PROJECT DESCRIPTION

The proposed Project consists of the demolition and removal of the existing surface parking lot from the Project site in order to facilitate the development of a 7-story, 119,508 square foot mixed-use building. The building will include 145 multi-family residential dwelling units, up to 2,000 square feet of neighborhood serving commercial uses, and 1.5 above ground parking levels and 2 underground levels. The Project proponents are requesting site plan review, permission to use base incentives and three additional incentives, and a vesting tentative tract map.

LEGAL STANDARD

CEQA mandates that "the long-term protection of the environment . . . shall be the guiding criterion in public decisions" throughout California. (PRC § 21001(d).) To achieve its objectives of environmental protection, CEQA has a three-tiered structure. (14 CCR § 15002(k); *Committee to Save the Hollywoodland Specific Plan v. City of Los Angeles* (2008) 161 Cal.App.4th 1168, 1185-86.) First, if a project falls into an exempt category, or it can be seen with certainty that the activity in question will not have a significant effect on the

environment, no further agency evaluation is required. (Id.) Second, if there is a possibility the project will have a significant effect on the environment, the agency must perform an initial threshold study. (Id.; 14 CCR § 15063(a).) If the study indicates that there is no substantial evidence that the project or any of its aspects may cause a significant effect on the environment the agency may issue a negative declaration. (Id.; 14 CCR §§ 15063(b)(2), 15070.) Finally, if the project will have a significant effect on the environment, an environmental impact report ("EIR") is required. (Id.) Here, since the County exempted the Project from CEQA entirely, the first step of the CEQA process applies.

Here, the City is alleging that the proposed Project is exempt from CEQA review under the Sustainable Communities Project exemption ("SCPE") exemption. (PRC § 21155.1.) PRC 21155.1 applies to transit priority projects which meet certain criteria and are considered sustainable communities projects, and are rendered exempt from CEQA requirements. In order to qualify for a SCPE, a legislative body must find, after public hearing, that the transit priority project meets all of the requirements from PRC 21155.1 subdivision (a) and (b), and one of the requirements of subdivision (c).

Subdivision (a) lists out environmental criteria including requirements that the project can be served by existing utilities, does not impact wildlife habitat, is not included on the Cortese list, does not impact historical resources, is not located on developed open space, and is 15 percent more energy efficient than required under Title 24. Subdivision (a) also lists out specific environmental health hazards that a project cannot be subject to, including "[r]isk of a public health exposure at a level that would exceed the standards established by any state or federal agency." (PRC § 21155.1(a)(6)(C).)

Subdivision (b) lists out land use criteria that a project must meet, including size requirements, a limit on residential units, and requirements regarding affordable housing, among others. Relevant here, subdivision (b) requires that "[a]ny applicable mitigation measures or performance standards or criteria set forth in the prior environmental impact reports, and adopted in findings, have been or will be incorporated into the transit priority project." (PRC § 21155.1(b)(5).)

Lastly, subdivision (c) states that the transit priority project must meet at least one of the following three criteria:

(1) The transit priority project meets both of the following:

(A) At least 20 percent of the housing will be sold to families of moderate income, or not less than 10 percent of the housing will be rented to families of low income, or not less than 5 percent of the housing is rented to families of very low income.

(B) The transit priority project developer provides sufficient legal commitments to the appropriate local agency to ensure the continued availability and use of the housing units for very low, low-, and moderate-income households at monthly housing costs with an affordable housing cost or affordable rent, as defined in Section 50052.5 or 50053 of the Health and Safety Code, respectively, for the period required by the applicable financing. Rental units shall be affordable for at least 55 years. Ownership units shall be subject to resale restrictions or equity sharing requirements for at least 30 years.

(2) The transit priority project developer has paid or will pay in-lieu fees pursuant to a local ordinance in an amount sufficient to result in the development of an equivalent number of units that would otherwise be required pursuant to paragraph (1).

(3) The transit priority project provides public open space equal to or greater than five acres per 1,000 residents of the project.

(PRC § 21155.1(c).)

As discussed below, the proposed Project does not qualify for a SCPE because it fails to meet one of the criteria of subdivision (a) and one of the criteria in subdivision (b). The exemption is therefore improper, and instead, an initial study should be prepared, followed by the appropriate CEQA document, either an MND or an EIR.

Response to Comment No. 1

Regarding the Project qualifying for a SCPE, the commentator is referred to Response to Comment Nos. 2 through No. 17. Based on the information provided therein, the Project does qualify for a SCPE, and no additional CEQA review is required.

Comment No. 2

DISCUSSION

I. The City Incorrectly Applied CEQA's Sustainable Communities Project Exemption to the Project and Instead an Initial Study is Required.

This Project fails to meet some of the necessary criteria due to its potentially significant noise and indoor air quality impacts. As such, the Project does not qualify for a SCPE and the City must prepare an initial study and either an MND or an EIR for the Project.

Response to Comment No. 2

Regarding the Project's noise and indoor air quality impacts, the commentator is referred to Response to Comment No. 3 through Response to Comment No. 17. Regarding the Project qualifying for a SCPE, the commentator is referred to Response to Comment No. 17. Based on the information provided therein, the Project does qualify for a SCPE, and no additional CEQA review is required.

Comment No. 3

a. The SCPE failed to impose all mitigation measures for noise.

To qualify for a SCPE, a Project must meet certain land use criteria, including that "[a]ny applicable mitigation measures or performance standards or criteria set forth in the prior environmental impact reports,

and adopted in findings, have been or will be incorporated into the transit priority project." (PRC § 21155.1(b)(5).) The City found that the only applicable EIR for this SCPE was the SCAG 2020-2045 RTP/SCS Program EIR ("RTP/SCS PEIR"), and it applied two of the noise-related mitigation measures from that PEIR to the proposed Project.

Response to Comment No. 3

The Mitigation Monitoring and Reporting Program of SCAG's 2020-2045 RTP/SCS Program EIR (SCAG MMRP) explicitly allows the City to determine the applicability of the SCAG mitigation measures to projects as well as to choose not to apply SCAG mitigation measures when existing regulations are equal to or more effective than the SCAG mitigation measures:

SCAG has no authority to impose mitigation measures on individual projects for which it is not the lead agency. However, for projects seeking to use CEQA streamlining and/or tier from the Program EIR, project-level mitigation measures included in the Program EIR (or comparable measures) should be required by the local lead agency as appropriate and feasible. Many lead agencies have existing regulations, policies, and/or standard conditions of approval that address potential impacts. Nothing in the Program EIR is intended to supersede existing regulations and policies of individual jurisdictions. Since SCAG has no authority to impose mitigation measures, mitigation measures to be implemented by local jurisdictions are subject to a lead agency's independent discretion as to whether measures are applicable to projects in their respective jurisdictions. Lead agencies may use, amend, or not use measures identified in the Program EIR as appropriate to address project-specific conditions. The determination of significance and identification of appropriate mitigation is solely the responsibility of the lead agency.¹

As noted in Table G-1 (Applicability of 2020-2045 RTP/SCS Final EIR Mitigation Measures) in Appendix G of the SCPE prepared in October 2022 (October 2022 SCPE), the City determined that the Project would comply with multiple existing noise- and vibration-related regulations that are equal to or more effective than the relevant components of Mitigation Measure PMM NOISE-1 and PMM NOISE-2, respectively. While the October 2022 SCPE's findings fully support this determination, clarifications have been made to the SCPE in August 2023 (July 2023 SCPE) making it clear that the Project will incorporate all components of Mitigation Measure PMM NOISE-2, which include a number of measures intended to reduce construction noise and vibration levels adjacent to sensitive receptors, including the placement of temporary noise barriers between Project construction activities and sensitive receptors. In addition, the Project will continue to be required to comply with all existing regulatory requirements identified by the October 2022 SCPE. Therefore, through incorporation of PMM NOISE-1 and PMM NOISE-2 as well as compliance with all applicable regulatory requirements pertaining to noise and vibration, the Project will continue to meet all applicable statutory criteria for utilization of a SCPE.

Comment No. 4

¹ Available at https://scag.ca.gov/sites/main/files/file-attachments/exhibita_connectsocal_peir_revisedmmrp.pdf?1606004474 (last accessed 06.16.23).

Jack Meighan of expert noise consulting firm Wilson Ihrig reviewed the Project and associated docuements and found that the Project failed to adequately analyze noise impacts, and therefore failed to impose all applicable mitigation measures from the RTP/SCS PEIR. The Project therefore does not meet the requirements for a SCPE. Mr. Meighan's comments are attached hereto as Exhibit A, and are summarized below.

Response to Comment No. 4

All of the statutory requirements established by Public Resources Code Sections 21155 and 21155.1 for qualifying for a SCPE are outlined in Section 2 (Sustainable Communities Strategy Criteria) of the SCPE. As shown there, preparation of a noise and/or vibration impact analysis is not listed as one of the statutory criteria and thus, is not required in connection with the preparation of a SCPE. Furthermore, while Appendix G of the October 2022 SCPE demonstrates that the City has properly determined that existing regulatory requirements are equal to or more effective than the mitigation measures under PMM NOISE-1 and PMM NOISE-2, the July 2023 SCPE clarifies that the Project incorporates all components of Mitigation Measure PMM NOISE-1 and PMM NOISE-1 and PMM NOISE-1 and PMM NOISE-1 and PMM NOISE-2. Therefore, the Project continues to demonstrate its eligibility for a SCPE through compliance with all applicable statutory criteria.

Comment No. 5

First of all, Mr. Meighan found that the RTP/SCS PEIR does not study operational noise and vibration, and therefore the mitigation measures it proposes and which have been applied to this Project would not serve to mitigate any of the Project's operational noise and vibration impacts. (Ex. A, p. 1.) Therefore, Mr. Meighan concluded that neither the RTP/SCS PEIR nor the SCPE have actually studied operational noise and vibration, and further CEQA review must be conducted to analyze those potential impacts. (Id.)

Response to Comment No. 5

As discussed in Response to Comment No. 4, all of the statutory requirements for qualifying for a SCPE are outlined in Section 2 (Sustainable Communities Strategy Criteria) of the SCPE. As shown therein, preparation of a noise and/or vibration impact analysis is not listed as one of the statutory criteria and thus, is not required. Similarly, the statutory criteria for utilization of a SCPE require the incorporation of prior applicable mitigation measures; the programmatic scope of SCAG'S 2020-2045 RTP/SCS Program EIR is not relevant in determining the applicability of SCAG's mitigation measures to the Project. Furthermore, refer to Response to Comment No. 3 regarding the incorporation of all components of Mitigation Measure PMM NOISE-1 and PMM NOISE-2 into the Project.

Comment No. 6

Next, one of the mitigation measures the Project imposes for noise impacts is to prohibit amplified noises from exceeding ambient noise levels of adjacent properties by more than 5 dBA. However, Mr. Meighan points out that because the SCPE for the Project does not include noise measurements, it is

impossible to identify which measures are necessary to achieve this requirement, and whether such measures are feasible. (Ex. A, p. 1-2.) He notes that "reasonable worse-case construction scenarios may not be able to stay 5 dBA within the ambient at the adjacent property that borders the site directly to the south." (Id. at 2.) Without this information, the City has failed to demonstrate that the Project meets the requirements of a SCPE, and an initial study should be prepared to adequately measure and document the Project's ambient noise levels, and determine what specific mitigation is necessary.

Response to Comment No. 6

The "mitigation measure" referenced by the commentator (i.e., prohibition of amplified noises) and identified in the October 2022 SCPE is not a mitigation measure but is part of LAMC Section 112.01 – a regulatory requirement related to amplified sound, such as music, and which does not apply to construction noise. Furthermore, as discussed in Response to Comment No. 4, a noise impact analysis is not listed as one of the statutory criteria for utilizing a SCPE and thus, is not required. In addition, refer to Response to Comment No. 3 regarding the incorporation of all components of Mitigation Measure PMM NOISE-1 and PMM NOISE-2 into the Project, including the provision of temporary noise barriers between Project construction activities and adjacent sensitive receptors.

Comment No. 7

Lastly, Mr. Meighan found that the Project's noise impact analyses are incomplete. The analysis prepared by the City does not include any calculations showing operational and construction noise and vibration impacts that would result from this Project. (Ex. A, p. 2.) In an effort to estimate potential impacts, Mr. Meighan ran sample calculations from projects with assumptions similar to this Project and used Project-specific details. (Id.) He found that construction noise and vibration would most likely be significant and have the potential to cause damage to nearby buildings. (Id.) The City has therefore failed to demonstrate that it has imposed all applicable mitigation measures for noise from prior EIRs, and the Project does not qualify for a SCPE. An initial study, followed by either an MND or an EIR, must be prepared for this Project.

Response to Comment No. 7

The commentator is referred to Response to Comment No. 4 regarding the preparation of a noise/vibration impact analysis and Response to Comment No. 3 regarding the Project's incorporation of prior SCAG mitigation measures, including those pertaining to vibration.

Comment No. 8

b. There is Substantial Evidence that the Project Will Have a Significant Health Risk Impact from its Indoor Air Quality Impacts.

The SCPE cannot apply if a project site is subject to "[r]isk of a public health exposure at a level that would exceed the standards established by any state or federal agency." (PRC § 21155.1(a)(6)(C).)

Here, there is substantial evidence demonstrating that the Project will have public health impacts which exceed state standards. Specifically, the Project will result in significant increased cancer risks from emissions of formaldehyde. Therefore, the Project does not qualify for the SCPE and the City must prepare an initial study to determine the appropriate level of CEQA review for this Project, either an MND or an EIR.

Certified Industrial Hygienist, Francis "Bud" Offermann, PE, CIH, has conducted a review of the proposed Project and relevant documents regarding the Project's indoor air emissions. Indoor Environmental Engineering Comments (December 12, 2022) (Exhibit B). Mr. Offermann concludes that it is likely that the Project will expose residents and commercial employees of the Project to significant impacts related to indoor air quality, and in particular, emissions of the cancer-causing chemical formaldehyde. Mr. Offermann is a leading expert on indoor air quality and has published extensively on the topic. Mr. Offermann's expert comments and curriculum vitae are attached as Exhibit B.

Mr. Offermann explains that many composite wood products used in building materials and furnishings commonly found in offices, warehouses, residences, and hotels contain formaldehyde-based glues which off-gas formaldehyde over a very long time period. He states, "[t]he primary source of formaldehyde indoors is composite wood products manufactured with urea-formaldehyde resins, such as plywood, medium density fiberboard, and particleboard. These materials are commonly used in building construction for flooring, cabinetry, baseboards, window shades, interior doors, and window and door trims." (Ex. B, p. 2-3.)

Formaldehyde is a known human carcinogen. Mr. Offermann states that future residential occupants would be exposed to a cancer risk of 120 in one million, and future commercial employees would be exposed to a cancer risk of 17.7 in one million. (Ex. B, p. 4-5.) These calculations are assuming all materials are compliant with the California Air Resources Board's formaldehyde airborne toxics control measure. (Id.) These potential exposure levels exceed the South Coast Air Quality Management District's ("SCAQMD") CEQA significance threshold for airborne cancer risk of 10 per million. (Id.)

Mr. Offermann concludes that these significant environmental impacts should be analyzed in accordance with CEQA and mitigation measures should be imposed to reduce the risk of formaldehyde exposure. (Id. At 6.) Mr. Offermann identifies mitigation measures that are available to reduce these significant health risks, including the installation of air filters and a requirement that the applicant use only composite wood materials (e.g. hardwood plywood, medium density fiberboard, particleboard) for all interior finish systems that are made with CARB approved no-added formaldehyde (NAF) resins or ultra-low emitting formaldehyde (ULEF) resins in the buildings' interiors. (Id. At 12-14.)

Because the Project's formaldehyde emissions constitute a "public health exposure at a level that would exceed" SCAQMD's significance threshold for increased cancer risk, the Project does not qualify for the SCPE. (See PRC § 21155.1(a)(6)(C).) Therefore, the City must prepare an initial study for the Project and either an MND or EIR to disclose and mitigate the potential environmental impacts to future users of the building.

Response to Comment No. 8

Regarding Mr. Offerman's review and comments, the commentator is referred to Response to Comment No. 15 through Response to Comment No. 17. For the reasons discussed there, the Project does qualify for a SCPE, and no additional CEQA review of the Project is required.

Comment No. 9

CONCLUSION

In light of the above comments, the Project does not meet the requirements of the SCPE due to its potential noise impacts and public health risk impacts. The City must prepare an initial study followed by an EIR for the Project, or at least an MND, and the draft CEQA document should be circulated for public review and comment in accordance with CEQA. Thank you for considering these comments.

Response to Comment No. 9

For the reasons discussed in Response to Comment No. 1 through Response to Comment No. 17, the Project meets the requirements for a SCPE, and no additional CEQA review of the Project is required.

Comment No. 10

Per your request, I have reviewed the subject matter document for the 905 Beacon Ave. Sustainable Communities Project Exemption (SCPE) in Los Angeles, California. The proposed project involves the construction, use and maintenance of a 119,508-square-foot mixed-use building, which would include 145 multi-family residential dwelling units and up to 2,000 square feet of commercial uses The Noise Impact Analysis is contained in Appendix G of the SCPE. The Project is surrounded by noise sensitive uses – residences located directly to the south and to the west.

Response to Comment No. 10

As discussed in Response to Comment No. 4, all of the statutory requirements for qualifying for a SCPE are outlined in Section 2 (Sustainable Communities Strategy Criteria) of the SCPE. As shown therein, preparation of a noise and/or vibration impact analysis is not listed as one of the criteria and thus, is not required. As discussed in Response to Comment No. 3, while Appendix G of the October 2022 SCPE demonstrates that the City has properly determined that existing regulatory requirements are equal to or more effective than the mitigation measures under PMM NOISE-1 and PMM NOISE-2, the July 2023 SCPE now incorporates all components of Mitigation Measure PMM NOISE-1 and PMM NOISE-2 into the Project, including the provision of temporary noise barriers between Project construction activities and adjacent noise sensitive uses.

Comment No. 11

1. Analysis Cites Incomplete EIR

The SCPE has identified one prior EIR with mitigation measures that could apply to the Project – SCAG 2020-2045 RTP/SCS Final Program EIR. However, the SCPE states that the EIR "does not include project-level mitigation measures that would be required of the Project. The SCAG MMRP provides a list of

mitigation measures that SCAG determined a lead agency can or should consider, as applicable and feasible." As such, two mitigation measures are studied in the SCPE, Impact NOISE-1 and Impact NOISE-2. NOISE-1 presents 24 mitigation techniques that can be used to mitigate construction noise, while NOISE-2 presents 6 mitigation techniques that can be used to mitigate construction.

The EIR, however, does not study operational noise and vibration. None of the mitigation measures are meant to mitigate noise or vibration from these sources. As a result, operational noise and vibration are not studied in either the EIR or the SCPE. A more thorough EIR should be conducted to make sure that this project does not create significant noise and vibration impacts to nearby receptors. See Section 3 for a breakdown of potential operational noise issues.

Response to Comment No. 11

Regarding the analysis of noise and vibration impacts of the Project in the SCPE, the commentator is referred to Response to Comment No 4. Regarding the programmatic scope of analysis of the SCAG 2020-2045 RTP/SCS Program EIR, the commentator is referred to Response to Comment No. 5. Regarding the Project's incorporation of noise and vibration mitigation identified by PMM NOISE-1 and PMM NOISE-2, the commentator is referred to Response to Comment No. 3. No additional CEQA review of the Project is required.

Comment No. 12

2. Baseline Noise Level characterizations are Incomplete

PMM NOISE-1 states "The Project shall prohibit any amplified noises, especially those from outdoor sources, from exceeding the ambient noise levels of adjacent properties by more than 5 dBA, pursuant to LAMC Section 112.01. Any amplified noises would also be prohibited from being audible at any distance greater than 150 feet from the Project's property line" Without noise measurements, it would be impossible to identify what measures would be necessary to achieve this requirement and whether such measures would be feasible. Reasonable worse-case construction scenarios may not be able to stay 5 dBA within the ambient at the adjacent property that borders the site directly to the south. An example of an operational noise impact is presented in Section 3. The document needs at least to commit to a requirement that an acoustical report addressing noise sources should be submitted for review and approval during the permitting phase. Or, if the analysis is performed using a design goal, there should be a plan explicitly stating monitoring and reporting.

Response to Comment No. 12

The Project includes development of residential uses and neighborhood-serving retail, uses that do not generate significant operational noise levels, including amplified noise. Regarding noise monitoring, as discussed in Response to Comment No. 3, the Project will incorporate PMM NOISE-1, including its components pertaining to the monitoring the effectiveness of implemented noise reduction measures, as well as the regulatory requirements of LAMC Section 112.01. The commentator is also referred to Response to Comment No. 4 regarding the Project's compliance with all statutory criteria for utilization of a SCPE.

Comment No. 13

3. Impact Analyses are Incomplete

The analysis does not include any calculations. Below are sample calculations, taken from projects with similar assumptions, to show the typical operational and construction noise and vibrations impacts are possible with this project.

Construction Noise

The Federal Highway Administration's Roadway Construction Noise Model (RCNM) cites noise levels1 for equipment typically used on construction sites. For the grading phase, typical pieces of equipment include a Grader and a Backhoe. The closest receivers are approximately 20 feet from the construction site. Using the reference levels and usage factors cited in RCNM, the overall Leq is 90 dBA. It is hard to imagine that this level would not be considered an impact. As such, more study should be done to determine mitigation options in a full Environmental Impact Statement.

Piece of Equipment	Spec. Lmax @ 50ft (dBA)	Usage Factor
Backhoe	80	40%
Grader	85	40%
All Sources Combine	for an Hourly Leq of 90 dI	BA at 20 feet

Table 1: Summary of Typical Construction Noise Calculation

Construction Vibration

Vibration Levels could be over common building damage threshold at the closest point to the new construction in this building, and this was not mentioned in the analysis. The closest building to the south of the project site is roughly 20 feet from heavy construction. A vibratory roller has a cited PPV (Peak Particle Velocity) level of 0.21 in/sec at 25 feet, via the Federal Transit Administration's Transit (FTA) Noise and Vibration Impact Assessment Manual. At 20 feet, this is 0.29 PPV, which is over the FTA's suggested threshold of 0.2 PPV for non-engineered timber and masonry buildings. It is worth noting that other criteria exist and can be chosen, and that this document does not directly govern this project. However, there is potential for damage to nearby buildings. As such, there would be a significant impact and mitigation measures, such as a vibration control plan, should be provided in project documents.

Response to Comment No. 13

Regarding the preparation of a noise and vibration impact analysis for the Project, the commentator is referred to Response to Comment No. 4. The SCPE itself and these responses to comments demonstrate that the Project complies with all the required SCPE criteria.

Comment No. 14

Conclusions

There are several errors and omissions in the SCPE noise analysis. Correcting these would potentially identify several significant impacts which require mitigation. Please feel free to contact me with any questions on this information.

Response to Comment No. 14

Regarding a noise analysis being prepared for the Project's SCPE, the commentator is referred to Response to Comment No. 4. Regarding noise mitigation measures, the commentator is referred to Response to Comment No. 3.

Comment No. 15

Indoor Air Quality Impacts

Indoor air quality (IAQ) directly impacts the comfort and health of building occupants, and the achievement of acceptable IAQ in newly constructed and renovated buildings is a well-recognized design objective. For example, IAQ is addressed by major high performance building rating systems and building codes (California Building Standards Commission, 2014; USGBC, 2014). Indoor air quality in homes is particularly important because occupants, on average, spend approximately ninety percent of their time indoors with the majority of this time spent at home (EPA, 2011). Some segments of the population that are most susceptible to the effects of poor IAQ, such as the very young and the elderly, occupy their homes almost continuously. Additionally, an increasing number of adults are working from home at least some of the time during the workweek. Indoor air quality also is a serious concern for workers in hotels, offices and other business establishments.

The concentrations of many air pollutants often are elevated in homes and other buildings relative to outdoor air because many of the materials and products used indoors contain and release a variety of pollutants to air (Hodgson et al., 2002; Offermann and Hodgson, 2011). With respect to indoor air contaminants for which inhalation is the primary route of exposure, the critical design and construction parameters are the provision of adequate ventilation and the reduction of indoor sources of the contaminants.

Indoor Formaldehyde Concentrations Impact. In the California New Home Study (CNHS) of 108 new homes in California (Offermann, 2009), 25 air contaminants were measured, and formaldehyde was identified as the indoor air contaminant with the highest cancer risk as determined by the California Proposition 65 Safe Harbor Levels (OEHHA, 2017a), No Significant Risk Levels (NSRL) for carcinogens.

The NSRL is the daily intake level calculated to result in one excess case of cancer in an exposed population of 100,000 (i.e., ten in one million cancer risk) and for formaldehyde is 40 μ g/day. The NSRL concentration of formaldehyde that represents a daily dose of 40 μ g is 2 μ g/m³, assuming a continuous 24-hour exposure, a total daily inhaled air volume of 20 m³, and 100% absorption by the respiratory system. All of the CNHS homes exceeded this NSRL concentration of 2 μ g/m³. The median indoor formaldehyde concentration was 36 μ g/m³, and ranged from 4.8 to 136 μ g/m³, which corresponds to a median exceedance of the 2 μ g/m³ NSRL concentration of 18 and a range of 2.3 to 68.

Therefore, the cancer risk of a resident living in a California home with the median indoor formaldehyde concentration of $36 \ \mu g/m^3$, is 180 per million as a result of formaldehyde alone. The CEQA significance threshold for airborne cancer risk is 10 per million, as established by the South Coast Air Quality Management District (SCAQMD, 2015).

Besides being a human carcinogen, formaldehyde is also a potent eye and respiratory irritant. In the CNHS, many homes exceeded the non-cancer reference exposure levels (RELs) prescribed by California Office of Environmental Health Hazard Assessment (OEHHA, 2017b). The percentage of homes exceeding the RELs ranged from 98% for the Chronic REL of 9 μ g/m³ to 28% for the Acute REL of 55 μ g/m³.

The primary source of formaldehyde indoors is composite wood products manufactured with ureaformaldehyde resins, such as plywood, medium density fiberboard, and particleboard. These materials are commonly used in building construction for flooring, cabinetry, baseboards, window shades, interior doors, and window and door trims.

In January 2009, the California Air Resources Board (CARB) adopted an airborne toxics control measure (ATCM) to reduce formaldehyde emissions from composite wood products, including hardwood plywood, particleboard, medium density fiberboard, and also furniture and other finished products made with these wood products (California Air Resources Board 2009). While this formaldehyde ATCM has resulted in reduced emissions from composite wood products sold in California, they do not preclude that homes built with composite wood products meeting the CARB ATCM will have indoor formaldehyde concentrations below cancer and non-cancer exposure guidelines.

A follow up study to the California New Home Study (CNHS) was conducted in 2016-2018 (Singer et. al., 2019), and found that the median indoor formaldehyde in new homes built after 2009 with CARB Phase 2 Formaldehyde ATCM materials had lower indoor formaldehyde concentrations, with a median indoor concentrations of 22.4 μ g/m³ (18.2 ppb) as compared to a median of 36 μ g/m³ found in the 2007 CNHS. Unlike in the CNHS study where formaldehyde concentrations were measured with pumped DNPH samplers, the formaldehyde concentrations in the HENGH study were measured with passive samplers, which were estimated to under-measure the true indoor formaldehyde concentrations by approximately 7.5%. Applying this correction to the HENGH indoor formaldehyde concentrations results in a median indoor concentration of 24.1 μ g/m³, which is 33% lower than the 36 μ g/m³ found in the 2007 CNHS.

Thus, while new homes built after the 2009 CARB formaldehyde ATCM have a 33% lower median indoor formaldehyde concentration and cancer risk, the median lifetime cancer risk is still 120 per million for homes built with CARB compliant composite wood products. This median lifetime cancer risk is more than 12 times the OEHHA 10 in a million cancer risk threshold (OEHHA, 2017a).

With respect to the 905 Beacon Avenue Project, Los Angeles, CA the buildings consist of residential and commercial spaces.

The residential occupants will potentially have continuous exposure (e.g. 24 hours per day, 52 weeks per year). These exposures are anticipated to result in significant cancer risks resulting from exposures to formaldehyde released by the building materials and furnishing commonly found in residential construction.

Because these residences will be constructed with CARB Phase 2 Formaldehyde ATCM materials, and be ventilated with the minimum code required amount of outdoor air, the indoor residential formaldehyde concentrations are likely similar to those concentrations observed in residences built with CARB Phase 2 Formaldehyde ATCM materials, which is a median of 24.1 μ g/m³ (Singer et. al., 2020).

Assuming that the residential occupants inhale 20 m³ of air per day, the average 70-year lifetime formaldehyde daily dose is $482 \mu g/day$ for continuous exposure in the residences. This exposure represents a cancer risk of 120 per million, which is more than 12 times the CEQA cancer risk of 10 per million. For occupants that do not have continuous exposure, the cancer risk will be proportionally less but still substantially over the CEQA cancer risk of 10 per million (e.g. for 12/hour/day occupancy, more than 6 times the CEQA cancer risk of 10 per million).

The employees of the commercial spaces are expected to experience significant indoor exposures (e.g., 40 hours per week, 50 weeks per year). These exposures for employees are anticipated to result in significant cancer risks resulting from exposures to formaldehyde released by the building materials and furnishing commonly found in offices, warehouses, residences and hotels.

Because the commercial spaces will be constructed with CARB Phase 2 Formaldehyde ATCM materials, and be ventilated with the minimum code required amount of outdoor air, the indoor formaldehyde concentrations are likely similar to those concentrations observed in residences built with CARB Phase 2 Formaldehyde ATCM materials, which is a median of 24.1 μ g/m³ (Singer et. al., 2020)

Assuming that the employees of commercial spaces work 8 hours per day and inhale 20 m³ of air per day, the formaldehyde dose per work-day at the offices is 161 μ g/day.

Assuming that these employees work 5 days per week and 50 weeks per year for 45 years (start at age 20 and retire at age 65) the average 70-year lifetime formaldehyde daily dose is 70.9 µg/day.

This is 1.77 times the NSRL (OEHHA, 2017a) of 40 µg/day and represents a cancer risk of 17.7 per million, which exceeds the CEQA cancer risk of 10 per million. This impact should be analyzed in an environmental impact report ("EIR"), and the agency should impose all feasible mitigation measures to reduce this impact. Several feasible mitigation measures are discussed below and these and other measures should be analyzed in an EIR.

In addition, we note that the average outdoor air concentration of formaldehyde in California is 3 ppb, or 3.7 μ g/m³, (California Air Resources Board, 2004), and thus represents an average pre-existing background airborne cancer risk of 1.85 per million. Thus, the indoor air formaldehyde exposures describe above exacerbate this pre-existing risk resulting from outdoor air formaldehyde exposures.

Additionally, the Project site is located in an area with high vehicle traffic. The SCAQMD's Multiple Air Toxics Exposure Study ("MATES V") identifies an existing cancer risk at the site of 730 per million due to the site's elevated ambient air contaminant concentrations, which are due to the area's high levels of vehicle traffic. These impacts would further exacerbate the pre-existing cancer risk to residents, which result from exposure to formaldehyde in both indoor and outdoor air.

Appendix A, Indoor Formaldehyde Concentrations and the CARB Formaldehyde ATCM, provides analyses that show utilization of CARB Phase 2 Formaldehyde ATCM materials will not ensure acceptable cancer risks with respect to formaldehyde emissions from composite wood products.

Even composite wood products manufactured with CARB certified ultra low emitting formaldehyde (ULEF) resins do not insure that the indoor air will have concentrations of formaldehyde the meet the OEHHA cancer risks that substantially exceed 10 per million. The permissible emission rates for ULEF composite wood products are only 11-15% lower than the CARB Phase 2 emission rates. Only use of composite wood products made with no-added formaldehyde resins (NAF), such as resins made from soy, polyvinyl acetate, or methylene diisocyanate can insure that the OEHHA cancer risk of 10 per million is met.

The following describes a method that should be used, prior to construction in the environmental review under CEQA, for determining whether the indoor concentrations resulting from the formaldehyde emissions of specific building materials/furnishings selected exceed cancer and non-cancer guidelines. Such a design analyses can be used to identify those materials/furnishings prior to the completion of the City's CEQA review and project approval, that have formaldehyde emission rates that contribute to indoor concentrations that exceed cancer and non-cancer guidelines, so that alternative lower emitting materials/furnishings may be selected and/or higher minimum outdoor air ventilation rates can be increased to achieve acceptable indoor concentrations and incorporated as mitigation measures for this project.

Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment

This formaldehyde emissions assessment should be used in the environmental review under CEQA to assess the indoor formaldehyde concentrations from the proposed loading of building materials/furnishings, the area-specific formaldehyde emission rate data for building materials/furnishings, and the design minimum outdoor air ventilation rates. This assessment allows the applicant (and the City) to determine, before the conclusion of the environmental review process and the building materials/furnishings are specified, purchased, and installed, if the total chemical emissions will exceed cancer and non-cancer guidelines, and if so, allow for changes in the selection of specific material/furnishings and/or the design minimum outdoor air ventilations rates such that cancer and non-cancer guidelines are not exceeded.

1.) <u>Define Indoor Air Quality Zones</u>. Divide the building into separate indoor air quality zones, (IAQ Zones). IAQ Zones are defined as areas of well-mixed air. Thus, each ventilation system with recirculating air is considered a single zone, and each room or group of rooms where air is not recirculated (e.g. 100% outdoor air) is considered a separate zone. For IAQ Zones with the same construction material/furnishings and design minimum outdoor air ventilation rates. (e.g. hotel rooms, apartments, condominiums, etc.) the formaldehyde emission rates need only be assessed for a single IAQ Zone of that type.

2.) <u>Calculate Material/Furnishing Loading</u>. For each IAQ Zone, determine the building material and furnishing loadings (e.g., m² of material/m² floor area, units of furnishings/m² floor area) from an inventory

of all potential indoor formaldehyde sources, including flooring, ceiling tiles, furnishings, finishes, insulation, sealants, adhesives, and any products constructed with composite wood products containing ureaformaldehyde resins (e.g., plywood, medium density fiberboard, particleboard).

3.) Calculate the Formaldehyde Emission Rate. For each building material, calculate the formaldehyde emission rate (μ g/h) from the product of the area-specific formaldehyde emission rate (μ g/m²-h) and the area (m²) of material in the IAQ Zone, and from each furnishing (e.g. chairs, desks, etc.) from the unit-specific formaldehyde emission rate (μ g/unit-h) and the number of units in the IAQ Zone.

NOTE: As a result of the high-performance building rating systems and building codes (California Building Standards Commission, 2014; USGBC, 2014), most manufacturers of building materials furnishings sold in the United States conduct chemical emission rate tests using the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers," (CDPH, 2017), or other equivalent chemical emission rate tests using ANSI/BIFMA M7.1 Standard Test Method for Determining VOC Emissions (BIFMA, 2018), or other equivalent chemical emissions rate tests using ANSI/BIFMA materials for the testing methods.

CDPH, BIFMA, and other chemical emission rate testing programs, typically certify that a material or furnishing does not create indoor chemical concentrations in excess of the maximum concentrations permitted by their certification. For instance, the CDPH emission rate testing requires that the measured emission rates when input into an office, school, or residential model do not exceed one-half of the OEHHA Chronic Exposure Guidelines (OEHHA, 2017b) for the 35 specific VOCs, including formaldehyde, listed in Table 4-1 of the CDPH test method (CDPH, 2017). These certifications themselves do not provide the actual area-specific formaldehyde emission rate (i.e., $\mu g/m^2$ -h) of the product, but rather provide data that the formaldehyde emission rates do not exceed the maximum rate allowed for the certification. Thus, for example, the data for a certification of a specific type of flooring may be used to calculate that the area-specific emission rate of formaldehyde is less than 31 $\mu g/m^2$ -h, but not the actual measured specific emission rate, which may be 3, 18, or 30 $\mu g/m^2$ -h. These area-specific emission rates determined from the product certifications of CDPH, BIFA, and other certification programs can be used as an initial estimate of the formaldehyde emission rate.

If the actual area-specific emission rates of a building material or furnishing is needed (i.e. the initial emission rates estimates from the product certifications are higher than desired), then that data can be acquired by requesting from the manufacturer the complete chemical emission rate test report. For instance if the complete CDPH emission test report is requested for a CDHP certified product, that report will provide the actual area-specific emission rates for not only the 35 specific VOCs, including formaldehyde, listed in Table 4-1 of the CDPH test method (CDPH, 2017), but also all of the cancer and reproductive/developmental chemicals listed in the California Proposition 65 Safe Harbor Levels (OEHHA, 2017a), all of the toxic air contaminants (TACs) in the California Air Resources Board Toxic Air Contamination List (CARB, 2011), and the 10 chemicals with the greatest emission rates.

Alternatively, a sample of the building material or furnishing can be submitted to a chemical emission rate testing laboratory, such as Berkeley Analytical Laboratory (https://berkeleyanalytical.com), to measure the formaldehyde emission rate.

4.) Calculate the Total Formaldehyde Emission Rate. For each IAQ Zone, calculate the total formaldehyde emission rate (i.e. µg/h) from the individual formaldehyde emission rates from each of the building material/furnishings as determined in Step 3.

5.) Calculate the Indoor Formaldehyde Concentration. For each IAQ Zone, calculate the indoor formaldehyde concentration (μ g/m3) from Equation 1 by dividing the total formaldehyde emission rates (i.e. μ g/h) as determined in Step 4, by the design minimum outdoor air ventilation rate (m3/h) for the IAQ Zone.

 $C_{in} = \frac{E_{total}}{Q_{oa}}$ (Equation 1)

where:

$$\begin{split} C_{in} &= indoor \mbox{ formaldehyde concentration } (\mu g/m^3) \\ E_{total} &= total \mbox{ formaldehyde emission rate } (\mu g/h) \mbox{ into the IAQ Zone.} \\ Q_{oa} &= design \mbox{ minimum outdoor air ventilation rate to the IAQ Zone } (m^3/h) \end{split}$$

The above Equation 1 is based upon mass balance theory, and is referenced in Section 3.10.2 "Calculation of Estimated Building Concentrations" of the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers", (CDPH, 2017).

6.) Calculate the Indoor Exposure Cancer and Non-Cancer Health Risks. For each IAQ Zone, calculate the cancer and non-cancer health risks from the indoor formaldehyde concentrations determined in Step 5 and as described in the OEHHA Air Toxics Hot Spots Program Risk Assessment Guidelines; Guidance Manual for Preparation of Health Risk Assessments (OEHHA, 2015).

7.) Mitigate Indoor Formaldehyde Exposures of exceeding the CEQA Cancer and/or Non-Cancer Health Risks. In each IAQ Zone, provide mitigation for any formaldehyde exposure risk as determined in Step 6, that exceeds the CEQA cancer risk of 10 per million or the CEQA non-cancer Hazard Quotient of 1.0.

Provide the source and/or ventilation mitigation required in all IAQ Zones to reduce the health risks of the chemical exposures below the CEQA cancer and non-cancer health risks.

Source mitigation for formaldehyde may include:

1.) reducing the amount materials and/or furnishings that emit formaldehyde

2.) substituting a different material with a lower area-specific emission rate of formaldehyde

Ventilation mitigation for formaldehyde emitted from building materials and/or furnishings may include:

1.) increasing the design minimum outdoor air ventilation rate to the IAQ Zone.

NOTE: Mitigating the formaldehyde emissions through use of less material/furnishings, or use of lower emitting materials/furnishings, is the preferred mitigation option, as mitigation with increased outdoor air ventilation increases initial and operating costs associated with the heating/cooling systems.

Further, we are not asking that the builder "speculate" on what and how much composite materials be used, but rather at the design stage to select composite wood materials based on the formaldehyde emission rates that manufacturers routinely conduct using the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers," (CDPH, 2017), and use the procedure described earlier above (i.e. Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment) to insure that the materials selected achieve acceptable cancer risks from material off gassing of formaldehyde.

Outdoor Air Ventilation Impact. Another important finding of the CNHS, was that the outdoor air ventilation rates in the homes were very low. Outdoor air ventilation is a very important factor influencing the indoor concentrations of air contaminants, as it is the primary removal mechanism of all indoor air generated contaminants. Lower outdoor air exchange rates cause indoor generated air contaminants to accumulate to higher indoor air concentrations. Many homeowners rarely open their windows or doors for ventilation as a result of their concerns for security/safety, noise, dust, and odor concerns (Price, 2007). In the CNHS field study, 32% of the homes did not use their windows during the 24-hour Test Day, and 15% of the homes did not use their windows during the 24-hour Test Day, and 15% of the homes did not use their windows during the 24-hour Test Day, and 15% of the homes did not use their windows during the 24-hour Test Day, and 15% of the homes did not use their windows during the 24-hour Test Day and 15% of the homes did not use their windows during the 24-hour Test Day and 15% of the homes did not use their windows during the 24-hour Test Day and 15% of the homes did not use their windows during the 24-hour Test Day and 15% of the homes did not use their windows during the entire preceding week. Most of the homes with no window usage were homes in the winter field session. Thus, a substantial percentage of homeowners never open their windows, especially in the winter season. The median 24-hour measurement was 0.26 air changes per hour (ach), with a range of 0.09 ach to 5.3 ach. A total of 67% of the homes had outdoor air exchange rates below the minimum California Building Code (2001) requirement of 0.35 ach. Thus, the relatively tight envelope construction, combined with the fact that many people never open their windows for ventilation, results in homes with low outdoor air exchange rates and higher indoor air contaminant concentrations.

According to the Sustainable Communities Project Exemption – 905 Beacon Avenue Project (CAJA Environmental Services, 2022) the Project is close to roads with moderate to high traffic (e.g., Beacon Avenue, West Olympic Avenue, James M. Wood Boulevard, South Burlington Avenue, etc.).

As a result of the high outdoor traffic noise levels, the current project will require a mechanical supply of outdoor air ventilation to allow for a habitable interior environment with closed windows and doors. Such a ventilation system would allow windows and doors to be kept closed at the occupant's discretion to control exterior noise within building interiors.

Response to Comment No. 15

It should be noted at the outset that the alleged impact of formaldehyde on the future residents of the Project is not relevant to CEQA. The Supreme Court's holding in *California Building Industry Ass'n v. Bay Area Air Quality Mgmt. Dist.* (2015) 62 Cal.4th 369, 386 found that CEQA does not require a project to evaluate the impact of the existing environment on future residents of the Project, unless the Project exacerbates the impact. There is no evidence that there is an existing formaldehyde issue at the Project site or that the Project could result in any exacerbation of any such issue.

Second, an analysis of the Project's air quality impacts is not a requirement for a SCPE. As discussed in Response to Comment No. 4, all of the requirements for qualifying for a SCPE are outlined in Section 2 (Sustainable Communities Strategy Criteria) of the SCPE. As shown there, an air quality impact analysis is not listed as one of the requirements.

Mr. Offermann claims that the Project would expose residents and commercial employees of the Project to airborne cancer risks in excess of 10 per million due to formaldehyde emissions and that this would constitute a significant impact. In his letter, Mr. Offermann introduces the correlation between indoor formaldehyde concentrations and excess cancer cases by citing the results of the 2009 California New Home Study (CNHS), which he authored. Though this introduction has limited relevance to the comment's claims regarding the Project's alleged airborne cancer risk due to formaldehyde emissions, one statement merits a brief clarifying discussion. Mr. Offermann notes that in his CNHS study of "108 new homes in California," the median indoor formaldehyde concentration was 36 µg/m³. "Therefore," he claims, "the cancer risk of a resident living in a California home with the median indoor formaldehyde concentration of 36 µg/m³. is 180 per million as a result of formaldehyde alone." The wording of this statement comes close to suggesting that the median indoor formaldehyde concentration of a California home is 36 µg/m³. Whether this is the intended meaning or not, such a conclusion would not be supported by the results of Mr. Offermann's CNHS study, which was limited to single-family homes that were built between 2002 and 2004. The study itself refrains from inferring such a broad conclusion, and there is no evidence that such a narrowly tailored selection of study homes - specifically, detached single-family homes constructed over a three-year period nearly 20 years ago – should be broadly representative of statewide conditions.

Mr. Offermann then engages in a series of inaccurate statements and unfounded speculation in his process of surmising the Project's future indoor formaldehyde concentration and the risk it may pose to future Project residents and employees. In this process, Mr. Offermann relies heavily on a 2020 paper by Singer et al.² that presents the methods and results of the Healthy Efficient New Gas Home (HENGH) study. Mr. Offermann is also credited as a co-author to this paper. The discussion below explains why each step in Mr. Offermann's process is variously misguided, erroneous, or unsupported by fact.

Mr. Offermann begins by mischaracterizing critical details of the HENGH study, inaccurately stating that the study "found that median indoor formaldehyde in new homes built after 2009 with CARB Phase 2 Formaldehyde ATCM materials had...median indoor concentrations of 22.4 μ g/m³ (18.2 ppb)." This is incorrect: though the study did find that its 70 sample homes had a median indoor formaldehyde concentration of 18.2 ppb, the study offers no evidence, nor does it explicitly express or infer, that sampled homes were built with CARB Phase 2 ATCM materials. The HENGH study assessed 70 sample homes that were built between 2011 and 2017, but the final Phase 2 ATCM rules did not go into effect until January 2014. Thus, not all sampled homes were built after the final Phase 2 ATCM rules went into effect, and it is possible that some homes built after January 2014 were constructed of materials that were purchased prior to this deadline. Therefore, contrary to Mr. Offermann's statement, the HENGH study does not establish – nor could it establish – that median indoor formaldehyde concentrations in new homes built with CARB Phase 2.4 μ g/m³ or 18.2 ppb.

Next, Mr. Offermann further embellishes the results of the HENGH study by applying what he terms is a "correction" to the study's 22.4 μ g/m³ (18.2 ppb) median indoor formaldehyde concentration finding, thereby resulting in a "true" median indoor formaldehyde concentration of 24.1 μ g/m³. He states that "formaldehyde concentrations in the HENGH study were measured with passive samplers, which were estimated to undermeasure the true indoor formaldehyde concentrations by approximately 7.5%." In the paper by Singer et al. that is cited by Mr. Offermann, the authors note that Offermann (this commenter) and Hodgson "have shown

² Singer, B.C., Chan, W.R., Kim, Y., Offermann, F.J., and Walker I.S. 2020. Indoor Air Quality in California Homes with Code-Required Mechanical Ventilation. Indoor Air, Vol 30, Issue 5, 885-899.

that sampling rates for...passive monitors start to drop sharply when air velocity falls below about 75 [centimeters per minute]." However, the study subsequently acknowledges other household research that reports how "such low air velocities were infrequent." The authors then reason that "it is possible that sampling rates could have been lower than the assumed standard values at some times in some homes," but concede that the HENGH study "did not measure velocities around the passive samplers" or "verify measured concentrations with pumped samples." Thus, by the study's own admission, there is no evidence that low air velocities were ever a factor during passive sampling of indoor formaldehyde levels. Contrary to Mr. Offermann's statement, the application of a 7.5% "correction" is not evident anywhere in the paper by Singer et al. Where the paper reports its findings, it reports the 18.2 ppb figure, which correlates with Mr. Offermann's original 22.4 μ g/m³ figure – not his "corrected" 24.1 μ g/m³ figure (See Exhibit 1).

Exhibit 1

HENGH Study Median Formaldehyde ("HCHO") Concentrations

Location	НСНО	(ppb)	PM _{2.5}	$(\mu g/m^3)$	NO ₂	(ppb)	CO ₂	(ppm)
Statistic	HENGH	CNHS ¹	HENGH	CNHS ¹	HENGH	CNHS ¹	HENGH	CNHS ²
Indoor	N=68	N=105	N=67	N=28	N=66	N=29	N=69	N=107
Mean	19.8	35.0	7.5	13.4	5.8	5.2	620	610
Median	18.2	29.3	4.8	10.5	4.5	1.6	608	564
$10^{\text{th}}-90^{\text{th}}$	13–28	11-70	1.6-16	6.0-31	1.1-12	1.4-12	481-770	405-890
Outdoor	N=66	N=39 ⁴	N=67 ³	N=11 ⁴	N=65	N=11 ⁴	No data	No data
Mean	2.2	1.8	9.3, 10.5	7.9	5.4	2.1		
Median	2.3	1.7	6.8, 9.7	8.7	3.6	1.5		
10^{th} -90 th	1.4-3.1	0.6–2.8	2.7–18.1, 5.3–16.7	5.0-10	0.1–11	1.4–1.7		

As indicated in the red box, Singer et al. reports that median formaldehyde concentrations in HENGH study homes were 18.2 ppb, which correlates with Mr. Offermann's original 22.4 $\mu g/m^3$ concentration, not his "corrected" 24.1 $\mu g/m^3$ figure. (Singer et al.)

Based on his "corrected" 24.1 μ g/m³ figure, Mr. Offermann claims that "the median lifetime cancer risk is still 120 per million for homes built with CARB-compliant composite wood products." This is despite the fact that the original 22.4 μ g/m³ figure is based in part on sample homes that were built prior to CARB Phase 2 ATCM rules going into effect, and the "corrected" 24.1 μ g/m³ utilized by Mr. Offermann has no evidentiary basis.

Mr. Offermann expands on his analysis when discussing the alleged impact on the Project's future residents. He starts by stating that "residential occupants will potentially have continuous exposure (e.g., 24 hours per day, 52 weeks per year)." In other words, Mr. Offermann assumes that a Project resident will spend every hour of every day within their apartment. This is clearly an inaccurate assumption, and Mr. Offermann offers no evidence to support it, nor does he acknowledge that his assumption directly contradicts existing

guidance offered by OEHHA regarding "fraction of time at home" or FAH.³ By ignoring this guidance, Mr. Offermann's continuous exposure assumptions for residential occupants are not tenable.

Mr. Offermann then launches a flurry of speculation, claiming that because the Project "will be constructed with CARB Phase 2 Formaldehyde ATCM materials, and be ventilated with the minimum code required amount of outdoor air, the indoor residential formaldehyde concentrations are likely similar to those concentrations observed in residences built with CARB Phase 2 Formaldehyde ATCM materials, which is a median of 24.1 µg/m³." Mr. Offerman cites the paper by Singer et al. in support of this statement. As explained earlier, Singer et al. concedes a lack of evidence surrounding whether low air velocities were ever a factor during the HENGH study's passive sampling of indoor formaldehyde levels, and the paper's published findings report a 18.2 ppb figure which correlates with Mr. Offermann's non-"corrected" 22.4 µg/m³ figure. The application of a 7.5% "correction" that correlates with Mr. Offermann's 24.1 µg/m³ figure is not evident in the paper by Singer et al., and Mr. Offermann's citation referencing Singer et al. is therefore questionable. Furthermore, and as also explained earlier, the HENGH study addressed by Singer et al. sampled homes that were constructed several years prior to the full rollout of CARB Phase 2 Formaldehyde emission standards. Singer et al. neither explicitly states nor infers that sample homes were built with CARB Phase 2 compliant materials, nor does it suggest that its formaldehyde findings should be interpreted in the manner that Mr. Offermann has undertaken. Therefore, Mr. Offermann's reasoning that the Project would contain similar indoor residential formaldehyde concentrations as HENGH study sample homes is both inaccurate and unfounded, and Mr. Offermann's citation referencing Singer et al. in support of this reasoning is once again questionable.

Mr. Offermann speculates further when he states that the Project's indoor residential formaldehyde concentrations would be "likely similar" to concentrations observed by the HENGH study because the Project "will...be ventilated with the minimum code required amount of outdoor air." Mr. Offermann demonstrates no understanding of what the "minimum code required amount of outdoor air" would be for the Project, nor does he support his claim that the Project's ventilation would be no greater than "minimum code" requirements with any evidence. Moreover, Mr. Offermann demonstrates no understanding of what ventilation the HENGH study sample homes achieved. He fails to substantiate why the Project – which proposes a multi-family building with 145 dwelling units as well as ground-floor commercial uses – would have any similarity in ventilation to the 70 detached single-family homes constructed between 2011 and 2017 that were sampled as part of the HENGH study, and he fails to establish why presumably similar ventilation would even contribute to presumably similar indoor residential formaldehyde concentrations in future Project dwelling units. Mr. Offermann's analysis hinges entirely on the assumption that the Project's dwelling units would experience similar indoor formaldehyde concentrations as HENGH study sample homes. But, as demonstrated, this assumption is wholly unsupported by fact.

There are additional aspects of the HENGH study that have not been considered by Mr. Offermann which further diminish its comparative value to the Project, as well. First, the HENGH study sample homes were occupied and therefore presumably furnished. This is a critical detail overlooked by Mr. Offermann. Formaldehyde off-gassing occurs not just from composite wood products used in building construction, but also from composite wood products used commonly in furniture construction. Tables, bedframes, dressers,

³ Note that the OEHHA's recommended FAH value for adult receptors between 16 and 70 years of age is 0.73, or 73% of time spent at home. See OEHHA, The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments, February 2015.

sofas, chairs, and any other furniture containing composite wood products would also likely emit formaldehyde, possibly at high levels if such furniture was purchased prior to the CARB Formaldehyde ATCM or outside of California. Common indoor sources of formaldehyde also include household products such as glues, paints, caulks, pesticides, fabric softeners, and detergents. Even personal care products and cosmetics such as shampoos, soaps, hair care products, body washes, and nail polish may release formaldehyde. Moreover, many other consumer products also emit VOCs that react with ozone in the air to produce formaldehyde.⁴ The HENGH study did not determine or speculate what proportion of its measured formaldehyde concentrations were resultant from building materials only. Therefore, there is no way of knowing what measured proportion of indoor formaldehyde concentrations were emitted solely by the building construction materials used in HENGH study sample homes. This is a pivotal consideration because formaldehyde emissions from the objects (i.e., composite wood furniture) and actions (i.e., use of pesticides, detergents, or personal care products) of future Project residents, and any impact that they would have on themselves, is entirely speculative and outside the scope of the Project's CEQA-related impacts. Put another way, the Project is not "on the hook" for any risk that future Project residents may pose to themselves via their own formaldehyde-emitting objects and actions. But, by assuming that future Project residents would experience similar indoor formaldehyde concentrations as measured in the HENGH study, Mr. Offermann puts the Project "on the hook" for an indeterminate amount of formaldehyde emissions that were caused by the objects and actions of HENGH study participants.

Second, it is worth noting that the HENGH study specifically instructed participants not to use windows and doors normally as they might do for routine ventilation (See Exhibit 2). This clearly biases the study's results in favor of increased indoor formaldehyde concentrations. While such instruction may have been relevant to the purpose of the HENGH study, in real life, it is reasonable to suspect that future Project residents would occasionally open their windows or doors for purposes of natural ventilation.

Exhibit 2

appliance use. The participant was provided with an activity log for each day of the study and
asked to partake in normal household activities with the exception that windows and doors
should not be used for routine ventilation. Most homes were monitored for seven days, five were

The highlighted excerpt indicates that HENGH study participants were instructed to not use windows and doors for "routine ventilation." (Singer et al.)

Mr. Offermann then assumes that because "residential occupants inhale 20 m³ of air per day," a claim that he makes without any supporting evidence, "the average 70-year lifetime formaldehyde daily dose is 482 μ g/day for continuous exposure in the residences," which he equates with "a cancer risk of 120 per million." There are at least three issues with this projection (that are in addition to issues that have been previously identified and discussed).

⁴ CARB, Formaldehyde Online Fact Sheet. ww.2.arb.ca.gov/resources/fact-sheets/formaldehyde. May 1, 2020.

First, Mr. Offermann claims that residential occupants would inhale 20 cubic meters of air per day, yet cites no evidence to substantiate this claim. According to the American Lung Association, the average person inhales approximately 2,000 gallons of air per day or roughly 7.57 cubic meters per day.⁵

Second, Mr. Offermann cites no authority in support of his assumed "70-year lifetime" exposure duration. In fact, his assumption of a "70-year lifetime" exposure duration contradicts the 30-year exposure duration that is consistent with OEHHA recommendations for estimating individual cancer risks. This demonstrates, once again, how Mr. Offermann has resorted to speculative assumptions that are unsupported by relevant regulatory guidance.

Third, by assuming that a future Project resident would inhale 482 µg/day of formaldehyde for 70 years (which, as explained, represents two sets of unsupported assumptions), Mr. Offermann overlooks the fact that emissions of formaldehyde gas from composite wood products decrease over time. This is perhaps the most serious deficiency in his analysis. The OEHHA's Proposition 65 webpage for formaldehyde notes how "the release of formaldehyde gas from composite wood decreases over time."⁶ The U.S. Consumer Product Safety Commission also notes that for formaldehyde sources, "emissions generally decrease as the product ages."⁷ CARB explains that "[f]or products that are made with formaldehyde based resins or adhesives, rapid off-gassing of formaldehyde occurs initially when the product is made, and over time the formaldehyde emissions decrease."8 The CDC's Agency for Toxic Substances and Disease Registry (ATSDR) states that "[m]ost formaldehyde is released from products within 2 years."9 The CDC's ATSDR raises a particularly salient point because of the 70 homes that were sampled as part of the HENGH study, nearly 70% were 2 years or newer when sampled. This suggests that whatever these homes' proportion of indoor formaldehyde concentrations from building materials might have been, it would have been relatively elevated at the time of the HENGH study due to the age of these homes.¹⁰ Over time, formaldehyde concentrations associated with these homes' building materials would be expected to attenuate. Mr. Offermann's analysis runs contrary to this understanding of formaldehyde emissions. Without accounting for the natural decay of formaldehyde emissions over time, Mr. Offermann assumes that a resident's exposure to indoor formaldehyde concentrations from the Project's composite wood building materials would be exactly the same whether it is the first day or the 70th year of their occupancy – a clearly erroneous assumption.

With respect to the alleged impact to future employees of the Project's commercial spaces, Mr. Offermann's claims and analysis fall short for similar reasons as those explained previously.

In summary, the following is a review of the various issues associated with Mr. Offermann's claims and analysis regarding alleged formaldehyde impacts to future Project residents and employees:

1. Contrary to statements made by Mr. Offermann, the HENGH study did not measure indoor formaldehyde concentrations in new homes built only with CARB Phase 2 Formaldehyde ACTM

⁵ American Lung Association, How Your Lungs Get the Job Done, website: https://www.lung.org/blog/how-your-lungs-work, accessed July 2023.

⁶ OEHHA, Formaldehyde in Furniture Products. p65warnings.ca.gov/fact-sheets/formaldehyde-furniture-products. April 2016.

⁷ U.S. Consumer Product Safety Commission (CPSC), An Update on Formaldehyde. Publication 725. 2013.

⁸ CARB, Frequently Asked Questions for Consumers (Reducing Formaldehyde Emissions from Composite Wood Products). Accessed January 3, 2022.

⁹ Agency for Toxic Substances and Disease Registry (ATSDR), Formaldehyde in Your Home: What You Need to Know. atsdr.cdc.gov/formaldehyde/home/index.html. Accessed January 3, 2022.

¹⁰ As explained earlier, Singer et al. did not determine or speculate as to what proportion of its measured formaldehyde concentrations were resultant from building materials only.

materials, and the study does not establish what median indoor formaldehyde concentrations for such homes might be.

- Mr. Offermann's 7.5% "correction" to the 22.4 μg/m³ (18.2 ppb) median indoor formaldehyde concentration finding by the HENGH study is unsupported by Singer et al., and Mr. Offermann's "corrected" figure is not evident anywhere in the paper by Singer et al.
- 3. Mr. Offermann assumes that future Project residents will spend every hour of every day in their apartments, a clearly inaccurate assumption.
- 4. In making claims about the Project's ventilation, Mr. Offermann demonstrates no understanding of what the Project's ventilation would be or what the HENGH sample homes' ventilation was. Additionally, he fails to substantiate why the Project which proposes a multi-family building with 145 dwelling units would have any similarity in ventilation to the 70 detached single-family homes that were sampled as part of the HENGH study.
- 5. Mr. Offermann overlooks the fact that HENGH study sample homes were occupied and therefore presumably furnished. The HENGH study did not determine or speculate what proportion of its measured formaldehyde concentrations were resultant from building materials only. It also did not determine or speculate what proportion of concentrations were due to consumer product use by sample home occupants. By assigning the median formaldehyde concentrations measured by the HENGH study to the Project, Mr. Offermann compels the Project to consider the impact of formaldehyde emissions that are outside the scope of CEQA relevance (i.e., formaldehyde emissions from the objects and actions of residents not those that are directly generated by the Project's building materials).
- 6. The HENGH study specifically instructed participants to not use windows and doors normally as they might do for routine ventilation, a condition that limits the real-world applicability of the study's findings.
- 7. Mr. Offermann's cancer risk projection for future Project residents relies on a "70-year lifetime" exposure duration, a speculative assumption that is unsupported by existing regulatory guidance.
- 8. Mr. Offermann disregards the fact that emissions of formaldehyde gas from composite wood products decrease over time.

Given these considerations, Mr. Offermann's analysis offers no substantial evidence as to why the Project's formaldehyde emissions from CARB Phase 2 Formaldehyde ATCM building materials would be expected to result in significant cancer risks to future Project residents and employees. Under Public Resources Code Section 21082.2(c), "[a]rgument, speculation, unsubstantiated opinion or narrative, evidence which is clearly inaccurate or erroneous, or evidence of social or economic impacts which do not contribute to, or are not caused by, physical impacts on the environment, is not substantial evidence. Substantial evidence shall include facts, reasonable assumptions predicated upon facts, and expert opinion supported by facts." Mr. Offermann's inferences from the HENGH study findings are not reasonable, and at times they directly contradict the explicit admissions and published results of the study itself. Mr. Offermann's assumptions are also erroneous, and at times they directly contradict OEHHA guidance. Furthermore, Mr. Offermann's

conclusion that the Project would result in significant cancer risks and that CARB ATCM regulations "do not assure healthful indoor air quality" directly contradict statements from numerous State and Federal agencies regarding formaldehyde emissions, including CARB itself. CARB states that "[f]rom a public health standpoint, the CWP Regulation's emission standards [i.e., the CARB ATCM] are set at low levels intended to protect public health." CARB reiterates this elsewhere, stating that "[t]he Composite Wood Products Regulation establishes emission standards at levels intended to protect public health." The CDC adds that "[f]ormaldehyde exposure from new products or new construction in the home would generally be much lower and would last for less time than the exposures linked to cancer. We estimated the risk of cancer from exposure to typical indoor air levels and it's low."

Comment No. 16

PM^{2.5} Outdoor Concentrations Impact. An additional impact of the nearby motor vehicle traffic associated with this project, are the outdoor concentrations of PM^{2.5}. According to the Sustainable Communities Project Exemption – 905 Beacon Avenue Project (CAJA Environmental Services, 2022) the Project is located in the South Coast Air Basin, which is a State and Federal non-attainment area for PM^{2.5}.

Additionally, the SCAQMD's MATES V study cites an existing cancer risk of 760 per million at the Project site due to the site's high concentration of ambient air contaminants resulting from the area's high levels of motor vehicle traffic.

An air quality analyses should to be conducted to determine the concentrations of PM2.5 in the outdoor and indoor air that people inhale each day. This air quality analyses needs to consider the cumulative impacts of the project related emissions, existing and projected future emissions from local PM2.5 sources (e.g. stationary sources, motor vehicles, and airport traffic) upon the outdoor air concentrations at the Project site. If the outdoor concentrations are determined to exceed the California and National annual average PM2.5 exceedence concentration of 12 μ g/m3, or the National 24-hour average exceedence concentration of 35 μ g/m3, then the buildings need to have a mechanical supply of outdoor air that has air filtration with sufficient removal efficiency, such that the indoor concentrations of outdoor PM2.5 particles is less than the California and National PM2.5 annual and 24-hour standards.

It is my experience that based on the projected high traffic noise levels, the annual average concentration of PM2.5 will exceed the California and National PM2.5 annual and 24-hour standards and warrant installation of high efficiency air filters (i.e. MERV 13 or higher) in all mechanically supplied outdoor air ventilation systems.

Response to Comment No. 16

Mr. Offermann states that "An air quality analyses should be conducted to determine the concentrations of $PM_{2.5}$ in the outdoor and indoor air that people inhale each day." Mr. Offermann should note that as stated in Response to Comment Nos. 4 and 15, preparation of an air quality analysis is not a requirement for a SCPE.

Further, the effect of PM_{2.5} is also not relevant based on *California Building Industry Ass'n v. Bay Area Air Quality Mgmt. Dist.* (2015) 62 Cal.4th 369, 386. CEQA does not require a project to evaluate the impact of the existing environment on future residents of the Project, unless the Project exacerbates the impact. The commentator presents no evidence that there is an existing PM_{2.5} issue at the Project site, and the commentator's speculation regarding PM_{2.5} levels is irrelevant to the legitimacy of the SCPE.

Comment No. 17

Indoor Air Quality Impact Mitigation Measures

The following are recommended mitigation measures to minimize the impacts upon indoor quality:

Indoor Formaldehyde Concentrations Mitigation. Use only composite wood materials (e.g. hardwood plywood, medium density fiberboard, particleboard) for all interior finish systems that are made with CARB approved no-added formaldehyde (NAF) resins (CARB, 2009). CARB Phase 2 certified composite wood products, or ultra-low emitting formaldehyde (ULEF) resins, do not insure indoor formaldehyde concentrations that are below the CEQA cancer risk of 10 per million. Only composite wood products manufactured with CARB approved no-added formaldehyde (NAF) resins, such as resins made from soy, polyvinyl acetate, or methylene diisocyanate can insure that the OEHHA cancer risk of 10 per million is met.

Alternatively, conduct the previously described Pre-Construction Building Material/Furnishing Chemical Emissions Assessment, to determine that the combination of formaldehyde emissions from building materials and furnishings do not create indoor formaldehyde concentrations that exceed the CEQA cancer and non-cancer health risks.

It is important to note that we are not asking that the builder "speculate" on what and how much composite materials be used, but rather at the design stage to select composite wood materials based on the formaldehyde emission rates that manufacturers routinely conduct using the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers", (CDPH, 2017), and use the procedure described above (i.e. Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment) to insure that the materials selected achieve acceptable cancer risks from material off gassing of formaldehyde.

Outdoor Air Ventilation Mitigation. Provide <u>each</u> habitable room with a continuous mechanical supply of outdoor air that meets or exceeds the California 2016 Building Energy Efficiency Standards (California Energy Commission, 2015) requirements of the greater of 15 cfm/occupant or 0.15 cfm/ft² of floor area. Following installation of the system conduct testing and balancing to insure that required amount of outdoor air is entering each habitable room and provide a written report documenting the outdoor airflow rates. Do not use exhaust only mechanical outdoor air systems, use only balanced outdoor air supply and exhaust systems or outdoor air supply only systems. Provide a manual for the occupants or maintenance personnel, that describes the purpose of the mechanical outdoor air system and the operation and maintenance requirements of the system.

PM^{2.5} Outdoor Air Concentration Mitigation. Install air filtration with sufficient PM^{2.5} removal efficiency (e.g. MERV 13 or higher) to filter the outdoor air entering the mechanical outdoor air supply systems, such that the indoor concentrations of outdoor PM^{2.5} particles are less than the California and National PM^{2.5} annual and 24-hour standards. Install the air filters in the system such that they are accessible for replacement by the occupants or maintenance personnel. Include in the mechanical outdoor air ventilation system manual instructions on how to replace the air filters and the estimated frequency of replacement.

Response to Comment No. 19

Regarding the specific mitigation suggested by Comment No. 19, a SCPE is only required to incorporate "Any applicable mitigation measures or performance standards or criteria set forth in the prior environmental impact reports, and adopted in findings.". As noted in Table G-1 (Applicability of 2020-2045 RTP/SCS Final EIR Mitigation Measures) in Appendix G of the October 2022 SCPE, the City determined that the Project would comply with multiple existing air quality-related regulations that are equal to or more effective than the relevant components of Mitigation Measure PMM AQ-1. While the October 2022 SCPE's findings fully support this determination, the July 2023 SCPE clarifies that the Project incorporates all components of Mitigation Measure PMM AQ-1. Therefore, through incorporation of PMM AQ-1 as well as the Project's compliance with all applicable regulatory requirements pertaining to air quality and local emissions, the Project will continue to meet all applicable statutory criteria for utilization of a SCPE.

Response to Southwest Mountain States Regional Council of Carpenters (Carpenters) Letter dated June 6, 2023

Comment No. 1

Dear City of Los Angeles Planning and Land Use Committee,

On behalf of the Southwest Mountain States Regional Council of Carpenters ("The Carpenters" or "SWMSRCC"), my Office is submitting these comments regarding the 905-923 Beacon Ave. project ("Project").

The Project proposes demolition and removal of an existing surface parking lot from the Project Site and development of the site with a seven-story, 119,508- square-foot mixed-use building, which would include 145 multi-family residential dwelling units and up to 2,000 square feet of neighborhood-serving commercial uses.

SWMSRCC is a labor union representing 50,000 union carpenters in six states, including California, and has a strong interest in well ordered land use planning and addressing the environmental impacts of development projects. Individual members of the Southwest Carpenters live, work and recreate in the City and surrounding communities and would be directly affected by the Project's environmental impacts.

SWMSRCC expressly reserves the right to supplement these comments at or prior to hearings on the Project, and at any later hearings and proceedings related to this Project. Cal. Gov. Code § 65009(b); Cal. Pub. Res. Code § 21177(a); Bakersfield Citizens for Local Control v. Bakersfield (2004) 124 Cal. App. 4th 1184, 1199-1203; see Galante Vineyards v. Monterey Water Dist. (1997) 60 Cal. App. 4th 1109, 1121.

SWMSRCC incorporates by reference all comments raising issues regarding the Project's environmental review submitted prior to approval of the Project. Citizens for Clean Energy v. City of Woodland (2014) 225 Cal. App. 4th 173, 191 (finding that any party who has objected to the Project's environmental documentation may assert any issue timely raised by other parties).

SWMSRCC also requests that the City provide notice for any and all notices referring or related to the Project issued under the California Environmental Quality Act ("CEQA"), Cal Public Resources Code ("PRC") § 21000 et seq, and the California Planning and Zoning Law ("Planning and Zoning Law"), Cal. Gov't Code §§ 65000–65010. California Public Resources Code Sections 21092.2, and 21167(f) and Government Code Section 65092 require agencies to mail such notices to any person who has filed a written request for them with the clerk of the agency's governing body.

Response to Comment No. 1

This comment includes statements about the commentator and is not a comment on the SCPE. The City will provide CARPENTERS with all relevant notices for the Project.

Comment No. 2

I. THE CITY SHOULD REQUIRE THE USE OF A LOCAL WORKFORCE TO BENEFIT THE COMMUNITY'S ECONOMIC DEVELOPMENT AND ENVIRONMENT

As noted in our previous letters, the City should require the Project to be built using a local workers who have graduated from a Joint Labor-Management Apprenticeship Program approved by the State of California, have at least as many hours of on-the-job experience in the applicable craft which would be required to graduate from such a state-approved apprenticeship training program, or who are registered apprentices in a state-approved apprenticeship training program.

Community benefits such as local hire can also be helpful to reduce environmental impacts and improve the positive economic impact of the Project. Local hire provisions requiring that a certain percentage of workers reside within 10 miles or less of the Project site can reduce the length of vendor trips, reduce greenhouse gas emissions, and provide localized economic benefits. As environmental consultants Matt Hagemann and Paul E. Rosenfeld note:

[A]ny local hire requirement that results in a decreased worker trip length from the default value has the potential to result in a reduction of construction-related GHG emissions, though the significance of the reduction would vary based on the location and urbanization level of the project site.

March 8, 2021 SWAPE Letter to Mitchell M. Tsai re Local Hire Requirements and Considerations for Greenhouse Gas Modeling.

Workforce requirements promote the development of skilled trades that yield sustainable economic development. As the California Workforce Development Board and the University of California, Berkeley Center for Labor Research and Education concluded:

[L]abor should be considered an investment rather than a cost—and investments in growing, diversifying, and upskilling California's workforce can positively affect returns on climate mitigation efforts. In other words, well-trained workers are key to delivering emissions reductions and moving California closer to its climate targets.¹

Furthermore, workforce policies have significant environmental benefits given that they improve an area's jobs-housing balance, decreasing the amount and length of job commutes and the associated greenhouse gas ("GHG") emissions. In fact, on May 7, 2021, the South Coast Air Quality Management District found that that the "[u]se of a local state-certified apprenticeship program" can result in air pollutant reductions.²

Locating jobs closer to residential areas can have significant environmental benefits. As the California Planning Roundtable noted in 2008:

People who live and work in the same jurisdiction would be more likely to take transit, walk, or bicycle to work than residents of less balanced communities and their vehicle trips would be shorter. Benefits would include potential reductions in both vehicle miles traveled and vehicle hours traveled.³

Moreover, local hire mandates and skill-training are critical facets of a strategy to reduce vehicle miles traveled ("VMT"). As planning experts Robert Cervero and Michael Duncan have noted, simply placing jobs

near housing stock is insufficient to achieve VMT reductions given that the skill requirements of available local jobs must match those held by local residents.⁴ Some municipalities have even tied local hire and other workforce policies to local development permits to address transportation issues. Cervero and Duncan note that:

In nearly built-out Berkeley, CA, the approach to balancing jobs and housing is to create local jobs rather than to develop new housing. The city's First Source program encourages businesses to hire local residents, especially for entry- and intermediate-level jobs, and sponsors vocational training to ensure residents are employment-ready. While the program is voluntary, some 300 businesses have used it to date, placing more than 3,000 city residents in local jobs since it was launched in 1986. When needed, these carrots are matched by sticks, since the city is not shy about negotiating corporate participation in First Source as a condition of approval for development permits.

Recently, the State of California verified its commitment towards workforce development through the Affordable Housing and High Road Jobs Act of 2022, otherwise known as Assembly Bill No. 2011 ("AB2011"). AB2011 amended the Planning and Zoning Law to allow ministerial, by-right approval for projects being built alongside commercial corridors that meet affordability and labor requirements.

The City should consider utilizing local workforce policies and requirements to benefit the local area economically and to mitigate greenhouse gas, improve air quality, and reduce transportation impacts.

Response to Comment No. 2

The provision of community benefits is not a requirement of CEQA. Additionally, all of the statutory requirements established by Public Resources Code Sections 21155 and 21155.1 for qualifying for a SCPE are outlined in Section 2 (Sustainable Communities Strategy Criteria) of the SCPE. As shown there, the Project is required to incorporate "…applicable mitigation measures or performance standards or criteria set forth in the prior environmental impact reports, and adopted in findings…" Incorporation of other measures, such as those presented by the commentator, is not necessary.

Comment No. 3

II. THE CITY SHOULD IMPOSE TRAINING REQUIREMENTS FOR THE PROJECT'S CONSTRUCTION ACTIVITIES TO PREVENT COMMUNITY SPREAD OF COVID-19 AND OTHER INFECTIOUS DISEASES

Construction work has been defined as a Lower to High-risk activity for COVID-19 spread by the Occupations Safety and Health Administration. Recently, several construction sites have been identified as sources of community spread of COVID-19.⁵

Southwest Mountain States Carpenters recommend that the City adopt additional requirements to mitigate public health risks from the Project's construction activities. SWMSRCC requests that the City require safe on-site construction work practices as well as training and certification for any construction workers on the Project Site.

In particular, based upon Southwest Mountain States Carpenters' experience with safe construction site work practices, SWMSRCC recommends that the City require that while construction activities are being conducted at the Project Site:

Construction Site Design:

- The Project Site will be limited to two controlled entry points.
- Entry points will have temperature screening technicians taking temperature readings when the entry point is open.
- The Temperature Screening Site Plan shows details regarding access to the Project Site and Project Site logistics for conducting temperature screening.
- A 48-hour advance notice will be provided to all trades prior to the first day of temperature screening.
- The perimeter fence directly adjacent to the entry points will be clearly marked indicating the appropriate 6-foot social distancing position for when you approach the screening area. Please reference the Apex temperature screening site map for additional details.
- There will be clear signage posted at the project site directing you through temperature screening.
- Provide hand washing stations throughout the construction site.

Testing Procedures:

- The temperature screening being used are non-contact devices.
- Temperature readings will not be recorded.
- Personnel will be screened upon entering the testing center and should only take 1-2 seconds per individual.
- Hard hats, head coverings, sweat, dirt, sunscreen or any other cosmetics must be removed on the forehead before temperature screening.
- Anyone who refuses to submit to a temperature screening or does not answer the health screening questions will be refused access to the Project Site.
- Screening will be performed at both entrances from 5:30 am to 7:30 am.; main gate [ZONE 1] and personnel gate [ZONE 2]
- After 7:30 am only the main gate entrance [ZONE 1] will continue to be used for temperature testing for anybody gaining entry to the project site such as returning personnel, deliveries, and visitors.
- If the digital thermometer displays a temperature reading above 100.0 degrees Fahrenheit, a second reading will be taken to verify an accurate reading.

If the second reading confirms an elevated temperature, DHS will instruct the individual that he/she
will not be allowed to enter the Project Site. DHS will also instruct the individual to promptly notify
his/her supervisor and his/her human resources (HR) representative and provide them with a copy
of Annex A.

<u>Planning</u>

 Require the development of an Infectious Disease Preparedness and Response Plan that will include basic infection prevention measures (requiring the use of personal protection equipment), policies and procedures for prompt identification and isolation of sick individuals, social distancing (prohibiting gatherings of no more than 10 people including all-hands meetings and all-hands lunches) communication and training and workplace controls that meet standards that may be promulgated by the Center for Disease Control, Occupational Safety and Health Administration, Cal/OSHA, California Department of Public Health or applicable local public health agencies.⁶

The United Brotherhood of Carpenters and Carpenters International Training Fund has developed COVID-19 Training and Certification to ensure that Carpenter union members and apprentices conduct safe work practices. The City should require that all construction workers undergo COVID-19 Training and Certification before being allowed to conduct construction activities at the Project Site.

Southwest Mountain States Carpenters has also developed a rigorous Infection Control Risk Assessment ("ICRA") training program to ensure it delivers a workforce that understands how to identify and control infection risks by implementing protocols to protect themselves and all others during renovation and construction projects in healthcare environments.⁷

ICRA protocols are intended to contain pathogens, control airflow, and protect patients during the construction, maintenance and renovation of healthcare facilities.

ICRA protocols prevent cross contamination, minimizing the risk of secondary infections in patients at hospital facilities.

The City should require the Project to be built using a workforce trained in ICRA protocols.

Response to Comment No. 3

"Prevention of the spread of COVID-19 and other infectious diseases" is well outside the scope of CEQA. Additionally, all of the statutory requirements established by Public Resources Code Sections 21155 and 21155.1 for qualifying for a SCPE are outlined in Section 2 (Sustainable Communities Strategy Criteria) of the SCPE. Incorporation of other measures, such as those presented by the commentator, is not necessary.

Comment No. 4

III. THE CITY SHOULD PREPARE AN ENVIRONMENTAL IMPACT REPORT FOR THE PROJECT

CEQA is a California statute designed to inform decision makers and the public about the potential, significant environmental effects of a project. 14 California Code of Regulations ("CEQA Guidelines") § 15002(a)(1).⁸ At its core, "[i]ts purpose is to inform the public and its responsible officials of the environmental consequences of their decisions before they are made." Citizens of Goleta Valley v. Board of Supervisors (1990) 52 Cal. 3d 553, 564.

To achieve this purpose, CEQA mandates preparation of an Environmental Impact Report ("EIR") for projects so that the foreseeable impacts of pursuing the project can be understood and weighed. Communities for a Better Environment v. Richmond (2010) 184 Cal. App. 4th 70, 80. The EIR requirement "is the heart of CEQA." CEQA Guidelines, § 15003(a).

A strong presumption in favor of requiring preparation of an EIR is built into CEQA. This presumption is reflected in what is known as the "fair argument" standard, under which an agency must prepare an EIR whenever substantial evidence in the record supports a fair argument that a project may have a significant effect on the environment. Quail Botanical Gardens Found., Inc. v. City of Encinitas (1994) 29 Cal. App. 4th 1597, 1602; Friends of "B" St. v. City of Hayward (1980) 106 Cal. 3d 988, 1002.

The fair argument test stems from the statutory mandate that an EIR be prepared for any project that "may have a significant effect on the environment." Public Resources Code ("PRC") § 21151; No Oil, Inc. v. City of Los Angeles (1974) 13 Cal. App. 3d 68, 75; Jensen v. City of Santa Rosa (2018) 23 Cal. App. 5th 877, 884. Under this test, if a proposed project is not exempt and may cause a significant effect on the environment, the lead agency must prepare an EIR. PRC §§ 21100(a), 21151; CEQA Guidelines § 15064(a)(1), (f)(1). An EIR may be dispensed with only if the lead agency finds no substantial evidence in the initial study or elsewhere in the record that the project may have a significant effect on the environment. Parker Shattuck Neighbors v. Berkeley City Council (2013) 222 Cal. App. 4th 768, 785. In such a situation, the agency must adopt a negative declaration. PRC § 21080(c)(1); CEQA Guidelines §§

15063(b)(2), 15064(f)(3).

"Significant effect upon the environment" is defined as "a substantial or potentially substantial adverse change in the environment." PRC § 21068; CEQA Guidelines § 15382. A project "may" have a significant effect on the environment if there is a

"reasonable probability" that it will result in a significant impact. No Oil, Inc. v. City of Los Angeles, 13 Cal. 3d at 83 fn. 16; Sundstrom v. County of Mendocino (1988) 202 Cal. App. 3d 296, 309. If any aspect of the project may result in a significant impact on the environment, an EIR must be prepared even if the overall effect of the project is beneficial. CEQA Guidelines § 15063(b)(1). See County Sanitation Dist. No. 2 v. County of Kern (2005) 127 Cal. App. 4th 1544, 1580.

This standard sets a "low threshold" for preparation of an EIR. Consolidated Irrig. Dist. v. City of Selma (2012) 204 Cal. App. 4th 187, 207; Nelson v. County of Kern (2010) 190 Cal. App. 4th 252; Pocket Protectors v. City of Sacramento (2004) 124 Cal. App. 4th 903, 928; Bowman v. City of Berkeley (2004) 122 Cal. App. 4th 572, 580; Citizen Action to Serve All Students v. Thornley (1990) 222 Cal. App. 3d 748, 754; Sundstrom v. County of Mendocino (1988) 202 Cal. App. 3d 296, 310. If substantial evidence in the record supports a fair argument that the project may have a significant environmental effect, the lead agency must prepare an

EIR even if other substantial evidence before it indicates the project will have no significant effect. See Jensen v. City of Santa Rosa

(2018) 23 Cal. App. 5th 877, 886; Clews Land & Livestock v. City of San Diego (2017) 19 Cal. App. 5th 161, 183; Stanislaus Audubon Soc'y, Inc. v. County of Stanislaus (1995) 33 Cal. App. 4th 144, 150; Brentwood Ass'n for No Drilling, Inc. v. City of Los Angeles (1982) 134 Cal. App. 3d 491; Friends of "B" St. v. City of Hayward (1980) 106 Cal. App. 3d 988; CEQA Guidelines § 15064(f)(1).

As the Project does not qualify for the sustainable communities project exemption from CEQA as explained below, the low threshold is met and the City must prepare an EIR for the Project.

Response to Comment No. 4

Regarding preparation of EIR for the Project and the Project's qualification for a SCPE, the commenter does not present any evidence, let alone substantial evidence, of potential significant impacts or any deficiency in the Project's SCPE. The commentator is referred to Responses to Comments No. 6 through No. 9. Based on the information provided therein, the Project does qualify for a SCPE, and no additional CEQA review is required.

Comment No. 5

IV. THE PROJECT IS NOT SUBJECT TO THE SUSTAINABLE COMMUNITIES PROJECT EXEMPTION

PRC Section 21155.1 provides that a project is statutorily exempt from CEQA if it qualifies as a transit priority project and it:

- 1) Can be adequately served by existing utilities, and the transit priority project applicant has paid, or has committed to pay, all applicable in-lieu or development fees;
- Does not contain wetlands or riparian areas, does not have significant value as a wildlife habitat, does not harm any species protected by the federal Endangered Species Act or Native Plant Protection Act, and does not cause the destruction or removal of any species protected by a local ordinance;
- 3) Is not included on any list of hazardous waste sites compiled pursuant to Section 65962.5 of the Government Code;
- Is subject to a preliminary endangerment assessment prepared by an environmental assessor to determine the existence of any release of a hazardous substance on the site and to determine the potential for exposure of future occupants to significant health hazards from any nearby property or activity;
- 5) Does not have a significant effect on historical resources pursuant to Section 21084.1;

- 6) Is not a wildland fire hazard, does not have an unusually high risk of high risk of fire or explosion, is not a landslide hazard, and does not have seismic risk as a result of being within a delineated earthquake fault zone;
- 7) Is not located on developed open space;
- Is 15 percent more energy efficient than required by Chapter 6 of Title 24 of the California Code of Regulations and designed to achieve 25 percent less water usage than the average household use in the region;
- 9) Is not more than eight acres in total area;
- 10) Does not contain more than 200 residential units;
- 11) Does not result in any net loss in the number of affordable housing units within the project area;
- 12) Does not include any single level building that exceeds 75,000 square feet;
- 13) Incorporates any applicable mitigation measures or performance standards or criteria set forth in a prior environmental impact report and adopted in findings;
- 14) Is determined not to conflict with nearby operating industrial uses;
- 15) Is located within one-half mile of a rail transit station or a ferry terminal included in a regional transportation plan or within one-quarter mile of a high-quality transit corridor included in a regional transportation plan; and
- 16) It meets one of the following three factors:

(i) At least 20 percent of the housing is sold to families of moderate income, or not less than 10 percent of the housing will be rented to families of low income, or not less than 5 percent of the housing is rented to families of very low income and the project developer provides sufficient legal commitments to the appropriate local agency to ensure the continued availability and use of the housing units for very low, low-, and moderate-income households at monthly housing costs with an affordable housing cost or affordable rent, for the period required by the applicable financing;

(ii) The developer has paid or will pay in-lieu fees pursuant to a local ordinance in an amount sufficient to result in the development of an equivalent number of units that would otherwise be required; or

(iii) It provides public open space equal to or greater than five acres per 1,000 residents of the project.

Here, the Project fails to satisfy all these requirements and therefore is not eligible for the Sustainable Communities Project Exemption ("SCPE").

Response to Comment No. 5

Regarding Project's qualification for a SCPE, the commentator is referred to Responses to Comments No. 6 through No. 9. Based on the information provided therein, the Project does qualify for a SCPE, and no additional CEQA review is required.

Comment No. 6

A. There Is Insufficient Evidence that the Project May Be Adequately Served by Existing Utilities

There is insufficient evidence that the Project site is equipped to handle the additional energy, water, and waste consumption of 145 new residential units as well as commercial and retail space in place of a single parking lot. In fact, the evidence points to the opposite conclusion since the sewer availability and waste drainage subsections of the Project permit have not yet been cleared by the Bureau of Engineering.⁹ Accordingly, the Project must not qualify for the SCPE exemption.

Response to Comment No. 6

The commentator is referred to Appendix C of the SCPE that includes the *Utility Infrastructure Technical Report: Water, Wastewater, and Energy Report,* which demonstrates that the existing capacity of energy, water, sewer, and storm drain infrastructure is adequate to accommodate the Project. The commentator provides no evidence to the contrary, and thus this comment is completely speculative.

Permit clearance is not required to demonstrate that utilities are adequate to accommodate a Project.

The administrative record, including Appendix C of the SCPE, demonstrates that the Project qualifies for a SCPE and no additional CEQA review is required.

Comment No. 7

B. The Project Construction May Pose Significant Public Health and Safety Impacts

The Project seeks to demolish the existing parking lot structure on the site, thereby subjecting the neighboring multi-unit residential buildings and their sensitive receptors to significant dust and debris emission which may negatively impact their health and must be analyzed and quantified. (See, Exhibit E [Zimas Parcel Report for 923 S. Beacon Ave.] and Exhibit F [Zimas Parcel Report for the Neighboring Site at 927 1-18 S. Beacon Ave., 18-unit multi-family building next to the Project site].)

Moreover, based on the Project's permit application (Exhibit D), the Project involves construction near power lines and work adjacent to public way, which may in turn result in impacts on the public services and utilities for the nearby especially residential structures.

Also, to the extent the Project's staging of heavy construction equipment may foreseeably occur on top of utility connections, the Project may also have significant safety impacts which also must be assessed in an EIR. Thus, for this reason too, SCPE is inapplicable.

Response to Comment No. 7

The commentator provides no evidence of impacts, and thus this comment is completely speculative. Regarding dust and debris emissions during the Project's construction phase, Table G-1 on page G-8 in Appendix G of the July 2023 SCPE clarifies that the Project would incorporate SCAG 2020-2045 RTP/SCS PMM AQ-1, which includes measures related to dust and debris emissions.

Regarding "construction near power lines and work adjacent to the public way," the City is highly urbanized, and "construction near power lines and adjacent to the public way" are common occurrences that do not result in "impacts on the public services and utilities." Prior to any such activities, the Applicant would be required to obtain the appropriate permits from the City to allow for these activities.

Regarding heavy construction equipment on top of utility connections resulting in safety impacts, the commentator does not provide any information that explains the commentator's concern. Thus, no further response can be provided.

Comment No. 8

C. There Is Insufficient Evidence that the Project Is 15% More Energy Efficient than required by Chapter 6 of Title 24 of the California Code of Regulations and Designed to Achieve 25% Less Water Usage than the Average Household Use in the Region

Yet another reason why the SCPE cannot apply is because there is insufficient evidence that the Project will be 15% more energy efficient than required by Chapter 6 of Title 24 of the California Code of Regulations and is designed to achieve 25% less water usage than the average household use in the region, as required. Rather, the Project application merely provides that passive or natural heating and cooling opportunities are feasible.¹⁰ However, such statement fails to in fact provide any evidence or quantification of the Project's estimated energy and water consumption.

Thus, under CEQA Guidelines § 15126.2(b):

"(b) Energy Impacts. If analysis of the project's energy use reveals that the project may result in significant environmental effects due to wasteful, inefficient, or unnecessary consumption use of energy, or wasteful use of energy resources, the EIR shall mitigate that energy use. This analysis should include the project's energy use for all project phases and components, including transportation-related energy, during construction and operation. In addition to building code compliance, other relevant considerations may include, among others, the project's size, location, orientation, equipment use and any renewable energy features that could be incorporated into the project. (Guidance on information that may be included in such an analysis is presented in Appendix F.) This analysis is subject to the rule of reason and shall focus on energy use that is caused by the project. This analysis may be included in related analyses of air quality, greenhouse gas emissions, transportation or utilities in the discretion of the lead agency." (Emph. added.)

There is no pertinent information provided for the Project to verify if the above-noted detailed analysis took place and to fill in the analytical gap to support the agency's conclusion in this case that the Project will indeed not have energy impacts. Compounding this lack of specificity in the City's findings, the Project is

proposed on what appears to have been historically a vacant site and therefore its energy usage as compared with the present uses will be significant. As such, it appears that the City failed to consider the Project's size and orientation, as well as the location, when concluding that the Project will be 15 percent more energy-efficient than required.

Absent this detailed and specific information required by CEQA Guidelines and Appendix G referenced therein, the City's conclusion that the Project will be 15% more energy efficient than required by Chapter 6 of Title 24 of the California Code of Regulations and is designed to achieve 25% less water usage than the average household use in the region is merely speculative, rendering the SCPE inapplicable.

Response to Comment No. 8

Regarding the Project's energy and water efficiency, the commentator is referred to Appendix F of the SCPE that includes the memorandum entitled *CEQA SCPE Energy and Water Efficiency Compliance for 905 Beacon prepared by Zinner Consultants*, which demonstrates that the Project would be 15% more energy efficient and 25% more water efficient than Title 24. The commentator provides no evidence to the contrary.

The administrative record including Appendix F of the SCPE, demonstrates that the Project qualifies for a SCPE, and no additional CEQA review is required.

Comment No. 9

D. <u>There Appears to Be No Preliminary Endangerment Assessment Prepared for the Project to Assess</u> <u>Hazardous Substance Exposure</u>

Finally, the Project should not be eligible for the SCPE because it appears that there is no "preliminary endangerment assessment prepared by an environmental assessor to determine the existence of any release of a hazardous substance on the site and to determine the potential for exposure of future occupants to significant health hazards from any nearby property or activity". PRC § 21155.1(a)(4).

Rather, the Project application blanketly concludes that there are not public health concerns stemming from hazardous materials because the Project will comply with applicable law for asbestos abatement. However, determinations that regulatory compliance will be sufficient to prevent significant adverse impacts must be based on a project-specific analysis of potential impacts and the effect of regulatory compliance. See Californians for Alternatives to Toxics v. Department of Food & Agric. (2005) 136

Cal.App.4th 1; Ebbetts Pass Forest Watch v Department of Forestry & Fire Protection (200⁸) 43 Cal.App.4th 936, 956. The Project cannot rely upon regulatory compliance to conclude that its eligible for the SCPE without assessing the Project's anticipated hazardous waste exposure in a preliminary endangerment assessment.

Moreover, even though the City's findings are completely silent on the issue of Preliminary endangerment assessment ("PEA"), it does not even provide any information as to any Environmental Site Assessment ("ESA"). Yet, to the extent an ESA was prepared or is to be prepared by the Applicant, it must be noted that an ESA cannot be substituted for a PEA.

An ESA is not the same as a PEA. See, City of Maywood v. Los Angeles Unified Sch. Dist. (2012) 208 Cal.App.4th 362, 427. A "preliminary endangerment assessment" is statutorily defined at Health and Safety Code section 25319.5. It is required to be

"conducted in a manner that complies with the guidelines published by the department [of Toxic Substances Control] entitled "Preliminary Endangerment Assessment: Guidance Manual." The Guidance Manual also makes clear that the requirements of a PEA go beyond those of a Phase I ESA:

"[O]verall PEA requirements are more comprehensive than requirements for the PA/SI and Phase I Assessments Specific requirements of the PEA that are not typically required for these other types of investigations include the site specific human health and ecological screening evaluations, public participation requirements, data collection, and scoping activities." Department of Toxic Substances Control, California Environmental Protection Agency, Preliminary Endangerment Assessment: Guidance Manual (rev'd October 2015) pp. iv-v.¹²

A PEA meeting the statutory requirements must analyze the potential for exposure to future occupants to health hazards from "any nearby property or activity." PRC § 21155.1(a)(4).

The Applicant here provided no PEA or ESA to ascertain whether the Project indeed qualifies for the claimed CEQA exemption. This omission is critical since the Project site appears to have been historically used as a parking structure and therefore may have been subject to releases, leaks or spills of hazardous chemicals, including petroleum or oil, with the potential to affect the future residents' health.

On this basis, too, the Project does not meet the requirements for the respective TPP exemption.

Response to Comment No. 9

The commentator incorrectly claims that the SCPE did not include either a preliminary endangerment assessment (PEA) or an environmental site assessment (ESA); in fact, Appendix E of the October 2022 SCPE consists of a Phase I ESA report that assesses the potential existence of any release of a hazardous substance on the Project Site as well as the potential for exposure of future Project Site occupants to significant health hazards. As concluded by the Phase I ESA as well as the findings provided on pages 2-13 and 2-14 of the October 2022 SCPE (and pages 2-10 through 2-12 of the July 2023 SCPE), no recognized environmental conditions exist at the Project Site, and no further environmental investigation is required at this time.

The commentator further asserts that for the Project's SCPE to achieve compliance with Public Resources Code (PRC) Section 21155.1(a)(4), a PEA must be prepared that meets the statutory requirements of Health and Safety Code (HSC) Section 25319.5 as well as guidance promulgated by the Department of Toxic Substances Control (DTSC). The commentator is mistaken, as PRC Section 21155.1(a)(4) uses the term "preliminary endangerment assessment" merely to describe the required inquiry regarding hazardous conditions at a proposed project site, and not a requirement to fulfill the distinct PEA requirements identified by the HSC and DTSC.¹¹ Had the California Legislature intended to require an HSC-compliant PEA be prepared in connection with a SCPE, it would have included a statutory citation to HSC Section 25319.5 as

¹¹ See Concerned Citizens of Beverly Hills/Beverly Grove v. City of Los Angeles (Los Angeles Superior Court, Case No. BS168228, January 5, 2018 judgment, pp. 7-8).

part of PRC Section 21155.1(a)(4); however, it did not do so. Moreover, the DTSC itself agrees that PRC Section 21155.1(a)(4) does not require compliance with the HSC's PEA requirements, as the agency commented on Senate Bill (SB) 375, which created PRC Section 21155.1, by noting that SB 375 "does not envision any role for a regulatory agency such as DTSC" nor does it "mandate regulatory oversight by a regulatory agency such as DTSC."¹² Because DTSC *always* plays an oversight role in the HSC's PEA process, the agency's comments on SB 375 reflect its position that PRC Section 21155.1(a)(4) does not trigger the HSC's PEA requirements.

Finally, even if the Legislature had intended to trigger the HSC's PEA process in connection with a proposed SCPE, the Phase I ESA prepared for the Project would satisfy that requirement. This is due to the fact that a Phase I ESA is the first step in preparing an HSC-compliant PEA but can also be the concluding step when it discloses no hazardous conditions warranting continuation of the PEA process, as the Project's Phase I ESA did here. For the above reasons, the commentator fails to identify any deficiency in the SCPE's assessment of potentially hazardous conditions at the Project Site.

Comment No. 10

E. <u>The City's Findings Fail to Acknowledge or Analyze the Project's Specific Adverse Impacts on Human</u> <u>Beings In Light of the Project's Being a Commercial Corner Development.</u>

Finally, based on the Project's permit information, the Project is a commercial corner development ("CDD") and therefore is subject to additional development regulations. However, the City's findings are silent on this issue and whether the Project is indeed consistent with the respective development and restrictions of a CDD¹³ and whether a conditional use permit ("CUP") is required or whether the Project qualifies for same.

This omission is critical as it indicates that the Project may have a significant specific adverse impact on human beings, including health and safety impacts, and therefore the Project may not qualify for either a density bonus or the exemption it claims.

The City must identify all the Project's inconsistencies with the applicable plans and policies and must provide good faith disclosures before it can make any determination as to whether the Project indeed qualifies for the density bonus/incentives it requests or whether it qualifies for the CEQA exemption.

Response to Comment No. 10

The commentator incorrectly claims that the Project is a commercial corner development. Pursuant to the Los Angeles Municipal Code (LAMC) Section 12.22.A.23(d)(1), the Project is exempt from commercial corner development regulations because it meets the definition of a Mixed-Use Project pursuant to LAMC Section 13.09 B.3. Specifically, the Project's land use application submitted to the City includes an architectural plan set which contains a diagram on sheet 8 to demonstrate compliance with the Mixed-Use Project definition.

¹² DTSC, Enrolled Bill Report on Senate Bill 375 (2007-2008 Regular Session), September 8, 2008, p.9.

In summary, the Project qualifies as a Mixed-Use Project because there is a separate, ground floor entrance to the residential component accessible from Beacon Avenue, and a pedestrian entrance to the retail space is directly accessible from a public street James M. Wood Boulevard. The retail space will be open during the normal business hours posted by the business. The Project will provide 35% of the ground floor building frontage abutting James M. Wood Boulevard, excluding driveways or pedestrian entrances, to a depth of 25 feet. As such, the Project is not a commercial corner development.

Comment No. 11

V. CONCLUSION

In sum, SMSWRCC requests that the City require a local workforce, that the City impose training requirements for the Project's construction activities to prevent community spread of COVID-19 and other infectious diseases, and that the City determine that the Project is not subject to the Sustainable Communities Project Exemption and that it prepare an EIR for the Project. If the City has any questions, feel free to contact my Office.

Response to Comment No. 11

Regarding the commentator's closing statements, which are a summary of the comments made throughout the comment letter, the commentator is referred to Responses to Comments No. 2 through No. 10.

ATTACHMENT A

COMMENT LETTERS



T 510.836.4200 F 510.836.4205 1939 Harrison Street, Ste. 150 Oakland, CA 94612 www.lozeaudrury.com Amalia@lozeaudrury.com

BY E-MAIL

June 2, 2023

Planning and Land Use Management Committee City of Los Angeles Councilmember Marqueece Harris-Dawson, Chair Councilmember Monica Rodriguez Councilmember Katy Yaroslavsky Councilmember John S. Lee Councilmember Heather Hutt John Ferraro Council Chamber 200 N. Spring Street, Room 340 Los Angeles, CA 90012 c/o Candy Rosales, Legislative Assistant clerk.plumcommittee@lacity.org Marie Pichay, Planning Assistant Los Angeles City Planning 200 N. Spring Street, Room 620 Los Angeles, CA 90012 Marie.pichay@lacity.org

Re: Comment on Sustainable Communities Project Exemption 905 Beacon Ave. Project (ENV-2020-7605-SCPE)

Dear Chair Harris-Dawson and Members of the Planning and Land Use Committee:

I am writing on behalf of the Supporters Alliance for Environmental Responsibility ("SAFER"), a California nonprofit benefit corporation, regarding the proposed development of a 7-story, 119,508 square foot mixed-use building, located in the City of Los Angeles and known as the 905 Beacon Avenue Project ("Project"). The City has determined that the project is exempt from environmental review under the California Environmental Quality Act ("CEQA") pursuant to Public Resources Code section 21155.1 ("Section 21155.1"), which provides an exemption for sustainable communities projects. However, the Project does not meet the criteria for a sustainable communities project and, therefore, does not qualify for an exemption from CEQA under Section 21155.1. SAFER respectfully requests that the Planning and Land Use Management Committee not approve the Project, and instead direct staff to prepare necessary environmental documents under CEQA.

This comment has been prepared with the assistance of expert noise consulting firm Wilson Ihrig and Certified Industrial Hygienist, Francis "Bud" Offermann, PE, CIH. Wilson Ihrig's comments are attached as Exhibit A, and Mr. Offermann's comments are attached as Exhibit B. We incorporate the Wilson Ihrig and Offermann comments herein by reference.

905 Beacon Ave. Project Sustainable Communities Project Exemption June 2, 2023 PLUM Hearing

PROJECT DESCRIPTION

The proposed Project consists of the demolition and removal of the existing surface parking lot from the Project site in order to facilitate the development of a 7-story, 119,508 square foot mixed-use building. The building will include 145 multi-family residential dwelling units, up to 2,000 square feet of neighborhood serving commercial uses, and 1.5 above ground parking levels and 2 underground levels. The Project proponents are requesting site plan review, permission to use base incentives and three additional incentives, and a vesting tentative tract map.

LEGAL STANDARD

CEQA mandates that "the long-term protection of the environment . . . shall be the guiding criterion in public decisions" throughout California. (PRC § 21001(d).) To achieve its objectives of environmental protection, CEQA has a three-tiered structure. (14 CCR § 15002(k); *Committee to Save the Hollywoodland Specific Plan v. City of Los Angeles* (2008) 161 Cal.App.4th 1168, 1185-86.) First, if a project falls into an exempt category, or it can be seen with certainty that the activity in question will not have a significant effect on the environment, no further agency evaluation is required. (*Id.*) Second, if there is a possibility the project will have a significant effect on the environment, the agency must perform an initial threshold study. (*Id.*; 14 CCR § 15063(a).) If the study indicates that there is no substantial evidence that the project or any of its aspects may cause a significant effect on the environment the agency may issue a negative declaration. (*Id.*; 14 CCR § 15063(b)(2), 15070.) Finally, if the project will have a significant effect on the environment, an environmental impact report ("EIR") is required. (*Id.*) Here, since the County exempted the Project from CEQA entirely, the first step of the CEQA process applies.

Here, the City is alleging that the proposed Project is exempt from CEQA review under the Sustainable Communities Project exemption ("SCPE") exemption. (PRC § 21155.1.) PRC 21155.1 applies to transit priority projects which meet certain criteria and are considered sustainable communities projects, and are rendered exempt from CEQA requirements. In order to qualify for a SCPE, a legislative body must find, after public hearing, that the transit priority project meets all of the requirements from PRC 21155.1 subdivision (a) and (b), and one of the requirements of subdivision (c).

Subdivision (a) lists out environmental criteria including requirements that the project can be served by existing utilities, does not impact wildlife habitat, is not included on the Cortese list, does not impact historical resources, is not located on developed open space, and is 15 percent more energy efficient than required under Title 24. Subdivision (a) also lists out specific environmental health hazards that a project cannot be subject to, including "[r]isk of a public health exposure at a level that would exceed the standards established by any state or federal agency." (PRC § 21155.1(a)(6)(C).)

1 (Cont.) 905 Beacon Ave. Project Sustainable Communities Project Exemption June 2, 2023 PLUM Hearing

Subdivision (b) lists out land use criteria that a project must meet, including size requirements, a limit on residential units, and requirements regarding affordable housing, among others. Relevant here, subdivision (b) requires that "[a]ny applicable mitigation measures or performance standards or criteria set forth in the prior environmental impact reports, and adopted in findings, have been or will be incorporated into the transit priority project." (PRC § 21155.1(b)(5).)

Lastly, subdivision (c) states that the transit priority project must meet at least one of the following three criteria:

(1) The transit priority project meets both of the following:

(A) At least 20 percent of the housing will be sold to families of moderate income, or not less than 10 percent of the housing will be rented to families of low income, or not less than 5 percent of the housing is rented to families of very low income.

(B) The transit priority project developer provides sufficient legal commitments to the appropriate local agency to ensure the continued availability and use of the housing units for very low, low-, and moderate-income households at monthly housing costs with an affordable housing cost or affordable rent, as defined in Section 50052.5 or 50053 of the Health and Safety Code, respectively, for the period required by the applicable financing. Rental units shall be affordable for at least 55 years. Ownership units shall be subject to resale restrictions or equity sharing requirements for at least 30 years.

(2) The transit priority project developer has paid or will pay in-lieu fees pursuant to a local ordinance in an amount sufficient to result in the development of an equivalent number of units that would otherwise be required pursuant to paragraph (1).

(3) The transit priority project provides public open space equal to or greater than five acres per 1,000 residents of the project.

(PRC § 21155.1(c).)

As discussed below, the proposed Project does not qualify for a SCPE because it fails to meet one of the criteria of subdivision (a) and one of the criteria in subdivision (b). The exemption is therefore improper, and instead, an initial study should be prepared, followed by the appropriate CEQA document, either an MND or an EIR.

DISCUSSION

I. The City Incorrectly Applied CEQA's Sustainable Communities Project Exemption to the Project and Instead an Initial Study is Required. 1 (Cont.) 905 Beacon Ave. Project Sustainable Communities Project Exemption June 2, 2023 PLUM Hearing

This Project fails to meet some of the necessary criteria due to its potentially significant noise and indoor air quality impacts. As such, the Project does not qualify for a SCPE and the City must prepare an initial study and either an MND or an EIR for the Project.

a. The SCPE failed to impose all mitigation measures for noise.

To qualify for a SCPE, a Project must meet certain land use criteria, including that "[a]ny applicable mitigation measures or performance standards or criteria set forth in the prior environmental impact reports, and adopted in findings, have been or will be incorporated into the transit priority project." (PRC § 21155.1(b)(5).) The City found that the only applicable EIR for this SCPE was the SCAG 2020-2045 RTP/SCS Program EIR ("RTP/SCS PEIR"), and it applied two of the noise-related mitigation measures from that PEIR to the proposed Project.

Jack Meighan of expert noise consulting firm Wilson Ihrig reviewed the Project and associated docuements and found that the Project failed to adequately analyze noise impacts, and therefore failed to impose all applicable mitigation measures from the RTP/SCS PEIR. The Project therefore does not meet the requirements for a SCPE. Mr. Meighan's comments are attached hereto as Exhibit A, and are summarized below.

First of all, Mr. Meighan found that the RTP/SCS PEIR does not study operational noise and vibration, and therefore the mitigation measures it proposes and which have been applied to this Project would not serve to mitigate any of the Project's operational noise and vibration impacts. (Ex. A, p. 1.) Therefore, Mr. Meighan concluded that neither the RTP/SCS PEIR nor the SCPE have actually studied operational noise and vibration, and further CEQA review must be conducted to analyze those potential impacts. (*Id.*)

Next, one of the mitigation measures the Project imposes for noise impacts is to prohibit amplified noises from exceeding ambient noise levels of adjacent properties by more than 5 dBA. However, Mr. Meighan points out that because the SCPE for the Project does not include noise measurements, it is impossible to identify which measures are necessary to achieve this requirement, and whether such measures are feasible. (Ex. A, p. 1-2.) He notes that "reasonable worse-case construction scenarios may not be able to stay 5 dBA within the ambient at the adjacent property that borders the site directly to the south." (*Id.* at 2.) Without this information, the City has failed to demonstrate that the Project meets the requirements of a SCPE, and an initial study should be prepared to adequately measure and document the Project's ambient noise levels, and determine what specific mitigation is necessary.

Lastly, Mr. Meighan found that the Project's noise impact analyses are incomplete. The analysis prepared by the City does not include any calculations showing operational and construction noise and vibration impacts that would result from this Project. (Ex. A, p. 2.) In an effort to estimate potential impacts, Mr. Meighan ran sample calculations from projects with assumptions similar to this Project and used Project-specific details. (*Id.*) He found that construction noise and vibration would most likely be significant and have the potential to cause damage to nearby buildings. (*Id.*) The City has therefore failed to demonstrate that it has

4

5

6

² (Cont.)

imposed all applicable mitigation measures for noise from prior EIRs, and the Project does not qualify for a SCPE. An initial study, followed by either an MND or an EIR, must be prepared for this Project.

b. There is Substantial Evidence that the Project Will Have a Significant Health Risk Impact from its Indoor Air Quality Impacts.

The SCPE cannot apply if a project site is subject to "[r]isk of a public health exposure at a level that would exceed the standards established by any state or federal agency." (PRC § 21155.1(a)(6)(C).)

Here, there is substantial evidence demonstrating that the Project will have public health impacts which exceed state standards. Specifically, the Project will result in significant increased cancer risks from emissions of formaldehyde. Therefore, the Project does not qualify for the SCPE and the City must prepare an initial study to determine the appropriate level of CEQA review for this Project, either an MND or an EIR.

Certified Industrial Hygienist, Francis "Bud" Offermann, PE, CIH, has conducted a review of the proposed Project and relevant documents regarding the Project's indoor air emissions. Indoor Environmental Engineering Comments (December 12, 2022) (Exhibit B). Mr. Offermann concludes that it is likely that the Project will expose residents and commercial employees of the Project to significant impacts related to indoor air quality, and in particular, emissions of the cancer-causing chemical formaldehyde. Mr. Offermann is a leading expert on indoor air quality and has published extensively on the topic. Mr. Offermann's expert comments and curriculum vitae are attached as Exhibit B.

Mr. Offermann explains that many composite wood products used in building materials and furnishings commonly found in offices, warehouses, residences, and hotels contain formaldehyde-based glues which off-gas formaldehyde over a very long time period. He states, "[t]he primary source of formaldehyde indoors is composite wood products manufactured with urea-formaldehyde resins, such as plywood, medium density fiberboard, and particleboard. These materials are commonly used in building construction for flooring, cabinetry, baseboards, window shades, interior doors, and window and door trims." (Ex. B, p. 2-3.)

Formaldehyde is a known human carcinogen. Mr. Offermann states that future residential occupants would be exposed to a cancer risk of 120 in one million, and future commercial employees would be exposed to a cancer risk of 17.7 in one million. (Ex. B, p. 4-5.) These calculations are assuming all materials are compliant with the California Air Resources Board's formaldehyde airborne toxics control measure. (*Id.*) These potential exposure levels exceed the South Coast Air Quality Management District's ("SCAQMD") CEQA significance threshold for airborne cancer risk of 10 per million. (*Id.*)

Mr. Offermann concludes that these significant environmental impacts should be analyzed in accordance with CEQA and mitigation measures should be imposed to reduce the

/

7 (Cont.)

Λ

risk of formaldehyde exposure. (*Id.* at 6.) Mr. Offermann identifies mitigation measures that are available to reduce these significant health risks, including the installation of air filters and a requirement that the applicant use only composite wood materials (e.g. hardwood plywood, medium density fiberboard, particleboard) for all interior finish systems that are made with CARB approved no-added formaldehyde (NAF) resins or ultra-low emitting formaldehyde (ULEF) resins in the buildings' interiors. (*Id.* at 12-14.)

Because the Project's formaldehyde emissions constitute a "public health exposure at a level that would exceed" SCAQMD's significance threshold for increased cancer risk, the Project does not qualify for the SCPE. (See PRC § 21155.1(a)(6)(C).) Therefore, the City must prepare an initial study for the Project and either an MND or EIR to disclose and mitigate the potential environmental impacts to future users of the building.

CONCLUSION

In light of the above comments, the Project does not meet the requirements of the SCPE due to its potential noise impacts and public health risk impacts. The City must prepare an initial study followed by an EIR for the Project, or at least an MND, and the draft CEQA document should be circulated for public review and comment in accordance with CEQA. Thank you for considering these comments.

Sincerely,

Amalia Bowley Fuentes Lozeau Drury LLP

8 (Cont.)

EXHIBIT A



CALIFORNIA WASHINGTON NEW YORK

WI #22-004.33

June 2nd, 2023

Amalia Bowley Fuentes Lozeau | Drury LLP 1939 Harrison Street, Suite 150 Oakland, CA 94612 <u>amalia@lozeaudrury.com</u>

SUBJECT: Comments on 905 Beacon Ave. Project Noise Analysis

Dear Ms. Fuentes,

Per your request, I have reviewed the subject matter document for the 905 Beacon Ave. Sustainable Communities Project Exemption (SCPE) in Los Angeles, California. The proposed project involves the construction, use and maintenance of a 119,508-square-foot mixed-use building, which would include 145 multi-family residential dwelling units and up to 2,000 square feet of commercial uses The Noise Impact Analysis is contained in Appendix G of the SCPE. The Project is surrounded by noise sensitive uses –residences located directly to the south and to the west.

1. Analysis Cites Incomplete EIR

The SCPE has identified one prior EIR with mitigation measures that could apply to the Project – SCAG 2020-2045 RTP/SCS Final Program EIR. However, the SCPE states that the EIR "does not include project-level mitigation measures that would be required of the Project. The SCAG MMRP provides a list of mitigation measures that SCAG determined a lead agency can or should consider, as applicable and feasible." As such, two mitigation measures are studied in the SCPE, Impact NOISE-1 and Impact NOISE-2. NOISE-1 presents 24 mitigation techniques that can be used to mitigate construction noise, while NOISE-2 presents 6 mitigation techniques that can be used to mitigate construction vibration.

The EIR, however, does not study operational noise and vibration. None of the mitigation measures are meant to mitigate noise or vibration from these sources. As a result, operational noise and vibration are not studied in either the EIR or the SCPE. A more thorough EIR should be conducted to make sure that this project does not create significant noise and vibration impacts to nearby receptors. See Section 3 for a breakdown of potential operational noise issues.

2. Baseline Noise Level characterizations are Incomplete

PMM NOISE-1 states "The Project shall prohibit any amplified noises, especially those from outdoor sources, from exceeding the ambient noise levels of adjacent properties by more than 5 dBA, pursuant to LAMC Section 112.01. Any amplified noises would also be prohibited from being audible

10

SAFER (Cont)

WILSON IHRIG

905 Beacon Ave Project Comments on the Noise Analysis

at any distance greater than 150 feet from the Project's property line" Without noise measurements, it would be impossible to identify what measures would be necessary to achieve this requirement and whether such measures would be feasible. Reasonable worse-case construction scenarios may not be able to stay 5 dBA within the ambient at the adjacent property that borders the site directly to the south. An example of an operational noise impact is presented in Section 3. The document needs at least to commit to a requirement that an acoustical report addressing noise sources should be submitted for review and approval during the permitting phase. Or, if the analysis is performed using a design goal, there should be a plan explicitly stating monitoring and reporting.

3. Impact Analyses are Incomplete

The analysis does not include any calculations. Below are sample calculations, taken from projects with similar assumptions, to show the typical operational and construction noise and vibrations impacts are possible with this project.

Construction Noise

The Federal Highway Administration's Roadway Construction Noise Model (RCNM) cites noise levels¹ for equipment typically used on construction sites. For the grading phase, typical pieces of equipment include a Grader and a Backhoe. The closest receivers are approximately 20 feet from the construction site. Using the reference levels and usage factors cited in RCNM, the overall Leq is 90 dBA. It is hard to imagine that this level would not be considered an impact. As such, more study should be done to determine mitigation options in a full Environmental Impact Statement.

Piece of Equipment	Spec. Lmax @ 50ft (dBA)	Usage Factor
Backhoe	80	40%
Grader	85	40%
All Sources Combine for an Hourly Leq of 90 dBA at 20 feet		

Table 1: Summary of Typical Construction Noise Calculation

Construction Vibration

Vibration Levels could be over common building damage threshold at the closest point to the new construction in this building, and this was not mentioned in the analysis. The closest building to the south of the project site is roughly 20 feet from heavy construction. A vibratory roller has a cited PPV (Peak Particle Velocity) level of 0.21 in/sec at 25 feet, via the Federal Transit Administration's Transit (FTA) Noise and Vibration Impact Assessment Manual². At 20 feet, this is 0.29 PPV, which is over the FTA's suggested threshold of 0.2 PPV for non-engineered timber and masonry buildings. It is worth noting that other criteria exist and can be chosen, and that this document does not directly govern this project. However, there is potential for damage to nearby buildings. As such, there would be a significant impact and mitigation measures, such as a vibration control plan, should be provided in project documents.

12 (Cont.)

¹ https://www.fhwa.dot.gov/Environment/noise/construction_noise/rcnm/rcnm01.cfm#table1

² https://www.transit.dot.gov/sites/fta.dot.gov/files/docs/research-innovation/118131/transit-noise-and-vibration-impact-assessment-manual-fta-report-no-0123_0.pdf

SAFER (Cont)

WILSON IHRIG

905 Beacon Ave Project Comments on the Noise Analysis

Conclusions

There are several errors and omissions in the SCPE noise analysis. Correcting these would potentially identify several significant impacts which require mitigation.

Please feel free to contact me with any questions on this information.

Very truly yours,

WILSON IHRIG

A

Jack Meighan Associate

wilson ihrig - comments on 905 beacon ave. project noise analysis.docx

EXHIBIT B



INDOOR ENVIRONMENTAL ENGINEERING

NEE

1448 Pine Street, Suite 103 San Francisco, California 94109 Telephone: (415) 567-7700 E-mail: <u>offermann@IEE-SF.com</u> <u>http://www.iee-sf.com</u>

Date:	December 12, 2022
То:	Amalia Bowley Fuentes Lozeau Drury LLP 1939 Harrison Street, Suite 150 Oakland, California 94612
From:	Francis J. Offermann PE CIH
Subject:	Indoor Air Quality: 905 Beacon Avenue Project, Los Angeles, CA (IEE File Reference: P-4652)
Pages:	19

Indoor Air Quality Impacts

Indoor air quality (IAQ) directly impacts the comfort and health of building occupants, and the achievement of acceptable IAQ in newly constructed and renovated buildings is a well-recognized design objective. For example, IAQ is addressed by major high-performance building rating systems and building codes (California Building Standards Commission, 2014; USGBC, 2014). Indoor air quality in homes is particularly important because occupants, on average, spend approximately ninety percent of their time indoors with the majority of this time spent at home (EPA, 2011). Some segments of the population that are most susceptible to the effects of poor IAQ, such as the very young and the elderly, occupy their homes almost continuously. Additionally, an increasing number of adults are working from home at least some of the time during the workweek. Indoor air quality also is a serious concern for workers in hotels, offices and other business establishments.

The concentrations of many air pollutants often are elevated in homes and other buildings relative to outdoor air because many of the materials and products used indoors contain and release a variety of pollutants to air (Hodgson et al., 2002; Offermann and Hodgson,

2011). With respect to indoor air contaminants for which inhalation is the primary route of exposure, the critical design and construction parameters are the provision of adequate ventilation and the reduction of indoor sources of the contaminants.

Indoor Formaldehyde Concentrations Impact. In the California New Home Study (CNHS) of 108 new homes in California (Offermann, 2009), 25 air contaminants were measured, and formaldehyde was identified as the indoor air contaminant with the highest cancer risk as determined by the California Proposition 65 Safe Harbor Levels (OEHHA, 2017a), No Significant Risk Levels (NSRL) for carcinogens. The NSRL is the daily intake level calculated to result in one excess case of cancer in an exposed population of 100,000 (i.e., ten in one million cancer risk) and for formaldehyde is 40 μ g/day. The NSRL concentration of formaldehyde that represents a daily dose of 40 μ g is 2 μ g/m³, assuming a continuous 24-hour exposure, a total daily inhaled air volume of 20 m³, and 100% absorption by the respiratory system. All of the CNHS homes exceeded this NSRL concentration of 2 μ g/m³. The median indoor formaldehyde concentration was 36 μ g/m³, and ranged from 4.8 to 136 μ g/m³, which corresponds to a median exceedance of the 2 μ g/m³ NSRL concentration of 18 and a range of 2.3 to 68.

Therefore, the cancer risk of a resident living in a California home with the median indoor formaldehyde concentration of 36 μ g/m³, is 180 per million as a result of formaldehyde alone. The CEQA significance threshold for airborne cancer risk is 10 per million, as established by the South Coast Air Quality Management District (SCAQMD, 2015).

Besides being a human carcinogen, formaldehyde is also a potent eye and respiratory irritant. In the CNHS, many homes exceeded the non-cancer reference exposure levels (RELs) prescribed by California Office of Environmental Health Hazard Assessment (OEHHA, 2017b). The percentage of homes exceeding the RELs ranged from 98% for the Chronic REL of 9 μ g/m³ to 28% for the Acute REL of 55 μ g/m³.

The primary source of formaldehyde indoors is composite wood products manufactured with urea-formaldehyde resins, such as plywood, medium density fiberboard, and

15 (Cont.) particleboard. These materials are commonly used in building construction for flooring, cabinetry, baseboards, window shades, interior doors, and window and door trims.

In January 2009, the California Air Resources Board (CARB) adopted an airborne toxics control measure (ATCM) to reduce formaldehyde emissions from composite wood products, including hardwood plywood, particleboard, medium density fiberboard, and also furniture and other finished products made with these wood products (California Air Resources Board 2009). While this formaldehyde ATCM has resulted in reduced emissions from composite wood products sold in California, they do not preclude that homes built with composite wood products meeting the CARB ATCM will have indoor formaldehyde concentrations below cancer and non-cancer exposure guidelines.

A follow up study to the California New Home Study (CNHS) was conducted in 2016-2018 (Singer et. al., 2019), and found that the median indoor formaldehyde in new homes built after 2009 with CARB Phase 2 Formaldehyde ATCM materials had lower indoor formaldehyde concentrations, with a median indoor concentrations of 22.4 μ g/m³ (18.2 ppb) as compared to a median of 36 μ g/m³ found in the 2007 CNHS. Unlike in the CNHS study where formaldehyde concentrations were measured with pumped DNPH samplers, the formaldehyde concentrations in the HENGH study were measured with passive samplers, which were estimated to under-measure the true indoor formaldehyde concentrations results in a median indoor concentration of 24.1 μ g/m³, which is 33% lower than the 36 μ g/m³ found in the 2007 CNHS.

Thus, while new homes built after the 2009 CARB formaldehyde ATCM have a 33% lower median indoor formaldehyde concentration and cancer risk, the median lifetime cancer risk is still 120 per million for homes built with CARB compliant composite wood products. This median lifetime cancer risk is more than 12 times the OEHHA 10 in a million cancer risk threshold (OEHHA, 2017a).

With respect to the 905 Beacon Avenue Project, Los Angeles, CA the buildings consist of residential and commercial spaces.

15 (Cont.)

15

The residential occupants will potentially have continuous exposure (e.g. 24 hours per day, 52 weeks per year). These exposures are anticipated to result in significant cancer risks resulting from exposures to formaldehyde released by the building materials and furnishing commonly found in residential construction.

Because these residences will be constructed with CARB Phase 2 Formaldehyde ATCM materials, and be ventilated with the minimum code required amount of outdoor air, the indoor residential formaldehyde concentrations are likely similar to those concentrations observed in residences built with CARB Phase 2 Formaldehyde ATCM materials, which is a median of 24.1 μ g/m³ (Singer et. al., 2020).

Assuming that the residential occupants inhale 20 m³ of air per day, the average 70-year lifetime formaldehyde daily dose is 482 μ g/day for continuous exposure in the residences. This exposure represents a cancer risk of 120 per million, which is more than 12 times the CEQA cancer risk of 10 per million. For occupants that do not have continuous exposure, the cancer risk will be proportionally less but still substantially over the CEQA cancer risk of 10 per million (e.g. for 12/hour/day occupancy, more than 6 times the CEQA cancer risk of 10 per million).

The employees of the commercial spaces are expected to experience significant indoor exposures (e.g., 40 hours per week, 50 weeks per year). These exposures for employees are anticipated to result in significant cancer risks resulting from exposures to formaldehyde released by the building materials and furnishing commonly found in offices, warehouses, residences and hotels.

Because the commercial spaces will be constructed with CARB Phase 2 Formaldehyde ATCM materials, and be ventilated with the minimum code required amount of outdoor air, the indoor formaldehyde concentrations are likely similar to those concentrations observed in residences built with CARB Phase 2 Formaldehyde ATCM materials, which is a median of 24.1 μ g/m³ (Singer et. al., 2020)

Assuming that the employees of commercial spaces work 8 hours per day and inhale 20

 m^3 of air per day, the formaldehyde dose per work-day at the offices is 161 μ g/day.

Assuming that these employees work 5 days per week and 50 weeks per year for 45 years (start at age 20 and retire at age 65) the average 70-year lifetime formaldehyde daily dose is 70.9 μ g/day.

This is 1.77 times the NSRL (OEHHA, 2017a) of 40 μ g/day and represents a cancer risk of 17.7 per million, which exceeds the CEQA cancer risk of 10 per million. This impact should be analyzed in an environmental impact report ("EIR"), and the agency should impose all feasible mitigation measures to reduce this impact. Several feasible mitigation measures are discussed below and these and other measures should be analyzed in an EIR.

In addition, we note that the average outdoor air concentration of formaldehyde in California is 3 ppb, or $3.7 \ \mu g/m^3$, (California Air Resources Board, 2004), and thus represents an average pre-existing background airborne cancer risk of 1.85 per million. Thus, the indoor air formaldehyde exposures describe above exacerbate this pre-existing risk resulting from outdoor air formaldehyde exposures.

Additionally, the Project site is located in an area with high vehicle traffic. The SCAQMD's Multiple Air Toxics Exposure Study ("MATES V") identifies an existing cancer risk at the site of 730 per million due to the site's elevated ambient air contaminant concentrations, which are due to the area's high levels of vehicle traffic. These impacts would further exacerbate the pre-existing cancer risk to residents, which result from exposure to formaldehyde in both indoor and outdoor air.

Appendix A, Indoor Formaldehyde Concentrations and the CARB Formaldehyde ATCM, provides analyses that show utilization of CARB Phase 2 Formaldehyde ATCM materials will not ensure acceptable cancer risks with respect to formaldehyde emissions from composite wood products.

Even composite wood products manufactured with CARB certified ultra low emitting formaldehyde (ULEF) resins do not insure that the indoor air will have concentrations of formaldehyde the meet the OEHHA cancer risks that substantially exceed 10 per million. The permissible emission rates for ULEF composite wood products are only 11-15% lower than the CARB Phase 2 emission rates. Only use of composite wood products made with no-added formaldehyde resins (NAF), such as resins made from soy, polyvinyl acetate, or methylene diisocyanate can insure that the OEHHA cancer risk of 10 per million is met.

The following describes a method that should be used, prior to construction in the environmental review under CEQA, for determining whether the indoor concentrations resulting from the formaldehyde emissions of specific building materials/furnishings selected exceed cancer and non-cancer guidelines. Such a design analyses can be used to identify those materials/furnishings prior to the completion of the City's CEQA review and project approval, that have formaldehyde emission rates that contribute to indoor concentrations that exceed cancer and non-cancer guidelines, so that alternative lower emitting materials/furnishings may be selected and/or higher minimum outdoor air ventilation rates can be increased to achieve acceptable indoor concentrations and incorporated as mitigation measures for this project.

Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment

This formaldehyde emissions assessment should be used in the environmental review under CEQA to <u>assess</u> the indoor formaldehyde concentrations from the proposed loading of building materials/furnishings, the area-specific formaldehyde emission rate data for building materials/furnishings, and the design minimum outdoor air ventilation rates. This assessment allows the applicant (and the City) to determine, before the conclusion of the environmental review process and the building materials/furnishings are specified, purchased, and installed, if the total chemical emissions will exceed cancer and non-cancer guidelines, and if so, allow for changes in the selection of specific material/furnishings and/or the design minimum outdoor air ventilations rates such that cancer and non-cancer guidelines are not exceeded. 15

16

(Cont.)



SAFER (Cont)

1.) <u>Define Indoor Air Quality Zones</u>. Divide the building into separate indoor air quality zones, (IAQ Zones). IAQ Zones are defined as areas of well-mixed air. Thus, each ventilation system with recirculating air is considered a single zone, and each room or group of rooms where air is not recirculated (e.g. 100% outdoor air) is considered a separate zone. For IAQ Zones with the same construction material/furnishings and design minimum outdoor air ventilation rates. (e.g. hotel rooms, apartments, condominiums, etc.) the formaldehyde emission rates need only be assessed for a single IAQ Zone of that type.

2.) <u>Calculate Material/Furnishing Loading</u>. For each IAQ Zone, determine the building material and furnishing loadings (e.g., m^2 of material/ m^2 floor area, units of furnishings/ m^2 floor area) from an inventory of <u>all</u> potential indoor formaldehyde sources, including flooring, ceiling tiles, furnishings, finishes, insulation, sealants, adhesives, and any products constructed with composite wood products containing urea-formaldehyde resins (e.g., plywood, medium density fiberboard, particleboard).

3.) <u>Calculate the Formaldehyde Emission Rate</u>. For each building material, calculate the formaldehyde emission rate (μ g/h) from the product of the area-specific formaldehyde emission rate (μ g/m²-h) and the area (m²) of material in the IAQ Zone, and from each furnishing (e.g. chairs, desks, etc.) from the unit-specific formaldehyde emission rate (μ g/unit-h) and the number of units in the IAQ Zone.

NOTE: As a result of the high-performance building rating systems and building codes (California Building Standards Commission, 2014; USGBC, 2014), most manufacturers of building materials furnishings sold in the United States conduct chemical emission rate tests using the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers," (CDPH, 2017), or other equivalent chemical emission rate testing methods. Most manufacturers of building furnishings sold in the United States conduct chemical emission rate tests using ANSI/BIFMA M7.1 Standard Test Method for Determining VOC Emissions (BIFMA, 2018), or other equivalent chemical emission rate testing methods.

15 16 (Cont.)

CDPH, BIFMA, and other chemical emission rate testing programs, typically certify that a material or furnishing does not create indoor chemical concentrations in excess of the maximum concentrations permitted by their certification. For instance, the CDPH emission rate testing requires that the measured emission rates when input into an office, school, or residential model do not exceed one-half of the OEHHA Chronic Exposure Guidelines (OEHHA, 2017b) for the 35 specific VOCs, including formaldehyde, listed in Table 4-1 of the CDPH test method (CDPH, 2017). These certifications themselves do not provide the actual area-specific formaldehyde emission rate (i.e., $\mu g/m^2$ -h) of the product, but rather provide data that the formaldehyde emission rates do not exceed the maximum rate allowed for the certification. Thus, for example, the data for a certification of a specific type of flooring may be used to calculate that the area-specific emission rate of formaldehyde is less than 31 $\mu g/m^2$ -h, but not the actual measured specific emission rate, which may be 3, 18, or 30 $\mu g/m^2$ -h. These area-specific emission rates determined from the product certifications of CDPH, BIFA, and other certification programs can be used as an initial estimate of the formaldehyde emission rate.

If the actual area-specific emission rates of a building material or furnishing is needed (i.e. the initial emission rates estimates from the product certifications are higher than desired), then that data can be acquired by requesting from the manufacturer the complete chemical emission rate test report. For instance if the complete CDPH emission test report is requested for a CDHP certified product, that report will provide the actual area-specific emission rates for not only the 35 specific VOCs, including formaldehyde, listed in Table 4-1 of the CDPH test method (CDPH, 2017), but also all of the cancer and reproductive/developmental chemicals listed in the California Proposition 65 Safe Harbor Levels (OEHHA, 2017a), all of the toxic air contaminants (TACs) in the California Air Resources Board Toxic Air Contamination List (CARB, 2011), and the 10 chemicals with the greatest emission rates.

Alternatively, a sample of the building material or furnishing can be submitted to a chemical emission rate testing laboratory, such as Berkeley Analytical Laboratory (<u>https://berkeleyanalytical.com</u>), to measure the formaldehyde emission rate.



4.) <u>Calculate the Total Formaldehyde Emission Rate.</u> For each IAQ Zone, calculate the total formaldehyde emission rate (i.e. μ g/h) from the individual formaldehyde emission rates from each of the building material/furnishings as determined in Step 3.

5.) <u>Calculate the Indoor Formaldehyde Concentration</u>. For each IAQ Zone, calculate the indoor formaldehyde concentration (μ g/m³) from Equation 1 by dividing the total formaldehyde emission rates (i.e. μ g/h) as determined in Step 4, by the design minimum outdoor air ventilation rate (m³/h) for the IAQ Zone.

$$C_{in} = \frac{E_{total}}{Q_{oa}}$$
 (Equation 1)

where:

 C_{in} = indoor formaldehyde concentration (µg/m³)

 $E_{total} = total$ formaldehyde emission rate (µg/h) into the IAQ Zone.

 Q_{oa} = design minimum outdoor air ventilation rate to the IAQ Zone (m³/h)

The above Equation 1 is based upon mass balance theory, and is referenced in Section 3.10.2 "Calculation of Estimated Building Concentrations" of the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers", (CDPH, 2017).

6.) <u>Calculate the Indoor Exposure Cancer and Non-Cancer Health Risks</u>. For each IAQ Zone, calculate the cancer and non-cancer health risks from the indoor formaldehyde concentrations determined in Step 5 and as described in the OEHHA Air Toxics Hot Spots Program Risk Assessment Guidelines; Guidance Manual for Preparation of Health Risk Assessments (OEHHA, 2015).

7.) <u>Mitigate Indoor Formaldehyde Exposures of exceeding the CEQA Cancer and/or</u> <u>Non-Cancer Health Risks</u>. In each IAQ Zone, provide mitigation for any formaldehyde exposure risk as determined in Step 6, that exceeds the CEQA cancer risk of 10 per million or the CEQA non-cancer Hazard Quotient of 1.0.

Provide the source and/or ventilation mitigation required in all IAQ Zones to reduce the

(Cont.)

15 17

health risks of the chemical exposures below the CEQA cancer and non-cancer health risks.

Source mitigation for formaldehyde may include:

- 1.) reducing the amount materials and/or furnishings that emit formaldehyde
- 2.) substituting a different material with a lower area-specific emission rate of formaldehyde

Ventilation mitigation for formaldehyde emitted from building materials and/or furnishings may include:

1.) increasing the design minimum outdoor air ventilation rate to the IAQ Zone.

NOTE: Mitigating the formaldehyde emissions through use of less material/furnishings, , or use of lower emitting materials/furnishings, is the preferred mitigation option, as mitigation with increased outdoor air ventilation increases initial and operating costs associated with the heating/cooling systems.

Further, we are not asking that the builder "speculate" on what and how much composite materials be used, but rather at the design stage to select composite wood materials based on the formaldehyde emission rates that manufacturers routinely conduct using the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers," (CDPH, 2017), and use the procedure described earlier above (i.e. Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment) to insure that the materials selected achieve acceptable cancer risks from material off gassing of formaldehyde.

Outdoor Air Ventilation Impact. Another important finding of the CNHS, was that the outdoor air ventilation rates in the homes were very low. Outdoor air ventilation is a very important factor influencing the indoor concentrations of air contaminants, as it is the primary removal mechanism of all indoor air generated contaminants. Lower outdoor air exchange rates cause indoor generated air contaminants to accumulate to higher indoor air

concentrations. Many homeowners rarely open their windows or doors for ventilation as a result of their concerns for security/safety, noise, dust, and odor concerns (Price, 2007). In the CNHS field study, 32% of the homes did not use their windows during the 24-hour Test Day, and 15% of the homes did not use their windows during the entire preceding week. Most of the homes with no window usage were homes in the winter field session. Thus, a substantial percentage of homeowners never open their windows, especially in the winter season. The median 24-hour measurement was 0.26 air changes per hour (ach), with a range of 0.09 ach to 5.3 ach. A total of 67% of the homes had outdoor air exchange rates below the minimum California Building Code (2001) requirement of 0.35 ach. Thus, the relatively tight envelope construction, combined with the fact that many people never open their windows for ventilation, results in homes with low outdoor air exchange rates and higher indoor air contaminant concentrations.

According to the Sustainable Communities Project Exemption – 905 Beacon Avenue Project (CAJA Environmental Services, 2022) the Project is close to roads with moderate to high traffic (e.g., Beacon Avenue, West Olympic Avenue, James M. Wood Boulevard, South Burlington Avenue, etc.).

As a result of the high outdoor traffic noise levels, the current project will require a mechanical supply of outdoor air ventilation to allow for a habitable interior environment with closed windows and doors. Such a ventilation system would allow windows and doors to be kept closed at the occupant's discretion to control exterior noise within building interiors.

<u>PM_{2.5} Outdoor Concentrations Impact</u>. An additional impact of the nearby motor vehicle traffic associated with this project, are the outdoor concentrations of PM_{2.5}. According to the Sustainable Communities Project Exemption – 905 Beacon Avenue Project (CAJA Environmental Services, 2022) the Project is located in the South Coast Air Basin, which is a State and Federal non-attainment area for PM_{2.5}.

16

15

17

(Cont.)

Additionally, the SCAQMD's MATES V study cites an existing cancer risk of 760 per million at the Project site due to the site's high concentration of ambient air contaminants resulting from the area's high levels of motor vehicle traffic.

An air quality analyses should to be conducted to determine the concentrations of $PM_{2.5}$ in the outdoor and indoor air that people inhale each day. This air quality analyses needs to consider the cumulative impacts of the project related emissions, existing and projected future emissions from local $PM_{2.5}$ sources (e.g. stationary sources, motor vehicles, and airport traffic) upon the outdoor air concentrations at the Project site. If the outdoor concentrations are determined to exceed the California and National annual average $PM_{2.5}$ exceedence concentration of 12 µg/m³, or the National 24-hour average exceedence concentration of 35 µg/m³, then the buildings need to have a mechanical supply of outdoor air that has air filtration with sufficient removal efficiency, such that the indoor concentrations of outdoor $PM_{2.5}$ particles is less than the California and National $PM_{2.5}$ annual and 24-hour standards.

It is my experience that based on the projected high traffic noise levels, the annual average concentration of $PM_{2.5}$ will exceed the California and National $PM_{2.5}$ annual and 24-hour standards and warrant installation of high efficiency air filters (i.e. MERV 13 or higher) in all mechanically supplied outdoor air ventilation systems.

Indoor Air Quality Impact Mitigation Measures

The following are recommended mitigation measures to minimize the impacts upon indoor quality:

<u>Indoor Formaldehyde Concentrations Mitigation</u>. Use only composite wood materials (e.g. hardwood plywood, medium density fiberboard, particleboard) for all interior finish systems that are made with CARB approved no-added formaldehyde (NAF) resins (CARB, 2009). CARB Phase 2 certified composite wood products, or ultra-low emitting formaldehyde (ULEF) resins, do not insure indoor formaldehyde concentrations that are below the CEQA cancer risk of 10 per million. Only composite wood products

16 18 (Cont.)

17

manufactured with CARB approved no-added formaldehyde (NAF) resins, such as resins made from soy, polyvinyl acetate, or methylene diisocyanate can insure that the OEHHA cancer risk of 10 per million is met.

Alternatively, conduct the previously described Pre-Construction Building Material/Furnishing Chemical Emissions Assessment, to determine that the combination of formaldehyde emissions from building materials and furnishings do not create indoor formaldehyde concentrations that exceed the CEQA cancer and non-cancer health risks.

It is important to note that we are not asking that the builder "speculate" on what and how much composite materials be used, but rather at the design stage to select composite wood materials based on the formaldehyde emission rates that manufacturers routinely conduct using the California Department of Health "Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers", (CDPH, 2017), and use the procedure described above (i.e. Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment) to insure that the materials selected achieve acceptable cancer risks from material off gassing of formaldehyde.

<u>Outdoor Air Ventilation Mitigation</u>. Provide <u>each</u> habitable room with a continuous mechanical supply of outdoor air that meets or exceeds the California 2016 Building Energy Efficiency Standards (California Energy Commission, 2015) requirements of the greater of 15 cfm/occupant or 0.15 cfm/ft² of floor area. Following installation of the system conduct testing and balancing to insure that required amount of outdoor air is entering each habitable room and provide a written report documenting the outdoor airflow rates. Do not use exhaust only mechanical outdoor air systems, use only balanced outdoor air supply and exhaust systems or outdoor air supply only systems. Provide a manual for the occupants or maintenance personnel, that describes the purpose of the mechanical outdoor air system and the operation and maintenance requirements of the system.

(Cont.)

 $PM_{2.5}$ Outdoor Air Concentration Mitigation. Install air filtration with sufficient $PM_{2.5}$ removal efficiency (e.g. MERV 13 or higher) to filter the outdoor air entering the mechanical outdoor air supply systems, such that the indoor concentrations of outdoor $PM_{2.5}$ particles are less than the California and National $PM_{2.5}$ annual and 24-hour standards. Install the air filters in the system such that they are accessible for replacement by the occupants or maintenance personnel. Include in the mechanical outdoor air ventilation system manual instructions on how to replace the air filters and the estimated frequency of replacement.

References

BIFA. 2018. BIFMA Product Safety and Performance Standards and Guidelines. www.bifma.org/page/standardsoverview.

CAJA Environmental Services. 2022. Sustainable Communities Project Exemption – 905 Beacon Avenue Project.

California Air Resources Board. 2004. Formaldehyde in the Home. https://ww3.arb.ca.gov > research > indoor > formaldgl08-04.pdf

California Air Resources Board. 2009. Airborne Toxic Control Measure to Reduce Formaldehyde Emissions from Composite Wood Products. California Environmental Protection Agency, Sacramento, CA.

https://www.arb.ca.gov/regact/2007/compwood07/fro-final.pdf

California Air Resources Board. 2011. Toxic Air Contaminant Identification List. California Environmental Protection Agency, Sacramento, CA. <u>https://www.arb.ca.gov/toxics/id/taclist.htm</u>

California Building Code. 2001. California Code of Regulations, Title 24, Part 2 Volume 1, Appendix Chapter 12, Interior Environment, Division 1, Ventilation, Section 1207:

2001 California Building Code, California Building Standards Commission. Sacramento, CA.

California Building Standards Commission (2014). 2013 California Green Building Standards Code. California Code of Regulations, Title 24, Part 11. California Building Standards Commission, Sacramento, CA<u>http://www.bsc.ca.gov/Home/CALGreen.aspx.</u>

California Energy Commission, PIER Program. CEC-500-2007-033. Final Report, ARB Contract 03-326. Available at: www.arb.ca.gov/research/apr/past/03-326.pdf.

California Energy Commission, 2015. 2016 Building Energy Efficiency Standards for Residential and Nonresidential Buildings, California Code of Regulations, Title 24, Part 6. http://www.energy.ca.gov/2015publications/CEC-400-2015-037/CEC-400-2015-037-CMF.pdf

CDPH. 2017. Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers, Version 1.1. California Department of Public Health, Richmond, CA. https://www.cdph.ca.gov/Programs/CCDPHP/ DEODC/EHLB/IAQ/Pages/VOC.aspx.

EPA. 2011. Exposure Factors Handbook: 2011 Edition, Chapter 16 – Activity Factors. Report EPA/600/R-09/052F, September 2011. U.S. Environmental Protection Agency, Washington, D.C.

Hodgson, A. T., D. Beal, J.E.R. McIlvaine. 2002. Sources of formaldehyde, other aldehydes and terpenes in a new manufactured house. Indoor Air 12: 235–242.

OEHHA (Office of Environmental Health Hazard Assessment). 2015. Air Toxics Hot Spots Program Risk Assessment Guidelines; Guidance Manual for Preparation of Health Risk Assessments. OEHHA (Office of Environmental Health Hazard Assessment). 2017a. Proposition 65 Safe Harbor Levels. No Significant Risk Levels for Carcinogens and Maximum Allowable Dose Levels for Chemicals Causing Reproductive Toxicity. Available at: http://www.oehha.ca.gov/prop65/pdf/safeharbor081513.pdf

OEHHA - Office of Environmental Health Hazard Assessment. 2017b. All OEHHA Acute, 8-hour and Chronic Reference Exposure Levels. Available at: <u>http://oehha.ca.gov/air/allrels.html</u>

Offermann, F. J. 2009. Ventilation and Indoor Air Quality in New Homes. California Air Resources Board and California Energy Commission, PIER Energy-Related Environmental Research Program. Collaborative Report. CEC-500-2009-085. https://www.arb.ca.gov/research/apr/past/04-310.pdf

Offermann, F. J. and A. T. Hodgson. 2011. Emission Rates of Volatile Organic Compounds in New Homes. Proceedings Indoor Air 2011 (12th International Conference on Indoor Air Quality and Climate 2011), June 5-10, 2011, Austin, TX.

Singer, B.C, Chan, W.R, Kim, Y., Offermann, F.J., and Walker I.S. 2020. Indoor Air Quality in California Homes with Code-Required Mechanical Ventilation. Indoor Air, Vol 30, Issue 5, 885-899.

South Coast Air Quality Management District (SCAQMD). 2015. California Environmental Quality Act Air Quality Handbook. South Coast Air Quality Management District, Diamond Bar, CA, <u>http://www.aqmd.gov/home/rules-compliance/ceqa/air-quality-analysis-handbook</u>

USGBC. 2014. LEED BD+C Homes v4. U.S. Green Building Council, Washington, D.C. <u>http://www.usgbc.org/credits/homes/v4</u>

APPENDIX A

INDOOR FORMALDEHYDE CONCENTRATIONS AND THE CARB FORMALDEHYDE ATCM

With respect to formaldehyde emissions from composite wood products, the CARB ATCM regulations of formaldehyde emissions from composite wood products, do not assure healthful indoor air quality. The following is the stated purpose of the CARB ATCM regulation - *The purpose of this airborne toxic control measure is to "reduce formaldehyde emissions from composite wood products, and finished goods that contain composite wood products, that are sold, offered for sale, supplied, used, or manufactured for sale in California"*. In other words, the CARB ATCM regulations do not "assure healthful indoor air quality", but rather "reduce formaldehyde emissions from composite wood products are sold, offered for sale, supplied, used, or manufactured for sale in California". In other words, the CARB ATCM regulations do not "assure healthful indoor air quality", but rather "reduce formaldehyde emissions from composite wood products".

Just how much protection do the CARB ATCM regulations provide building occupants from the formaldehyde emissions generated by composite wood products? Definitely some, but certainly the regulations do not "*assure healthful indoor air quality*" when CARB Phase 2 products are utilized. As shown in the Chan 2019 study of new California homes, the median indoor formaldehyde concentration was of 22.4 μ g/m³ (18.2 ppb), which corresponds to a cancer risk of 112 per million for occupants with continuous exposure, which is more than 11 times the CEQA cancer risk of 10 per million.

Another way of looking at how much protection the CARB ATCM regulations provide building occupants from the formaldehyde emissions generated by composite wood products is to calculate the maximum number of square feet of composite wood product that can be in a residence without exceeding the CEQA cancer risk of 10 per million for occupants with continuous occupancy.

For this calculation I utilized the floor area (2,272 ft²), the ceiling height (8.5 ft), and the number of bedrooms (4) as defined in Appendix B (New Single-Family Residence Scenario) of the Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions for Indoor Sources Using Environmental Chambers, Version 1.1, 2017, California

Department of Public Health, Richmond, CA. https://www.cdph.ca.gov/Programs/CCDPHP/ DEODC/EHLB/IAQ/Pages/VOC.aspx.

For the outdoor air ventilation rate I used the 2019 Title 24 code required mechanical ventilation rate (ASHRAE 62.2) of 106 cfm (180 m³/h) calculated for this model residence. For the composite wood formaldehyde emission rates I used the CARB ATCM Phase 2 rates.

The calculated maximum number of square feet of composite wood product that can be in a residence, without exceeding the CEQA cancer risk of 10 per million for occupants with continuous occupancy are as follows for the different types of regulated composite wood products.

Medium Density Fiberboard (MDF) – 15 ft² (0.7% of the floor area), or Particle Board – 30 ft² (1.3% of the floor area), or Hardwood Plywood – 54 ft² (2.4% of the floor area), or Thin MDF – 46 ft² (2.0 % of the floor area).

For offices and hotels the calculated maximum amount of composite wood product (% of floor area) that can be used without exceeding the CEQA cancer risk of 10 per million for occupants, assuming 8 hours/day occupancy, and the California Mechanical Code minimum outdoor air ventilation rates are as follows for the different types of regulated composite wood products.

Medium Density Fiberboard (MDF) -3.6 % (offices) and 4.6% (hotel rooms), or Particle Board -7.2 % (offices) and 9.4% (hotel rooms), or Hardwood Plywood -13 % (offices) and 17% (hotel rooms), or Thin MDF -11 % (offices) and 14 % (hotel rooms)

Clearly the CARB ATCM does not regulate the formaldehyde emissions from composite wood products such that the potentially large areas of these products, such as for flooring, baseboards, interior doors, window and door trims, and kitchen and bathroom cabinetry, could be used without causing indoor formaldehyde concentrations that result in CEQA cancer risks that substantially exceed 10 per million for occupants with continuous occupancy.

Even composite wood products manufactured with CARB certified ultra low emitting formaldehyde (ULEF) resins do not insure that the indoor air will have concentrations of formaldehyde the meet the OEHHA cancer risks that substantially exceed 10 per million. The permissible emission rates for ULEF composite wood products are only 11-15% lower than the CARB Phase 2 emission rates. Only use of composite wood products made with no-added formaldehyde resins (NAF), such as resins made from soy, polyvinyl acetate, or methylene diisocyanate can insure that the OEHHA cancer risk of 10 per million is met.

If CARB Phase 2 compliant or ULEF composite wood products are utilized in construction, then the resulting indoor formaldehyde concentrations should be determined in the design phase using the specific amounts of each type of composite wood product, the specific formaldehyde emission rates, and the volume and outdoor air ventilation rates of the indoor spaces, and all feasible mitigation measures employed to reduce this impact (e.g. use less formaldehyde containing composite wood products and/or incorporate mechanical systems capable of higher outdoor air ventilation rates). See the procedure described earlier (i.e. Pre-Construction Building Material/Furnishing Formaldehyde Emissions Assessment) to insure that the materials selected achieve acceptable cancer risks from material off gassing of formaldehyde.

Alternatively, and perhaps a simpler approach, is to use only composite wood products (e.g. hardwood plywood, medium density fiberboard, particleboard) for all interior finish systems that are made with CARB approved no-added formaldehyde (NAF) resins.

Francis (Bud) J. Offermann III PE, CIH

Indoor Environmental Engineering 1448 Pine Street, Suite 103, San Francisco, CA 94109 Phone: 415-567-7700 Email: Offermann@iee-sf.com http://www.iee-sf.com

Education

M.S. Mechanical Engineering (1985) Stanford University, Stanford, CA.

Graduate Studies in Air Pollution Monitoring and Control (1980) University of California, Berkeley, CA.

B.S. in Mechanical Engineering (1976) Rensselaer Polytechnic Institute, Troy, N.Y.

Professional Experience

President: Indoor Environmental Engineering, San Francisco, CA. December, 1981 - present.

Direct team of environmental scientists, chemists, and mechanical engineers in conducting State and Federal research regarding indoor air quality instrumentation development, building air quality field studies, ventilation and air cleaning performance measurements, and chemical emission rate testing.

Provide design side input to architects regarding selection of building materials and ventilation system components to ensure a high quality indoor environment.

Direct Indoor Air Quality Consulting Team for the winning design proposal for the new State of Washington Ecology Department building.

Develop a full-scale ventilation test facility for measuring the performance of air diffusers; ASHRAE 129, Air Change Effectiveness, and ASHRAE 113, Air Diffusion Performance Index.

Develop a chemical emission rate testing laboratory for measuring the chemical emissions from building materials, furnishings, and equipment.

Principle Investigator of the California New Homes Study (2005-2007). Measured ventilation and indoor air quality in 108 new single family detached homes in northern and southern California.

Develop and teach IAQ professional development workshops to building owners, managers, hygienists, and engineers.

Air Pollution Engineer: Earth Metrics Inc., Burlingame, CA, October, 1985 to March, 1987.

Responsible for development of an air pollution laboratory including installation a forced choice olfactometer, tracer gas electron capture chromatograph, and associated calibration facilities. Field team leader for studies of fugitive odor emissions from sewage treatment plants, entrainment of fume hood exhausts into computer chip fabrication rooms, and indoor air quality investigations.

<u>Staff Scientist:</u> Building Ventilation and Indoor Air Quality Program, Energy and Environment Division, Lawrence Berkeley Laboratory, Berkeley, CA. January, 1980 to August, 1984.

Deputy project leader for the Control Techniques group; responsible for laboratory and field studies aimed at evaluating the performance of indoor air pollutant control strategies (i.e. ventilation, filtration, precipitation, absorption, adsorption, and source control).

Coordinated field and laboratory studies of air-to-air heat exchangers including evaluation of thermal performance, ventilation efficiency, cross-stream contaminant transfer, and the effects of freezing/defrosting.

Developed an *in situ* test protocol for evaluating the performance of air cleaning systems and introduced the concept of effective cleaning rate (ECR) also known as the Clean Air Delivery Rate (CADR).

Coordinated laboratory studies of portable and ducted air cleaning systems and their effect on indoor concentrations of respirable particles and radon progeny.

Co-designed an automated instrument system for measuring residential ventilation rates and radon concentrations.

Designed hardware and software for a multi-channel automated data acquisition system used to evaluate the performance of air-to-air heat transfer equipment.

Assistant Chief Engineer: Alta Bates Hospital, Berkeley, CA, October, 1979 to January, 1980.

Responsible for energy management projects involving installation of power factor correction capacitors on large inductive electrical devices and installation of steam meters on physical plant steam lines. Member of Local 39, International Union of Operating Engineers.

Manufacturing Engineer: American Precision Industries, Buffalo, NY, October, 1977 to October, 1979.

Responsible for reorganizing the manufacturing procedures regarding production of shell and tube heat exchangers. Designed customized automatic assembly, welding, and testing equipment. Designed a large paint spray booth. Prepared economic studies justifying new equipment purchases. Safety Director.

Project Engineer: Arcata Graphics, Buffalo, N.Y. June, 1976 to October, 1977.

Responsible for the design and installation of a bulk ink storage and distribution system and high speed automatic counting and marking equipment. Also coordinated material handling studies which led to the purchase and installation of new equipment.

PROFESSIONAL ORGANIZATION MEMBERSHIP

American Society of Heating, Refrigeration and Air Conditioning Engineers (ASHRAE)

- Chairman of SPC-145P, Standards Project Committee Test Method for Assessing the Performance of Gas Phase Air Cleaning Equipment (1991-1992)
- Member SPC-129P, Standards Project Committee Test Method for Ventilation Effectiveness (1986-97)
 - Member of Drafting Committee
- Member Environmental Health Committee (1992-1994, 1997-2001, 2007-2010)
 - Chairman of EHC Research Subcommittee
 - Member of Man Made Mineral Fiber Position Paper Subcommittee
 - Member of the IAQ Position Paper Committee
 - Member of the Legionella Position Paper Committee
 - Member of the Limiting Indoor Mold and Dampness in Buildings Position Paper Committee
- Member SSPC-62, Standing Standards Project Committee Ventilation for Acceptable Indoor Air Quality (1992 to 2000)
 - Chairman of Source Control and Air Cleaning Subcommittee
- Chairman of TC-4.10, Indoor Environmental Modeling (1988-92) - Member of Research Subcommittee
- Chairman of TC-2.3, Gaseous Air Contaminants and Control Equipment (1989-92)
 - Member of Research Subcommittee

American Society for Testing and Materials (ASTM)

- D-22 Sampling and Analysis of Atmospheres
- Member of Indoor Air Quality Subcommittee
- E-06 Performance of Building Constructions

American Board of Industrial Hygiene (ABIH)

American Conference of Governmental Industrial Hygienists (ACGIH)

• Bioaerosols Committee (2007-2013)

American Industrial Hygiene Association (AIHA)

Cal-OSHA Indoor Air Quality Advisory Committee

International Society of Indoor Air Quality and Climate (ISIAQ)

- Co-Chairman of Task Force on HVAC Hygiene
- U. S. Green Building Council (USGBC)
 - Member of the IEQ Technical Advisory Group (2007-2009)
 - Member of the IAQ Performance Testing Work Group (2010-2012)

Western Construction Consultants (WESTCON)

PROFESSIONAL CREDENTIALS

Licensed Professional Engineer - Mechanical Engineering

Certified Industrial Hygienist - American Board of Industrial Hygienists

SCIENTIFIC MEETINGS AND SYMPOSIA

Biological Contamination, Diagnosis, and Mitigation, Indoor Air'90, Toronto, Canada, August, 1990.

Models for Predicting Air Quality, Indoor Air'90, Toronto, Canada, August, 1990.

Microbes in Building Materials and Systems, Indoor Air '93, Helsinki, Finland, July, 1993.

Microorganisms in Indoor Air Assessment and Evaluation of Health Effects and Probable Causes, Walnut Creek, CA, February 27, 1997.

Controlling Microbial Moisture Problems in Buildings, Walnut Creek, CA, February 27, 1997.

Scientific Advisory Committee, Roomvent 98, 6th International Conference on Air Distribution in Rooms, KTH, Stockholm, Sweden, June 14-17, 1998.

Moisture and Mould, Indoor Air '99, Edinburgh, Scotland, August, 1999.

Ventilation Modeling and Simulation, Indoor Air '99, Edinburgh, Scotland, August, 1999.

Microbial Growth in Materials, Healthy Buildings 2000, Espoo, Finland, August, 2000.

Co-Chair, Bioaerosols X- Exposures in Residences, Indoor Air 2002, Monterey, CA, July 2002.

Healthy Indoor Environments, Anaheim, CA, April 2003.

Chair, Environmental Tobacco Smoke in Multi-Family Homes, Indoor Air 2008, Copenhagen, Denmark, July 2008.

Co-Chair, ISIAQ Task Force Workshop; HVAC Hygiene, Indoor Air 2002, Monterey, CA, July 2002.

Chair, ETS in Multi-Family Housing: Exposures, Controls, and Legalities Forum, Healthy Buildings 2009, Syracuse, CA, September 14, 2009.

Chair, Energy Conservation and IAQ in Residences Workshop, Indoor Air 2011, Austin, TX, June 6, 2011.

Chair, Electronic Cigarettes: Chemical Emissions and Exposures Colloquium, Indoor Air 2016, Ghent, Belgium, July 4, 2016.

SPECIAL CONSULTATION

Provide consultation to the American Home Appliance Manufacturers on the development of a standard for testing portable air cleaners, AHAM Standard AC-1.

Served as an expert witness and special consultant for the U.S. Federal Trade Commission regarding the performance claims found in advertisements of portable air cleaners and residential furnace filters.

Conducted a forensic investigation for a San Mateo, CA pro se defendant, regarding an alleged homicide where the victim was kidnapped in a steamer trunk. Determined the air exchange rate in the steamer trunk and how long the person could survive.

Conducted *in situ* measurement of human exposure to toluene fumes released during nailpolish application for a plaintiffs attorney pursuing a California Proposition 65 product labeling case. June, 1993.

Conducted a forensic *in situ* investigation for the Butte County, CA Sheriff's Department of the emissions of a portable heater used in the bedroom of two twin one year old girls who suffered simultaneous crib death.

Consult with OSHA on the 1995 proposed new regulation regarding indoor air quality and environmental tobacco smoke.

Consult with EPA on the proposed Building Alliance program and with OSHA on the proposed new OSHA IAQ regulation.

Johnson Controls Audit/Certification Expert Review; Milwaukee, WI. May 28-29, 1997.

Winner of the nationally published 1999 Request for Proposals by the State of Washington to conduct a comprehensive indoor air quality investigation of the Washington State Department of Ecology building in Lacey, WA.

Selected by the State of California Attorney General's Office in August, 2000 to conduct a comprehensive indoor air quality investigation of the Tulare County Court House.

Lawrence Berkeley Laboratory IAQ Experts Workshop: "Cause and Prevention of Sick Building Problems in Offices: The Experience of Indoor Environmental Quality Investigators", Berkeley, California, May 26-27, 2004.

Provide consultation and chemical emission rate testing to the State of California Attorney General's Office in 2013-2015 regarding the chemical emissions from e-cigarettes.

PEER-REVIEWED PUBLICATIONS :

F.J.Offermann, C.D.Hollowell, and G.D.Roseme, "Low-Infiltration Housing in Rochester, New York: A Study of Air Exchange Rates and Indoor Air Quality," *Environment International*, *8*, pp. 435-445, 1982.

W.W.Nazaroff, F.J.Offermann, and A.W.Robb, "Automated System for Measuring Air Exchange Rate and Radon Concentration in Houses," *Health Physics*, <u>45</u>, pp. 525-537, 1983.

F.J.Offermann, W.J.Fisk, D.T.Grimsrud, B.Pedersen, and K.L.Revzan, "Ventilation Efficiencies of Wall- or Window-Mounted Residential Air-to-Air Heat Exchangers," *ASHRAE Annual Transactions*, <u>89-28</u>, pp 507-527, 1983.

W.J.Fisk, K.M.Archer, R.E Chant, D. Hekmat, F.J.Offermann, and B.Pedersen, "Onset of Freezing in Residential Air-to-Air Heat Exchangers," <u>ASHRAE Annual Transactions</u>, <u>91-1B</u>, 1984.

W.J.Fisk, K.M.Archer, R.E Chant, D. Hekmat, F.J.Offermann, and B.Pedersen, "Performance of Residential Air-to-Air Heat Exchangers During Operation with Freezing and Periodic Defrosts," *ASHRAE Annual Transactions*, *91-1B*, 1984.

F.J.Offermann, R.G.Sextro, W.J.Fisk, D.T.Grimsrud, W.W.Nazaroff, A.V.Nero, and K.L.Revzan, "Control of Respirable Particles with Portable Air Cleaners," <u>Atmospheric</u> <u>Environment</u>, Vol. 19, pp.1761-1771, 1985.

R.G.Sextro, F.J.Offermann, W.W.Nazaroff, A.V.Nero, K.L.Revzan, and J.Yater, "Evaluation of Indoor Control Devices and Their Effects on Radon Progeny Concentrations," *Atmospheric Environment*, *12*, pp. 429-438, 1986.

W.J. Fisk, R.K.Spencer, F.J.Offermann, R.K.Spencer, B.Pedersen, R.Sextro, "Indoor Air Quality Control Techniques," *Noyes Data Corporation*, Park Ridge, New Jersey, (1987).

F.J.Offermann, "Ventilation Effectiveness and ADPI Measurements of a Forced Air Heating System," <u>ASHRAE Transactions</u>, Volume 94, Part 1, pp 694-704, 1988.

F.J.Offermann and D. Int-Hout "Ventilation Effectiveness Measurements of Three Supply/Return Air Configurations," *Environment International*, Volume 15, pp 585-592 1989.

F.J. Offermann, S.A. Loiselle, M.C. Quinlan, and M.S. Rogers, "A Study of Diesel Fume Entrainment in an Office Building," <u>*IAQ '89*</u>, The Human Equation: Health and Comfort, pp 179-183, ASHRAE, Atlanta, GA, 1989.

R.G.Sextro and F.J.Offermann, "Reduction of Residential Indoor Particle and Radon Progeny Concentrations with Ducted Air Cleaning Systems," submitted to *Indoor Air*, 1990.

S.A.Loiselle, A.T.Hodgson, and F.J.Offermann, "Development of An Indoor Air Sampler for Polycyclic Aromatic Compounds", *Indoor Air*, Vol 2, pp 191-210, 1991.

F.J.Offermann, S.A.Loiselle, A.T.Hodgson, L.A. Gundel, and J.M. Daisey, "A Pilot Study to Measure Indoor Concentrations and Emission Rates of Polycyclic Aromatic Compounds", *Indoor Air*, Vol 4, pp 497-512, 1991.

F.J. Offermann, S. A. Loiselle, R.G. Sextro, "Performance Comparisons of Six Different Air Cleaners Installed in a Residential Forced Air Ventilation System," *IAQ'91*, Healthy Buildings, pp 342-350, ASHRAE, Atlanta, GA (1991).

F.J. Offermann, J. Daisey, A. Hodgson, L. Gundell, and S. Loiselle, "Indoor Concentrations and Emission Rates of Polycyclic Aromatic Compounds", *Indoor Air*, Vol 4, pp 497-512 (1992).

F.J. Offermann, S. A. Loiselle, R.G. Sextro, "Performance of Air Cleaners Installed in a Residential Forced Air System," <u>ASHRAE Journal</u>, pp 51-57, July, 1992.

F.J. Offermann and S. A. Loiselle, "Performance of an Air-Cleaning System in an Archival Book Storage Facility," *IAQ'92*, ASHRAE, Atlanta, GA, 1992.

S.B. Hayward, K.S. Liu, L.E. Alevantis, K. Shah, S. Loiselle, F.J. Offermann, Y.L. Chang, L. Webber, "Effectiveness of Ventilation and Other Controls in Reducing Exposure to ETS in Office Buildings," Indoor Air '93, Helsinki, Finland, July 4-8, 1993.

F.J. Offermann, S. A. Loiselle, G. Ander, H. Lau, "Indoor Contaminant Emission Rates Before and After a Building Bake-out," *IAQ'93*, Operating and Maintaining Buildings for Health, Comfort, and Productivity, pp 157-163, ASHRAE, Atlanta, GA, 1993.

L.E. Alevantis, Hayward, S.B., Shah, S.B., Loiselle, S., and Offermann, F.J. "Tracer Gas Techniques for Determination of the Effectiveness of Pollutant Removal From Local Sources," *IAQ '93*, Operating and Maintaining Buildings for Health, Comfort, and Productivity, pp 119-129, ASHRAE, Atlanta, GA, 1993.

L.E. Alevantis, Liu, L.E., Hayward, S.B., Offermann, F.J., Shah, S.B., Leiserson, K. Tsao, E., and Huang, Y., "Effectiveness of Ventilation in 23 Designated Smoking Areas in California Buildings," *IAQ '94*, Engineering Indoor Environments, pp 167-181, ASHRAE, Atlanta, GA, 1994.

L.E. Alevantis, Offermann, F.J., Loiselle, S., and Macher, J.M., "Pressure and Ventilation Requirements of Hospital Isolation Rooms for Tuberculosis (TB) Patients: Existing Guidelines in the United States and a Method for Measuring Room Leakage", Ventilation and Indoor air quality in Hospitals, M. Maroni, editor, Kluwer Academic publishers, Netherlands, 1996.

F.J. Offermann, M. A. Waz, A.T. Hodgson, and H.M. Ammann, "Chemical Emissions from a Hospital Operating Room Air Filter," *IAQ'96*, Paths to Better Building Environments, pp 95-99, ASHRAE, Atlanta, GA, 1996.

F.J. Offermann, "Professional Malpractice and the Sick Building Investigator," *IAQ'96*, Paths to Better Building Environments, pp 132-136, ASHRAE, Atlanta, GA, 1996.

F.J. Offermann, "Standard Method of Measuring Air Change Effectiveness," *Indoor Air*, Vol 1, pp.206-211, 1999.

F. J. Offermann, A. T. Hodgson, and J. P. Robertson, "Contaminant Emission Rates from PVC Backed Carpet Tiles on Damp Concrete", Healthy Buildings 2000, Espoo, Finland, August 2000.

K.S. Liu, L.E. Alevantis, and F.J. Offermann, "A Survey of Environmental Tobacco Smoke Controls in California Office Buildings", *Indoor Air*, Vol 11, pp. 26-34, 2001.

F.J. Offermann, R. Colfer, P. Radzinski, and J. Robertson, "Exposure to Environmental Tobacco Smoke in an Automobile", Indoor Air 2002, Monterey, California, July 2002.

F. J. Offermann, J.P. Robertson, and T. Webster, "The Impact of Tracer Gas Mixing on Airflow Rate Measurements in Large Commercial Fan Systems", Indoor Air 2002, Monterey, California, July 2002.

M. J. Mendell, T. Brennan, L. Hathon, J.D. Odom, F.J.Offermann, B.H. Turk, K.M. Wallingford, R.C. Diamond, W.J. Fisk, "Causes and prevention of Symptom Complaints"

in Office Buildings: Distilling the Experience of Indoor Environmental Investigators", submitted to Indoor Air 2005, Beijing, China, September 4-9, 2005.

F.J. Offermann, "Ventilation and IAQ in New Homes With and Without Mechanical Outdoor Air Systems", Healthy Buildings 2009, Syracuse, CA, September 14, 2009.

F.J. Offermann, "ASHRAE 62.2 Intermittent Residential Ventilation: What's It Good For, Intermittently Poor IAQ", IAQVEC 2010, Syracuse, CA, April 21, 2010.

F.J. Offermann and A.T. Hodgson, "Emission Rates of Volatile Organic Compounds in New Homes", Indoor Air 2011, Austin, TX, June, 2011.

P. Jenkins, R. Johnson, T. Phillips, and F. Offermann, "Chemical Concentrations in New California Homes and Garages", Indoor Air 2011, Austin, TX, June, 2011.

W. J. Mills, B. J. Grigg, F. J. Offermann, B. E. Gustin, and N. E. Spingarm, "Toluene and Methyl Ethyl Ketone Exposure from a Commercially Available Contact Adhesive", Journal of Occupational and Environmental Hygiene, 9:D95-D102 May, 2012.

F. J. Offermann, R. Maddalena, J. C. Offermann, B. C. Singer, and H, Wilhelm, "The Impact of Ventilation on the Emission Rates of Volatile Organic Compounds in Residences", HB 2012, Brisbane, AU, July, 2012.

F. J. Offermann, A. T. Hodgson, P. L. Jenkins, R. D. Johnson, and T. J. Phillips, "Attached Garages as a Source of Volatile Organic Compounds in New Homes", HB 2012, Brisbane, CA, July, 2012.

R. Maddalena, N. Li, F. Offermann, and B. Singer, "Maximizing Information from Residential Measurements of Volatile Organic Compounds", HB 2012, Brisbane, AU, July, 2012.

W. Chen, A. Persily, A. Hodgson, F. Offermann, D. Poppendieck, and K. Kumagai, "Area-Specific Airflow Rates for Evaluating the Impacts of VOC emissions in U.S. Single-Family Homes", Building and Environment, Vol. 71, 204-211, February, 2014.

F. J. Offermann, A. Eagan A. C. Offermann, and L. J. Radonovich, "Infectious Disease Aerosol Exposures With and Without Surge Control Ventilation System Modifications", Indoor Air 2014, Hong Kong, July, 2014.

F. J. Offermann, "Chemical Emissions from E-Cigarettes: Direct and Indirect Passive Exposures", Building and Environment, Vol. 93, Part 1, 101-105, November, 2015.

F. J. Offermann, "Formaldehyde Emission Rates From Lumber Liquidators Laminate Flooring Manufactured in China", Indoor Air 2016, Belgium, Ghent, July, 2016.

F. J. Offermann, "Formaldehyde and Acetaldehyde Emission Rates for E-Cigarettes", Indoor Air 2016, Belgium, Ghent, July, 2016.

OTHER REPORTS:

W.J.Fisk, P.G.Cleary, and F.J.Offermann, "Energy Saving Ventilation with Residential Heat Exchangers," a Lawrence Berkeley Laboratory brochure distributed by the Bonneville Power Administration, 1981.

F.J.Offermann, J.R.Girman, and C.D.Hollowell, "Midway House Tightening Project: A Study of Indoor Air Quality," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-12777, 1981.

F.J.Offermann, J.B.Dickinson, W.J.Fisk, D.T.Grimsrud, C.D.Hollowell, D.L.Krinkle, and G.D.Roseme, "Residential Air-Leakage and Indoor Air Quality in Rochester, New York," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-13100, 1982.

F.J.Offermann, W.J.Fisk, B.Pedersen, and K.L.Revzan, Residential Air-to-Air Heat Exchangers: A Study of the Ventilation Efficiencies of Wall- or Window- Mounted Units," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-14358, 1982.

F.J.Offermann, W.J.Fisk, W.W.Nazaroff, and R.G.Sextro, "A Review of Portable Air Cleaners for Controlling Indoor Concentrations of Particulates and Radon Progeny," An interim report for the Bonneville Power Administration, 1983.

W.J.Fisk, K.M.Archer, R.E.Chant, D.Hekmat, F.J.Offermann, and B.S. Pedersen, "Freezing in Residential Air-to-Air Heat Exchangers: An Experimental Study," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-16783, 1983.

R.G.Sextro, W.W.Nazaroff, F.J.Offermann, and K.L.Revzan, "Measurements of Indoor Aerosol Properties and Their Effect on Radon Progeny," Proceedings of the American Association of Aerosol Research Annual Meeting, April, 1983.

F.J.Offermann, R.G.Sextro, W.J.Fisk, W.W. Nazaroff, A.V.Nero, K.L.Revzan, and J.Yater, "Control of Respirable Particles and Radon Progeny with Portable Air Cleaners," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-16659, 1984.

W.J.Fisk, R.K.Spencer, D.T.Grimsrud, F.J.Offermann, B.Pedersen, and R.G.Sextro, "Indoor Air Quality Control Techniques: A Critical Review," Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-16493, 1984.

F.J.Offermann, J.R.Girman, and R.G.Sextro, "Controlling Indoor Air Pollution from Tobacco Smoke: Models and Measurements,", Indoor Air, Proceedings of the 3rd International Conference on Indoor Air Quality and Climate, Vol 1, pp 257-264, Swedish Council for Building Research, Stockholm (1984), Lawrence Berkeley Laboratory, Berkeley, CA, Report LBL-17603, 1984.

R.Otto, J.Girman, F.Offermann, and R.Sextro,"A New Method for the Collection and Comparison of Respirable Particles in the Indoor Environment," Lawrence Berkeley Laboratory, Berkeley, CA, Special Director Fund's Study, 1984.

A.T.Hodgson and F.J.Offermann, "Examination of a Sick Office Building," Lawrence Berkeley Laboratory, Berkeley, CA, an informal field study, 1984.

R.G.Sextro, F.J.Offermann, W.W.Nazaroff, and A.V.Nero, "Effects of Aerosol Concentrations on Radon Progeny," Aerosols, Science, & Technology, and Industrial Applications of Airborne Particles, editors B.Y.H.Liu, D.Y.H.Pui, and H.J.Fissan, p525, Elsevier, 1984.

K.Sexton, S.Hayward, F.Offermann, R.Sextro, and L.Weber, "Characterization of Particulate and Organic Emissions from Major Indoor Sources, Proceedings of the Third International Conference on Indoor Air Quality and Climate, Stockholm, Sweden, August 20-24, 1984.

F.J.Offermann, "Tracer Gas Measurements of Laboratory Fume Entrainment at a Semi-Conductor Manufacturing Plant," an Indoor Environmental Engineering R&D Report, 1986.

F.J.Offermann, "Tracer Gas Measurements of Ventilation Rates in a Large Office Building," an Indoor Environmental Engineering R&D Report, 1986.

F.J.Offermann, "Measurements of Volatile Organic Compounds in a New Large Office Building with Adhesive Fastened Carpeting," an Indoor Environmental Engineering R&D Report, 1986.

F.J.Offermann, "Designing and Operating Healthy Buildings", an Indoor Environmental Engineering R&D Report, 1986.

F.J.Offermann, "Measurements and Mitigation of Indoor Spray-Applicated Pesticides", an Indoor Environmental Engineering R&D Report, 1988.

F.J.Offermann and S. Loiselle, "Measurements and Mitigation of Indoor Mold Contamination in a Residence", an Indoor Environmental Engineering R&D Report, 1989.

F.J.Offermann and S. Loiselle, "Performance Measurements of an Air Cleaning System in a Large Archival Library Storage Facility", an Indoor Environmental Engineering R&D Report, 1989.

F.J. Offermann, J.M. Daisey, L.A. Gundel, and A.T. Hodgson, S. A. Loiselle, "Sampling, Analysis, and Data Validation of Indoor Concentrations of Polycyclic Aromatic Hydrocarbons", Final Report, Contract No. A732-106, California Air Resources Board, March, 1990.

L.A. Gundel, J.M. Daisey, and F.J. Offermann, "A Sampling and Analytical Method for Gas Phase Polycyclic Aromatic Hydrocarbons", Proceedings of the 5th International Conference on Indoor Air Quality and Climate, Indoor Air '90, July 29-August 1990.

A.T. Hodgson, J.M. Daisey, and F.J. Offermann "Development of an Indoor Sampling and Analytical Method for Particulate Polycyclic Aromatic Hydrocarbons", Proceedings of the 5th International Conference on Indoor Air Quality and Climate, Indoor Air '90, July 29-August, 1990.

F.J. Offermann, J.O. Sateri, "Tracer Gas Measurements in Large Multi-Room Buildings", Indoor Air '93, Helsinki, Finland, July 4-8, 1993.

F.J.Offermann, M. T. O'Flaherty, and M. A. Waz "Validation of ASHRAE 129 - Standard Method of Measuring Air Change Effectiveness", Final Report of ASHRAE Research Project 891, December 8, 1997.

S.E. Guffey, F.J. Offermann et. al., "Proceedings of the Workshop on Ventilation Engineering Controls for Environmental Tobacco smoke in the Hospitality Industry", U.S. Department of Labor Occupational Safety and Health Administration and ACGIH, 1998.

F.J. Offermann, R.J. Fiskum, D. Kosar, and D. Mudaari, "A Practical Guide to Ventilation Practices & Systems for Existing Buildings", <u>*Heating/Piping/Air</u> Conditioning Engineering* supplement to April/May 1999 issue.</u>

F.J. Offermann, P. Pasanen, "Workshop 18: Criteria for Cleaning of Air Handling Systems", Healthy Buildings 2000, Espoo, Finland, August 2000.

F.J. Offermann, Session Summaries: Building Investigations, and Design & Construction, Healthy Buildings 2000, Espoo, Finland, August 2000.

F.J. Offermann, "The IAQ Top 10", Engineered Systems, November, 2008.

L. Kincaid and F.J. Offermann, "Unintended Consequences: Formaldehyde Exposures in Green Homes, AIHA Synergist, February, 2010.

F.J. Offermann, "IAQ in Air Tight Homes", ASHRAE Journal, November, 2010.

F.J. Offermann, "The Hazards of E-Cigarettes", ASHRAE Journal, June, 2014.

PRESENTATIONS :

"Low-Infiltration Housing in Rochester, New York: A Study of Air Exchange Rates and Indoor Air Quality," Presented at the International Symposium on Indoor Air Pollution, Health and Energy Conservation, Amherst, MA, October 13-16,1981. "Ventilation Efficiencies of Wall- or Window-Mounted Residential Air-to-Air Heat Exchangers," Presented at the American Society of Heating, Refrigeration, and Air Conditioning Engineers Summer Meeting, Washington, DC, June, 1983.

"Controlling Indoor Air Pollution from Tobacco Smoke: Models and Measurements," Presented at the Third International Conference on Indoor Air Quality and Climate, Stockholm, Sweden, August 20-24, 1984.

"Indoor Air Pollution: An Emerging Environmental Problem", Presented to the Association of Environmental Professionals, Bar Area/Coastal Region 1, Berkeley, CA, May 29, 1986.

"Ventilation Measurement Techniques," Presented at the Workshop on Sampling and Analytical Techniques, Georgia Institute of Technology, Atlanta, Georgia, September 26, 1986 and September 25, 1987.

"Buildings That Make You Sick: Indoor Air Pollution", Presented to the Sacramento Association of Professional Energy Managers, Sacramento, CA, November 18, 1986.

"Ventilation Effectiveness and Indoor Air Quality", Presented to the American Society of Heating, Refrigeration, and Air Conditioning Engineers Northern Nevada Chapter, Reno, NV, February 18, 1987, Golden Gate Chapter, San Francisco, CA, October 1, 1987, and the San Jose Chapter, San Jose, CA, June 9, 1987.

"Tracer Gas Techniques for Studying Ventilation," Presented at the Indoor Air Quality Symposium, Georgia Tech Research Institute, Atlanta, GA, September 22-24, 1987.

"Indoor Air Quality Control: What Works, What Doesn't," Presented to the Sacramento Association of Professional Energy Managers, Sacramento, CA, November 17, 1987.

"Ventilation Effectiveness and ADPI Measurements of a Forced Air Heating System," Presented at the American Society of Heating, Refrigeration, and Air Conditioning Engineers Winter Meeting, Dallas, Texas, January 31, 1988.

"Indoor Air Quality, Ventilation, and Energy in Commercial Buildings", Presented at the Building Owners & Managers Association of Sacramento, Sacramento, CA, July 21, 1988.

"Controlling Indoor Air Quality: The New ASHRAE Ventilation Standards and How to Evaluate Indoor Air Quality", Presented at a conference "Improving Energy Efficiency and Indoor Air Quality in Commercial Buildings," National Energy Management Institute, Reno, Nevada, November 4, 1988.

"A Study of Diesel Fume Entrainment Into an Office Building," Presented at Indoor Air '89: The Human Equation: Health and Comfort, American Society of Heating, Refrigeration, and Air Conditioning Engineers, San Diego, CA, April 17-20, 1989. "Indoor Air Quality in Commercial Office Buildings," Presented at the Renewable Energy Technologies Symposium and International Exposition, Santa Clara, CA June 20, 1989.

"Building Ventilation and Indoor Air Quality", Presented to the San Joaquin Chapter of the American Society of Heating, Refrigeration, and Air Conditioning Engineers, September 7, 1989.

"How to Meet New Ventilation Standards: Indoor Air Quality and Energy Efficiency," a workshop presented by the Association of Energy Engineers; Chicago, IL, March 20-21, 1989; Atlanta, GA, May 25-26, 1989; San Francisco, CA, October 19-20, 1989; Orlando, FL, December 11-12, 1989; Houston, TX, January 29-30, 1990; Washington D.C., February 26-27, 1990; Anchorage, Alaska, March 23, 1990; Las Vegas, NV, April 23-24, 1990; Atlantic City, NJ, September 27-28, 1991; Anaheim, CA, November 19-20, 1991; Orlando, FL, February 28 - March 1, 1991; Washington, DC, March 20-21, 1991; Chicago, IL, May 16-17, 1991; Lake Tahoe, NV, August 15-16, 1991; Atlantic City, NJ, November 18-19, 1991; San Jose, CA, March 23-24, 1992.

"Indoor Air Quality," a seminar presented by the Anchorage, Alaska Chapter of the American Society of Heating, Refrigeration, and Air Conditioning Engineers, March 23, 1990.

"Ventilation and Indoor Air Quality", Presented at the 1990 HVAC & Building Systems Congress, Santa, Clara, CA, March 29, 1990.

"Ventilation Standards for Office Buildings", Presented to the South Bay Property Managers Association, Santa Clara, May 9, 1990.

"Indoor Air Quality", Presented at the Responsive Energy Technologies Symposium & International Exposition (RETSIE), Santa Clara, CA, June 20, 1990.

"Indoor Air Quality - Management and Control Strategies", Presented at the Association of Energy Engineers, San Francisco Bay Area Chapter Meeting, Berkeley, CA, September 25, 1990.

"Diagnosing Indoor Air Contaminant and Odor Problems", Presented at the ASHRAE Annual Meeting, New York City, NY, January 23, 1991.

"Diagnosing and Treating the Sick Building Syndrome", Presented at the Energy 2001, Oklahoma, OK, March 19, 1991.

"Diagnosing and Mitigating Indoor Air Quality Problems" a workshop presented by the Association of Energy Engineers, Chicago, IL, October 29-30, 1990; New York, NY, January 24-25, 1991; Anaheim, April 25-26, 1991; Boston, MA, June 10-11, 1991; Atlanta, GA, October 24-25, 1991; Chicago, IL, October 3-4, 1991; Las Vegas, NV, December 16-17, 1991; Anaheim, CA, January 30-31, 1992; Atlanta, GA, March 5-6, 1992; Washington, DC, May 7-8, 1992; Chicago, IL, August 19-20, 1992; Las Vegas,

NV, October 1-2, 1992; New York City, NY, October 26-27, 1992, Las Vegas, NV, March 18-19, 1993; Lake Tahoe, CA, July 14-15, 1994; Las Vegas, NV, April 3-4, 1995; Lake Tahoe, CA, July 11-12, 1996; Miami, Fl, December 9-10, 1996.

"Sick Building Syndrome and the Ventilation Engineer", Presented to the San Jose Engineers Club, May, 21, 1991.

"Duct Cleaning: Who Needs It ? How Is It Done ? What Are The Costs ?" What Are the Risks ?, Moderator of Forum at the ASHRAE Annual Meeting, Indianapolis ID, June 23, 1991.

"Operating Healthy Buildings", Association of Plant Engineers, Oakland, CA, November 14, 1991.

"Duct Cleaning Perspectives", Moderator of Seminar at the ASHRAE Semi-Annual Meeting, Indianapolis, IN, June 24, 1991.

"Duct Cleaning: The Role of the Environmental Hygienist," ASHRAE Annual Meeting, Anaheim, CA, January 29, 1992.

"Emerging IAQ Issues", Fifth National Conference on Indoor Air Pollution, University of Tulsa, Tulsa, OK, April 13-14, 1992.

"International Symposium on Room Air Convection and Ventilation Effectiveness", Member of Scientific Advisory Board, University of Tokyo, July 22-24, 1992.

"Guidelines for Contaminant Control During Construction and Renovation Projects in Office Buildings," Seminar paper at the ASHRAE Annual Meeting, Chicago, IL, January 26, 1993.

"Outside Air Economizers: IAQ Friend or Foe", Moderator of Forum at the ASHRAE Annual Meeting, Chicago, IL, January 26, 1993.

"Orientation to Indoor Air Quality," an EPA two and one half day comprehensive indoor air quality introductory workshop for public officials and building property managers; Sacramento, September 28-30, 1992; San Francisco, February 23-24, 1993; Los Angeles, March 16-18, 1993; Burbank, June 23, 1993; Hawaii, August 24-25, 1993; Las Vegas, August 30, 1993; San Diego, September 13-14, 1993; Phoenix, October 18-19, 1993; Reno, November 14-16, 1995; Fullerton, December 3-4, 1996; Fresno, May 13-14, 1997.

"Building Air Quality: A Guide for Building Owners and Facility Managers," an EPA one half day indoor air quality introductory workshop for building owners and facility managers. Presented throughout Region IX 1993-1995.

"Techniques for Airborne Disease Control", EPRI Healthcare Initiative Symposium; San Francisco, CA; June 7, 1994.

"Diagnosing and Mitigating Indoor Air Quality Problems", CIHC Conference; San Francisco, September 29, 1994.

"Indoor Air Quality: Tools for Schools," an EPA one day air quality management workshop for school officials, teachers, and maintenance personnel; San Francisco, October 18-20, 1994; Cerritos, December 5, 1996; Fresno, February 26, 1997; San Jose, March 27, 1997; Riverside, March 5, 1997; San Diego, March 6, 1997; Fullerton, November 13, 1997; Santa Rosa, February 1998; Cerritos, February 26, 1998; Santa Rosa, March 2, 1998.

ASHRAE 62 Standard "Ventilation for Acceptable IAQ", ASCR Convention; San Francisco, CA, March 16, 1995.

"New Developments in Indoor Air Quality: Protocol for Diagnosing IAQ Problems", AIHA-NC; March 25, 1995.

"Experimental Validation of ASHRAE SPC 129, Standard Method of Measuring Air Change Effectiveness", 16th AIVC Conference, Palm Springs, USA, September 19-22, 1995.

"Diagnostic Protocols for Building IAQ Assessment", American Society of Safety Engineers Seminar: 'Indoor Air Quality – The Next Door'; San Jose Chapter, September 27, 1995; Oakland Chapter, 9, 1997.

"Diagnostic Protocols for Building IAQ Assessment", Local 39; Oakland, CA, October 3, 1995.

"Diagnostic Protocols for Solving IAQ Problems", CSU-PPD Conference; October 24, 1995.

"Demonstrating Compliance with ASHRAE 62-1989 Ventilation Requirements", AIHA; October 25, 1995.

"IAQ Diagnostics: Hands on Assessment of Building Ventilation and Pollutant Transport", EPA Region IX; Phoenix, AZ, March 12, 1996; San Francisco, CA, April 9, 1996; Burbank, CA, April 12, 1996.

"Experimental Validation of ASHRAE 129P: Standard Method of Measuring Air Change Effectiveness", Room Vent '96 / International Symposium on Room Air Convection and Ventilation Effectiveness"; Yokohama, Japan, July 16-19, 1996.

"IAQ Diagnostic Methodologies and RFP Development", CCEHSA 1996 Annual Conference, Humboldt State University, Arcata, CA, August 2, 1996.

"The Practical Side of Indoor Air Quality Assessments", California Industrial Hygiene Conference '96, San Diego, CA, September 2, 1996. "ASHRAE Standard 62: Improving Indoor Environments", Pacific Gas and Electric Energy Center, San Francisco, CA, October 29, 1996.

"Operating and Maintaining Healthy Buildings", April 3-4, 1996, San Jose, CA; July 30, 1997, Monterey, CA.

"IAQ Primer", Local 39, April 16, 1997; Amdahl Corporation, June 9, 1997; State Compensation Insurance Fund's Safety & Health Services Department, November 21, 1996.

"Tracer Gas Techniques for Measuring Building Air Flow Rates", ASHRAE, Philadelphia, PA, January 26, 1997.

"How to Diagnose and Mitigate Indoor Air Quality Problems"; Women in Waste; March 19, 1997.

"Environmental Engineer: What Is It?", Monte Vista High School Career Day; April 10, 1997.

"Indoor Environment Controls: What's Hot and What's Not", Shaklee Corporation; San Francisco, CA, July 15, 1997.

"Measurement of Ventilation System Performance Parameters in the US EPA BASE Study", Healthy Buildings/IAQ'97, Washington, DC, September 29, 1997.

"Operations and Maintenance for Healthy and Comfortable Indoor Environments", PASMA; October 7, 1997.

"Designing for Healthy and Comfortable Indoor Environments", Construction Specification Institute, Santa Rosa, CA, November 6, 1997.

"Ventilation System Design for Good IAQ", University of Tulsa 10th Annual Conference, San Francisco, CA, February 25, 1998.

"The Building Shell", Tools For Building Green Conference and Trade Show, Alameda County Waste Management Authority and Recycling Board, Oakland, CA, February 28, 1998.

"Identifying Fungal Contamination Problems In Buildings", The City of Oakland Municipal Employees, Oakland, CA, March 26, 1998.

"Managing Indoor Air Quality in Schools: Staying Out of Trouble", CASBO, Sacramento, CA, April 20, 1998.

"Indoor Air Quality", CSOOC Spring Conference, Visalia, CA, April 30, 1998.

"Particulate and Gas Phase Air Filtration", ACGIH/OSHA, Ft. Mitchell, KY, June 1998.

"Building Air Quality Facts and Myths", The City of Oakland / Alameda County Safety Seminar, Oakland, CA, June 12, 1998.

"Building Engineering and Moisture", Building Contamination Workshop, University of California Berkeley, Continuing Education in Engineering and Environmental Management, San Francisco, CA, October 21-22, 1999.

"Identifying and Mitigating Mold Contamination in Buildings", Western Construction Consultants Association, Oakland, CA, March 15, 2000; AIG Construction Defect Seminar, Walnut Creek, CA, May 2, 2001; City of Oakland Public Works Agency, Oakland, CA, July 24, 2001; Executive Council of Homeowners, Alamo, CA, August 3, 2001.

"Using the EPA BASE Study for IAQ Investigation / Communication", Joint Professional Symposium 2000, American Industrial Hygiene Association, Orange County & Southern California Sections, Long Beach, October 19, 2000.

"Ventilation," Indoor Air Quality: Risk Reduction in the 21st Century Symposium, sponsored by the California Environmental Protection Agency/Air Resources Board, Sacramento, CA, May 3-4, 2000.

"Workshop 18: Criteria for Cleaning of Air Handling Systems", Healthy Buildings 2000, Espoo, Finland, August 2000.

"Closing Session Summary: 'Building Investigations' and 'Building Design & Construction', Healthy Buildings 2000, Espoo, Finland, August 2000.

"Managing Building Air Quality and Energy Efficiency, Meeting the Standard of Care", BOMA, MidAtlantic Environmental Hygiene Resource Center, Seattle, WA, May 23rd, 2000; San Antonio, TX, September 26-27, 2000.

"Diagnostics & Mitigation in Sick Buildings: When Good Buildings Go Bad," University of California Berkeley, September 18, 2001.

"Mold Contamination: Recognition and What To Do and Not Do", Redwood Empire Remodelers Association; Santa Rosa, CA, April 16, 2002.

"Investigative Tools of the IAQ Trade", Healthy Indoor Environments 2002; Austin, TX; April 22, 2002.

"Finding Hidden Mold: Case Studies in IAQ Investigations", AIHA Northern California Professionals Symposium; Oakland, CA, May 8, 2002.

"Assessing and Mitigating Fungal Contamination in Buildings", Cal/OSHA Training; Oakland, CA, February 14, 2003 and West Covina, CA, February 20-21, 2003.

"Use of External Containments During Fungal Mitigation", Invited Speaker, ACGIH Mold Remediation Symposium, Orlando, FL, November 3-5, 2003.

Building Operator Certification (BOC), 106-IAQ Training Workshops, Northwest Energy Efficiency Council; Stockton, CA, December 3, 2003; San Francisco, CA, December 9, 2003; Irvine, CA, January 13, 2004; San Diego, January 14, 2004; Irwindale, CA, January 27, 2004; Downey, CA, January 28, 2004; Santa Monica, CA, March 16, 2004; Ontario, CA, March 17, 2004; Ontario, CA, November 9, 2004, San Diego, CA, November 10, 2004; San Francisco, CA, November 17, 2004; San Jose, CA, November 18, 2004; Sacramento, CA, March 15, 2005.

"Mold Remediation: The National QUEST for Uniformity Symposium", Invited Speaker, Orlando, Florida, November 3-5, 2003.

"Mold and Moisture Control", Indoor Air Quality workshop for The Collaborative for High Performance Schools (CHPS), San Francisco, December 11, 2003.

"Advanced Perspectives In Mold Prevention & Control Symposium", Invited Speaker, Las Vegas, Nevada, November 7-9, 2004.

"Building Sciences: Understanding and Controlling Moisture in Buildings", American Industrial Hygiene Association, San Francisco, CA, February 14-16, 2005.

"Indoor Air Quality Diagnostics and Healthy Building Design", University of California Berkeley, Berkeley, CA, March 2, 2005.

"Improving IAQ = Reduced Tenant Complaints", Northern California Facilities Exposition, Santa Clara, CA, September 27, 2007.

"Defining Safe Building Air", Criteria for Safe Air and Water in Buildings, ASHRAE Winter Meeting, Chicago, IL, January 27, 2008.

"Update on USGBC LEED and Air Filtration", Invited Speaker, NAFA 2008 Convention, San Francisco, CA, September 19, 2008.

"Ventilation and Indoor air Quality in New California Homes", National Center of Healthy Housing, October 20, 2008.

"Indoor Air Quality in New Homes", California Energy and Air Quality Conference, October 29, 2008.

"Mechanical Outdoor air Ventilation Systems and IAQ in New Homes", ACI Home Performance Conference, Kansas City, MO, April 29, 2009.

"Ventilation and IAQ in New Homes with and without Mechanical Outdoor Air Systems", Healthy Buildings 2009, Syracuse, CA, September 14, 2009.

"Ten Ways to Improve Your Air Quality", Northern California Facilities Exposition, Santa Clara, CA, September 30, 2009.

"New Developments in Ventilation and Indoor Air Quality in Residential Buildings", Westcon meeting, Alameda, CA, March 17, 2010.

"Intermittent Residential Mechanical Outdoor Air Ventilation Systems and IAQ", ASHRAE SSPC 62.2 Meeting, Austin, TX, April 19, 2010.

"Measured IAQ in Homes", ACI Home Performance Conference, Austin, TX, April 21, 2010.

"Respiration: IEQ and Ventilation", AIHce 2010, How IH Can LEED in Green buildings, Denver, CO, May 23, 2010.

"IAQ Considerations for Net Zero Energy Buildings (NZEB)", Northern California Facilities Exposition, Santa Clara, CA, September 22, 2010.

"Energy Conservation and Health in Buildings", Berkeley High SchoolGreen Career Week, Berkeley, CA, April 12, 2011.

"What Pollutants are Really There ?", ACI Home Performance Conference, San Francisco, CA, March 30, 2011.

"Energy Conservation and Health in Residences Workshop", Indoor Air 2011, Austin, TX, June 6, 2011.

"Assessing IAQ and Improving Health in Residences", US EPA Weatherization Plus Health, September 7, 2011.

"Ventilation: What a Long Strange Trip It's Been", Westcon, May 21, 2014.

"Chemical Emissions from E-Cigarettes: Direct and Indirect Passive Exposures", Indoor Air 2014, Hong Kong, July, 2014.

"Infectious Disease Aerosol Exposures With and Without Surge Control Ventilation System Modifications", Indoor Air 2014, Hong Kong, July, 2014.

"Chemical Emissions from E-Cigarettes", IMF Health and Welfare Fair, Washington, DC, February 18, 2015.

"Chemical Emissions and Health Hazards Associated with E-Cigarettes", Roswell Park Cancer Institute, Buffalo, NY, August 15, 2014.

"Formaldehyde Indoor Concentrations, Material Emission Rates, and the CARB ATCM", Harris Martin's Lumber Liquidators Flooring Litigation Conference, WQ Minneapolis Hotel, May 27, 2015. "Chemical Emissions from E-Cigarettes: Direct and Indirect Passive Exposure", FDA Public Workshop: Electronic Cigarettes and the Public Health, Hyattsville, MD June 2, 2015.

"Creating Healthy Homes, Schools, and Workplaces", Chautauqua Institution, Athenaeum Hotel, August 24, 2015.

"Diagnosing IAQ Problems and Designing Healthy Buildings", University of California Berkeley, Berkeley, CA, October 6, 2015.

"Diagnosing Ventilation and IAQ Problems in Commercial Buildings", BEST Center Annual Institute, Lawrence Berkeley National Laboratory, January 6, 2016.

"A Review of Studies of Ventilation and Indoor Air Quality in New Homes and Impacts of Environmental Factors on Formaldehyde Emission Rates From Composite Wood Products", AIHce2016, May, 21-26, 2016.

"Admissibility of Scientific Testimony", Science in the Court, Proposition 65 Clearinghouse Annual Conference, Oakland, CA, September 15, 2016.

"Indoor Air Quality and Ventilation", ASHRAE Redwood Empire, Napa, CA, December 1, 2016.

1

P: (626) 381-9248 F: (626) 389-5414 E: info@mitchtsailaw.com



139 South Hudson Avenue Suite 200 Pasadena, California 91101

VIA E-MAIL

June 6, 2023 City Clerk City of Los Angeles 200 N. Spring St., Room 395 Los Angeles, CA 90012 Em: <u>clerk.plumcommittee@lacity.org</u>

RE: 905-923 Beacon Ave. Project [ENV-2020-7605-SCPE]

Dear City of Los Angeles Planning and Land Use Committee,

On behalf of the Southwest Mountain States Regional Council of Carpenters ("**The Carpenters**" or "**SWMSRCC**"), my Office is submitting these comments regarding the 905-923 Beacon Ave. project ("**Project**").

The Project proposes demolition and removal of an existing surface parking lot from the Project Site and development of the site with a seven-story, 119,508- square-foot mixed-use building, which would include 145 multi-family residential dwelling units and up to 2,000 square feet of neighborhood-serving commercial uses.

SWMSRCC is a labor union representing 50,000 union carpenters in six states, including California, and has a strong interest in well ordered land use planning and addressing the environmental impacts of development projects. Individual members of the Southwest Carpenters live, work and recreate in the City and surrounding communities and would be directly affected by the Project's environmental impacts.

SWMSRCC expressly reserves the right to supplement these comments at or prior to hearings on the Project, and at any later hearings and proceedings related to this Project. Cal. Gov. Code § 65009(b); Cal. Pub. Res. Code § 21177(a); *Bakersfield Citizens for Local Control v. Bakersfield* (2004) 124 Cal. App. 4th 1184, 1199-1203; see *Galante Vineyards v. Monterey Water Dist.* (1997) 60 Cal. App. 4th 1109, 1121.

SWMSRCC incorporates by reference all comments raising issues regarding the Project's environmental review submitted prior to approval of the Project. *Citizens for Clean Energy v. City of Woodland* (2014) 225 Cal. App. 4th 173, 191 (finding that any

City of Los Angeles – 905-923 Beacon Ave. Project 6/6/23 Page 2 of 16

party who has objected to the Project's environmental documentation may assert any issue timely raised by other parties).

SWMSRCC also requests that the City provide notice for any and all notices referring or related to the Project issued under the California Environmental Quality Act ("**CEQA**"), Cal Public Resources Code ("**PRC**") § 21000 *et seq*, and the California Planning and Zoning Law ("**Planning and Zoning Law**"), Cal. Gov't Code §§ 65000–65010. California Public Resources Code Sections 21092.2, and 21167(f) and Government Code Section 65092 require agencies to mail such notices to any person who has filed a written request for them with the clerk of the agency's governing body.

I. THE CITY SHOULD REQUIRE THE USE OF A LOCAL WORKFORCE TO BENEFIT THE COMMUNITY'S ECONOMIC DEVELOPMENT AND ENVIRONMENT

As noted in our previous letters, the City should require the Project to be built using a local workers who have graduated from a Joint Labor-Management Apprenticeship Program approved by the State of California, have at least as many hours of on-thejob experience in the applicable craft which would be required to graduate from such a state-approved apprenticeship training program, or who are registered apprentices in a state-approved apprenticeship training program.

Community benefits such as local hire can also be helpful to reduce environmental impacts and improve the positive economic impact of the Project. Local hire provisions requiring that a certain percentage of workers reside within 10 miles or less of the Project site can reduce the length of vendor trips, reduce greenhouse gas emissions, and provide localized economic benefits. As environmental consultants Matt Hagemann and Paul E. Rosenfeld note:

[A]ny local hire requirement that results in a decreased worker trip length from the default value has the potential to result in a reduction of construction-related GHG emissions, though the significance of the reduction would vary based on the location and urbanization level of the project site.

March 8, 2021 SWAPE Letter to Mitchell M. Tsai re Local Hire Requirements and Considerations for Greenhouse Gas Modeling.

Workforce requirements promote the development of skilled trades that yield sustainable economic development. As the California Workforce Development Board

1 (Cont.)

2

and the University of California, Berkeley Center for Labor Research and Education concluded:

[L]abor should be considered an investment rather than a cost—and investments in growing, diversifying, and upskilling California's workforce can positively affect returns on climate mitigation efforts. In other words, well-trained workers are key to delivering emissions reductions and moving California closer to its climate targets.¹

Furthermore, workforce policies have significant environmental benefits given that they improve an area's jobs-housing balance, decreasing the amount and length of job commutes and the associated greenhouse gas ("**GHG**") emissions. In fact, on May 7, 2021, the South Coast Air Quality Management District found that the "[u]se of a local state-certified apprenticeship program" can result in air pollutant reductions.²

Locating jobs closer to residential areas can have significant environmental benefits. As the California Planning Roundtable noted in 2008:

People who live and work in the same jurisdiction would be more likely to take transit, walk, or bicycle to work than residents of less balanced communities and their vehicle trips would be shorter. Benefits would include potential reductions in both vehicle miles traveled and vehicle hours traveled.³

Moreover, local hire mandates and skill-training are critical facets of a strategy to reduce vehicle miles traveled ("**VMT**"). As planning experts Robert Cervero and Michael Duncan have noted, simply placing jobs near housing stock is insufficient to achieve VMT reductions given that the skill requirements of available local jobs must

2 (Cont.)

¹ California Workforce Development Board (2020) Putting California on the High Road: A Jobs and Climate Action Plan for 2030 at p. ii, *available at* <u>https://laborcenter.berkeley.edu/</u>wp-content/uploads/2020/09/Putting-California-on-the-High-Road.pdf.

² South Coast Air Quality Management District (May 7, 2021) Certify Final Environmental Assessment and Adopt Proposed Rule 2305 – Warehouse Indirect Source Rule – Warehouse Actions and Investments to Reduce Emissions Program, and Proposed Rule 316 – Fees for Rule 2305, Submit Rule 2305 for Inclusion Into the SIP, and Approve Supporting Budget Actions, *available at* <u>http://www.aqmd.gov/docs/defaultsource/Agendas/Governing-Board/2021/2021-May7-027.pdf?sfvrsn=10.</u>

³ California Planning Roundtable (2008) Deconstructing Jobs-Housing Balance at p. 6, *available at* <u>https://cproundtable.org/static/media/uploads/publications/cpr-jobs-housing.pdf</u>

match those held by local residents.⁴ Some municipalities have even tied local hire and other workforce policies to local development permits to address transportation issues. Cervero and Duncan note that:

In nearly built-out Berkeley, CA, the approach to balancing jobs and housing is to create local jobs rather than to develop new housing. The city's First Source program encourages businesses to hire local residents, especially for entry- and intermediate-level jobs, and sponsors vocational training to ensure residents are employment-ready. While the program is voluntary, some 300 businesses have used it to date, placing more than 3,000 city residents in local jobs since it was launched in 1986. When needed, these carrots are matched by sticks, since the city is not shy about negotiating corporate participation in First Source as a condition of approval for development permits.

Recently, the State of California verified its commitment towards workforce development through the Affordable Housing and High Road Jobs Act of 2022, otherwise known as Assembly Bill No. 2011 ("**AB2011**"). AB2011 amended the Planning and Zoning Law to allow ministerial, by-right approval for projects being built alongside commercial corridors that meet affordability and labor requirements.

The City should consider utilizing local workforce policies and requirements to benefit the local area economically and to mitigate greenhouse gas, improve air quality, and reduce transportation impacts.

II. THE CITY SHOULD IMPOSE TRAINING REQUIREMENT'S FOR THE PROJECT'S CONSTRUCTION ACTIVITIES TO PREVENT COMMUNITY SPREAD OF COVID-19 AND OTHER INFECTIOUS DISEASES

Construction work has been defined as a Lower to High-risk activity for COVID-19 spread by the Occupations Safety and Health Administration. Recently, several

2 (Cont.)

3

⁴ Cervero, Robert and Duncan, Michael (2006) Which Reduces Vehicle Travel More: Jobs-Housing Balance or Retail-Housing Mixing? Journal of the American Planning Association 72 (4), 475-490, 482, *available at* <u>http://reconnectingamerica.org/assets/Uploads/UTCT-825.pdf</u>.

City of Los Angeles – 905-923 Beacon Ave. Project 6/6/23 Page 5 of 16

construction sites have been identified as sources of community spread of COVID-19.⁵

Southwest Mountain States Carpenters recommend that the City adopt additional requirements to mitigate public health risks from the Project's construction activities. SWMSRCC requests that the City require safe on-site construction work practices as well as training and certification for any construction workers on the Project Site.

In particular, based upon Southwest Mountain States Carpenters' experience with safe construction site work practices, SWMSRCC recommends that the City require that while construction activities are being conducted at the Project Site:

Construction Site Design:

- The Project Site will be limited to two controlled entry points.
- Entry points will have temperature screening technicians taking temperature readings when the entry point is open.
- The Temperature Screening Site Plan shows details regarding access to the Project Site and Project Site logistics for conducting temperature screening.
- A 48-hour advance notice will be provided to all trades prior to the first day of temperature screening.
- The perimeter fence directly adjacent to the entry points will be clearly marked indicating the appropriate 6-foot social distancing position for when you approach the screening area. Please reference the Apex temperature screening site map for additional details.
- There will be clear signage posted at the project site directing you through temperature screening.

3 (Cont.)

⁵ Santa Clara County Public Health (June 12, 2020) COVID-19 CASES AT CONSTRUCTION SITES HIGHLIGHT NEED FOR CONTINUED VIGILANCE IN SECTORS THAT HAVE REOPENED, *available at* <u>https://www.sccgov.org/sites/</u> <u>covid19/Pages/press-release-06-12-2020-cases-at-construction-sites.aspx</u>.

• Provide hand washing stations throughout the construction site.

Testing Procedures:

- The temperature screening being used are non-contact devices.
- Temperature readings will not be recorded.
- Personnel will be screened upon entering the testing center and should only take 1-2 seconds per individual.
- Hard hats, head coverings, sweat, dirt, sunscreen or any other cosmetics must be removed on the forehead before temperature screening.
- Anyone who refuses to submit to a temperature screening or does not answer the health screening questions will be refused access to the Project Site.
- Screening will be performed at both entrances from 5:30 am to 7:30 am.; main gate [ZONE 1] and personnel gate [ZONE 2]
- After 7:30 am only the main gate entrance [ZONE 1] will continue to be used for temperature testing for anybody gaining entry to the project site such as returning personnel, deliveries, and visitors.
- If the digital thermometer displays a temperature reading above 100.0 degrees Fahrenheit, a second reading will be taken to verify an accurate reading.
- If the second reading confirms an elevated temperature, DHS will instruct the individual that he/she will not be allowed to enter the Project Site. DHS will also instruct the individual to promptly notify his/her supervisor and his/her human resources (HR) representative and provide them with a copy of Annex A.

3 (Cont.)

CARPENTERS (Cont.)

<u>Planning</u>

Require the development of an Infectious Disease Preparedness and Response Plan that will include basic infection prevention measures (requiring the use of personal protection equipment), policies and procedures for prompt identification and isolation of sick individuals, social distancing (prohibiting gatherings of no more than 10 people including all-hands meetings and all-hands lunches) communication and training and workplace controls that meet standards that may be promulgated by the Center for Disease Control, Occupational Safety and Health Administration, Cal/OSHA, California Department of Public Health or applicable local public health agencies.⁶

The United Brotherhood of Carpenters and Carpenters International Training Fund has developed COVID-19 Training and Certification to ensure that Carpenter union members and apprentices conduct safe work practices. The City should require that all construction workers undergo COVID-19 Training and Certification before being allowed to conduct construction activities at the Project Site.

Southwest Mountain States Carpenters has also developed a rigorous Infection Control Risk Assessment ("**ICRA**") training program to ensure it delivers a workforce that understands how to identify and control infection risks by implementing protocols to protect themselves and all others during renovation and construction projects in healthcare environments.⁷

ICRA protocols are intended to contain pathogens, control airflow, and protect patients during the construction, maintenance and renovation of healthcare facilities.

3 (Cont.)

⁶ See also The Center for Construction Research and Training, North America's Building Trades Unions (April 27 2020) NABTU and CPWR COVIC-19 Standards for U.S Constructions Sites, available at <u>https://www.cpwr.com/sites/default/files/NABTU</u> <u>CPWR Standards COVID-19.pdf</u>; Los Angeles County Department of Public Works (2020) Guidelines for Construction Sites During COVID-19 Pandemic, available at <u>https://dpw.lacounty.gov/building-and-safety/docs/pw_guidelines-construction-sites.pdf</u>.

⁷ For details concerning Southwest Carpenters's ICRA training program, *see* <u>https://icrahealthcare.com/</u>.

ICRA protocols prevent cross contamination, minimizing the risk of secondary infections in patients at hospital facilities.

The City should require the Project to be built using a workforce trained in ICRA protocols.

III. THE CITY SHOULD PREPARE AN ENVIRONMENTAL IMPACT REPORT FOR THE PROJECT

CEQA is a California statute designed to inform decision makers and the public about the potential, significant environmental effects of a project. 14 California Code of Regulations ("**CEQA Guidelines**") § 15002(a)(1).⁸ At its core, "[i]ts purpose is to inform the public and its responsible officials of the environmental consequences of their decisions *before* they are made." *Citizens of Goleta Valley v. Board of Supervisors* (1990) 52 Cal. 3d 553, 564.

To achieve this purpose, CEQA mandates preparation of an Environmental Impact Report ("**EIR**") for projects so that the foreseeable impacts of pursuing the project can be understood and weighed. *Communities for a Better Environment v. Richmond* (2010) 184 Cal. App. 4th 70, 80. The EIR requirement "is the heart of CEQA." CEQA Guidelines, § 15003(a).

A strong presumption in favor of requiring preparation of an EIR is built into CEQA. This presumption is reflected in what is known as the "fair argument" standard, under which an agency must prepare an EIR whenever substantial evidence in the record supports a fair argument that a project may have a significant effect on the environment. *Quail Botanical Gardens Found., Inc. v. City of Encinitas* (1994) 29 Cal. App. 4th 1597, 1602; *Friends of "B" St.* v. *City of Hayward* (1980) 106 Cal. 3d 988, 1002.

The fair argument test stems from the statutory mandate that an EIR be prepared for any project that "may have a significant effect on the environment." Public Resources Code ("**PRC**") § 21151; *No Oil, Inc. v. City of Los Angeles* (1974) 13 Cal. App. 3d 68, 75; *Jensen v. City of Santa Rosa* (2018) 23 Cal. App. 5th 877, 884. Under this test, if a

١

3 (Cont.)

4

⁸ The CEQA Guidelines, codified in Title 14 of the California Code of Regulations, section 15000 *et seq*, are regulatory guidelines promulgated by the state Natural Resources Agency for the implementation of CEQA. (Cal. Pub. Res. Code § 21083.) The CEQA Guidelines are given "great weight in interpreting CEQA except when . . . clearly unauthorized or erroneous." *Center for Biological Diversity v. Department of Fish & Wildlife* (2015) 62 Cal. 4th 204, 217.

City of Los Angeles – 905-923 Beacon Ave. Project 6/6/23 Page 9 of 16

proposed project is not exempt and may cause a significant effect on the environment, the lead agency must prepare an EIR. PRC §§ 21100(a), 21151; CEQA Guidelines § 15064(a)(1), (f)(1). An EIR may be dispensed with only if the lead agency finds no substantial evidence in the initial study or elsewhere in the record that the project may have a significant effect on the environment. *Parker Shattuck Neighbors v. Berkeley City Council* (2013) 222 Cal. App. 4th 768, 785. In such a situation, the agency must adopt a negative declaration. PRC § 21080(c)(1); CEQA Guidelines §§ 15063(b)(2), 15064(f)(3).

"Significant effect upon the environment" is defined as "a substantial or potentially substantial adverse change in the environment." PRC § 21068; CEQA Guidelines § 15382. A project "may" have a significant effect on the environment if there is a "reasonable probability" that it will result in a significant impact. No Oil, Inc. v. City of Los Angeles, 13 Cal. 3d at 83 fn. 16; Sundstrom v. County of Mendocino (1988) 202 Cal. App. 3d 296, 309. If any aspect of the project may result in a significant impact on the environment, an EIR must be prepared even if the overall effect of the project is beneficial. CEQA Guidelines § 15063(b)(1). See County Sanitation Dist. No. 2 v. County of Kern (2005) 127 Cal. App. 4th 1544, 1580.

This standard sets a "low threshold" for preparation of an EIR. *Consolidated Irrig. Dist.* v. City of Selma (2012) 204 Cal. App. 4th 187, 207; Nelson v. County of Kern (2010) 190 Cal. App. 4th 252; Pocket Protectors v. City of Sacramento (2004) 124 Cal. App. 4th 903, 928; Bowman v. City of Berkeley (2004) 122 Cal. App. 4th 572, 580; Citizen Action to Serve All Students v. Thornley (1990) 222 Cal. App. 3d 748, 754; Sundstrom v. County of Mendocino (1988) 202 Cal. App. 3d 296, 310. If substantial evidence in the record supports a fair argument that the project may have a significant environmental effect, the lead agency must prepare an EIR even if other substantial evidence before it indicates the project will have no significant effect. See Jensen v. City of Santa Rosa (2018) 23 Cal. App. 5th 877, 886; Clews Land & Livestock v. City of San Diego (2017) 19 Cal. App. 5th 161, 183; Stanislaus Audubon Soc'y, Inc. v. County of Stanislaus (1995) 33 Cal. App. 4th 144, 150; Brentwood Ass'n for No Drilling, Inc. v. City of Los Angeles (1982) 134 Cal. App. 3d 491; Friends of "B" St. v. City of Hayward (1980) 106 Cal. App. 3d 988; CEQA Guidelines § 15064(f)(1).

As the Project does not qualify for the sustainable communities project exemption from CEQA as explained below, the low threshold is met and the City must prepare an EIR for the Project. 4 (Cont.)

IV. THE PROJECT IS NOT SUBJECT TO THE SUSTAINABLE COMMUNITIES PROJECT EXEMPTION

PRC Section 21155.1 provides that a project is statutorily exempt from CEQA if it qualifies as a transit priority project and it:

- (1) Can be adequately served by existing utilities, and the transit priority project applicant has paid, or has committed to pay, all applicable in-lieu or development fees;
- (2) Does not contain wetlands or riparian areas, does not have significant value as a wildlife habitat, does not harm any species protected by the federal Endangered Species Act or Native Plant Protection Act, and does not cause the destruction or removal of any species protected by a local ordinance;
- (3) Is not included on any list of hazardous waste sites compiled pursuant to Section 65962.5 of the Government Code;
- (4) Is subject to a preliminary endangerment assessment prepared by an environmental assessor to determine the existence of any release of a hazardous substance on the site and to determine the potential for exposure of future occupants to significant health hazards from any nearby property or activity;
- (5) Does not have a significant effect on historical resources pursuant to Section 21084.1;
- (6) Is not a wildland fire hazard, does not have an unusually high risk of high risk of fire or explosion, is not a landslide hazard, and does not have seismic risk as a result of being within a delineated earthquake fault zone;
- (7) Is not located on developed open space;
- (8) Is 15 percent more energy efficient than required by Chapter 6 of Title
 24 of the California Code of Regulations and designed to achieve 25
 percent less water usage than the average household use in the region;
- (9) Is not more than eight acres in total area;
- (10) Does not contain more than 200 residential units;
- (11) Does not result in any net loss in the number of affordable housing units within the project area;

5

City of Los Angeles – 905-923 Beacon Ave. Project 6/6/23 Page 11 of 16

- (12) Does not include any single level building that exceeds 75,000 square feet;
- (13) Incorporates any applicable mitigation measures or performance standards or criteria set forth in a prior environmental impact report and adopted in findings;
- (14) Is determined not to conflict with nearby operating industrial uses;
- (15) Is located within one-half mile of a rail transit station or a ferry terminal included in a regional transportation plan or within one-quarter mile of a high-quality transit corridor included in a regional transportation plan; and
- (16) It meets one of the following three factors:
 - (i) At least 20 percent of the housing is sold to families of moderate income, or not less than 10 percent of the housing will be rented to families of low income, or not less than 5 percent of the housing is rented to families of very low income and the project developer provides sufficient legal commitments to the appropriate local agency to ensure the continued availability and use of the housing units for very low, low-, and moderate-income households at monthly housing costs with an affordable housing cost or affordable rent, for the period required by the applicable financing;
 - (ii) The developer has paid or will pay in-lieu fees pursuant to a local ordinance in an amount sufficient to result in the development of an equivalent number of units that would otherwise be required; or
 - (iii) It provides public open space equal to or greater than five acres per 1,000 residents of the project.

Here, the Project fails to satisfy all these requirements and therefore is not eligible for the Sustainable Communities Project Exemption ("**SCPE**").

A. <u>There Is Insufficient Evidence that the Project May Be Adequately</u> <u>Served by Existing Utilities</u>

There is insufficient evidence that the Project site is equipped to handle the additional energy, water, and waste consumption of 145 new residential units as well as commercial and retail space in place of a single parking lot. In fact, the evidence

5 (Cont.)

6

points to the opposite conclusion since the sewer availability and waste drainage subsections of the Project permit have not yet been cleared by the Bureau of Engineering.⁹ Accordingly, the Project must not qualify for the SCPE exemption.

B. <u>The Project Construction May Pose Significant Public Health and Safety</u> <u>Impacts</u>

The Project seeks to demolish the existing parking lot structure on the site, thereby subjecting the neighboring multi-unit residential buildings and their sensitive receptors to significant dust and debris emission which may negatively impact their health and must be analyzed and quantified. (See, **Exhibit E** [Zimas Parcel Report for 923 S. Beacon Ave.] and **Exhibit F** [Zimas Parcel Report for the Neighboring Site at 927 1-18 S. Beacon Ave., 18-unit multi-family building next to the Project site].)

Moreover, based on the Project's permit application (**Exhibit D**), the Project involves construction near power lines and work adjacent to public way, which may in turn result in impacts on the public services and utilities for the nearby especially residential structures.

Also, to the extent the Project's staging of heavy construction equipment may foreseeably occur on top of utility connections, the Project may also have significant safety impacts which also must be assessed in an EIR. Thus, for this reason too, SCPE is inapplicable.

C. <u>There Is Insufficient Evidence that the Project Is 15% More Energy</u> <u>Efficient than required by Chapter 6 of Title 24 of the California Code</u> <u>of Regulations and Designed to Achieve 25% Less Water Usage than the</u> <u>Average Household Use in the Region</u>

Yet another reason why the SCPE cannot apply is because there is insufficient evidence that the Project will be 15% more energy efficient than required by Chapter 6 of Title 24 of the California Code of Regulations and is designed to achieve 25% less water usage than the average household use in the region, as required. Rather, the Project application merely provides that passive or natural heating and cooling 7

8

6

(Cont.)

⁹See **Exhibit D** [Permit info as of 6-5-2023 from the Los Angeles Department of Building and Safety Permit Information, also available at https://www.ladbeservices2.locity.org/OplineServices/PermitBeport/PcisPermitDetail2id1

https://www.ladbsservices2.lacity.org/OnlineServices/PermitReport/PcisPermitDetail?id1=20010&id2=10000&id3=01124.

opportunities are feasible.¹⁰ However, such statement fails to in fact provide any evidence or quantification of the Project's estimated energy and water consumption.

Thus, under CEQA Guidelines § 15126.2(b):

"(b) **Energy Impacts**. If analysis of the project's energy use reveals that the project **may** result in significant environmental effects due to **wasteful**, **inefficient**, or **unnecessary** consumption use of energy, or wasteful use of energy resources, the EIR shall mitigate that energy use. This analysis should include the project's energy use for **all** project **phases** and **components**, including **transportation-related** energy, during **construction** and **operation**. **In addition** to building code compliance, **other relevant considerations** may include, among others, the project's **size**, **location**, **orientation**, **equipment use** and any **renewable energy** features that could be incorporated into the project. (Guidance on information that may be included in such an analysis is presented in Appendix F.) This analysis is subject to the rule of reason and shall focus on **energy use** that is caused by the project. This analysis may be included in related analyses of air quality, greenhouse gas emissions, transportation or utilities in the discretion of the lead agency." (Emph. added.)

There is no pertinent information provided for the Project to verify if the abovenoted detailed analysis took place and to fill in the analytical gap to support the agency's conclusion in this case that the Project will indeed not have energy impacts. Compounding this lack of specificity in the City's findings, the Project is proposed on what appears to have been historically a vacant site and therefore its energy usage as compared with the present uses will be significant. As such, it appears that the City failed to consider the Project's size and orientation, as well as the location, when concluding that the Project will be 15 percent more energy-efficient than required.

Absent this detailed and specific information required by CEQA Guidelines and Appendix G referenced therein, the City's conclusion that the Project will be 15% more energy efficient than required by Chapter 6 of Title 24 of the California Code of Regulations and is designed to achieve 25% less water usage than the average household use in the region is merely speculative, rendering the SCPE inapplicable.

8 (Cont.)

¹⁰ Proposed Project findings at 37, available at

https://planning.lacity.org/pdiscaseinfo/document/ODQ1ODI0/4596a256-522b-4c94-acc5-77ce1b3c8ef1/esubmit.

D. <u>There Appears to Be No Preliminary Endangerment Assessment</u> <u>Prepared for the Project to Assess Hazardous Substance Exposure</u>

Finally, the Project should not be eligible for the SCPE because it appears that there is no "preliminary endangerment assessment prepared by an environmental assessor to determine the existence of any release of a hazardous substance on the site and to determine the potential for exposure of future occupants to significant health hazards from any nearby property or activity". PRC § 21155.1(a)(4).

Rather, the Project application blanketly concludes that there are not public health concerns stemming from hazardous materials because the Project will comply with applicable law for asbestos abatement.¹¹ However, determinations that regulatory compliance will be sufficient to prevent significant adverse impacts must be based on a project-specific analysis of potential impacts and the effect of regulatory compliance. See *Californians for Alternatives to Toxics v. Department of Food & Agric.* (2005) 136 Cal.App.4th 1; *Ebbetts Pass Forest Watch v Department of Forestry & Fire Protection* (2008) 43 Cal.App.4th 936, 956. The Project cannot rely upon regulatory compliance to conclude that its eligible for the SCPE without assessing the Project's anticipated hazardous waste exposure in a preliminary endangerment assessment.

Moreover, even though the City's findings are completely silent on the issue of Preliminary endangerment assessment ("PEA"), it does not even provide any information as to any Environmental Site Assessment ("ESA"). Yet, to the extent an ESA was prepared or is to be prepared by the Applicant, it must be noted that an ESA cannot be substituted for a PEA.

An ESA is not the same as a PEA. See, *City of Maywood v. Los Angeles Unified Sch. Dist.* (2012) 208 Cal.App.4th 362, 427. A "preliminary endangerment assessment" is statutorily defined at Health and Safety Code section 25319.5. It is required to be "conducted in a manner that complies with the guidelines published by the department [of Toxic Substances Control] entitled "Preliminary Endangerment Assessment: Guidance Manual." The Guidance Manual also makes clear that the requirements of a PEA go beyond those of a Phase I ESA:

"[O]verall PEA requirements are more comprehensive than requirements for the PA/SI and Phase I Assessments Specific requirements of the PEA that are not typically required for these other types of investigations

¹¹ Id. at p. 36.

include the site specific human health and ecological screening evaluations, public participation requirements, data collection, and scoping activities." Department of Toxic Substances Control, California Environmental Protection Agency, Preliminary Endangerment Assessment: Guidance Manual (rev'd October 2015) pp. iv-v.¹²

A PEA meeting the statutory requirements must analyze the potential for exposure to future occupants to health hazards from "any nearby property or activity." PRC 21155.1(a)(4).

The Applicant here provided no PEA or ESA to ascertain whether the Project indeed qualifies for the claimed CEQA exemption. This omission is critical since the Project site appears to have been historically used as a parking structure and therefore may have been subject to releases, leaks or spills of hazardous chemicals, including petroleum or oil, with the potential to affect the future residents' health.

On this basis, too, the Project does not meet the requirements for the respective TPP exemption.

 E. <u>The City's Findings Fail to Acknowledge or Analyze the Project's</u> <u>Specific Adverse Impacts on Human Beings In Light of the Project's</u> <u>Being a Commercial Corner Development.</u>

Finally, based on the Project's permit information, the Project is a commercial corner development ("CDD") and therefore is subject to additional development regulations. However, the City's findings are silent on this issue and whether the Project is indeed consistent with the respective development and restrictions of a CDD¹³ and whether a conditional use permit ("CUP") is required or whether the Project qualifies for same.

This omission is critical as it indicates that the Project may have a significant specific adverse impact on human beings, including health and safety impacts, and therefore the Project may not qualify for either a density bonus or the exemption it claims.

The City must identify all the Project's inconsistencies with the applicable plans and policies and must provide good faith disclosures before it can make any determination

9 (Cont.)

10

¹² <u>https://www.gsweventcenter.com/Appeal Response References/2015 10 CalEPA.pdf</u>

¹³ See pp. 225-231, esp. 229 for CDD restrictions, including for height and number of stories at <u>https://www.ladbs.org/docs/default-source/publications/information-bulletins/zoning-code/zoning-code-manual-and-commentary.pdf?sfvrsn=101beb53_27</u>

City of Los Angeles – 905-923 Beacon Ave. Project 6/6/23 Page 16 of 16

as to whether the Project indeed qualifies for the density bonus/incentives it requests or whether it qualifies for the CEQA exemption.

V. CONCLUSION

In sum, SMSWRCC requests that the City require a local workforce, that the City impose training requirements for the Project's construction activities to prevent community spread of COVID-19 and other infectious diseases, and that the City determine that the Project is not subject to the Sustainable Communities Project Exemption and that it prepare an EIR for the Project. If the City has any questions, feel free to contact my Office.

Sincerely,

Talia Nimmer Attorneys for Southwest Mountain States Regional Council of Carpenters

Attached:

Exhibit A: March 8, 2021 SWAPE Letter to Mitchell M. Tsai re Local Hire Requirements and Considerations for Greenhouse Gas Modeling;

Exhibit B: Air Quality and GHG Expert Paul Rosenfeld CV;

Exhibit C: Air Quality and GHG Expert Matt Hagemann CV;

Exhibit D: LADBS Permit information as of June 5, 2023;

Exhibit E: ZIMAS parcel report for the Project site lots at 905 and 923 S. Beacon Ave., as of June 5, 2023; and

Exhibit F: ZIMAS parcel report for the lot adjoining the Project site at 927 1-18 S. Beacon Ave., as of June 5, 2023.

10

11

(Cont.)

EXHIBIT A



2656 29th Street, Suite 201 Santa Monica, CA 90405

Matt Hagemann, P.G, C.Hg. (949) 887-9013 <u>mhagemann@swape.com</u>

> Paul E. Rosenfeld, PhD (310) 795-2335 prosenfeld@swape.com

March 8, 2021

Mitchell M. Tsai 155 South El Molino, Suite 104 Pasadena, CA 91101

Subject: Local Hire Requirements and Considerations for Greenhouse Gas Modeling

Dear Mr. Tsai,

Soil Water Air Protection Enterprise ("SWAPE") is pleased to provide the following draft technical report explaining the significance of worker trips required for construction of land use development projects with respect to the estimation of greenhouse gas ("GHG") emissions. The report will also discuss the potential for local hire requirements to reduce the length of worker trips, and consequently, reduced or mitigate the potential GHG impacts.

Worker Trips and Greenhouse Gas Calculations

The California Emissions Estimator Model ("CalEEMod") is a "statewide land use emissions computer model designed to provide a uniform platform for government agencies, land use planners, and environmental professionals to quantify potential criteria pollutant and greenhouse gas (GHG) emissions associated with both construction and operations from a variety of land use projects."¹ CalEEMod quantifies construction-related emissions associated with land use projects resulting from off-road construction equipment; on-road mobile equipment associated with workers, vendors, and hauling; fugitive dust associated with grading, demolition, truck loading, and on-road vehicles traveling along paved and unpaved roads; and architectural coating activities; and paving.²

The number, length, and vehicle class of worker trips are utilized by CalEEMod to calculate emissions associated with the on-road vehicle trips required to transport workers to and from the Project site during construction.³

¹ "California Emissions Estimator Model." CAPCOA, 2017, available at: http://www.aqmd.gov/caleemod/home.

 ² "California Emissions Estimator Model." CAPCOA, 2017, available at: http://www.aqmd.gov/caleemod/home.
 ³ "CalEEMod User's Guide." CAPCOA, November 2017, available at: http://www.aqmd.gov/docs/default-

source/caleemod/01_user-39-s-guide2016-3-2_15november2017.pdf?sfvrsn=4, p. 34.

Specifically, the number and length of vehicle trips is utilized to estimate the vehicle miles travelled ("VMT") associated with construction. Then, utilizing vehicle-class specific EMFAC 2014 emission factors, CalEEMod calculates the vehicle exhaust, evaporative, and dust emissions resulting from construction-related VMT, including personal vehicles for worker commuting.⁴

Specifically, in order to calculate VMT, CalEEMod multiplies the average daily trip rate by the average overall trip length (see excerpt below):

"VMT_d = Σ (Average Daily Trip Rate i * Average Overall Trip Length i) n

Where:

n = Number of land uses being modeled."5

Furthermore, to calculate the on-road emissions associated with worker trips, CalEEMod utilizes the following equation (see excerpt below):

"Emissions_{pollutant} = VMT * EF_{running,pollutant}

Where:

Emissions_{pollutant} = emissions from vehicle running for each pollutant

VMT = vehicle miles traveled

EF_{running,pollutant} = emission factor for running emissions."⁶

Thus, there is a direct relationship between trip length and VMT, as well as a direct relationship between VMT and vehicle running emissions. In other words, when the trip length is increased, the VMT and vehicle running emissions increase as a result. Thus, vehicle running emissions can be reduced by decreasing the average overall trip length, by way of a local hire requirement or otherwise.

Default Worker Trip Parameters and Potential Local Hire Requirements

As previously discussed, the number, length, and vehicle class of worker trips are utilized by CalEEMod to calculate emissions associated with the on-road vehicle trips required to transport workers to and from the Project site during construction.⁷ In order to understand how local hire requirements and associated worker trip length reductions impact GHG emissions calculations, it is important to consider the CalEEMod default worker trip parameters. CalEEMod provides recommended default values based on site-specific information, such as land use type, meteorological data, total lot acreage, project type and typical equipment associated with project type. If more specific project information is known, the user can change the default values and input project-specific values, but the California Environmental Quality Act ("CEQA") requires that such changes be justified by substantial evidence.⁸ The default number of construction-related worker trips is calculated by multiplying the

⁴ "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:* <u>http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6</u>, p. 14-15.

⁵ "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:* <u>http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6</u>, p. 23.

⁶ "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:* <u>http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6</u>, p. 15.

⁷ "CalEEMod User's Guide." CAPCOA, November 2017, *available at:* <u>http://www.aqmd.gov/docs/default-</u> source/caleemod/01 user-39-s-guide2016-3-2 15november2017.pdf?sfvrsn=4, p. 34.

⁸ CalEEMod User Guide, *available at:* <u>http://www.caleemod.com/</u>, p. 1, 9.

number of pieces of equipment for all phases by 1.25, with the exception of worker trips required for the building construction and architectural coating phases.⁹ Furthermore, the worker trip vehicle class is a 50/25/25 percent mix of light duty autos, light duty truck class 1 and light duty truck class 2, respectively."¹⁰ Finally, the default worker trip length is consistent with the length of the operational home-to-work vehicle trips.¹¹ The operational home-to-work vehicle trip lengths are:

"[B]ased on the <u>location</u> and <u>urbanization</u> selected on the project characteristic screen. These values were <u>supplied by the air districts or use a default average for the state</u>. Each district (or county) also assigns trip lengths for urban and rural settings" (emphasis added).¹²

Thus, the default worker trip length is based on the location and urbanization level selected by the User when modeling emissions. The below table shows the CalEEMod default rural and urban worker trip lengths by air basin (see excerpt below and Attachment A).¹³

Worke	r Trip Length by Air Basin	
Air Basin	Rural (miles)	Urban (miles)
Great Basin Valleys	16.8	10.8
Lake County	16.8	10.8
Lake Tahoe	16.8	10.8
Mojave Desert	16.8	10.8
Mountain Counties	16.8	10.8
North Central Coast	17.1	12.3
North Coast	16.8	10.8
Northeast Plateau	16.8	10.8
Sacramento Valley	16.8	10.8
Salton Sea	14.6	11
San Diego	16.8	10.8
San Francisco Bay Area	10.8	10.8
San Joaquin Valley	16.8	10.8
South Central Coast	16.8	10.8
South Coast	19.8	14.7
Average	16.47	11.17
Minimum	10.80	10.80
Maximum	19.80	14.70
Range	9.00	3.90

⁹ "CalEEMod User's Guide." CAPCOA, November 2017, *available at:* <u>http://www.aqmd.gov/docs/default-</u> <u>source/caleemod/01</u> user-39-s-guide2016-3-2 15november2017.pdf?sfvrsn=4, p. 34.

¹⁰ "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, available at:

http://www.aqmd.gov/docs/default-source/caleemod/02 appendix-a2016-3-2.pdf?sfvrsn=6, p. 15. ¹¹ "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, *available at:*

http://www.aqmd.gov/docs/default-source/caleemod/02 appendix-a2016-3-2.pdf?sfvrsn=6, p. 14.

¹² "Appendix A Calculation Details for CalEEMod." CAPCOA, October 2017, available at:

http://www.aqmd.gov/docs/default-source/caleemod/02_appendix-a2016-3-2.pdf?sfvrsn=6, p. 21. ¹³ "Appendix D Default Data Tables." CAPCOA, October 2017, *available at:* <u>http://www.aqmd.gov/docs/default-</u>

<u>source/caleemod/05_appendix-d2016-3-2.pdf?sfvrsn=4</u>, p. D-84 – D-86.

As demonstrated above, default rural worker trip lengths for air basins in California vary from 10.8- to 19.8miles, with an average of 16.47 miles. Furthermore, default urban worker trip lengths vary from 10.8- to 14.7miles, with an average of 11.17 miles. Thus, while default worker trip lengths vary by location, default urban worker trip lengths tend to be shorter in length. Based on these trends evident in the CalEEMod default worker trip lengths, we can reasonably assume that the efficacy of a local hire requirement is especially dependent upon the urbanization of the project site, as well as the project location.

Practical Application of a Local Hire Requirement and Associated Impact

To provide an example of the potential impact of a local hire provision on construction-related GHG emissions, we estimated the significance of a local hire provision for the Village South Specific Plan ("Project") located in the City of Claremont ("City"). The Project proposed to construct 1,000 residential units, 100,000-SF of retail space, 45,000-SF of office space, as well as a 50-room hotel, on the 24-acre site. The Project location is classified as Urban and lies within the Los Angeles-South Coast County. As a result, the Project has a default worker trip length of 14.7 miles.¹⁴ In an effort to evaluate the potential for a local hire provision to reduce the Project's construction-related GHG emissions, we prepared an updated model, reducing all worker trip lengths to 10 miles (see Attachment B). Our analysis estimates that if a local hire provision with a 10-mile radius were to be implemented, the GHG emissions associated with Project construction would decrease by approximately 17% (see table below and Attachment C).

Local Hire Provision Net Change										
Without Local Hire Provision										
Total Construction GHG Emissions (MT CO ₂ e)	3,623									
Amortized Construction GHG Emissions (MT CO ₂ e/year) 120.77										
With Local Hire Provision										
Total Construction GHG Emissions (MT CO2e)	3,024									
Amortized Construction GHG Emissions (MT CO ₂ e/year)	100.80									
% Decrease in Construction-related GHG Emissions	17%									

As demonstrated above, by implementing a local hire provision requiring 10 mile worker trip lengths, the Project could reduce potential GHG emissions associated with construction worker trips. More broadly, any local hire requirement that results in a decreased worker trip length from the default value has the potential to result in a reduction of construction-related GHG emissions, though the significance of the reduction would vary based on the location and urbanization level of the project site.

This serves as an example of the potential impacts of local hire requirements on estimated project-level GHG emissions, though it does not indicate that local hire requirements would result in reduced construction-related GHG emission for all projects. As previously described, the significance of a local hire requirement depends on the worker trip length enforced and the default worker trip length for the project's urbanization level and location.

¹⁴ "Appendix D Default Data Tables." CAPCOA, October 2017, *available at:* <u>http://www.aqmd.gov/docs/default-source/caleemod/05_appendix-d2016-3-2.pdf?sfvrsn=4</u>, p. D-85.

Disclaimer

SWAPE has received limited discovery. Additional information may become available in the future; thus, we retain the right to revise or amend this report when additional information becomes available. Our professional services have been performed using that degree of care and skill ordinarily exercised, under similar circumstances, by reputable environmental consultants practicing in this or similar localities at the time of service. No other warranty, expressed or implied, is made as to the scope of work, work methodologies and protocols, site conditions, analytical testing results, and findings presented. This report reflects efforts which were limited to information that was reasonably accessible at the time of the work, and may contain informational gaps, inconsistencies, or otherwise be incomplete due to the unavailability or uncertainty of information obtained or provided by third parties.

Sincerely,

MHaran

Matt Hagemann, P.G., C.Hg.

Paul Rosupeld

Paul E. Rosenfeld, Ph.D.

Attachment A

Location Type	Location Name	Rural H-W (miles)	Urban H-W (miles)
Air Basin	Great Basin	16.8	10.8
Air Basin	Lake County	16.8	10.8
Air Basin	Lake Tahoe	16.8	10.8
Air Basin	Mojave Desert	16.8	10.8
Air Basin	Mountain	16.8	10.8
Air Basin	North Central	17.1	12.3
Air Basin	North Coast	16.8	10.8
Air Basin	Northeast	16.8	10.8
Air Basin	Sacramento	16.8	10.8
Air Basin	Salton Sea	14.6	11
Air Basin	San Diego	16.8	10.8
Air Basin	San Francisco	10.8	10.8
Air Basin	San Joaquin	16.8	10.8
Air Basin	South Central	16.8	10.8
Air Basin	South Coast	19.8	14.7
Air District	Amador County	16.8	10.8
Air District	Antelope Valley	16.8	10.8
Air District	Bay Area AQMD	10.8	10.8
Air District	Butte County	12.54	12.54
Air District	Calaveras	16.8	10.8
Air District	Colusa County	16.8	10.8
Air District	El Dorado	16.8	10.8
Air District	Feather River	16.8	10.8
Air District	Glenn County	16.8	10.8
Air District	Great Basin	16.8	10.8
Air District	Imperial County	10.2	7.3
Air District	Kern County	16.8	10.8
Air District	Lake County	16.8	10.8
Air District	Lassen County	16.8	10.8
Air District	Mariposa	16.8	10.8
Air District	Mendocino	16.8	10.8
Air District	Modoc County	16.8	10.8
Air District	Mojave Desert	16.8	10.8
Air District	Monterey Bay	16.8	10.8
Air District	North Coast	16.8	10.8
Air District	Northern Sierra	16.8	10.8
Air District	Northern	16.8	10.8
Air District	Placer County	16.8	10.8
Air District	Sacramento	15	10

Air District	San Diego	16.8	10.8
Air District	San Joaquin	16.8	10.8
Air District	San Luis Obispo	13	13
Air District	Santa Barbara	8.3	8.3
Air District	Shasta County	16.8	10.8
Air District	Siskiyou County	16.8	10.8
Air District	South Coast	19.8	14.7
Air District	Tehama County	16.8	10.8
Air District	Tuolumne	16.8	10.8
Air District	Ventura County	16.8	10.8
Air District	Yolo/Solano	15	10
County	Alameda	10.8	10.8
County	Alpine	16.8	10.8
County	Amador	16.8	10.8
County	Butte	12.54	12.54
County	Calaveras	16.8	10.8
County	Colusa	16.8	10.8
County	Contra Costa	10.8	10.8
County	Del Norte	16.8	10.8
County	El Dorado-Lake	16.8	10.8
County	El Dorado-	16.8	10.8
County	Fresno	16.8	10.8
County	Glenn	16.8	10.8
County	Humboldt	16.8	10.8
County	Imperial	10.2	7.3
County	Inyo	16.8	10.8
County	Kern-Mojave	16.8	10.8
County	Kern-San	16.8	10.8
County	Kings	16.8	10.8
County	Lake	16.8	10.8
County	Lassen	16.8	10.8
County	Los Angeles-	16.8	10.8
County	Los Angeles-	19.8	14.7
County	Madera	16.8	10.8
County	Marin	10.8	10.8
County	Mariposa	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Mendocino-	16.8	10.8
County	Merced	16.8	10.8
County	Modoc	16.8	10.8
County	Mono	16.8	10.8
County	Monterey	16.8	10.8
County	Napa	10.8	10.8

County	Nevada	16.8	10.8	
County	Orange	19.8	14.7	
County	Placer-Lake	16.8	10.8	
County	Placer-Mountain	16.8	10.8	
County	Placer-	16.8	10.8	
County	Plumas	16.8	10.8	
County	Riverside-	16.8	10.8	
County	Riverside-	19.8	14.7	
County	Riverside-Salton	14.6	11	
County	Riverside-South	19.8	14.7	
County	Sacramento	15	10	
County	San Benito	16.8	10.8	
County	San Bernardino-	16.8	10.8	
County	San Bernardino-	19.8	14.7	
County	San Diego	16.8	10.8	
County	San Francisco	10.8	10.8	
County	San Joaquin	16.8	10.8	
County	San Luis Obispo	13	13	
County	San Mateo	10.8	10.8	
County	Santa Barbara-	8.3	8.3	
County	Santa Barbara-	8.3	8.3	
County	Santa Clara	10.8	10.8	
County	Santa Cruz	16.8	10.8	
County	Shasta	16.8	10.8	
County	Sierra	16.8	10.8	
County	Siskiyou	16.8	10.8	
County	Solano-	15	10	
County	Solano-San	16.8	10.8	
County	Sonoma-North	16.8	10.8	
County	Sonoma-San	10.8	10.8	
County	Stanislaus	16.8	10.8	
County	Sutter	16.8	10.8	
County	Tehama	16.8	10.8	
County	Trinity	16.8	10.8	
County	Tulare	16.8	10.8	
County	Tuolumne	16.8	10.8	
County	Ventura	16.8	10.8	
County	Yolo	15	10.0	
County	Yuba	16.8	10.8	
Statewide	Statewide	16.8	10.8	
Statewide		10.0	10.0	

Worker	Trip Length by Air Basin	
Air Basin	Rural (miles)	Urban (miles)
Great Basin Valleys	16.8	10.8
Lake County	16.8	10.8
Lake Tahoe	16.8	10.8
Mojave Desert	16.8	10.8
Mountain Counties	16.8	10.8
North Central Coast	17.1	12.3
North Coast	16.8	10.8
Northeast Plateau	16.8	10.8
Sacramento Valley	16.8	10.8
Salton Sea	14.6	11
San Diego	16.8	10.8
San Francisco Bay Area	10.8	10.8
San Joaquin Valley	16.8	10.8
South Central Coast	16.8	10.8
South Coast	19.8	14.7
Average	16.47	11.17
Mininum	10.80	10.80
Maximum	19.80	14.70
Range	9.00	3.90

Attachment B

Page 1 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric		Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Ediso	n			
CO2 Intensity (Ib/MWhr)	702.44	CH4 Intensity (Ib/MWhr)	0.029	N2O Intensity (Ib/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value		
tblFireplaces	FireplaceWoodMass	1,019.20	0.00		
tblFireplaces	FireplaceWoodMass	1,019.20	0.00		
tblFireplaces	NumberWood	1.25	0.00		
tblFireplaces	NumberWood	48.75	0.00		
tblVehicleTrips	ST_TR	7.16	6.17		
tblVehicleTrips	ST_TR	6.39	3.87		
tblVehicleTrips	ST_TR	2.46	1.39		
tblVehicleTrips	ST_TR	158.37	79.82		
tblVehicleTrips	ST_TR	8.19	3.75		
tblVehicleTrips	ST_TR	94.36	63.99		
tblVehicleTrips	ST_TR	49.97	10.74		
tblVehicleTrips	SU_TR	6.07	6.16		
tblVehicleTrips	SU_TR	5.86	4.18		
tblVehicleTrips	SU_TR	1.05	0.69		
tblVehicleTrips	SU_TR	131.84	78.27		

tblVehicleTrips	SU_TR	5.95	3.20		
tblVehicleTrips	SU_TR	72.16	57.65		
tblVehicleTrips	SU_TR	25.24	6.39		
tblVehicleTrips	WD_TR	6.59	5.83		
tblVehicleTrips	WD_TR	6.65	4.13		
tblVehicleTrips	WD_TR	11.03	6.41		
tblVehicleTrips	WD_TR	127.15	65.80		
tblVehicleTrips	WD_TR	8.17	3.84		
tblVehicleTrips	WD_TR	89.95	62.64		
tblVehicleTrips	WD_TR	42.70	9.43		
tblWoodstoves	NumberCatalytic	1.25	0.00		
tblWoodstoves	NumberCatalytic	48.75	0.00		
tblWoodstoves	NumberNoncatalytic	1.25	0.00		
tblWoodstoves	NumberNoncatalytic	48.75	0.00		
tblWoodstoves	WoodstoveDayYear	25.00	0.00		
tblWoodstoves	WoodstoveDayYear	25.00	0.00		
tblWoodstoves	WoodstoveWoodMass	999.60	0.00		
tblWoodstoves	WoodstoveWoodMass	999.60	0.00		

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr												МТ	/yr		
2021	0.1713	1.8242	1.1662	2.4000e- 003	0.4169	0.0817	0.4986	0.1795	0.0754	0.2549	0.0000	213.1969	213.1969	0.0601	0.0000	214.6993
2022	0.6904	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.682 6	1,721.682 6	0.1294	0.0000	1,724.918 7
2023	0.6148	3.3649	5.6747	0.0178	1.1963	0.0996	1.2959	0.3203	0.0935	0.4138	0.0000	1,627.529 5	1,627.529 5	0.1185	0.0000	1,630.492 5
2024	4.1619	0.1335	0.2810	5.9000e- 004	0.0325	6.4700e- 003	0.0390	8.6300e- 003	6.0400e- 003	0.0147	0.0000	52.9078	52.9078	8.0200e- 003	0.0000	53.1082
Maximum	4.1619	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.682 6	1,721.682 6	0.1294	0.0000	1,724.918 7

2.1 Overall Construction

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					tor	ns/yr							M	T/yr		
2021	0.1713	1.8242	1.1662	2.4000e- 003	0.4169	0.0817	0.4986	0.1795	0.0754	0.2549	0.0000	213.1967	213.1967	0.0601	0.0000	214.6991
2022	0.6904	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.682 3	1,721.682 3	0.1294	0.0000	1,724.918 3
2023	0.6148	3.3648	5.6747	0.0178	1.1963	0.0996	1.2959	0.3203	0.0935	0.4138	0.0000	1,627.529 1	1,627.529 1	0.1185	0.0000	1,630.492 1
2024	4.1619	0.1335	0.2810	5.9000e- 004	0.0325	6.4700e- 003	0.0390	8.6300e- 003	6.0400e- 003	0.0147	0.0000	52.9077	52.9077	8.0200e- 003	0.0000	53.1082
Maximum	4.1619	4.1142	6.1625	0.0189	1.3058	0.1201	1.4259	0.3460	0.1128	0.4588	0.0000	1,721.682 3	1,721.682 3	0.1294	0.0000	1,724.918 3
	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Quarter	Sta	art Date	Enc	d Date	Maxim	um Unmitig	ated ROG +	NOX (tons/	quarter)	Maxi	mum Mitigat	ed ROG + N	OX (tons/qu	iarter)		
1	9-	1-2021	11-3	0-2021			1.4103					1.4103				
2	12	-1-2021	2-28	3-2022			1.3613					1.3613				
3	3-	1-2022	5-31	1-2022			1.1985					1.1985				
4	6-	1-2022	8-31	1-2022			1.1921					1.1921				
5	9-	1-2022	11-3	0-2022			1.1918					1.1918				
6	12	-1-2022	2-28	3-2023			1.0774					1.0774				
7	3-	1-2023	5-31	1-2023			1.0320					1.0320				
8	6-	1-2023	8-31	1-2023			1.0260					1.0260				

9	9-1-2023	11-30-2023	1.0265	1.0265
10	12-1-2023	2-29-2024	2.8857	2.8857
11	3-1-2024	5-31-2024	1.6207	1.6207
		Highest	2.8857	2.8857

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Area	5.1437	0.2950	10.3804	1.6700e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835
Energy	0.1398	1.2312	0.7770	7.6200e- 003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.073 2	3,896.073 2	0.1303	0.0468	3,913.283 3
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.498 6	7,620.498 6	0.3407	0.0000	7,629.016 2
Waste	,					0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354
Water	,					0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.18 07	12,531.15 19	15.7904	0.1260	12,963.47 51

Page 7 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	SC		itive /10	Exhaust PM10	PM10 Total	Fugiti PM2		aust 12.5	PM2.5 Total	Bio-	CO2 NE	Bio- CO2	Total CO2	CH4	N2O	CO2e
Category						tons	s/yr									M.	Г/yr		
Area	5.1437	0.2950	10.38	04 1.67 00	00e-)3		0.0714	0.0714		0.0	714	0.0714	0.0	000 2:	20.9670	220.9670	0.0201	3.7400e- 003	222.5835
Energy	0.1398	1.2312	0.777	0 7.62 00			0.0966	0.0966		0.0	966	0.0966	0.0	000 3,	896.073 2	3,896.073 2	0.1303	0.0468	3,913.283 3
Mobile	1.5857	7.9962	19.18	34 0.0	821 7.7	979	0.0580	7.8559	2.08	95 0.0	539	2.1434	0.0	000 7,	620.498 6	7,620.498 6	0.3407	0.0000	7,629.016 2
Waste	6,						0.0000	0.0000		0.0	000	0.0000	207.	3079	0.0000	207.8079	12.2811	0.0000	514.8354
Water	,						0.0000	0.0000		0.0	000	0.0000	29.1	632 5	56.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.34	07 0.0	914 7.7	979	0.2260	8.0240	2.08	95 0.2	219	2.3114	236.	9712 12	2,294.18 07	12,531.15 19	15.7904	0.1260	12,963.47 51
	ROG		NOx	со	SO2	Fugit PM			/10 otal	Fugitive PM2.5	Exhau PM2		2.5 otal	Bio- CO	2 NBio-	CO2 Total	CO2 C	H4 N	120 CO26
Percent Reduction	0.00		0.00	0.00	0.00	0.0	0 0.	.00 0	.00	0.00	0.0	0 0.	00	0.00	0.0	0 0.0	0 00	.00 0	.00 0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e- 003	0.0000	7.5100e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e- 004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601
Total	0.0475	0.4716	0.3235	5.8000e- 004	0.0496	0.0233	0.0729	7.5100e- 003	0.0216	0.0291	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	1.9300e- 003	0.0634	0.0148	1.8000e- 004	3.9400e- 003	1.9000e- 004	4.1300e- 003	1.0800e- 003	1.8000e- 004	1.2600e- 003	0.0000	17.4566	17.4566	1.2100e- 003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e- 004	7.5000e- 004	8.5100e- 003	2.0000e- 005	2.4700e- 003	2.0000e- 005	2.4900e- 003	6.5000e- 004	2.0000e- 005	6.7000e- 004	0.0000	2.2251	2.2251	7.0000e- 005	0.0000	2.2267
Total	2.9000e- 003	0.0641	0.0233	2.0000e- 004	6.4100e- 003	2.1000e- 004	6.6200e- 003	1.7300e- 003	2.0000e- 004	1.9300e- 003	0.0000	19.6816	19.6816	1.2800e- 003	0.0000	19.7136

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e- 003	0.0000	7.5100e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e- 004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600
Total	0.0475	0.4716	0.3235	5.8000e- 004	0.0496	0.0233	0.0729	7.5100e- 003	0.0216	0.0291	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	1.9300e- 003	0.0634	0.0148	1.8000e- 004	3.9400e- 003	1.9000e- 004	4.1300e- 003	1.0800e- 003	1.8000e- 004	1.2600e- 003	0.0000	17.4566	17.4566	1.2100e- 003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	9.7000e- 004	7.5000e- 004	8.5100e- 003	2.0000e- 005	2.4700e- 003	2.0000e- 005	2.4900e- 003	6.5000e- 004	2.0000e- 005	6.7000e- 004	0.0000	2.2251	2.2251	7.0000e- 005	0.0000	2.2267
Total	2.9000e- 003	0.0641	0.0233	2.0000e- 004	6.4100e- 003	2.1000e- 004	6.6200e- 003	1.7300e- 003	2.0000e- 004	1.9300e- 003	0.0000	19.6816	19.6816	1.2800e- 003	0.0000	19.7136

3.3 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e- 004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061
Total	0.0389	0.4050	0.2115	3.8000e- 004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.7000e- 004	6.0000e- 004	6.8100e- 003	2.0000e- 005	1.9700e- 003	2.0000e- 005	1.9900e- 003	5.2000e- 004	1.0000e- 005	5.4000e- 004	0.0000	1.7801	1.7801	5.0000e- 005	0.0000	1.7814
Total	7.7000e- 004	6.0000e- 004	6.8100e- 003	2.0000e- 005	1.9700e- 003	2.0000e- 005	1.9900e- 003	5.2000e- 004	1.0000e- 005	5.4000e- 004	0.0000	1.7801	1.7801	5.0000e- 005	0.0000	1.7814

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	∵/yr		
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e- 004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060
Total	0.0389	0.4050	0.2115	3.8000e- 004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	'/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.7000e- 004	6.0000e- 004	6.8100e- 003	2.0000e- 005	1.9700e- 003	2.0000e- 005	1.9900e- 003	5.2000e- 004	1.0000e- 005	5.4000e- 004	0.0000	1.7801	1.7801	5.0000e- 005	0.0000	1.7814
Total	7.7000e- 004	6.0000e- 004	6.8100e- 003	2.0000e- 005	1.9700e- 003	2.0000e- 005	1.9900e- 003	5.2000e- 004	1.0000e- 005	5.4000e- 004	0.0000	1.7801	1.7801	5.0000e- 005	0.0000	1.7814

3.4 Grading - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e- 003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776
Total	0.0796	0.8816	0.5867	1.1800e- 003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6400e- 003	1.2700e- 003	0.0144	4.0000e- 005	4.1600e- 003	3.0000e- 005	4.2000e- 003	1.1100e- 003	3.0000e- 005	1.1400e- 003	0.0000	3.7579	3.7579	1.1000e- 004	0.0000	3.7607
Total	1.6400e- 003	1.2700e- 003	0.0144	4.0000e- 005	4.1600e- 003	3.0000e- 005	4.2000e- 003	1.1100e- 003	3.0000e- 005	1.1400e- 003	0.0000	3.7579	3.7579	1.1000e- 004	0.0000	3.7607

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	∵/yr		
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e- 003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775
Total	0.0796	0.8816	0.5867	1.1800e- 003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775

Page 16 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.6400e- 003	1.2700e- 003	0.0144	4.0000e- 005	4.1600e- 003	3.0000e- 005	4.2000e- 003	1.1100e- 003	3.0000e- 005	1.1400e- 003	0.0000	3.7579	3.7579	1.1000e- 004	0.0000	3.7607
Total	1.6400e- 003	1.2700e- 003	0.0144	4.0000e- 005	4.1600e- 003	3.0000e- 005	4.2000e- 003	1.1100e- 003	3.0000e- 005	1.1400e- 003	0.0000	3.7579	3.7579	1.1000e- 004	0.0000	3.7607

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	∵/yr		
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e- 004		5.7200e- 003	5.7200e- 003		5.2600e- 003	5.2600e- 003	0.0000	19.0871	19.0871	6.1700e- 003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e- 004	0.0807	5.7200e- 003	0.0865	0.0180	5.2600e- 003	0.0233	0.0000	19.0871	19.0871	6.1700e- 003	0.0000	19.2414

Page 17 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	'/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e- 004	2.1000e- 004	2.4400e- 003	1.0000e- 005	7.7000e- 004	1.0000e- 005	7.7000e- 004	2.0000e- 004	1.0000e- 005	2.1000e- 004	0.0000	0.6679	0.6679	2.0000e- 005	0.0000	0.6684
Total	2.8000e- 004	2.1000e- 004	2.4400e- 003	1.0000e- 005	7.7000e- 004	1.0000e- 005	7.7000e- 004	2.0000e- 004	1.0000e- 005	2.1000e- 004	0.0000	0.6679	0.6679	2.0000e- 005	0.0000	0.6684

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e- 004		5.7200e- 003	5.7200e- 003		5.2600e- 003	5.2600e- 003	0.0000	19.0871	19.0871	6.1700e- 003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e- 004	0.0807	5.7200e- 003	0.0865	0.0180	5.2600e- 003	0.0233	0.0000	19.0871	19.0871	6.1700e- 003	0.0000	19.2414

Page 18 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr		<u>.</u>					MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e- 004	2.1000e- 004	2.4400e- 003	1.0000e- 005	7.7000e- 004	1.0000e- 005	7.7000e- 004	2.0000e- 004	1.0000e- 005	2.1000e- 004	0.0000	0.6679	0.6679	2.0000e- 005	0.0000	0.6684
Total	2.8000e- 004	2.1000e- 004	2.4400e- 003	1.0000e- 005	7.7000e- 004	1.0000e- 005	7.7000e- 004	2.0000e- 004	1.0000e- 005	2.1000e- 004	0.0000	0.6679	0.6679	2.0000e- 005	0.0000	0.6684

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	'/yr		
	0.2158	1.9754	2.0700	3.4100e- 003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881
Total	0.2158	1.9754	2.0700	3.4100e- 003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e- 003	0.1140	3.1800e- 003	0.1171	0.0329	3.0400e- 003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.4088	0.3066	3.5305	0.0107	1.1103	8.8700e- 003	1.1192	0.2949	8.1700e- 003	0.3031	0.0000	966.8117	966.8117	0.0266	0.0000	967.4773
Total	0.4616	2.0027	3.9885	0.0152	1.2243	0.0121	1.2363	0.3278	0.0112	0.3390	0.0000	1,408.795 2	1,408.795 2	0.0530	0.0000	1,410.120 8

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Off-Road	0.2158	1.9754	2.0700	3.4100e- 003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877
Total	0.2158	1.9754	2.0700	3.4100e- 003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr										MT/yr						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0527	1.6961	0.4580	4.5500e- 003	0.1140	3.1800e- 003	0.1171	0.0329	3.0400e- 003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435	
Worker	0.4088	0.3066	3.5305	0.0107	1.1103	8.8700e- 003	1.1192	0.2949	8.1700e- 003	0.3031	0.0000	966.8117	966.8117	0.0266	0.0000	967.4773	
Total	0.4616	2.0027	3.9885	0.0152	1.2243	0.0121	1.2363	0.3278	0.0112	0.3390	0.0000	1,408.795 2	1,408.795 2	0.0530	0.0000	1,410.120 8	

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr									MT/yr						
Off-Road	0.1942	1.7765	2.0061	3.3300e- 003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814
Total	0.1942	1.7765	2.0061	3.3300e- 003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e- 003	0.1113	1.4600e- 003	0.1127	0.0321	1.4000e- 003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.3753	0.2708	3.1696	0.0101	1.0840	8.4100e- 003	1.0924	0.2879	7.7400e- 003	0.2957	0.0000	909.3439	909.3439	0.0234	0.0000	909.9291
Total	0.4135	1.5218	3.5707	0.0144	1.1953	9.8700e- 003	1.2051	0.3200	9.1400e- 003	0.3292	0.0000	1,327.336 9	1,327.336 9	0.0462	0.0000	1,328.491 6

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	0.1942	1.7765	2.0061	3.3300e- 003		0.0864	0.0864	1 1 1	0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811
Total	0.1942	1.7765	2.0061	3.3300e- 003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e- 003	0.1113	1.4600e- 003	0.1127	0.0321	1.4000e- 003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.3753	0.2708	3.1696	0.0101	1.0840	8.4100e- 003	1.0924	0.2879	7.7400e- 003	0.2957	0.0000	909.3439	909.3439	0.0234	0.0000	909.9291
Total	0.4135	1.5218	3.5707	0.0144	1.1953	9.8700e- 003	1.2051	0.3200	9.1400e- 003	0.3292	0.0000	1,327.336 9	1,327.336 9	0.0462	0.0000	1,328.491 6

3.6 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	6.7100e- 003	0.0663	0.0948	1.5000e- 004		3.3200e- 003	3.3200e- 003		3.0500e- 003	3.0500e- 003	0.0000	13.0175	13.0175	4.2100e- 003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e- 003	0.0663	0.0948	1.5000e- 004		3.3200e- 003	3.3200e- 003		3.0500e- 003	3.0500e- 003	0.0000	13.0175	13.0175	4.2100e- 003	0.0000	13.1227

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr				MT	/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e- 004	2.7000e- 004	3.1200e- 003	1.0000e- 005	1.0700e- 003	1.0000e- 005	1.0800e- 003	2.8000e- 004	1.0000e- 005	2.9000e- 004	0.0000	0.8963	0.8963	2.0000e- 005	0.0000	0.8968
Total	3.7000e- 004	2.7000e- 004	3.1200e- 003	1.0000e- 005	1.0700e- 003	1.0000e- 005	1.0800e- 003	2.8000e- 004	1.0000e- 005	2.9000e- 004	0.0000	0.8963	0.8963	2.0000e- 005	0.0000	0.8968

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	7/yr		
Off-Road	6.7100e- 003	0.0663	0.0948	1.5000e- 004		3.3200e- 003	3.3200e- 003		3.0500e- 003	3.0500e- 003	0.0000	13.0175	13.0175	4.2100e- 003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e- 003	0.0663	0.0948	1.5000e- 004		3.3200e- 003	3.3200e- 003		3.0500e- 003	3.0500e- 003	0.0000	13.0175	13.0175	4.2100e- 003	0.0000	13.1227

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	'/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	3.7000e- 004	2.7000e- 004	3.1200e- 003	1.0000e- 005	1.0700e- 003	1.0000e- 005	1.0800e- 003	2.8000e- 004	1.0000e- 005	2.9000e- 004	0.0000	0.8963	0.8963	2.0000e- 005	0.0000	0.8968
Total	3.7000e- 004	2.7000e- 004	3.1200e- 003	1.0000e- 005	1.0700e- 003	1.0000e- 005	1.0800e- 003	2.8000e- 004	1.0000e- 005	2.9000e- 004	0.0000	0.8963	0.8963	2.0000e- 005	0.0000	0.8968

3.6 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	0.0109	0.1048	0.1609	2.5000e- 004		5.1500e- 003	5.1500e- 003		4.7400e- 003	4.7400e- 003	0.0000	22.0292	22.0292	7.1200e- 003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e- 004		5.1500e- 003	5.1500e- 003		4.7400e- 003	4.7400e- 003	0.0000	22.0292	22.0292	7.1200e- 003	0.0000	22.2073

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e- 004	4.1000e- 004	4.9200e- 003	2.0000e- 005	1.8100e- 003	1.0000e- 005	1.8200e- 003	4.8000e- 004	1.0000e- 005	4.9000e- 004	0.0000	1.4697	1.4697	4.0000e- 005	0.0000	1.4706
Total	5.9000e- 004	4.1000e- 004	4.9200e- 003	2.0000e- 005	1.8100e- 003	1.0000e- 005	1.8200e- 003	4.8000e- 004	1.0000e- 005	4.9000e- 004	0.0000	1.4697	1.4697	4.0000e- 005	0.0000	1.4706

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	0.0109	0.1048	0.1609	2.5000e- 004		5.1500e- 003	5.1500e- 003		4.7400e- 003	4.7400e- 003	0.0000	22.0292	22.0292	7.1200e- 003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e- 004		5.1500e- 003	5.1500e- 003		4.7400e- 003	4.7400e- 003	0.0000	22.0292	22.0292	7.1200e- 003	0.0000	22.2073

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.9000e- 004	4.1000e- 004	4.9200e- 003	2.0000e- 005	1.8100e- 003	1.0000e- 005	1.8200e- 003	4.8000e- 004	1.0000e- 005	4.9000e- 004	0.0000	1.4697	1.4697	4.0000e- 005	0.0000	1.4706
Total	5.9000e- 004	4.1000e- 004	4.9200e- 003	2.0000e- 005	1.8100e- 003	1.0000e- 005	1.8200e- 003	4.8000e- 004	1.0000e- 005	4.9000e- 004	0.0000	1.4697	1.4697	4.0000e- 005	0.0000	1.4706

3.7 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
, a church counting	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1 .	3.1600e- 003	0.0213	0.0317	5.0000e- 005		1.0700e- 003	1.0700e- 003		1.0700e- 003	1.0700e- 003	0.0000	4.4682	4.4682	2.5000e- 004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e- 005		1.0700e- 003	1.0700e- 003		1.0700e- 003	1.0700e- 003	0.0000	4.4682	4.4682	2.5000e- 004	0.0000	4.4745

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0101	6.9900e- 003	0.0835	2.8000e- 004	0.0307	2.3000e- 004	0.0309	8.1500e- 003	2.2000e- 004	8.3700e- 003	0.0000	24.9407	24.9407	6.1000e- 004	0.0000	24.9558
Total	0.0101	6.9900e- 003	0.0835	2.8000e- 004	0.0307	2.3000e- 004	0.0309	8.1500e- 003	2.2000e- 004	8.3700e- 003	0.0000	24.9407	24.9407	6.1000e- 004	0.0000	24.9558

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	7/yr		
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e- 003	0.0213	0.0317	5.0000e- 005		1.0700e- 003	1.0700e- 003		1.0700e- 003	1.0700e- 003	0.0000	4.4682	4.4682	2.5000e- 004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e- 005		1.0700e- 003	1.0700e- 003		1.0700e- 003	1.0700e- 003	0.0000	4.4682	4.4682	2.5000e- 004	0.0000	4.4745

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0101	6.9900e- 003	0.0835	2.8000e- 004	0.0307	2.3000e- 004	0.0309	8.1500e- 003	2.2000e- 004	8.3700e- 003	0.0000	24.9407	24.9407	6.1000e- 004	0.0000	24.9558
Total	0.0101	6.9900e- 003	0.0835	2.8000e- 004	0.0307	2.3000e- 004	0.0309	8.1500e- 003	2.2000e- 004	8.3700e- 003	0.0000	24.9407	24.9407	6.1000e- 004	0.0000	24.9558

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.498 6	7,620.498 6	0.3407	0.0000	7,629.016 2
Unmitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.498 6	7,620.498 6	0.3407	0.0000	7,629.016 2

4.2 Trip Summary Information

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.646 5	2,512.646 5	0.1037	0.0215	2,521.635 6
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.646 5	2,512.646 5	0.1037	0.0215	2,521.635 6
NaturalGas Mitigated	0.1398	1.2312	0.7770	7.6200e- 003	,	0.0966	0.0966	,	0.0966	0.0966	0.0000	1,383.426 7	1,383.426 7	0.0265	0.0254	1,391.647 8
NaturalGas Unmitigated	0.1398	1.2312	0.7770	7.6200e- 003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.426 7	1,383.426 7	0.0265	0.0254	1,391.647 8

5.2 Energy by Land Use - NaturalGas

<u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	/yr		
Apartments Low Rise	408494	2.2000e- 003	0.0188	8.0100e- 003	1.2000e- 004		1.5200e- 003	1.5200e- 003		1.5200e- 003	1.5200e- 003	0.0000	21.7988	21.7988	4.2000e- 004	4.0000e- 004	21.9284
Apartments Mid Rise	1.30613e +007	0.0704	0.6018	0.2561	3.8400e- 003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e- 003	0.0230	0.0193	1.4000e- 004		1.7500e- 003	1.7500e- 003		1.7500e- 003	1.7500e- 003	0.0000	24.9983	24.9983	4.8000e- 004	4.6000e- 004	25.1468
High Turnover (Sit Down Restaurant)		0.0448	0.4072	0.3421	2.4400e- 003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e- 003	8.1300e- 003	445.9468
Hotel	1.74095e +006	9.3900e- 003	0.0853	0.0717	5.1000e- 004		6.4900e- 003	6.4900e- 003		6.4900e- 003	6.4900e- 003	0.0000	92.9036	92.9036	1.7800e- 003	1.7000e- 003	93.4557
Quality Restaurant	1.84608e +006	9.9500e- 003	0.0905	0.0760	5.4000e- 004		6.8800e- 003	6.8800e- 003		6.8800e- 003	6.8800e- 003	0.0000	98.5139	98.5139	1.8900e- 003	1.8100e- 003	99.0993
Regional Shopping Center	31040 i	5.0000e- 004	4.5000e- 003	3.7800e- 003	3.0000e- 005		3.4000e- 004	3.4000e- 004		3.4000e- 004	3.4000e- 004	0.0000	4.9009	4.9009	9.0000e- 005	9.0000e- 005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e- 003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.426 8	1,383.426 8	0.0265	0.0254	1,391.647 8

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr			-				MT	ſ/yr		
Apartments Low Rise	408494	2.2000e- 003	0.0188	8.0100e- 003	1.2000e- 004		1.5200e- 003	1.5200e- 003		1.5200e- 003	1.5200e- 003	0.0000	21.7988	21.7988	4.2000e- 004	4.0000e- 004	21.9284
Apartments Mid Rise	1.30613e +007	0.0704	0.6018	0.2561	3.8400e- 003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e- 003	0.0230	0.0193	1.4000e- 004		1.7500e- 003	1.7500e- 003		1.7500e- 003	1.7500e- 003	0.0000	24.9983	24.9983	4.8000e- 004	4.6000e- 004	25.1468
High Turnover (Sit Down Restaurant)		0.0448	0.4072	0.3421	2.4400e- 003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e- 003	8.1300e- 003	445.9468
Hotel	1.74095e +006	9.3900e- 003	0.0853	0.0717	5.1000e- 004		6.4900e- 003	6.4900e- 003		6.4900e- 003	6.4900e- 003	0.0000	92.9036	92.9036	1.7800e- 003	1.7000e- 003	93.4557
Quality Restaurant	1.84608e +006	9.9500e- 003	0.0905	0.0760	5.4000e- 004		6.8800e- 003	6.8800e- 003		6.8800e- 003	6.8800e- 003	0.0000	98.5139	98.5139	1.8900e- 003	1.8100e- 003	99.0993
Regional Shopping Center	91840	5.0000e- 004	4.5000e- 003	3.7800e- 003	3.0000e- 005		3.4000e- 004	3.4000e- 004		3.4000e- 004	3.4000e- 004	0.0000	4.9009	4.9009	9.0000e- 005	9.0000e- 005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e- 003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.426 8	1,383.426 8	0.0265	0.0254	1,391.647 8

Page 34 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity

<u>Unmitigated</u>

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		МТ	7/yr	
Apartments Low Rise	106010	33.7770	1.3900e- 003	2.9000e- 004	33.8978
Apartments Mid Rise	3.94697e +006	1,257.587 9	0.0519	0.0107	1,262.086 9
General Office Building	584550	186.2502	7.6900e- 003	1.5900e- 003	186.9165
High Turnover (Sit Down Restaurant)		506.3022	0.0209	4.3200e- 003	508.1135
Hotel	550308	175.3399	7.2400e- 003	1.5000e- 003	175.9672
Quality Restaurant	353120	112.5116	4.6500e- 003	9.6000e- 004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e- 003	2.0600e- 003	241.7395
Total		2,512.646 5	0.1037	0.0215	2,521.635 6

Page 35 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		МТ	/yr	
Apartments Low Rise	106010	33.7770	1.3900e- 003	2.9000e- 004	33.8978
Apartments Mid Rise	3.94697e +006	1,257.587 9	0.0519	0.0107	1,262.086 9
General Office Building	584550	186.2502	7.6900e- 003	1.5900e- 003	186.9165
High Turnover (Sit Down Restaurant)		506.3022	0.0209	4.3200e- 003	508.1135
Hotel	550308	175.3399	7.2400e- 003	1.5000e- 003	175.9672
Quality Restaurant	353120	112.5116	4.6500e- 003	9.6000e- 004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e- 003	2.0600e- 003	241.7395
Total		2,512.646 5	0.1037	0.0215	2,521.635 6

6.0 Area Detail

6.1 Mitigation Measures Area

Page 36 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Mitigated	5.1437	0.2950	10.3804	1.6700e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835
Unmitigated	5.1437	0.2950	10.3804	1.6700e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835

6.2 Area by SubCategory

<u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr							MT/yr								
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e- 003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e- 003	3.7400e- 003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e- 004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr						MT/yr									
Architectural Coating	0.4137		1 1 1		1 1 1	0.0000	0.0000	1 1 1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e- 003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e- 003	3.7400e- 003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e- 004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835

7.0 Water Detail

7.1 Mitigation Measures Water

Page 38 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	Total CO2	CH4	N2O	CO2e
Category		МТ	/yr	
	585.8052	3.0183	0.0755	683.7567
- Guine	585.8052	3.0183	0.0755	683.7567

Page 39 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use

<u>Unmitigated</u>

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		MT	/yr	
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e- 003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e- 003	61.6019
High Turnover (Sit Down Restaurant)			0.3580	8.8200e- 003	62.8482
Hotel	1.26834 / 0.140927		0.0416	1.0300e- 003	7.5079
	2.42827 / 0.154996		0.0796	1.9600e- 003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e- 003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

Page 40 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use

Mitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		МТ	/yr	
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e- 003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e- 003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e- 003	62.8482
Hotel	1.26834 / 0.140927		0.0416	1.0300e- 003	7.5079
	2.42827 / 0.154996		0.0796	1.9600e- 003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e- 003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

8.0 Waste Detail

8.1 Mitigation Measures Waste

Page 41 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
		MT	7/yr	
Initigation	207.8079	12.2811	0.0000	514.8354
- g	207.8079	12.2811	0.0000	514.8354

Page 42 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use

<u>Unmitigated</u>

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		МТ	/yr	
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)		86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

Page 43 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		МТ	/yr	
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)		86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

Page 44 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
User Defined Equipment					
Equipment Type	Number				

11.0 Vegetation

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Ediso	n			
CO2 Intensity (Ib/MWhr)	702.44	CH4 Intensity (Ib/MWhr)	0.029	N2O Intensity (Ib/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/d	day							lb/d	lay		
2021	4.2769	46.4588	31.6840	0.0643	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,234.797 4	6,234.797 4	1.9495	0.0000	6,283.535 2
2022	5.3304	38.8967	49.5629	0.1517	9.8688	1.6366	10.7727	3.6558	1.5057	5.1615	0.0000	15,251.56 74	15,251.56 74	1.9503	0.0000	15,278.52 88
2023	4.8957	26.3317	46.7567	0.1472	9.8688	0.7794	10.6482	2.6381	0.7322	3.3702	0.0000	14,807.52 69	14,807.52 69	1.0250	0.0000	14,833.15 21
2024	237.1630	9.5575	15.1043	0.0244	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,361.398 9	2,361.398 9	0.7177	0.0000	2,379.342 1
Maximum	237.1630	46.4588	49.5629	0.1517	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	15,251.56 74	15,251.56 74	1.9503	0.0000	15,278.52 88

2.1 Overall Construction (Maximum Daily Emission)

Mitigated Construction

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/	/day							lb/d	day		
2021	4.2769	46.4588	31.6840	0.0643	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,234.797 4	6,234.797 4	1.9495	0.0000	6,283.535 2
2022	5.3304	38.8967	49.5629	0.1517	9.8688	1.6366	10.7727	3.6558	1.5057	5.1615	0.0000	15,251.56 74	15,251.56 74	1.9503	0.0000	15,278.52 88
2023	4.8957	26.3317	46.7567	0.1472	9.8688	0.7794	10.6482	2.6381	0.7322	3.3702	0.0000	14,807.52 69	14,807.52 69	1.0250	0.0000	14,833.15 20
2024	237.1630	9.5575	15.1043	0.0244	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,361.398 9	2,361.398 9	0.7177	0.0000	2,379.342 1
Maximum	237.1630	46.4588	49.5629	0.1517	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	15,251.56 74	15,251.56 74	1.9503	0.0000	15,278.52 88
	ROG	NOx	СО	SO2	Fugitive	Exhaust	PM10 Total	Fugitive	Exhaust	PM2.5	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	lay		
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Mitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/d	day		
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day												lb/c	lay		
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.944 9	3,747.944 9	1.0549		3,774.317 4

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/											
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0643	0.0442	0.6042	1.7100e- 003	0.1677	1.3500e- 003	0.1690	0.0445	1.2500e- 003	0.0457		170.8155	170.8155	5.0300e- 003		170.9413
Total	0.1916	4.1394	1.5644	0.0136	0.4346	0.0139	0.4485	0.1176	0.0133	0.1309		1,463.056 8	1,463.056 8	0.0927		1,465.375 0

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e			
Category	lb/day												lb/day						
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000			
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4			
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4			

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	lb/day										
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0643	0.0442	0.6042	1.7100e- 003	0.1677	1.3500e- 003	0.1690	0.0445	1.2500e- 003	0.0457		170.8155	170.8155	5.0300e- 003		170.9413
Total	0.1916	4.1394	1.5644	0.0136	0.4346	0.0139	0.4485	0.1176	0.0133	0.1309		1,463.056 8	1,463.056 8	0.0927		1,465.375 0

3.3 Site Preparation - 2021

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day												lb/c	lay		
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307		- - - - -	0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	lb/day										
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e- 003	0.2012	1.6300e- 003	0.2028	0.0534	1.5000e- 003	0.0549		204.9786	204.9786	6.0400e- 003		205.1296
Total	0.0772	0.0530	0.7250	2.0600e- 003	0.2012	1.6300e- 003	0.2028	0.0534	1.5000e- 003	0.0549		204.9786	204.9786	6.0400e- 003		205.1296

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day												lb/c	lay		
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.656 9	3,685.656 9	1.1920		3,715.457 3

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0772	0.0530	0.7250	2.0600e- 003	0.2012	1.6300e- 003	0.2028	0.0534	1.5000e- 003	0.0549		204.9786	204.9786	6.0400e- 003		205.1296
Total	0.0772	0.0530	0.7250	2.0600e- 003	0.2012	1.6300e- 003	0.2028	0.0534	1.5000e- 003	0.0549		204.9786	204.9786	6.0400e- 003		205.1296

3.4 Grading - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.043 4	6,007.043 4	1.9428		6,055.613 4
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.043 4	6,007.043 4	1.9428		6,055.613 4

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day				lb/c	lay					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0857	0.0589	0.8056	2.2900e- 003	0.2236	1.8100e- 003	0.2254	0.0593	1.6600e- 003	0.0610		227.7540	227.7540	6.7100e- 003		227.9217
Total	0.0857	0.0589	0.8056	2.2900e- 003	0.2236	1.8100e- 003	0.2254	0.0593	1.6600e- 003	0.0610		227.7540	227.7540	6.7100e- 003		227.9217

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.043 4	6,007.043 4	1.9428		6,055.613 4
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.043 4	6,007.043 4	1.9428		6,055.613 4

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0857	0.0589	0.8056	2.2900e- 003	0.2236	1.8100e- 003	0.2254	0.0593	1.6600e- 003	0.0610		227.7540	227.7540	6.7100e- 003		227.9217
Total	0.0857	0.0589	0.8056	2.2900e- 003	0.2236	1.8100e- 003	0.2254	0.0593	1.6600e- 003	0.0610		227.7540	227.7540	6.7100e- 003		227.9217

3.4 Grading - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.410 5	6,011.410 5	1.9442		6,060.015 8
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.410 5	6,011.410 5	1.9442		6,060.015 8

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category														lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0803	0.0532	0.7432	2.2100e- 003	0.2236	1.7500e- 003	0.2253	0.0593	1.6100e- 003	0.0609		219.7425	219.7425	6.0600e- 003		219.8941
Total	0.0803	0.0532	0.7432	2.2100e- 003	0.2236	1.7500e- 003	0.2253	0.0593	1.6100e- 003	0.0609		219.7425	219.7425	6.0600e- 003		219.8941

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.410 5	6,011.410 5	1.9442		6,060.015 8
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.410 5	6,011.410 5	1.9442		6,060.015 8

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0803	0.0532	0.7432	2.2100e- 003	0.2236	1.7500e- 003	0.2253	0.0593	1.6100e- 003	0.0609		219.7425	219.7425	6.0600e- 003		219.8941
Total	0.0803	0.0532	0.7432	2.2100e- 003	0.2236	1.7500e- 003	0.2253	0.0593	1.6100e- 003	0.0609		219.7425	219.7425	6.0600e- 003		219.8941

3.5 Building Construction - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	-	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.333 6	2,554.333 6	0.6120		2,569.632 2

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	3.2162	2.1318	29.7654	0.0883	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,800.685 7	8,800.685 7	0.2429		8,806.758 2
Total	3.6242	15.3350	33.1995	0.1247	9.8688	0.0949	9.9637	2.6381	0.0883	2.7263		12,697.23 39	12,697.23 39	0.4665		12,708.89 66

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	3.2162	2.1318	29.7654	0.0883	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,800.685 7	8,800.685 7	0.2429		8,806.758 2
Total	3.6242	15.3350	33.1995	0.1247	9.8688	0.0949	9.9637	2.6381	0.0883	2.7263		12,697.23 39	12,697.23 39	0.4665		12,708.89 66

3.5 Building Construction - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997	1 1 1	0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	3.0203	1.9287	27.4113	0.0851	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		8,478.440 8	8,478.440 8	0.2190		8,483.916 0
Total	3.3229	11.9468	30.5127	0.1203	9.8688	0.0797	9.9485	2.6381	0.0738	2.7118		12,252.31 70	12,252.31 70	0.4172		12,262.74 60

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997	- 	0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	3.0203	1.9287	27.4113	0.0851	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		8,478.440 8	8,478.440 8	0.2190		8,483.916 0
Total	3.3229	11.9468	30.5127	0.1203	9.8688	0.0797	9.9485	2.6381	0.0738	2.7118		12,252.31 70	12,252.31 70	0.4172		12,262.74 60

3.6 Paving - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0566	0.0361	0.5133	1.5900e- 003	0.1677	1.2800e- 003	0.1689	0.0445	1.1700e- 003	0.0456		158.7723	158.7723	4.1000e- 003		158.8748
Total	0.0566	0.0361	0.5133	1.5900e- 003	0.1677	1.2800e- 003	0.1689	0.0445	1.1700e- 003	0.0456		158.7723	158.7723	4.1000e- 003		158.8748

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.584 1	2,207.584 1	0.7140		2,225.433 6

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0566	0.0361	0.5133	1.5900e- 003	0.1677	1.2800e- 003	0.1689	0.0445	1.1700e- 003	0.0456		158.7723	158.7723	4.1000e- 003		158.8748
Total	0.0566	0.0361	0.5133	1.5900e- 003	0.1677	1.2800e- 003	0.1689	0.0445	1.1700e- 003	0.0456		158.7723	158.7723	4.1000e- 003		158.8748

3.6 Paving - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0535	0.0329	0.4785	1.5400e- 003	0.1677	1.2600e- 003	0.1689	0.0445	1.1600e- 003	0.0456		153.8517	153.8517	3.7600e- 003		153.9458
Total	0.0535	0.0329	0.4785	1.5400e- 003	0.1677	1.2600e- 003	0.1689	0.0445	1.1600e- 003	0.0456		153.8517	153.8517	3.7600e- 003		153.9458

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category		<u>.</u>			lb/o	day		<u>.</u>					lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0535	0.0329	0.4785	1.5400e- 003	0.1677	1.2600e- 003	0.1689	0.0445	1.1600e- 003	0.0456		153.8517	153.8517	3.7600e- 003		153.9458
Total	0.0535	0.0329	0.4785	1.5400e- 003	0.1677	1.2600e- 003	0.1689	0.0445	1.1600e- 003	0.0456		153.8517	153.8517	3.7600e- 003		153.9458

3.7 Architectural Coating - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6
Total	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6
Total	0.5707	0.3513	5.1044	0.0165	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,641.085 2	1,641.085 2	0.0401		1,642.088 6

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	lay							lb/c	lay		
Mitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Unmitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08

4.2 Trip Summary Information

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated		6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

5.2 Energy by Land Use - NaturalGas

<u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/e	day							lb/d	lay		
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e- 004		8.3400e- 003	8.3400e- 003		8.3400e- 003	8.3400e- 003		131.6662	131.6662	2.5200e- 003	2.4100e- 003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.916 4	4,209.916 4	0.0807	0.0772	4,234.933 9
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e- 004		9.5600e- 003	9.5600e- 003		9.5600e- 003	9.5600e- 003		150.9911	150.9911	2.8900e- 003	2.7700e- 003	151.8884
High Turnover (Sit Down Restaurant)		0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.634 2	2,677.634 2	0.0513	0.0491	2,693.546 0
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e- 003		0.0355	0.0355	,	0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e- 003		0.0377	0.0377	1	0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center		2.7100e- 003	0.0247	0.0207	1.5000e- 004		1.8700e- 003	1.8700e- 003	1	1.8700e- 003	1.8700e- 003		29.6019	29.6019	5.7000e- 004	5.4000e- 004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/e	day							lb/d	day		
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e- 004		8.3400e- 003	8.3400e- 003		8.3400e- 003	8.3400e- 003		131.6662	131.6662	2.5200e- 003	2.4100e- 003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.916 4	4,209.916 4	0.0807	0.0772	4,234.933 9
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e- 004		9.5600e- 003	9.5600e- 003		9.5600e- 003	9.5600e- 003		150.9911	150.9911	2.8900e- 003	2.7700e- 003	151.8884
High Turnover (Sit Down Restaurant)		0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.634 2	2,677.634 2	0.0513	0.0491	2,693.546 0
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e- 003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e- 003		0.0377	0.0377	,	0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center		2.7100e- 003	0.0247	0.0207	1.5000e- 004		1.8700e- 003	1.8700e- 003		1.8700e- 003	1.8700e- 003		29.6019	29.6019	5.7000e- 004	5.4000e- 004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day												lb/c	lay		
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

6.2 Area by SubCategory

<u>Unmitigated</u>

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/e	lb/day										
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.00 00	18,000.00 00	0.3450	0.3300	18,106.96 50
Landscaping	2.4766	0.9496	82.4430	4.3600e- 003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/o	lb/day										
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.00 00	18,000.00 00	0.3450	0.3300	18,106.96 50
Landscaping	2.4766	0.9496	82.4430	4.3600e- 003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
<u>Boilers</u>						
Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type	
User Defined Equipment						
Equipment Type	Number					

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Ediso	n			
CO2 Intensity (Ib/MWhr)	702.44	CH4 Intensity (Ib/MWhr)	0.029	N2O Intensity (Ib/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82
tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27

tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/e	lb/day										
2021	4.2865	46.4651	31.6150	0.0642	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,221.493 7	6,221.493 7	1.9491	0.0000	6,270.221 4
2022	5.7218	38.9024	47.3319	0.1455	9.8688	1.6366	10.7736	3.6558	1.5057	5.1615	0.0000	14,630.30 99	14,630.30 99	1.9499	0.0000	14,657.26 63
2023	5.2705	26.4914	44.5936	0.1413	9.8688	0.7800	10.6488	2.6381	0.7328	3.3708	0.0000	14,210.34 24	14,210.34 24	1.0230	0.0000	14,235.91 60
2024	237.2328	9.5610	15.0611	0.0243	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,352.417 8	2,352.417 8	0.7175	0.0000	2,370.355 0
Maximum	237.2328	46.4651	47.3319	0.1455	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	14,630.30 99	14,630.30 99	1.9499	0.0000	14,657.26 63

2.1 Overall Construction (Maximum Daily Emission)

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					lb/	lb/day										
2021	4.2865	46.4651	31.6150	0.0642	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	6,221.493 7	6,221.493 7	1.9491	0.0000	6,270.221 4
2022	5.7218	38.9024	47.3319	0.1455	9.8688	1.6366	10.7736	3.6558	1.5057	5.1615	0.0000	14,630.30 99	14,630.30 99	1.9499	0.0000	14,657.26 63
2023	5.2705	26.4914	44.5936	0.1413	9.8688	0.7800	10.6488	2.6381	0.7328	3.3708	0.0000	14,210.34 24	14,210.34 24	1.0230	0.0000	14,235.91 60
2024	237.2328	9.5610	15.0611	0.0243	1.7884	0.4698	1.8628	0.4743	0.4322	0.5476	0.0000	2,352.417 8	2,352.417 8	0.7175	0.0000	2,370.355 0
Maximum	237.2328	46.4651	47.3319	0.1455	18.2675	2.0461	20.3135	9.9840	1.8824	11.8664	0.0000	14,630.30 99	14,630.30 99	1.9499	0.0000	14,657.26 63
	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2 5	Exhaust PM2 5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Mitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1 1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	day		
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.944 9	3,747.944 9	1.0549		3,774.317 4

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0715	0.0489	0.5524	1.6100e- 003	0.1677	1.3500e- 003	0.1690	0.0445	1.2500e- 003	0.0457		160.8377	160.8377	4.7300e- 003		160.9560
Total	0.2019	4.1943	1.5706	0.0133	0.4346	0.0141	0.4487	0.1176	0.0135	0.1311		1,430.693 2	1,430.693 2	0.0955		1,433.081 2

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0715	0.0489	0.5524	1.6100e- 003	0.1677	1.3500e- 003	0.1690	0.0445	1.2500e- 003	0.0457		160.8377	160.8377	4.7300e- 003		160.9560
Total	0.2019	4.1943	1.5706	0.0133	0.4346	0.0141	0.4487	0.1176	0.0135	0.1311		1,430.693 2	1,430.693 2	0.0955		1,433.081 2

3.3 Site Preparation - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0858	0.0587	0.6629	1.9400e- 003	0.2012	1.6300e- 003	0.2028	0.0534	1.5000e- 003	0.0549		193.0052	193.0052	5.6800e- 003		193.1472
Total	0.0858	0.0587	0.6629	1.9400e- 003	0.2012	1.6300e- 003	0.2028	0.0534	1.5000e- 003	0.0549		193.0052	193.0052	5.6800e- 003		193.1472

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day									lb/day						
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.656 9	3,685.656 9	1.1920		3,715.457 3

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000	
Worker	0.0858	0.0587	0.6629	1.9400e- 003	0.2012	1.6300e- 003	0.2028	0.0534	1.5000e- 003	0.0549		193.0052	193.0052	5.6800e- 003		193.1472	
Total	0.0858	0.0587	0.6629	1.9400e- 003	0.2012	1.6300e- 003	0.2028	0.0534	1.5000e- 003	0.0549		193.0052	193.0052	5.6800e- 003		193.1472	

3.4 Grading - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day									lb/day						
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.043 4	6,007.043 4	1.9428		6,055.613 4
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.043 4	6,007.043 4	1.9428		6,055.613 4

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0954	0.0652	0.7365	2.1500e- 003	0.2236	1.8100e- 003	0.2254	0.0593	1.6600e- 003	0.0610		214.4502	214.4502	6.3100e- 003		214.6080
Total	0.0954	0.0652	0.7365	2.1500e- 003	0.2236	1.8100e- 003	0.2254	0.0593	1.6600e- 003	0.0610		214.4502	214.4502	6.3100e- 003		214.6080

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.043 4	6,007.043 4	1.9428		6,055.613 4
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.043 4	6,007.043 4	1.9428		6,055.613 4

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0954	0.0652	0.7365	2.1500e- 003	0.2236	1.8100e- 003	0.2254	0.0593	1.6600e- 003	0.0610		214.4502	214.4502	6.3100e- 003		214.6080
Total	0.0954	0.0652	0.7365	2.1500e- 003	0.2236	1.8100e- 003	0.2254	0.0593	1.6600e- 003	0.0610		214.4502	214.4502	6.3100e- 003		214.6080

3.4 Grading - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.410 5	6,011.410 5	1.9442		6,060.015 8
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.410 5	6,011.410 5	1.9442		6,060.015 8

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0896	0.0589	0.6784	2.0800e- 003	0.2236	1.7500e- 003	0.2253	0.0593	1.6100e- 003	0.0609		206.9139	206.9139	5.7000e- 003		207.0563
Total	0.0896	0.0589	0.6784	2.0800e- 003	0.2236	1.7500e- 003	0.2253	0.0593	1.6100e- 003	0.0609		206.9139	206.9139	5.7000e- 003		207.0563

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.410 5	6,011.410 5	1.9442		6,060.015 8
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.410 5	6,011.410 5	1.9442		6,060.015 8

Page 17 of 35

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0896	0.0589	0.6784	2.0800e- 003	0.2236	1.7500e- 003	0.2253	0.0593	1.6100e- 003	0.0609		206.9139	206.9139	5.7000e- 003		207.0563
Total	0.0896	0.0589	0.6784	2.0800e- 003	0.2236	1.7500e- 003	0.2253	0.0593	1.6100e- 003	0.0609		206.9139	206.9139	5.7000e- 003		207.0563

3.5 Building Construction - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090	1 1 1	0.7612	0.7612		2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.333 6	2,554.333 6	0.6120		2,569.632 2

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	3.5872	2.3593	27.1680	0.0832	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,286.901 3	8,286.901 3	0.2282		8,292.605 8
Total	4.0156	15.5266	30.9685	0.1186	9.8688	0.0957	9.9645	2.6381	0.0891	2.7271		12,075.97 63	12,075.97 63	0.4663		12,087.63 41

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090	1 1 1	0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	3.5872	2.3593	27.1680	0.0832	8.9533	0.0701	9.0234	2.3745	0.0646	2.4390		8,286.901 3	8,286.901 3	0.2282		8,292.605 8
Total	4.0156	15.5266	30.9685	0.1186	9.8688	0.0957	9.9645	2.6381	0.0891	2.7271		12,075.97 63	12,075.97 63	0.4663		12,087.63 41

3.5 Building Construction - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997	1 1 1	0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.400 7	3,671.400 7	0.2096		3,676.641 7
Worker	3.3795	2.1338	24.9725	0.0801	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		7,983.731 8	7,983.731 8	0.2055		7,988.868 3
Total	3.6978	12.1065	28.3496	0.1144	9.8688	0.0803	9.9491	2.6381	0.0743	2.7124		11,655.13 25	11,655.13 25	0.4151		11,665.50 99

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997	1 1 1	0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.400 7	3,671.400 7	0.2096		3,676.641 7
Worker	3.3795	2.1338	24.9725	0.0801	8.9533	0.0681	9.0214	2.3745	0.0627	2.4372		7,983.731 8	7,983.731 8	0.2055		7,988.868 3
Total	3.6978	12.1065	28.3496	0.1144	9.8688	0.0803	9.9491	2.6381	0.0743	2.7124		11,655.13 25	11,655.13 25	0.4151		11,665.50 99

3.6 Paving - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0633	0.0400	0.4677	1.5000e- 003	0.1677	1.2800e- 003	0.1689	0.0445	1.1700e- 003	0.0456		149.5081	149.5081	3.8500e- 003		149.6043
Total	0.0633	0.0400	0.4677	1.5000e- 003	0.1677	1.2800e- 003	0.1689	0.0445	1.1700e- 003	0.0456		149.5081	149.5081	3.8500e- 003		149.6043

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.584 1	2,207.584 1	0.7140		2,225.433 6

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0633	0.0400	0.4677	1.5000e- 003	0.1677	1.2800e- 003	0.1689	0.0445	1.1700e- 003	0.0456		149.5081	149.5081	3.8500e- 003		149.6043
Total	0.0633	0.0400	0.4677	1.5000e- 003	0.1677	1.2800e- 003	0.1689	0.0445	1.1700e- 003	0.0456		149.5081	149.5081	3.8500e- 003		149.6043

3.6 Paving - 2024

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000		,	0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0601	0.0364	0.4354	1.4500e- 003	0.1677	1.2600e- 003	0.1689	0.0445	1.1600e- 003	0.0456		144.8706	144.8706	3.5300e- 003		144.9587
Total	0.0601	0.0364	0.4354	1.4500e- 003	0.1677	1.2600e- 003	0.1689	0.0445	1.1600e- 003	0.0456		144.8706	144.8706	3.5300e- 003		144.9587

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0601	0.0364	0.4354	1.4500e- 003	0.1677	1.2600e- 003	0.1689	0.0445	1.1600e- 003	0.0456		144.8706	144.8706	3.5300e- 003		144.9587
Total	0.0601	0.0364	0.4354	1.4500e- 003	0.1677	1.2600e- 003	0.1689	0.0445	1.1600e- 003	0.0456		144.8706	144.8706	3.5300e- 003		144.9587

3.7 Architectural Coating - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2
Total	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2
Total	0.6406	0.3886	4.6439	0.0155	1.7884	0.0134	1.8018	0.4743	0.0123	0.4866		1,545.286 0	1,545.286 0	0.0376		1,546.226 2

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Mitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Unmitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39

4.2 Trip Summary Information

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

5.2 Energy by Land Use - NaturalGas

<u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/	day							lb/d	lay		
Apartments Low Rise	1119.16	0.0121	004 003 003 003 003										131.6662	131.6662	2.5200e- 003	2.4100e- 003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.916 4	4,209.916 4	0.0807	0.0772	4,234.933 9
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e- 004		9.5600e- 003	9.5600e- 003		9.5600e- 003	9.5600e- 003		150.9911	150.9911	2.8900e- 003	2.7700e- 003	151.8884
High Turnover (Sit Down Restaurant)		0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.634 2	2,677.634 2	0.0513	0.0491	2,693.546 0
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e- 003		0.0355	0.0355	,	0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e- 003		0.0377	0.0377	1	0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center		2.7100e- 003	0.0247	0.0207	1.5000e- 004		1.8700e- 003	1.8700e- 003	1	1.8700e- 003	1.8700e- 003		29.6019	29.6019	5.7000e- 004	5.4000e- 004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/e	day							lb/d	day		
Apartments Low Rise	1.11916	004 003 003 003 003										131.6662	131.6662	2.5200e- 003	2.4100e- 003	132.4486	
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.916 4	4,209.916 4	0.0807	0.0772	4,234.933 9
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e- 004		9.5600e- 003	9.5600e- 003		9.5600e- 003	9.5600e- 003		150.9911	150.9911	2.8900e- 003	2.7700e- 003	151.8884
High Turnover (Sit Down Restaurant)		0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.634 2	2,677.634 2	0.0513	0.0491	2,693.546 0
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e- 003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e- 003		0.0377	0.0377	,	0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center		2.7100e- 003	0.0247	0.0207	1.5000e- 004		1.8700e- 003	1.8700e- 003	,	1.8700e- 003	1.8700e- 003		29.6019	29.6019	5.7000e- 004	5.4000e- 004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

6.0 Area Detail

6.1 Mitigation Measures Area

Page 33 of 35

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

6.2 Area by SubCategory

<u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/e	day							lb/c	lay		
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.00 00	18,000.00 00	0.3450	0.3300	18,106.96 50
Landscaping	2.4766	0.9496	82.4430	4.3600e- 003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.00 00	18,000.00 00	0.3450	0.3300	18,106.96 50
Landscaping	2.4766	0.9496	82.4430	4.3600e- 003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

Equipment Type Number Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
---------------------------------	-----------	-------------	-------------	-----------

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

<u>Boilers</u>						
Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type	
User Defined Equipment						
Equipment Type	Number					

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Ediso	n			
CO2 Intensity (Ib/MWhr)	702.44	CH4 Intensity (Ib/MWhr)	0.029	N2O Intensity (Ib/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

Village South Specific Plan	(Proposed)) - Los Angeles-South	Coast County, Annual

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	tons/yr										MT/yr					
2021	0.1704	1.8234	1.1577	2.3800e- 003	0.4141	0.0817	0.4958	0.1788	0.0754	0.2542	0.0000	210.7654	210.7654	0.0600	0.0000	212.2661
2022	0.5865	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.655 4	1,418.655 4	0.1215	0.0000	1,421.692 5
2023	0.5190	3.2850	4.7678	0.0147	0.8497	0.0971	0.9468	0.2283	0.0912	0.3195	0.0000	1,342.441 2	1,342.441 2	0.1115	0.0000	1,345.229 1
2024	4.1592	0.1313	0.2557	5.0000e- 004	0.0221	6.3900e- 003	0.0285	5.8700e- 003	5.9700e- 003	0.0118	0.0000	44.6355	44.6355	7.8300e- 003	0.0000	44.8311
Maximum	4.1592	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.655 4	1,418.655 4	0.1215	0.0000	1,421.692 5

2.1 Overall Construction

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year					tor	ns/yr						T/yr				
2021	0.1704	1.8234	1.1577	2.3800e- 003	0.4141	0.0817	0.4958	0.1788	0.0754	0.2542	0.0000	210.7651	210.7651	0.0600	0.0000	212.2658
2022	0.5865	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.655 0	1,418.655 0	0.1215	0.0000	1,421.692 1
2023	0.5190	3.2850	4.7678	0.0147	0.8497	0.0971	0.9468	0.2283	0.0912	0.3195	0.0000	1,342.440 9	1,342.440 9	0.1115	0.0000	1,345.228 7
2024	4.1592	0.1313	0.2557	5.0000e- 004	0.0221	6.3900e- 003	0.0285	5.8700e- 003	5.9700e- 003	0.0118	0.0000	44.6354	44.6354	7.8300e- 003	0.0000	44.8311
Maximum	4.1592	4.0240	5.1546	0.0155	0.9509	0.1175	1.0683	0.2518	0.1103	0.3621	0.0000	1,418.655 0	1,418.655 0	0.1215	0.0000	1,421.692 1
	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Quarter	Sta	art Date	End	d Date	Maxim	um Unmitiga	ated ROG +	NOX (tons/	quarter)	Maxi	mum Mitiga	iarter)				
1	9-	1-2021	11-3	0-2021			1.4091			1.4091						
2	12	-1-2021	2-28	3-2022			1.3329					1.3329				
3	3-	1-2022	5-31	1-2022			1.1499					1.1499				
4	6-	1-2022	8-31	1-2022			1.1457					1.1457				
5	9-	1-2022	11-3	0-2022			1.1415					1.1415				
6	12	-1-2022	2-28	3-2023			1.0278					1.0278				
7	3-	1-2023	5-31	1-2023			0.9868					0.9868				
8	_	1-2023	0.24	-2023	0.9831					0.9831						

9	9-1-2023	11-30-2023	0.9798	0.9798
10	12-1-2023	2-29-2024	2.8757	2.8757
11	3-1-2024	5-31-2024	1.6188	1.6188
		Highest	2.8757	2.8757

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	tons/yr											MT/yr					
Area	5.1437	0.2950	10.3804	1.6700e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835	
Energy	0.1398	1.2312	0.7770	7.6200e- 003		0.0966	0.0966		0.0966	0.0966	0.0000	3,896.073 2	3,896.073 2	0.1303	0.0468	3,913.283 3	
Mobile	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.498 6	7,620.498 6	0.3407	0.0000	7,629.016 2	
Waste	,					0.0000	0.0000		0.0000	0.0000	207.8079	0.0000	207.8079	12.2811	0.0000	514.8354	
Water	,					0.0000	0.0000		0.0000	0.0000	29.1632	556.6420	585.8052	3.0183	0.0755	683.7567	
Total	6.8692	9.5223	30.3407	0.0914	7.7979	0.2260	8.0240	2.0895	0.2219	2.3114	236.9712	12,294.18 07	12,531.15 19	15.7904	0.1260	12,963.47 51	

Page 7 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

2.2 Overall Operational

Mitigated Operational

	ROG	NOx	CO	S		igitive PM10	Exhaust PM10	PM10 Total	Fugiti PM2		aust 12.5	PM2.5 Total	Bio-	CO2 NB	io- CO2	Total CO2	CH4	N2O	CO2e
Category						ton	s/yr									М	T/yr		
Area	5.1437	0.2950	10.38	04 1.67 00	00e-)3		0.0714	0.0714		0.0	714	0.0714	0.00	00 22	0.9670	220.9670	0.0201	3.7400e 003	- 222.5835
Energy	0.1398	1.2312	0.777	7.62 00			0.0966	0.0966		0.0	966	0.0966	0.00	00 3,8	896.073 2	3,896.073 2	0.1303	0.0468	3,913.283 3
Mobile	1.5857	7.9962	19.18	34 0.0	821 7	.7979	0.0580	7.8559	2.08	95 0.0	539	2.1434	0.00	00 7,6	6 6	7,620.498 6	0.3407	0.0000	7,629.016 2
Waste	F)						0.0000	0.0000		0.0	000	0.0000	207.8	079 O	.0000	207.8079	12.2811	0.0000	514.8354
Water	F)						0.0000	0.0000		0.0	000	0.0000	29.1	632 55	6.6420	585.8052	3.0183	0.0755	683.7567
Total	6.8692	9.5223	30.34	07 0.0	914 7	.7979	0.2260	8.0240	2.08	95 0.2	219	2.3114	236.9	712 12	,294.18 07	12,531.15 19	15.7904	0.1260	12,963.47 51
	ROG		NOx	со	SO2	Fugi PN			VI10 otal	Fugitive PM2.5	Exhau PM2		l2.5 otal	Bio- CO2	NBio-	CO2 Tota	CO2	CH4	N20 CO2
Percent Reduction	0.00		0.00	0.00	0.00	0.	00 0.	.00 0	.00	0.00	0.0	0 0.	.00	0.00	0.0	0 0.	00	0.00	0.00 0.0

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e- 003	0.0000	7.5100e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e- 004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601
Total	0.0475	0.4716	0.3235	5.8000e- 004	0.0496	0.0233	0.0729	7.5100e- 003	0.0216	0.0291	0.0000	51.0012	51.0012	0.0144	0.0000	51.3601

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	1.9300e- 003	0.0634	0.0148	1.8000e- 004	3.9400e- 003	1.9000e- 004	4.1300e- 003	1.0800e- 003	1.8000e- 004	1.2600e- 003	0.0000	17.4566	17.4566	1.2100e- 003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.2000e- 004	5.3000e- 004	6.0900e- 003	2.0000e- 005	1.6800e- 003	1.0000e- 005	1.6900e- 003	4.5000e- 004	1.0000e- 005	4.6000e- 004	0.0000	1.5281	1.5281	5.0000e- 005	0.0000	1.5293
Total	2.6500e- 003	0.0639	0.0209	2.0000e- 004	5.6200e- 003	2.0000e- 004	5.8200e- 003	1.5300e- 003	1.9000e- 004	1.7200e- 003	0.0000	18.9847	18.9847	1.2600e- 003	0.0000	19.0161

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	'/yr		
Fugitive Dust					0.0496	0.0000	0.0496	7.5100e- 003	0.0000	7.5100e- 003	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0475	0.4716	0.3235	5.8000e- 004		0.0233	0.0233		0.0216	0.0216	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600
Total	0.0475	0.4716	0.3235	5.8000e- 004	0.0496	0.0233	0.0729	7.5100e- 003	0.0216	0.0291	0.0000	51.0011	51.0011	0.0144	0.0000	51.3600

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	1.9300e- 003	0.0634	0.0148	1.8000e- 004	3.9400e- 003	1.9000e- 004	4.1300e- 003	1.0800e- 003	1.8000e- 004	1.2600e- 003	0.0000	17.4566	17.4566	1.2100e- 003	0.0000	17.4869
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.2000e- 004	5.3000e- 004	6.0900e- 003	2.0000e- 005	1.6800e- 003	1.0000e- 005	1.6900e- 003	4.5000e- 004	1.0000e- 005	4.6000e- 004	0.0000	1.5281	1.5281	5.0000e- 005	0.0000	1.5293
Total	2.6500e- 003	0.0639	0.0209	2.0000e- 004	5.6200e- 003	2.0000e- 004	5.8200e- 003	1.5300e- 003	1.9000e- 004	1.7200e- 003	0.0000	18.9847	18.9847	1.2600e- 003	0.0000	19.0161

3.3 Site Preparation - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e- 004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061
Total	0.0389	0.4050	0.2115	3.8000e- 004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7061

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.8000e- 004	4.3000e- 004	4.8700e- 003	1.0000e- 005	1.3400e- 003	1.0000e- 005	1.3500e- 003	3.6000e- 004	1.0000e- 005	3.7000e- 004	0.0000	1.2225	1.2225	4.0000e- 005	0.0000	1.2234
Total	5.8000e- 004	4.3000e- 004	4.8700e- 003	1.0000e- 005	1.3400e- 003	1.0000e- 005	1.3500e- 003	3.6000e- 004	1.0000e- 005	3.7000e- 004	0.0000	1.2225	1.2225	4.0000e- 005	0.0000	1.2234

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.1807	0.0000	0.1807	0.0993	0.0000	0.0993	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0389	0.4050	0.2115	3.8000e- 004		0.0204	0.0204		0.0188	0.0188	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060
Total	0.0389	0.4050	0.2115	3.8000e- 004	0.1807	0.0204	0.2011	0.0993	0.0188	0.1181	0.0000	33.4357	33.4357	0.0108	0.0000	33.7060

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	'/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	5.8000e- 004	4.3000e- 004	4.8700e- 003	1.0000e- 005	1.3400e- 003	1.0000e- 005	1.3500e- 003	3.6000e- 004	1.0000e- 005	3.7000e- 004	0.0000	1.2225	1.2225	4.0000e- 005	0.0000	1.2234
Total	5.8000e- 004	4.3000e- 004	4.8700e- 003	1.0000e- 005	1.3400e- 003	1.0000e- 005	1.3500e- 003	3.6000e- 004	1.0000e- 005	3.7000e- 004	0.0000	1.2225	1.2225	4.0000e- 005	0.0000	1.2234

3.4 Grading - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e- 003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776
Total	0.0796	0.8816	0.5867	1.1800e- 003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5405	103.5405	0.0335	0.0000	104.3776

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr				MT	/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2200e- 003	9.0000e- 004	0.0103	3.0000e- 005	2.8300e- 003	2.0000e- 005	2.8600e- 003	7.5000e- 004	2.0000e- 005	7.8000e- 004	0.0000	2.5808	2.5808	8.0000e- 005	0.0000	2.5828
Total	1.2200e- 003	9.0000e- 004	0.0103	3.0000e- 005	2.8300e- 003	2.0000e- 005	2.8600e- 003	7.5000e- 004	2.0000e- 005	7.8000e- 004	0.0000	2.5808	2.5808	8.0000e- 005	0.0000	2.5828

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.1741	0.0000	0.1741	0.0693	0.0000	0.0693	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0796	0.8816	0.5867	1.1800e- 003		0.0377	0.0377		0.0347	0.0347	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775
Total	0.0796	0.8816	0.5867	1.1800e- 003	0.1741	0.0377	0.2118	0.0693	0.0347	0.1040	0.0000	103.5403	103.5403	0.0335	0.0000	104.3775

Page 16 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	'/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	1.2200e- 003	9.0000e- 004	0.0103	3.0000e- 005	2.8300e- 003	2.0000e- 005	2.8600e- 003	7.5000e- 004	2.0000e- 005	7.8000e- 004	0.0000	2.5808	2.5808	8.0000e- 005	0.0000	2.5828
Total	1.2200e- 003	9.0000e- 004	0.0103	3.0000e- 005	2.8300e- 003	2.0000e- 005	2.8600e- 003	7.5000e- 004	2.0000e- 005	7.8000e- 004	0.0000	2.5808	2.5808	8.0000e- 005	0.0000	2.5828

3.4 Grading - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e- 004		5.7200e- 003	5.7200e- 003		5.2600e- 003	5.2600e- 003	0.0000	19.0871	19.0871	6.1700e- 003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e- 004	0.0807	5.7200e- 003	0.0865	0.0180	5.2600e- 003	0.0233	0.0000	19.0871	19.0871	6.1700e- 003	0.0000	19.2414

Page 17 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1000e- 004	1.5000e- 004	1.7400e- 003	1.0000e- 005	5.2000e- 004	0.0000	5.3000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4587	0.4587	1.0000e- 005	0.0000	0.4590
Total	2.1000e- 004	1.5000e- 004	1.7400e- 003	1.0000e- 005	5.2000e- 004	0.0000	5.3000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4587	0.4587	1.0000e- 005	0.0000	0.4590

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Fugitive Dust					0.0807	0.0000	0.0807	0.0180	0.0000	0.0180	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0127	0.1360	0.1017	2.2000e- 004		5.7200e- 003	5.7200e- 003		5.2600e- 003	5.2600e- 003	0.0000	19.0871	19.0871	6.1700e- 003	0.0000	19.2414
Total	0.0127	0.1360	0.1017	2.2000e- 004	0.0807	5.7200e- 003	0.0865	0.0180	5.2600e- 003	0.0233	0.0000	19.0871	19.0871	6.1700e- 003	0.0000	19.2414

Page 18 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	'/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.1000e- 004	1.5000e- 004	1.7400e- 003	1.0000e- 005	5.2000e- 004	0.0000	5.3000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4587	0.4587	1.0000e- 005	0.0000	0.4590
Total	2.1000e- 004	1.5000e- 004	1.7400e- 003	1.0000e- 005	5.2000e- 004	0.0000	5.3000e- 004	1.4000e- 004	0.0000	1.4000e- 004	0.0000	0.4587	0.4587	1.0000e- 005	0.0000	0.4590

3.5 Building Construction - 2022

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
	0.2158	1.9754	2.0700	3.4100e- 003		0.1023	0.1023	1 1 1	0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881
Total	0.2158	1.9754	2.0700	3.4100e- 003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1324	293.1324	0.0702	0.0000	294.8881

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr				МТ	/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e- 003	0.1140	3.1800e- 003	0.1171	0.0329	3.0400e- 003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.3051	0.2164	2.5233	7.3500e- 003	0.7557	6.2300e- 003	0.7619	0.2007	5.7400e- 003	0.2065	0.0000	663.9936	663.9936	0.0187	0.0000	664.4604
Total	0.3578	1.9125	2.9812	0.0119	0.8696	9.4100e- 003	0.8790	0.2336	8.7800e- 003	0.2424	0.0000	1,105.977 1	1,105.977 1	0.0451	0.0000	1,107.103 9

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	0.2158	1.9754	2.0700	3.4100e- 003		0.1023	0.1023	1 1 1	0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877
Total	0.2158	1.9754	2.0700	3.4100e- 003		0.1023	0.1023		0.0963	0.0963	0.0000	293.1321	293.1321	0.0702	0.0000	294.8877

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0527	1.6961	0.4580	4.5500e- 003	0.1140	3.1800e- 003	0.1171	0.0329	3.0400e- 003	0.0359	0.0000	441.9835	441.9835	0.0264	0.0000	442.6435
Worker	0.3051	0.2164	2.5233	7.3500e- 003	0.7557	6.2300e- 003	0.7619	0.2007	5.7400e- 003	0.2065	0.0000	663.9936	663.9936	0.0187	0.0000	664.4604
Total	0.3578	1.9125	2.9812	0.0119	0.8696	9.4100e- 003	0.8790	0.2336	8.7800e- 003	0.2424	0.0000	1,105.977 1	1,105.977 1	0.0451	0.0000	1,107.103 9

3.5 Building Construction - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	0.1942	1.7765	2.0061	3.3300e- 003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814
Total	0.1942	1.7765	2.0061	3.3300e- 003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2789	286.2789	0.0681	0.0000	287.9814

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr						МТ	/yr			
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e- 003	0.1113	1.4600e- 003	0.1127	0.0321	1.4000e- 003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.2795	0.1910	2.2635	6.9100e- 003	0.7377	5.9100e- 003	0.7436	0.1960	5.4500e- 003	0.2014	0.0000	624.5363	624.5363	0.0164	0.0000	624.9466
Total	0.3177	1.4420	2.6646	0.0112	0.8490	7.3700e- 003	0.8564	0.2281	6.8500e- 003	0.2349	0.0000	1,042.529 4	1,042.529 4	0.0392	0.0000	1,043.509 0

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	'/yr		
Off-Road	0.1942	1.7765	2.0061	3.3300e- 003		0.0864	0.0864	1 1 1	0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811
Total	0.1942	1.7765	2.0061	3.3300e- 003		0.0864	0.0864		0.0813	0.0813	0.0000	286.2785	286.2785	0.0681	0.0000	287.9811

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0382	1.2511	0.4011	4.3000e- 003	0.1113	1.4600e- 003	0.1127	0.0321	1.4000e- 003	0.0335	0.0000	417.9930	417.9930	0.0228	0.0000	418.5624
Worker	0.2795	0.1910	2.2635	6.9100e- 003	0.7377	5.9100e- 003	0.7436	0.1960	5.4500e- 003	0.2014	0.0000	624.5363	624.5363	0.0164	0.0000	624.9466
Total	0.3177	1.4420	2.6646	0.0112	0.8490	7.3700e- 003	0.8564	0.2281	6.8500e- 003	0.2349	0.0000	1,042.529 4	1,042.529 4	0.0392	0.0000	1,043.509 0

3.6 Paving - 2023

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	6.7100e- 003	0.0663	0.0948	1.5000e- 004		3.3200e- 003	3.3200e- 003		3.0500e- 003	3.0500e- 003	0.0000	13.0175	13.0175	4.2100e- 003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e- 003	0.0663	0.0948	1.5000e- 004		3.3200e- 003	3.3200e- 003		3.0500e- 003	3.0500e- 003	0.0000	13.0175	13.0175	4.2100e- 003	0.0000	13.1227

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e- 004	1.9000e- 004	2.2300e- 003	1.0000e- 005	7.3000e- 004	1.0000e- 005	7.3000e- 004	1.9000e- 004	1.0000e- 005	2.0000e- 004	0.0000	0.6156	0.6156	2.0000e- 005	0.0000	0.6160
Total	2.8000e- 004	1.9000e- 004	2.2300e- 003	1.0000e- 005	7.3000e- 004	1.0000e- 005	7.3000e- 004	1.9000e- 004	1.0000e- 005	2.0000e- 004	0.0000	0.6156	0.6156	2.0000e- 005	0.0000	0.6160

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	∏/yr		
Off-Road	6.7100e- 003	0.0663	0.0948	1.5000e- 004		3.3200e- 003	3.3200e- 003		3.0500e- 003	3.0500e- 003	0.0000	13.0175	13.0175	4.2100e- 003	0.0000	13.1227
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	6.7100e- 003	0.0663	0.0948	1.5000e- 004		3.3200e- 003	3.3200e- 003		3.0500e- 003	3.0500e- 003	0.0000	13.0175	13.0175	4.2100e- 003	0.0000	13.1227

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	'/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	2.8000e- 004	1.9000e- 004	2.2300e- 003	1.0000e- 005	7.3000e- 004	1.0000e- 005	7.3000e- 004	1.9000e- 004	1.0000e- 005	2.0000e- 004	0.0000	0.6156	0.6156	2.0000e- 005	0.0000	0.6160
Total	2.8000e- 004	1.9000e- 004	2.2300e- 003	1.0000e- 005	7.3000e- 004	1.0000e- 005	7.3000e- 004	1.9000e- 004	1.0000e- 005	2.0000e- 004	0.0000	0.6156	0.6156	2.0000e- 005	0.0000	0.6160

3.6 Paving - 2024

Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Off-Road	0.0109	0.1048	0.1609	2.5000e- 004		5.1500e- 003	5.1500e- 003		4.7400e- 003	4.7400e- 003	0.0000	22.0292	22.0292	7.1200e- 003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e- 004		5.1500e- 003	5.1500e- 003		4.7400e- 003	4.7400e- 003	0.0000	22.0292	22.0292	7.1200e- 003	0.0000	22.2073

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e- 004	2.9000e- 004	3.5100e- 003	1.0000e- 005	1.2300e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.4000e- 004	0.0000	1.0094	1.0094	3.0000e- 005	0.0000	1.0100
Total	4.4000e- 004	2.9000e- 004	3.5100e- 003	1.0000e- 005	1.2300e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.4000e- 004	0.0000	1.0094	1.0094	3.0000e- 005	0.0000	1.0100

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	∵/yr		
Off-Road	0.0109	0.1048	0.1609	2.5000e- 004		5.1500e- 003	5.1500e- 003		4.7400e- 003	4.7400e- 003	0.0000	22.0292	22.0292	7.1200e- 003	0.0000	22.2073
Paving	0.0000					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0109	0.1048	0.1609	2.5000e- 004		5.1500e- 003	5.1500e- 003		4.7400e- 003	4.7400e- 003	0.0000	22.0292	22.0292	7.1200e- 003	0.0000	22.2073

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr		<u>.</u>					МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	4.4000e- 004	2.9000e- 004	3.5100e- 003	1.0000e- 005	1.2300e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.4000e- 004	0.0000	1.0094	1.0094	3.0000e- 005	0.0000	1.0100
Total	4.4000e- 004	2.9000e- 004	3.5100e- 003	1.0000e- 005	1.2300e- 003	1.0000e- 005	1.2400e- 003	3.3000e- 004	1.0000e- 005	3.4000e- 004	0.0000	1.0094	1.0094	3.0000e- 005	0.0000	1.0100

3.7 Architectural Coating - 2024

Unmitigated Construction On-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
, and a country	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
	3.1600e- 003	0.0213	0.0317	5.0000e- 005		1.0700e- 003	1.0700e- 003		1.0700e- 003	1.0700e- 003	0.0000	4.4682	4.4682	2.5000e- 004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e- 005		1.0700e- 003	1.0700e- 003		1.0700e- 003	1.0700e- 003	0.0000	4.4682	4.4682	2.5000e- 004	0.0000	4.4745

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4800e- 003	4.9300e- 003	0.0596	1.9000e- 004	0.0209	1.6000e- 004	0.0211	5.5500e- 003	1.5000e- 004	5.7000e- 003	0.0000	17.1287	17.1287	4.3000e- 004	0.0000	17.1394
Total	7.4800e- 003	4.9300e- 003	0.0596	1.9000e- 004	0.0209	1.6000e- 004	0.0211	5.5500e- 003	1.5000e- 004	5.7000e- 003	0.0000	17.1287	17.1287	4.3000e- 004	0.0000	17.1394

Mitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	7/yr		
Archit. Coating	4.1372					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	3.1600e- 003	0.0213	0.0317	5.0000e- 005		1.0700e- 003	1.0700e- 003		1.0700e- 003	1.0700e- 003	0.0000	4.4682	4.4682	2.5000e- 004	0.0000	4.4745
Total	4.1404	0.0213	0.0317	5.0000e- 005		1.0700e- 003	1.0700e- 003		1.0700e- 003	1.0700e- 003	0.0000	4.4682	4.4682	2.5000e- 004	0.0000	4.4745

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	7.4800e- 003	4.9300e- 003	0.0596	1.9000e- 004	0.0209	1.6000e- 004	0.0211	5.5500e- 003	1.5000e- 004	5.7000e- 003	0.0000	17.1287	17.1287	4.3000e- 004	0.0000	17.1394
Total	7.4800e- 003	4.9300e- 003	0.0596	1.9000e- 004	0.0209	1.6000e- 004	0.0211	5.5500e- 003	1.5000e- 004	5.7000e- 003	0.0000	17.1287	17.1287	4.3000e- 004	0.0000	17.1394

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							MT	/yr		
Mitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.498 6	7,620.498 6	0.3407	0.0000	7,629.016 2
Unmitigated	1.5857	7.9962	19.1834	0.0821	7.7979	0.0580	7.8559	2.0895	0.0539	2.1434	0.0000	7,620.498 6	7,620.498 6	0.3407	0.0000	7,629.016 2

4.2 Trip Summary Information

	Ave	rage Daily Trip Ra	ate	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	2,512.646 5	2,512.646 5	0.1037	0.0215	2,521.635 6
Electricity Unmitigated	n					0.0000	0.0000		0.0000	0.0000	0.0000	2,512.646 5	2,512.646 5	0.1037	0.0215	2,521.635 6
NaturalGas Mitigated	0.1398	1.2312	0.7770	7.6200e- 003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.426 7	1,383.426 7	0.0265	0.0254	1,391.647 8
NaturalGas Unmitigated	0.1398	1.2312	0.7770	7.6200e- 003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.426 7	1,383.426 7	0.0265	0.0254	1,391.647 8

5.2 Energy by Land Use - NaturalGas

<u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	7/yr		
Apartments Low Rise	408494	2.2000e- 003	0.0188	8.0100e- 003	1.2000e- 004		1.5200e- 003	1.5200e- 003		1.5200e- 003	1.5200e- 003	0.0000	21.7988	21.7988	4.2000e- 004	4.0000e- 004	21.9284
Apartments Mid Rise	1.30613e +007	0.0704	0.6018	0.2561	3.8400e- 003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e- 003	0.0230	0.0193	1.4000e- 004		1.7500e- 003	1.7500e- 003		1.7500e- 003	1.7500e- 003	0.0000	24.9983	24.9983	4.8000e- 004	4.6000e- 004	25.1468
High Turnover (Sit Down Restaurant)		0.0448	0.4072	0.3421	2.4400e- 003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e- 003	8.1300e- 003	445.9468
Hotel	1.74095e +006	9.3900e- 003	0.0853	0.0717	5.1000e- 004		6.4900e- 003	6.4900e- 003		6.4900e- 003	6.4900e- 003	0.0000	92.9036	92.9036	1.7800e- 003	1.7000e- 003	93.4557
Quality Restaurant	1.84608e +006	9.9500e- 003	0.0905	0.0760	5.4000e- 004		6.8800e- 003	6.8800e- 003		6.8800e- 003	6.8800e- 003	0.0000	98.5139	98.5139	1.8900e- 003	1.8100e- 003	99.0993
Regional Shopping Center		5.0000e- 004	4.5000e- 003	3.7800e- 003	3.0000e- 005		3.4000e- 004	3.4000e- 004		3.4000e- 004	3.4000e- 004	0.0000	4.9009	4.9009	9.0000e- 005	9.0000e- 005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e- 003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.426 8	1,383.426 8	0.0265	0.0254	1,391.647 8

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					ton	s/yr							MT	/yr		
Apartments Low Rise	408494	2.2000e- 003	0.0188	8.0100e- 003	1.2000e- 004		1.5200e- 003	1.5200e- 003	1 1 1	1.5200e- 003	1.5200e- 003	0.0000	21.7988	21.7988	4.2000e- 004	4.0000e- 004	21.9284
Apartments Mid Rise	1.30613e +007	0.0704	0.6018	0.2561	3.8400e- 003		0.0487	0.0487		0.0487	0.0487	0.0000	696.9989	696.9989	0.0134	0.0128	701.1408
General Office Building	468450	2.5300e- 003	0.0230	0.0193	1.4000e- 004		1.7500e- 003	1.7500e- 003		1.7500e- 003	1.7500e- 003	0.0000	24.9983	24.9983	4.8000e- 004	4.6000e- 004	25.1468
High Turnover (Sit Down Restaurant)		0.0448	0.4072	0.3421	2.4400e- 003		0.0310	0.0310		0.0310	0.0310	0.0000	443.3124	443.3124	8.5000e- 003	8.1300e- 003	445.9468
Hotel	1.74095e +006	9.3900e- 003	0.0853	0.0717	5.1000e- 004	,,,,,,,	6.4900e- 003	6.4900e- 003		6.4900e- 003	6.4900e- 003	0.0000	92.9036	92.9036	1.7800e- 003	1.7000e- 003	93.4557
Quality Restaurant	1.84608e +006	9.9500e- 003	0.0905	0.0760	5.4000e- 004		6.8800e- 003	6.8800e- 003		6.8800e- 003	6.8800e- 003	0.0000	98.5139	98.5139	1.8900e- 003	1.8100e- 003	99.0993
Regional Shopping Center		5.0000e- 004	4.5000e- 003	3.7800e- 003	3.0000e- 005		3.4000e- 004	3.4000e- 004		3.4000e- 004	3.4000e- 004	0.0000	4.9009	4.9009	9.0000e- 005	9.0000e- 005	4.9301
Total		0.1398	1.2312	0.7770	7.6200e- 003		0.0966	0.0966		0.0966	0.0966	0.0000	1,383.426 8	1,383.426 8	0.0265	0.0254	1,391.647 8

Page 34 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity

<u>Unmitigated</u>

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		МТ	7/yr	
Apartments Low Rise	106010	33.7770	1.3900e- 003	2.9000e- 004	33.8978
Apartments Mid Rise	3.94697e +006	1,257.587 9	0.0519	0.0107	1,262.086 9
General Office Building	584550	186.2502	7.6900e- 003	1.5900e- 003	186.9165
High Turnover (Sit Down Restaurant)		506.3022	0.0209	4.3200e- 003	508.1135
Hotel	550308	175.3399	7.2400e- 003	1.5000e- 003	175.9672
Quality Restaurant	353120	112.5116	4.6500e- 003	9.6000e- 004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e- 003	2.0600e- 003	241.7395
Total		2,512.646 5	0.1037	0.0215	2,521.635 6

Page 35 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

5.3 Energy by Land Use - Electricity

Mitigated

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr		МТ	/yr	
Apartments Low Rise	106010	33.7770	1.3900e- 003	2.9000e- 004	33.8978
Apartments Mid Rise	3.94697e +006	1,257.587 9	0.0519	0.0107	1,262.086 9
General Office Building	584550	186.2502	7.6900e- 003	1.5900e- 003	186.9165
High Turnover (Sit Down Restaurant)		506.3022	0.0209	4.3200e- 003	508.1135
Hotel	550308	175.3399	7.2400e- 003	1.5000e- 003	175.9672
Quality Restaurant	353120	112.5116	4.6500e- 003	9.6000e- 004	112.9141
Regional Shopping Center	756000	240.8778	9.9400e- 003	2.0600e- 003	241.7395
Total		2,512.646 5	0.1037	0.0215	2,521.635 6

6.0 Area Detail

6.1 Mitigation Measures Area

Page 36 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					ton	s/yr							МТ	/yr		
Mitigated	5.1437	0.2950	10.3804	1.6700e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835
Unmitigated	5.1437	0.2950	10.3804	1.6700e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835

6.2 Area by SubCategory

<u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							МТ	/yr		
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e- 003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e- 003	3.7400e- 003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e- 004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					ton	s/yr							МТ	/yr		
Architectural Coating	0.4137					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	4.3998					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.0206	0.1763	0.0750	1.1200e- 003		0.0143	0.0143		0.0143	0.0143	0.0000	204.1166	204.1166	3.9100e- 003	3.7400e- 003	205.3295
Landscaping	0.3096	0.1187	10.3054	5.4000e- 004		0.0572	0.0572		0.0572	0.0572	0.0000	16.8504	16.8504	0.0161	0.0000	17.2540
Total	5.1437	0.2950	10.3804	1.6600e- 003		0.0714	0.0714		0.0714	0.0714	0.0000	220.9670	220.9670	0.0201	3.7400e- 003	222.5835

7.0 Water Detail

7.1 Mitigation Measures Water

Page 38 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

	Total CO2	CH4	N2O	CO2e
Category		МТ	/yr	
	585.8052	3.0183	0.0755	683.7567
- Guine	585.8052	3.0183	0.0755	683.7567

Page 39 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use

<u>Unmitigated</u>

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		MT	/yr	
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e- 003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e- 003	61.6019
High Turnover (Sit Down Restaurant)			0.3580	8.8200e- 003	62.8482
Hotel	1.26834 / 0.140927		0.0416	1.0300e- 003	7.5079
	2.42827 / 0.154996		0.0796	1.9600e- 003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e- 003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

Page 40 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

7.2 Water by Land Use

Mitigated

	Indoor/Out door Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal		МТ	/yr	
Apartments Low Rise	1.62885 / 1.02688	10.9095	0.0535	1.3400e- 003	12.6471
Apartments Mid Rise	63.5252 / 40.0485	425.4719	2.0867	0.0523	493.2363
General Office Building	7.99802 / 4.90201	53.0719	0.2627	6.5900e- 003	61.6019
High Turnover (Sit Down Restaurant)	10.9272 / 0.697482	51.2702	0.3580	8.8200e- 003	62.8482
Hotel	1.26834 / 0.140927		0.0416	1.0300e- 003	7.5079
	2.42827 / 0.154996		0.0796	1.9600e- 003	13.9663
Regional Shopping Center	4.14806 / 2.54236	27.5250	0.1363	3.4200e- 003	31.9490
Total		585.8052	3.0183	0.0755	683.7567

8.0 Waste Detail

8.1 Mitigation Measures Waste

Page 41 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
		МТ	/yr	
Mitigated	207.8079	12.2811	0.0000	514.8354
J. J	207.8079	12.2811	0.0000	514.8354

Page 42 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use

<u>Unmitigated</u>

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		МТ	ī/yr	
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)		86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

Page 43 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

8.2 Waste by Land Use

Mitigated

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons		МТ	/yr	
Apartments Low Rise	11.5	2.3344	0.1380	0.0000	5.7834
Apartments Mid Rise	448.5	91.0415	5.3804	0.0000	225.5513
General Office Building	41.85	8.4952	0.5021	0.0000	21.0464
High Turnover (Sit Down Restaurant)		86.9613	5.1393	0.0000	215.4430
Hotel	27.38	5.5579	0.3285	0.0000	13.7694
Quality Restaurant	7.3	1.4818	0.0876	0.0000	3.6712
Regional Shopping Center	58.8	11.9359	0.7054	0.0000	29.5706
Total		207.8079	12.2811	0.0000	514.8354

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	------------------	------------	-------------	-------------	-----------

Page 44 of 44

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Annual

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
User Defined Equipment					
Equipment Type	Number				

11.0 Vegetation

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Ediso	n			
CO2 Intensity (Ib/MWhr)	702.44	CH4 Intensity (Ib/MWhr)	0.029	N2O Intensity (Ib/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
		· · · · · · · · · · · · · · · · · · ·	

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day												lb/d	lay		
2021	4.2561	46.4415	31.4494	0.0636	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,163.416 6	6,163.416 6	1.9475	0.0000	6,212.103 9
2022	4.5441	38.8811	40.8776	0.1240	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,493.44 03	12,493.44 03	1.9485	0.0000	12,518.57 07
2023	4.1534	25.7658	38.7457	0.1206	7.0088	0.7592	7.7679	1.8799	0.7136	2.5935	0.0000	12,150.48 90	12,150.48 90	0.9589	0.0000	12,174.46 15
2024	237.0219	9.5478	14.9642	0.0239	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,313.180 8	2,313.180 8	0.7166	0.0000	2,331.095 6
Maximum	237.0219	46.4415	40.8776	0.1240	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,493.44 03	12,493.44 03	1.9485	0.0000	12,518.57 07

2.1 Overall Construction (Maximum Daily Emission)

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year		lb/day											lb/d	Jay		
2021	4.2561	46.4415	31.4494	0.0636	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,163.416 6	6,163.416 6	1.9475	0.0000	6,212.103 9
2022	4.5441	38.8811	40.8776	0.1240	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,493.44 03	12,493.44 03	1.9485	0.0000	12,518.57 07
2023	4.1534	25.7658	38.7457	0.1206	7.0088	0.7592	7.7679	1.8799	0.7136	2.5935	0.0000	12,150.48 90	12,150.48 90	0.9589	0.0000	12,174.46 15
2024	237.0219	9.5478	14.9642	0.0239	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,313.180 8	2,313.180 8	0.7166	0.0000	2,331.095 5
Maximum	237.0219	46.4415	40.8776	0.1240	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,493.44 03	12,493.44 03	1.9485	0.0000	12,518.57 07
	ROG	NOx	CO	SO2	Fugitive	Exhaust	PM10	Fugitive	Exhaust	PM2.5	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day												lb/d	lay		
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

Mitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day												lb/c	lay		
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Total	41.1168	67.2262	207.5497	0.6278	45.9592	2.4626	48.4217	12.2950	2.4385	14.7336	0.0000	76,811.18 16	76,811.18 16	2.8282	0.4832	77,025.87 86

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.944 9	3,747.944 9	1.0549		3,774.317 4

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0487	0.0313	0.4282	1.1800e- 003	0.1141	9.5000e- 004	0.1151	0.0303	8.8000e- 004	0.0311		117.2799	117.2799	3.5200e- 003		117.3678
Total	0.1760	4.1265	1.3884	0.0131	0.3810	0.0135	0.3946	0.1034	0.0129	0.1163		1,409.521 2	1,409.521 2	0.0912		1,411.801 5

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.1273	4.0952	0.9602	0.0119	0.2669	0.0126	0.2795	0.0732	0.0120	0.0852		1,292.241 3	1,292.241 3	0.0877		1,294.433 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0487	0.0313	0.4282	1.1800e- 003	0.1141	9.5000e- 004	0.1151	0.0303	8.8000e- 004	0.0311		117.2799	117.2799	3.5200e- 003		117.3678
Total	0.1760	4.1265	1.3884	0.0131	0.3810	0.0135	0.3946	0.1034	0.0129	0.1163		1,409.521 2	1,409.521 2	0.0912		1,411.801 5

3.3 Site Preparation - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0584	0.0375	0.5139	1.4100e- 003	0.1369	1.1400e- 003	0.1381	0.0363	1.0500e- 003	0.0374		140.7359	140.7359	4.2200e- 003		140.8414
Total	0.0584	0.0375	0.5139	1.4100e- 003	0.1369	1.1400e- 003	0.1381	0.0363	1.0500e- 003	0.0374		140.7359	140.7359	4.2200e- 003		140.8414

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.656 9	3,685.656 9	1.1920		3,715.457 3

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0584	0.0375	0.5139	1.4100e- 003	0.1369	1.1400e- 003	0.1381	0.0363	1.0500e- 003	0.0374		140.7359	140.7359	4.2200e- 003		140.8414
Total	0.0584	0.0375	0.5139	1.4100e- 003	0.1369	1.1400e- 003	0.1381	0.0363	1.0500e- 003	0.0374		140.7359	140.7359	4.2200e- 003		140.8414

3.4 Grading - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.043 4	6,007.043 4	1.9428		6,055.613 4
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.043 4	6,007.043 4	1.9428		6,055.613 4

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0649	0.0417	0.5710	1.5700e- 003	0.1521	1.2700e- 003	0.1534	0.0404	1.1700e- 003	0.0415		156.3732	156.3732	4.6900e- 003		156.4904
Total	0.0649	0.0417	0.5710	1.5700e- 003	0.1521	1.2700e- 003	0.1534	0.0404	1.1700e- 003	0.0415		156.3732	156.3732	4.6900e- 003		156.4904

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.043 4	6,007.043 4	1.9428		6,055.613 4
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.043 4	6,007.043 4	1.9428		6,055.613 4

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0649	0.0417	0.5710	1.5700e- 003	0.1521	1.2700e- 003	0.1534	0.0404	1.1700e- 003	0.0415		156.3732	156.3732	4.6900e- 003		156.4904
Total	0.0649	0.0417	0.5710	1.5700e- 003	0.1521	1.2700e- 003	0.1534	0.0404	1.1700e- 003	0.0415		156.3732	156.3732	4.6900e- 003		156.4904

3.4 Grading - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.410 5	6,011.410 5	1.9442		6,060.015 8
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.410 5	6,011.410 5	1.9442		6,060.015 8

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0607	0.0376	0.5263	1.5100e- 003	0.1521	1.2300e- 003	0.1534	0.0404	1.1300e- 003	0.0415		150.8754	150.8754	4.2400e- 003		150.9813
Total	0.0607	0.0376	0.5263	1.5100e- 003	0.1521	1.2300e- 003	0.1534	0.0404	1.1300e- 003	0.0415		150.8754	150.8754	4.2400e- 003		150.9813

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.410 5	6,011.410 5	1.9442		6,060.015 8
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.410 5	6,011.410 5	1.9442		6,060.015 8

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0607	0.0376	0.5263	1.5100e- 003	0.1521	1.2300e- 003	0.1534	0.0404	1.1300e- 003	0.0415		150.8754	150.8754	4.2400e- 003		150.9813
Total	0.0607	0.0376	0.5263	1.5100e- 003	0.1521	1.2300e- 003	0.1534	0.0404	1.1300e- 003	0.0415		150.8754	150.8754	4.2400e- 003		150.9813

3.5 Building Construction - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/c	lay							lb/c	lay		
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.333 6	2,554.333 6	0.6120		2,569.632 2

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	2.4299	1.5074	21.0801	0.0607	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		6,042.558 5	6,042.558 5	0.1697		6,046.800 0
Total	2.8378	14.7106	24.5142	0.0971	7.0087	0.0741	7.0828	1.8799	0.0691	1.9490		9,939.106 7	9,939.106 7	0.3933		9,948.938 4

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4079	13.2032	3.4341	0.0364	0.9155	0.0248	0.9404	0.2636	0.0237	0.2873		3,896.548 2	3,896.548 2	0.2236		3,902.138 4
Worker	2.4299	1.5074	21.0801	0.0607	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		6,042.558 5	6,042.558 5	0.1697		6,046.800 0
Total	2.8378	14.7106	24.5142	0.0971	7.0087	0.0741	7.0828	1.8799	0.0691	1.9490		9,939.106 7	9,939.106 7	0.3933		9,948.938 4

3.5 Building Construction - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997	1 1 1	0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	2.2780	1.3628	19.4002	0.0584	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,821.402 8	5,821.402 8	0.1529		5,825.225 4
Total	2.5807	11.3809	22.5017	0.0936	7.0088	0.0595	7.0682	1.8799	0.0552	1.9350		9,595.279 0	9,595.279 0	0.3511		9,604.055 4

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997	- 	0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3027	10.0181	3.1014	0.0352	0.9156	0.0116	0.9271	0.2636	0.0111	0.2747		3,773.876 2	3,773.876 2	0.1982		3,778.830 0
Worker	2.2780	1.3628	19.4002	0.0584	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,821.402 8	5,821.402 8	0.1529		5,825.225 4
Total	2.5807	11.3809	22.5017	0.0936	7.0088	0.0595	7.0682	1.8799	0.0552	1.9350		9,595.279 0	9,595.279 0	0.3511		9,604.055 4

3.6 Paving - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0427	0.0255	0.3633	1.0900e- 003	0.1141	9.0000e- 004	0.1150	0.0303	8.3000e- 004	0.0311		109.0150	109.0150	2.8600e- 003		109.0866
Total	0.0427	0.0255	0.3633	1.0900e- 003	0.1141	9.0000e- 004	0.1150	0.0303	8.3000e- 004	0.0311		109.0150	109.0150	2.8600e- 003		109.0866

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.584 1	2,207.584 1	0.7140		2,225.433 6

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0427	0.0255	0.3633	1.0900e- 003	0.1141	9.0000e- 004	0.1150	0.0303	8.3000e- 004	0.0311		109.0150	109.0150	2.8600e- 003		109.0866
Total	0.0427	0.0255	0.3633	1.0900e- 003	0.1141	9.0000e- 004	0.1150	0.0303	8.3000e- 004	0.0311		109.0150	109.0150	2.8600e- 003		109.0866

3.6 Paving - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0403	0.0233	0.3384	1.0600e- 003	0.1141	8.8000e- 004	0.1150	0.0303	8.1000e- 004	0.0311		105.6336	105.6336	2.6300e- 003		105.6992
Total	0.0403	0.0233	0.3384	1.0600e- 003	0.1141	8.8000e- 004	0.1150	0.0303	8.1000e- 004	0.0311		105.6336	105.6336	2.6300e- 003		105.6992

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0403	0.0233	0.3384	1.0600e- 003	0.1141	8.8000e- 004	0.1150	0.0303	8.1000e- 004	0.0311		105.6336	105.6336	2.6300e- 003		105.6992
Total	0.0403	0.0233	0.3384	1.0600e- 003	0.1141	8.8000e- 004	0.1150	0.0303	8.1000e- 004	0.0311		105.6336	105.6336	2.6300e- 003		105.6992

3.7 Architectural Coating - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e- 003	1.2266	0.3229	8.6800e- 003	0.3315		1,126.758 3	1,126.758 3	0.0280		1,127.458 3
Total	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e- 003	1.2266	0.3229	8.6800e- 003	0.3315		1,126.758 3	1,126.758 3	0.0280		1,127.458 3

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e- 003	1.2266	0.3229	8.6800e- 003	0.3315		1,126.758 3	1,126.758 3	0.0280		1,127.458 3
Total	0.4296	0.2481	3.6098	0.0113	1.2171	9.4300e- 003	1.2266	0.3229	8.6800e- 003	0.3315		1,126.758 3	1,126.758 3	0.0280		1,127.458 3

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Mitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08
Unmitigated	9.8489	45.4304	114.8495	0.4917	45.9592	0.3360	46.2951	12.2950	0.3119	12.6070		50,306.60 34	50,306.60 34	2.1807		50,361.12 08

4.2 Trip Summary Information

	Ave	rage Daily Trip Ra	ite	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

5.2 Energy by Land Use - NaturalGas

<u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/e	day							lb/c	day		
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e- 004		8.3400e- 003	8.3400e- 003		8.3400e- 003	8.3400e- 003		131.6662	131.6662	2.5200e- 003	2.4100e- 003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.916 4	4,209.916 4	0.0807	0.0772	4,234.933 9
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e- 004		9.5600e- 003	9.5600e- 003		9.5600e- 003	9.5600e- 003		150.9911	150.9911	2.8900e- 003	2.7700e- 003	151.8884
High Turnover (Sit Down Restaurant)		0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.634 2	2,677.634 2	0.0513	0.0491	2,693.546 0
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e- 003		0.0355	0.0355	,	0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e- 003		0.0377	0.0377	,	0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center		2.7100e- 003	0.0247	0.0207	1.5000e- 004		1.8700e- 003	1.8700e- 003		1.8700e- 003	1.8700e- 003		29.6019	29.6019	5.7000e- 004	5.4000e- 004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/e	day							lb/d	day		
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e- 004		8.3400e- 003	8.3400e- 003		8.3400e- 003	8.3400e- 003		131.6662	131.6662	2.5200e- 003	2.4100e- 003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.916 4	4,209.916 4	0.0807	0.0772	4,234.933 9
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e- 004		9.5600e- 003	9.5600e- 003		9.5600e- 003	9.5600e- 003		150.9911	150.9911	2.8900e- 003	2.7700e- 003	151.8884
High Turnover (Sit Down Restaurant)		0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.634 2	2,677.634 2	0.0513	0.0491	2,693.546 0
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e- 003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e- 003		0.0377	0.0377	,	0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center		2.7100e- 003	0.0247	0.0207	1.5000e- 004		1.8700e- 003	1.8700e- 003		1.8700e- 003	1.8700e- 003		29.6019	29.6019	5.7000e- 004	5.4000e- 004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

6.0 Area Detail

6.1 Mitigation Measures Area

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	lay		
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

6.2 Area by SubCategory

<u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day												lb/c	lay		
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.00 00	18,000.00 00	0.3450	0.3300	18,106.96 50
Landscaping	2.4766	0.9496	82.4430	4.3600e- 003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day												lb/c	day		
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.00 00	18,000.00 00	0.3450	0.3300	18,106.96 50
Landscaping	2.4766	0.9496	82.4430	4.3600e- 003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
<u>Boilers</u>						
Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type	
User Defined Equipment						
Equipment Type	Number					

Village South Specific Plan (Proposed)

Los Angeles-South Coast County, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	45.00	1000sqft	1.03	45,000.00	0
High Turnover (Sit Down Restaurant)	36.00	1000sqft	0.83	36,000.00	0
Hotel	50.00	Room	1.67	72,600.00	0
Quality Restaurant	8.00	1000sqft	0.18	8,000.00	0
Apartments Low Rise	25.00	Dwelling Unit	1.56	25,000.00	72
Apartments Mid Rise	975.00	Dwelling Unit	25.66	975,000.00	2789
Regional Shopping Center	56.00	1000sqft	1.29	56,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	33
Climate Zone	9			Operational Year	2028
Utility Company	Southern California Ediso	n			
CO2 Intensity (Ib/MWhr)	702.44	CH4 Intensity (Ib/MWhr)	0.029	N2O Intensity (Ib/MWhr)	0.006

1.3 User Entered Comments & Non-Default Data

Project Characteristics - Consistent with the DEIR's model.

Land Use - See SWAPE comment regarding residential and retail land uses.

Construction Phase - See SWAPE comment regarding individual construction phase lengths.

Demolition - Consistent with the DEIR's model. See SWAPE comment regarding demolition.

Vehicle Trips - Saturday trips consistent with the DEIR's model. See SWAPE comment regarding weekday and Sunday trips.

Woodstoves - Woodstoves and wood-burning fireplaces consistent with the DEIR's model. See SWAPE comment regarding gas fireplaces.

Energy Use -

Construction Off-road Equipment Mitigation - See SWAPE comment on construction-related mitigation.

Area Mitigation - See SWAPE comment regarding operational mitigation measures.

Water Mitigation - See SWAPE comment regarding operational mitigation measures.

Trips and VMT - Local hire provision

Table Name	Column Name	Default Value	New Value
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	FireplaceWoodMass	1,019.20	0.00
tblFireplaces	NumberWood	1.25	0.00
tblFireplaces	NumberWood	48.75	0.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblTripsAndVMT	WorkerTripLength	14.70	10.00
tblVehicleTrips	ST_TR	7.16	6.17
tblVehicleTrips	ST_TR	6.39	3.87
tblVehicleTrips	ST_TR	2.46	1.39
tblVehicleTrips	ST_TR	158.37	79.82

Village South Specific Plan	(Proposed)) - Los Anaeles-South	Coast County, Winter

tblVehicleTrips	ST_TR	8.19	3.75
tblVehicleTrips	ST_TR	94.36	63.99
tblVehicleTrips	ST_TR	49.97	10.74
tblVehicleTrips	SU_TR	6.07	6.16
tblVehicleTrips	SU_TR	5.86	4.18
tblVehicleTrips	SU_TR	1.05	0.69
tblVehicleTrips	SU_TR	131.84	78.27
tblVehicleTrips	SU_TR	5.95	3.20
tblVehicleTrips	SU_TR	72.16	57.65
tblVehicleTrips	SU_TR	25.24	6.39
tblVehicleTrips	WD_TR	6.59	5.83
tblVehicleTrips	WD_TR	6.65	4.13
tblVehicleTrips	WD_TR	11.03	6.41
tblVehicleTrips	WD_TR	127.15	65.80
tblVehicleTrips	WD_TR	8.17	3.84
tblVehicleTrips	WD_TR	89.95	62.64
tblVehicleTrips	WD_TR	42.70	9.43
tblWoodstoves	NumberCatalytic	1.25	0.00
tblWoodstoves	NumberCatalytic	48.75	0.00
tblWoodstoves	NumberNoncatalytic	1.25	0.00
tblWoodstoves	NumberNoncatalytic	48.75	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveDayYear	25.00	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00
tblWoodstoves	WoodstoveWoodMass	999.60	0.00

2.0 Emissions Summary

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year	lb/day												lb/d	lay		
2021	4.2621	46.4460	31.4068	0.0635	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,154.337 7	6,154.337 7	1.9472	0.0000	6,203.018 6
2022	4.7966	38.8851	39.6338	0.1195	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,035.34 40	12,035.34 40	1.9482	0.0000	12,060.60 13
2023	4.3939	25.8648	37.5031	0.1162	7.0088	0.7598	7.7685	1.8799	0.7142	2.5940	0.0000	11,710.40 80	11,710.40 80	0.9617	0.0000	11,734.44 97
2024	237.0656	9.5503	14.9372	0.0238	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,307.051 7	2,307.051 7	0.7164	0.0000	2,324.962 7
Maximum	237.0656	46.4460	39.6338	0.1195	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,035.34 40	12,035.34 40	1.9482	0.0000	12,060.60 13

2.1 Overall Construction (Maximum Daily Emission)

Mitigated Construction

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Year		lb/day											lb/o	day		
2021	4.2621	46.4460	31.4068	0.0635	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	6,154.337 7	6,154.337 7	1.9472	0.0000	6,203.018 6
2022	4.7966	38.8851	39.6338	0.1195	8.8255	1.6361	10.4616	3.6369	1.5052	5.1421	0.0000	12,035.34 40	12,035.34 40	1.9482	0.0000	12,060.60 13
2023	4.3939	25.8648	37.5031	0.1162	7.0088	0.7598	7.7685	1.8799	0.7142	2.5940	0.0000	11,710.40 80	11,710.40 80	0.9617	0.0000	11,734.44 97
2024	237.0656	9.5503	14.9372	0.0238	1.2171	0.4694	1.2875	0.3229	0.4319	0.4621	0.0000	2,307.051 7	2,307.051 7	0.7164	0.0000	2,324.962 7
Maximum	237.0656	46.4460	39.6338	0.1195	18.2032	2.0456	20.2488	9.9670	1.8820	11.8490	0.0000	12,035.34 40	12,035.34 40	1.9482	0.0000	12,060.60 13
	ROG	NOx	CO	SO2	Fugitive	Exhaust	PM10 Total	Fugitive	Exhaust	PM2.5	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

2.2 Overall Operational

Unmitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day											lb/c	lay			
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

Mitigated Operational

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day								lb/day							
Area	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Energy	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
Mobile	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Total	40.7912	67.7872	202.7424	0.6043	45.9592	2.4640	48.4231	12.2950	2.4399	14.7349	0.0000	74,422.37 87	74,422.37 87	2.8429	0.4832	74,637.44 17

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Demolition	Demolition	9/1/2021	10/12/2021	5	30	
2	Site Preparation	Site Preparation	10/13/2021	11/9/2021	5	20	
3	Grading	Grading	11/10/2021	1/11/2022	5	45	
4	Building Construction	Building Construction	1/12/2022	12/12/2023	5	500	
5	Paving	Paving	12/13/2023	1/30/2024	5	35	
6	Architectural Coating	Architectural Coating	1/31/2024	3/19/2024	5	35	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 112.5

Acres of Paving: 0

Residential Indoor: 2,025,000; Residential Outdoor: 675,000; Non-Residential Indoor: 326,400; Non-Residential Outdoor: 108,800; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Demolition	Concrete/Industrial Saws	1	8.00	81	0.73
Demolition	Excavators	3	8.00	158	0.38
Demolition	Rubber Tired Dozers	2	8.00	247	0.40
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	4	8.00	97	0.37
Grading	Excavators	2	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Scrapers	2	8.00	367	0.48
Grading	Tractors/Loaders/Backhoes	2	8.00	97	0.37
Building Construction	Cranes	1	7.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	7.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	6.00	78	0.48

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Demolition	6	15.00	0.00	458.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Site Preparation	7	18.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	8	20.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	801.00	143.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	160.00	0.00	0.00	10.00	6.90	20.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

3.2 Demolition - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411		3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419		3,747.944 9	3,747.944 9	1.0549		3,774.317 4

3.2 Demolition - 2021

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0532	0.0346	0.3963	1.1100e- 003	0.1141	9.5000e- 004	0.1151	0.0303	8.8000e- 004	0.0311		110.4707	110.4707	3.3300e- 003		110.5539
Total	0.1835	4.1800	1.4144	0.0128	0.3810	0.0137	0.3948	0.1034	0.0131	0.1165		1,380.326 2	1,380.326 2	0.0941		1,382.679 1

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					3.3074	0.0000	3.3074	0.5008	0.0000	0.5008			0.0000			0.0000
Off-Road	3.1651	31.4407	21.5650	0.0388		1.5513	1.5513		1.4411	1.4411	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4
Total	3.1651	31.4407	21.5650	0.0388	3.3074	1.5513	4.8588	0.5008	1.4411	1.9419	0.0000	3,747.944 9	3,747.944 9	1.0549		3,774.317 4

3.2 Demolition - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.1304	4.1454	1.0182	0.0117	0.2669	0.0128	0.2797	0.0732	0.0122	0.0854		1,269.855 5	1,269.855 5	0.0908		1,272.125 2
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0532	0.0346	0.3963	1.1100e- 003	0.1141	9.5000e- 004	0.1151	0.0303	8.8000e- 004	0.0311		110.4707	110.4707	3.3300e- 003		110.5539
Total	0.1835	4.1800	1.4144	0.0128	0.3810	0.0137	0.3948	0.1034	0.0131	0.1165		1,380.326 2	1,380.326 2	0.0941		1,382.679 1

3.3 Site Preparation - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809		3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116		3,685.656 9	3,685.656 9	1.1920		3,715.457 3

3.3 Site Preparation - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0638	0.0415	0.4755	1.3300e- 003	0.1369	1.1400e- 003	0.1381	0.0363	1.0500e- 003	0.0374		132.5649	132.5649	3.9900e- 003		132.6646
Total	0.0638	0.0415	0.4755	1.3300e- 003	0.1369	1.1400e- 003	0.1381	0.0363	1.0500e- 003	0.0374		132.5649	132.5649	3.9900e- 003		132.6646

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Fugitive Dust					18.0663	0.0000	18.0663	9.9307	0.0000	9.9307			0.0000			0.0000
Off-Road	3.8882	40.4971	21.1543	0.0380		2.0445	2.0445		1.8809	1.8809	0.0000	3,685.656 9	3,685.656 9	1.1920		3,715.457 3
Total	3.8882	40.4971	21.1543	0.0380	18.0663	2.0445	20.1107	9.9307	1.8809	11.8116	0.0000	3,685.656 9	3,685.656 9	1.1920		3,715.457 3

3.3 Site Preparation - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0638	0.0415	0.4755	1.3300e- 003	0.1369	1.1400e- 003	0.1381	0.0363	1.0500e- 003	0.0374		132.5649	132.5649	3.9900e- 003		132.6646
Total	0.0638	0.0415	0.4755	1.3300e- 003	0.1369	1.1400e- 003	0.1381	0.0363	1.0500e- 003	0.0374		132.5649	132.5649	3.9900e- 003		132.6646

3.4 Grading - 2021

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265		6,007.043 4	6,007.043 4	1.9428		6,055.613 4
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230		6,007.043 4	6,007.043 4	1.9428		6,055.613 4

3.4 Grading - 2021

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0709	0.0462	0.5284	1.4800e- 003	0.1521	1.2700e- 003	0.1534	0.0404	1.1700e- 003	0.0415		147.2943	147.2943	4.4300e- 003	,	147.4051
Total	0.0709	0.0462	0.5284	1.4800e- 003	0.1521	1.2700e- 003	0.1534	0.0404	1.1700e- 003	0.0415		147.2943	147.2943	4.4300e- 003		147.4051

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	4.1912	46.3998	30.8785	0.0620		1.9853	1.9853		1.8265	1.8265	0.0000	6,007.043 4	6,007.043 4	1.9428		6,055.613 4
Total	4.1912	46.3998	30.8785	0.0620	8.6733	1.9853	10.6587	3.5965	1.8265	5.4230	0.0000	6,007.043 4	6,007.043 4	1.9428		6,055.613 4

3.4 Grading - 2021

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0709	0.0462	0.5284	1.4800e- 003	0.1521	1.2700e- 003	0.1534	0.0404	1.1700e- 003	0.0415		147.2943	147.2943	4.4300e- 003		147.4051
Total	0.0709	0.0462	0.5284	1.4800e- 003	0.1521	1.2700e- 003	0.1534	0.0404	1.1700e- 003	0.0415		147.2943	147.2943	4.4300e- 003		147.4051

3.4 Grading - 2022

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041		6,011.410 5	6,011.410 5	1.9442		6,060.015 8
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006		6,011.410 5	6,011.410 5	1.9442		6,060.015 8

3.4 Grading - 2022

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0665	0.0416	0.4861	1.4300e- 003	0.1521	1.2300e- 003	0.1534	0.0404	1.1300e- 003	0.0415		142.1207	142.1207	4.0000e- 003		142.2207
Total	0.0665	0.0416	0.4861	1.4300e- 003	0.1521	1.2300e- 003	0.1534	0.0404	1.1300e- 003	0.0415		142.1207	142.1207	4.0000e- 003		142.2207

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/d	day		
Fugitive Dust					8.6733	0.0000	8.6733	3.5965	0.0000	3.5965			0.0000			0.0000
Off-Road	3.6248	38.8435	29.0415	0.0621		1.6349	1.6349		1.5041	1.5041	0.0000	6,011.410 5	6,011.410 5	1.9442		6,060.015 8
Total	3.6248	38.8435	29.0415	0.0621	8.6733	1.6349	10.3082	3.5965	1.5041	5.1006	0.0000	6,011.410 5	6,011.410 5	1.9442		6,060.015 8

Page 17 of 35

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

3.4 Grading - 2022

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0665	0.0416	0.4861	1.4300e- 003	0.1521	1.2300e- 003	0.1534	0.0404	1.1300e- 003	0.0415		142.1207	142.1207	4.0000e- 003		142.2207
Total	0.0665	0.0416	0.4861	1.4300e- 003	0.1521	1.2300e- 003	0.1534	0.0404	1.1300e- 003	0.0415		142.1207	142.1207	4.0000e- 003		142.2207

3.5 Building Construction - 2022

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/c	lay							lb/c	lay		
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612		2,554.333 6	2,554.333 6	0.6120		2,569.632 2

3.5 Building Construction - 2022

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	2.6620	1.6677	19.4699	0.0571	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		5,691.935 4	5,691.935 4	0.1602		5,695.940 8
Total	3.0904	14.8350	23.2704	0.0926	7.0087	0.0749	7.0836	1.8799	0.0699	1.9498		9,481.010 4	9,481.010 4	0.3984		9,490.969 1

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090	1 1 1	0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2
Total	1.7062	15.6156	16.3634	0.0269		0.8090	0.8090		0.7612	0.7612	0.0000	2,554.333 6	2,554.333 6	0.6120		2,569.632 2

3.5 Building Construction - 2022

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.4284	13.1673	3.8005	0.0354	0.9155	0.0256	0.9412	0.2636	0.0245	0.2881		3,789.075 0	3,789.075 0	0.2381		3,795.028 3
Worker	2.6620	1.6677	19.4699	0.0571	6.0932	0.0493	6.1425	1.6163	0.0454	1.6617		5,691.935 4	5,691.935 4	0.1602		5,695.940 8
Total	3.0904	14.8350	23.2704	0.0926	7.0087	0.0749	7.0836	1.8799	0.0699	1.9498		9,481.010 4	9,481.010 4	0.3984		9,490.969 1

3.5 Building Construction - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584		2,555.209 9	2,555.209 9	0.6079		2,570.406 1

3.5 Building Construction - 2023

Unmitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/d	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.400 7	3,671.400 7	0.2096		3,676.641 7
Worker	2.5029	1.5073	17.8820	0.0550	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,483.797 4	5,483.797 4	0.1442		5,487.402 0
Total	2.8211	11.4799	21.2591	0.0893	7.0088	0.0601	7.0688	1.8799	0.0557	1.9356		9,155.198 1	9,155.198 1	0.3538		9,164.043 7

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	day		
Off-Road	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997	- 	0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1
Total	1.5728	14.3849	16.2440	0.0269		0.6997	0.6997		0.6584	0.6584	0.0000	2,555.209 9	2,555.209 9	0.6079		2,570.406 1

3.5 Building Construction - 2023

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.3183	9.9726	3.3771	0.0343	0.9156	0.0122	0.9277	0.2636	0.0116	0.2752		3,671.400 7	3,671.400 7	0.2096		3,676.641 7
Worker	2.5029	1.5073	17.8820	0.0550	6.0932	0.0479	6.1411	1.6163	0.0441	1.6604		5,483.797 4	5,483.797 4	0.1442		5,487.402 0
Total	2.8211	11.4799	21.2591	0.0893	7.0088	0.0601	7.0688	1.8799	0.0557	1.9356		9,155.198 1	9,155.198 1	0.3538		9,164.043 7

3.6 Paving - 2023

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694		2,207.584 1	2,207.584 1	0.7140		2,225.433 6

3.6 Paving - 2023

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0282	0.3349	1.0300e- 003	0.1141	9.0000e- 004	0.1150	0.0303	8.3000e- 004	0.0311		102.6928	102.6928	2.7000e- 003		102.7603
Total	0.0469	0.0282	0.3349	1.0300e- 003	0.1141	9.0000e- 004	0.1150	0.0303	8.3000e- 004	0.0311		102.6928	102.6928	2.7000e- 003		102.7603

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Off-Road	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.584 1	2,207.584 1	0.7140		2,225.433 6
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	1.0327	10.1917	14.5842	0.0228		0.5102	0.5102		0.4694	0.4694	0.0000	2,207.584 1	2,207.584 1	0.7140		2,225.433 6

3.6 Paving - 2023

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0469	0.0282	0.3349	1.0300e- 003	0.1141	9.0000e- 004	0.1150	0.0303	8.3000e- 004	0.0311		102.6928	102.6928	2.7000e- 003		102.7603
Total	0.0469	0.0282	0.3349	1.0300e- 003	0.1141	9.0000e- 004	0.1150	0.0303	8.3000e- 004	0.0311		102.6928	102.6928	2.7000e- 003		102.7603

3.6 Paving - 2024

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310		2,207.547 2	2,207.547 2	0.7140		2,225.396 3

3.6 Paving - 2024

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0444	0.0257	0.3114	1.0000e- 003	0.1141	8.8000e- 004	0.1150	0.0303	8.1000e- 004	0.0311		99.5045	99.5045	2.4700e- 003		99.5663
Total	0.0444	0.0257	0.3114	1.0000e- 003	0.1141	8.8000e- 004	0.1150	0.0303	8.1000e- 004	0.0311		99.5045	99.5045	2.4700e- 003		99.5663

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Off-Road	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Total	0.9882	9.5246	14.6258	0.0228		0.4685	0.4685		0.4310	0.4310	0.0000	2,207.547 2	2,207.547 2	0.7140		2,225.396 3

3.6 Paving - 2024

Mitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day		<u>.</u>					lb/c	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0444	0.0257	0.3114	1.0000e- 003	0.1141	8.8000e- 004	0.1150	0.0303	8.1000e- 004	0.0311		99.5045	99.5045	2.4700e- 003		99.5663
Total	0.0444	0.0257	0.3114	1.0000e- 003	0.1141	8.8000e- 004	0.1150	0.0303	8.1000e- 004	0.0311		99.5045	99.5045	2.4700e- 003		99.5663

3.7 Architectural Coating - 2024

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/d	day							lb/c	lay		
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609		281.4481	281.4481	0.0159		281.8443

3.7 Architectural Coating - 2024

Unmitigated Construction Off-Site

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/	day							lb/d	day		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e- 003	1.2266	0.3229	8.6800e- 003	0.3315		1,061.381 8	1,061.381 8	0.0264		1,062.041 0
Total	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e- 003	1.2266	0.3229	8.6800e- 003	0.3315		1,061.381 8	1,061.381 8	0.0264		1,062.041 0

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	day		
Archit. Coating	236.4115					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Off-Road	0.1808	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443
Total	236.5923	1.2188	1.8101	2.9700e- 003		0.0609	0.0609		0.0609	0.0609	0.0000	281.4481	281.4481	0.0159		281.8443

3.7 Architectural Coating - 2024

Mitigated Construction Off-Site

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e- 003	1.2266	0.3229	8.6800e- 003	0.3315		1,061.381 8	1,061.381 8	0.0264		1,062.041 0
Total	0.4734	0.2743	3.3220	0.0107	1.2171	9.4300e- 003	1.2266	0.3229	8.6800e- 003	0.3315		1,061.381 8	1,061.381 8	0.0264		1,062.041 0

4.0 Operational Detail - Mobile

4.1 Mitigation Measures Mobile

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	lay		
Mitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39
Unmitigated	9.5233	45.9914	110.0422	0.4681	45.9592	0.3373	46.2965	12.2950	0.3132	12.6083		47,917.80 05	47,917.80 05	2.1953		47,972.68 39

4.2 Trip Summary Information

	Ave	rage Daily Trip Ra	ite	Unmitigated	Mitigated
Land Use	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Low Rise	145.75	154.25	154.00	506,227	506,227
Apartments Mid Rise	4,026.75	3,773.25	4075.50	13,660,065	13,660,065
General Office Building	288.45	62.55	31.05	706,812	706,812
High Turnover (Sit Down Restaurant)	2,368.80	2,873.52	2817.72	3,413,937	3,413,937
Hotel	192.00	187.50	160.00	445,703	445,703
Quality Restaurant	501.12	511.92	461.20	707,488	707,488
Regional Shopping Center	528.08	601.44	357.84	1,112,221	1,112,221
Total	8,050.95	8,164.43	8,057.31	20,552,452	20,552,452

4.3 Trip Type Information

		Miles			Trip %			Trip Purpos	e %
Land Use	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Low Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
Apartments Mid Rise	14.70	5.90	8.70	40.20	19.20	40.60	86	11	3
General Office Building	16.60	8.40	6.90	33.00	48.00	19.00	77	19	4
High Turnover (Sit Down	16.60	8.40	6.90	8.50	72.50	19.00	37	20	43
Hotel	16.60	8.40	6.90	19.40	61.60	19.00	58	38	4
Quality Restaurant	16.60	8.40	6.90	12.00	69.00	19.00	38	18	44
Regional Shopping Center	16.60	8.40	6.90	16.30	64.70	19.00	54	35	11

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Low Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Apartments Mid Rise	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
General Office Building	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
High Turnover (Sit Down Restaurant)	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Hotel	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Quality Restaurant	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821
Regional Shopping Center	0.543088	0.044216	0.209971	0.116369	0.014033	0.006332	0.021166	0.033577	0.002613	0.001817	0.005285	0.000712	0.000821

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

	ROG	NOx	со	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/o	day							lb/c	day		
NaturalGas Mitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7
NaturalGas Unmitigated	0.7660	6.7462	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

5.2 Energy by Land Use - NaturalGas

<u>Unmitigated</u>

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/e	day							lb/d	lay		
Apartments Low Rise	1119.16	0.0121	0.1031	0.0439	6.6000e- 004		8.3400e- 003	8.3400e- 003		8.3400e- 003	8.3400e- 003		131.6662	131.6662	2.5200e- 003	2.4100e- 003	132.4486
Apartments Mid Rise	35784.3	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.916 4	4,209.916 4	0.0807	0.0772	4,234.933 9
General Office Building	1283.42	0.0138	0.1258	0.1057	7.5000e- 004		9.5600e- 003	9.5600e- 003		9.5600e- 003	9.5600e- 003		150.9911	150.9911	2.8900e- 003	2.7700e- 003	151.8884
High Turnover (Sit Down Restaurant)		0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.634 2	2,677.634 2	0.0513	0.0491	2,693.546 0
Hotel	4769.72	0.0514	0.4676	0.3928	2.8100e- 003		0.0355	0.0355	,	0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5057.75	0.0545	0.4959	0.4165	2.9800e- 003		0.0377	0.0377	1	0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center		2.7100e- 003	0.0247	0.0207	1.5000e- 004		1.8700e- 003	1.8700e- 003	1	1.8700e- 003	1.8700e- 003		29.6019	29.6019	5.7000e- 004	5.4000e- 004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

5.2 Energy by Land Use - NaturalGas

Mitigated

	NaturalGa s Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr					lb/e	day							lb/d	day		
Apartments Low Rise	1.11916	0.0121	0.1031	0.0439	6.6000e- 004		8.3400e- 003	8.3400e- 003		8.3400e- 003	8.3400e- 003		131.6662	131.6662	2.5200e- 003	2.4100e- 003	132.4486
Apartments Mid Rise	35.7843	0.3859	3.2978	1.4033	0.0211		0.2666	0.2666		0.2666	0.2666		4,209.916 4	4,209.916 4	0.0807	0.0772	4,234.933 9
General Office Building	1.28342	0.0138	0.1258	0.1057	7.5000e- 004		9.5600e- 003	9.5600e- 003		9.5600e- 003	9.5600e- 003		150.9911	150.9911	2.8900e- 003	2.7700e- 003	151.8884
High Turnover (Sit Down Restaurant)		0.2455	2.2314	1.8743	0.0134		0.1696	0.1696		0.1696	0.1696		2,677.634 2	2,677.634 2	0.0513	0.0491	2,693.546 0
Hotel	4.76972	0.0514	0.4676	0.3928	2.8100e- 003		0.0355	0.0355		0.0355	0.0355		561.1436	561.1436	0.0108	0.0103	564.4782
Quality Restaurant	5.05775	0.0545	0.4959	0.4165	2.9800e- 003		0.0377	0.0377	,	0.0377	0.0377		595.0298	595.0298	0.0114	0.0109	598.5658
Regional Shopping Center		2.7100e- 003	0.0247	0.0207	1.5000e- 004		1.8700e- 003	1.8700e- 003	,	1.8700e- 003	1.8700e- 003		29.6019	29.6019	5.7000e- 004	5.4000e- 004	29.7778
Total		0.7660	6.7463	4.2573	0.0418		0.5292	0.5292		0.5292	0.5292		8,355.983 2	8,355.983 2	0.1602	0.1532	8,405.638 7

6.0 Area Detail

6.1 Mitigation Measures Area

Page 33 of 35

Village South Specific Plan (Proposed) - Los Angeles-South Coast County, Winter

	ROG	NOx	СО	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category					lb/e	day							lb/c	lay		
Mitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92
Unmitigated	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

6.2 Area by SubCategory

<u>Unmitigated</u>

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/e	day							lb/c	lay		
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.00 00	18,000.00 00	0.3450	0.3300	18,106.96 50
Landscaping	2.4766	0.9496	82.4430	4.3600e- 003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

6.2 Area by SubCategory

Mitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory					lb/o	day							lb/c	day		
Architectural Coating	2.2670					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	24.1085					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	1.6500	14.1000	6.0000	0.0900		1.1400	1.1400		1.1400	1.1400	0.0000	18,000.00 00	18,000.00 00	0.3450	0.3300	18,106.96 50
Landscaping	2.4766	0.9496	82.4430	4.3600e- 003		0.4574	0.4574		0.4574	0.4574		148.5950	148.5950	0.1424		152.1542
Total	30.5020	15.0496	88.4430	0.0944		1.5974	1.5974		1.5974	1.5974	0.0000	18,148.59 50	18,148.59 50	0.4874	0.3300	18,259.11 92

7.0 Water Detail

7.1 Mitigation Measures Water

8.0 Waste Detail

8.1 Mitigation Measures Waste

9.0 Operational Offroad

10.0 Stationary Equipment

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
Boilers						
Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type	
User Defined Equipment						
Equipment Type	Number					
11.0 Vegetation		-				

Attachment C

Local Hire Provision Net Change						
Without Local Hire Provision						
Total Construction GHG Emissions (MT CO2e)	3,623					
Amortized (MT CO2e/year)	120.77					
With Local Hire Provision						
Total Construction GHG Emissions (MT CO2e)	3,024					
Amortized (MT CO2e/year)	100.80					
% Decrease in Construction-related GHG Emissions	17%					

EXHIBIT B



Paul Rosenfeld, Ph.D.

Chemical Fate and Transport & Air Dispersion Modeling

Principal Environmental Chemist

Risk Assessment & Remediation Specialist

Education

Ph.D. Soil Chemistry, University of Washington, 1999. Dissertation on volatile organic compound filtration.M.S. Environmental Science, U.C. Berkeley, 1995. Thesis on organic waste economics.B.A. Environmental Studies, U.C. Santa Barbara, 1991. Thesis on wastewater treatment.

Professional Experience

Dr. Rosenfeld has over 25 years' experience conducting environmental investigations and risk assessments for evaluating impacts to human health, property, and ecological receptors. His expertise focuses on the fate and transport of environmental contaminants, human health risk, exposure assessment, and ecological restoration. Dr. Rosenfeld has evaluated and modeled emissions from unconventional oil drilling operations, oil spills, landfills, boilers and incinerators, process stacks, storage tanks, confined animal feeding operations, and many other industrial and agricultural sources. His project experience ranges from monitoring and modeling of pollution sources to evaluating impacts of pollution on workers at industrial facilities and residents in surrounding communities.

Dr. Rosenfeld has investigated and designed remediation programs and risk assessments for contaminated sites containing lead, heavy metals, mold, bacteria, particulate matter, petroleum hydrocarbons, chlorinated solvents, pesticides, radioactive waste, dioxins and furans, semi- and volatile organic compounds, PCBs, PAHs, perchlorate, asbestos, per- and poly-fluoroalkyl substances (PFOA/PFOS), unusual polymers, fuel oxygenates (MTBE), among other pollutants. Dr. Rosenfeld also has experience evaluating greenhouse gas emissions from various projects and is an expert on the assessment of odors from industrial and agricultural sites, as well as the evaluation of odor nuisance impacts and technologies for abatement of odorous emissions. As a principal scientist at SWAPE, Dr. Rosenfeld directs air dispersion modeling and exposure assessments. He has served as an expert witness and testified about pollution sources causing nuisance and/or personal injury at dozens of sites and has testified as an expert witness on more than ten cases involving exposure to air contaminants from industrial sources.

Professional History:

Soil Water Air Protection Enterprise (SWAPE); 2003 to present; Principal and Founding Partner UCLA School of Public Health; 2007 to 2011; Lecturer (Assistant Researcher) UCLA School of Public Health; 2003 to 2006; Adjunct Professor UCLA Environmental Science and Engineering Program; 2002-2004; Doctoral Intern Coordinator UCLA Institute of the Environment, 2001-2002; Research Associate Komex H₂O Science, 2001 to 2003; Senior Remediation Scientist National Groundwater Association, 2002-2004; Lecturer San Diego State University, 1999-2001; Adjunct Professor Anteon Corp., San Diego, 2000-2001; Remediation Project Manager Ogden (now Amec), San Diego, 2000-2000; Remediation Project Manager Bechtel, San Diego, California, 1999 - 2000; Risk Assessor King County, Seattle, 1996 - 1999; Scientist James River Corp., Washington, 1995-96; Scientist Big Creek Lumber, Davenport, California, 1995; Scientist Plumas Corp., California and USFS, Tahoe 1993-1995; Scientist Peace Corps and World Wildlife Fund, St. Kitts, West Indies, 1991-1993; Scientist

Publications:

Remy, L.L., Clay T., Byers, V., **Rosenfeld P. E.** (2019) Hospital, Health, and Community Burden After Oil Refinery Fires, Richmond, California 2007 and 2012. *Environmental Health*. 18:48

Simons, R.A., Seo, Y. **Rosenfeld**, **P**., (2015) Modeling the Effect of Refinery Emission On Residential Property Value. Journal of Real Estate Research. 27(3):321-342

Chen, J. A, Zapata A. R., Sutherland A. J., Molmen, D.R., Chow, B. S., Wu, L. E., **Rosenfeld, P. E.,** Hesse, R. C., (2012) Sulfur Dioxide and Volatile Organic Compound Exposure To A Community In Texas City Texas Evaluated Using Aermod and Empirical Data. *American Journal of Environmental Science*, 8(6), 622-632.

Rosenfeld, P.E. & Feng, L. (2011). The Risks of Hazardous Waste. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & Rosenfeld, P.E. (2011). Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Agrochemical Industry, Amsterdam: Elsevier Publishing.

Gonzalez, J., Feng, L., Sutherland, A., Waller, C., Sok, H., Hesse, R., **Rosenfeld**, **P.** (2010). PCBs and Dioxins/Furans in Attic Dust Collected Near Former PCB Production and Secondary Copper Facilities in Sauget, IL. *Procedia Environmental Sciences*. 113–125.

Feng, L., Wu, C., Tam, L., Sutherland, A.J., Clark, J.J., **Rosenfeld**, **P.E.** (2010). Dioxin and Furan Blood Lipid and Attic Dust Concentrations in Populations Living Near Four Wood Treatment Facilities in the United States. *Journal of Environmental Health*. 73(6), 34-46.

Cheremisinoff, N.P., & Rosenfeld, P.E. (2010). Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Wood and Paper Industries. Amsterdam: Elsevier Publishing.

Cheremisinoff, N.P., & Rosenfeld, P.E. (2009). Handbook of Pollution Prevention and Cleaner Production: Best Practices in the Petroleum Industry. Amsterdam: Elsevier Publishing.

Wu, C., Tam, L., Clark, J., **Rosenfeld**, P. (2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. *WIT Transactions on Ecology and the Environment, Air Pollution*, 123 (17), 319-327.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld**, **P.E.** (2008). A Statistical Analysis Of Attic Dust And Blood Lipid Concentrations Of Tetrachloro-p-Dibenzodioxin (TCDD) Toxicity Equivalency Quotients (TEQ) In Two Populations Near Wood Treatment Facilities. *Organohalogen Compounds*, 70, 002252-002255.

Tam L. K., Wu C. D., Clark J. J. and **Rosenfeld**, **P.E.** (2008). Methods For Collect Samples For Assessing Dioxins And Other Environmental Contaminants In Attic Dust: A Review. *Organohalogen Compounds*, 70, 000527-000530.

Hensley, A.R. A. Scott, J. J. J. Clark, **Rosenfeld**, **P.E.** (2007). Attic Dust and Human Blood Samples Collected near a Former Wood Treatment Facility. *Environmental Research*. 105, 194-197.

Rosenfeld, **P.E.**, J. J. J. Clark, A. R. Hensley, M. Suffet. (2007). The Use of an Odor Wheel Classification for Evaluation of Human Health Risk Criteria for Compost Facilities. *Water Science & Technology* 55(5), 345-357.

Rosenfeld, P. E., M. Suffet. (2007). The Anatomy Of Odour Wheels For Odours Of Drinking Water, Wastewater, Compost And The Urban Environment. *Water Science & Technology* 55(5), 335-344.

Sullivan, P. J. Clark, J.J.J., Agardy, F. J., Rosenfeld, P.E. (2007). *Toxic Legacy, Synthetic Toxins in the Food, Water, and Air in American Cities.* Boston Massachusetts: Elsevier Publishing

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash. *Water Science and Technology*. 49(9),171-178.

Rosenfeld P. E., J.J. Clark, I.H. (Mel) Suffet (2004). The Value of An Odor-Quality-Wheel Classification Scheme For The Urban Environment. *Water Environment Federation's Technical Exhibition and Conference (WEFTEC) 2004*. New Orleans, October 2-6, 2004.

Rosenfeld, P.E., and Suffet, I.H. (2004). Understanding Odorants Associated With Compost, Biomass Facilities, and the Land Application of Biosolids. *Water Science and Technology*. 49(9), 193-199.

Rosenfeld, P.E., and Suffet I.H. (2004). Control of Compost Odor Using High Carbon Wood Ash, *Water Science and Technology*, 49(9), 171-178.

Rosenfeld, P. E., Grey, M. A., Sellew, P. (2004). Measurement of Biosolids Odor and Odorant Emissions from Windrows, Static Pile and Biofilter. *Water Environment Research*. 76(4), 310-315.

Rosenfeld, P.E., Grey, M and Suffet, M. (2002). Compost Demonstration Project, Sacramento California Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Integrated Waste Management Board Public Affairs Office*, Publications Clearinghouse (MS–6), Sacramento, CA Publication #442-02-008.

Rosenfeld, **P.E.**, and C.L. Henry. (2001). Characterization of odor emissions from three different biosolids. *Water Soil and Air Pollution*. 127(1-4), 173-191.

Rosenfeld, **P.E.**, and Henry C. L., (2000). Wood ash control of odor emissions from biosolids application. *Journal of Environmental Quality*. 29, 1662-1668.

Rosenfeld, P.E., C.L. Henry and D. Bennett. (2001). Wastewater dewatering polymer affect on biosolids odor emissions and microbial activity. *Water Environment Research*. 73(4), 363-367.

Rosenfeld, **P.E.**, and C.L. Henry. (2001). Activated Carbon and Wood Ash Sorption of Wastewater, Compost, and Biosolids Odorants. *Water Environment Research*, 73, 388-393.

Rosenfeld, **P.E.**, and Henry C. L., (2001). High carbon wood ash effect on biosolids microbial activity and odor. *Water Environment Research*. 131(1-4), 247-262.

Chollack, T. and **P. Rosenfeld.** (1998). Compost Amendment Handbook For Landscaping. Prepared for and distributed by the City of Redmond, Washington State.

Rosenfeld, P. E. (1992). The Mount Liamuiga Crater Trail. Heritage Magazine of St. Kitts, 3(2).

Rosenfeld, P. E. (1993). High School Biogas Project to Prevent Deforestation On St. Kitts. *Biomass Users Network*, 7(1).

Rosenfeld, P. E. (1998). Characterization, Quantification, and Control of Odor Emissions From Biosolids Application To Forest Soil. Doctoral Thesis. University of Washington College of Forest Resources.

Rosenfeld, P. E. (1994). Potential Utilization of Small Diameter Trees on Sierra County Public Land. Masters thesis reprinted by the Sierra County Economic Council. Sierra County, California.

Rosenfeld, **P. E.** (1991). How to Build a Small Rural Anaerobic Digester & Uses Of Biogas In The First And Third World. Bachelors Thesis. University of California.

Presentations:

Rosenfeld, P.E., Sutherland, A; Hesse, R.; Zapata, A. (October 3-6, 2013). Air dispersion modeling of volatile organic emissions from multiple natural gas wells in Decatur, TX. 44th Western Regional Meeting, American Chemical Society. Lecture conducted from Santa Clara, CA.

Sok, H.L.; Waller, C.C.; Feng, L.; Gonzalez, J.; Sutherland, A.J.; Wisdom-Stack, T.; Sahai, R.K.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Atrazine: A Persistent Pesticide in Urban Drinking Water. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Feng, L.; Gonzalez, J.; Sok, H.L.; Sutherland, A.J.; Waller, C.C.; Wisdom-Stack, T.; Sahai, R.K.; La, M.; Hesse, R.C.; **Rosenfeld, P.E.** (June 20-23, 2010). Bringing Environmental Justice to East St. Louis, Illinois. *Urban Environmental Pollution*. Lecture conducted from Boston, MA.

Rosenfeld, P.E. (April 19-23, 2009). Perfluoroctanoic Acid (PFOA) and Perfluoroactane Sulfonate (PFOS) Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. 2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting, Lecture conducted from Tuscon, AZ.

Rosenfeld, P.E. (April 19-23, 2009). Cost to Filter Atrazine Contamination from Drinking Water in the United States" Contamination in Drinking Water From the Use of Aqueous Film Forming Foams (AFFF) at Airports in the United States. *2009 Ground Water Summit and 2009 Ground Water Protection Council Spring Meeting*. Lecture conducted from Tuscon, AZ.

Wu, C., Tam, L., Clark, J., **Rosenfeld, P**. (20-22 July, 2009). Dioxin and furan blood lipid concentrations in populations living near four wood treatment facilities in the United States. Brebbia, C.A. and Popov, V., eds., *Air Pollution XVII: Proceedings of the Seventeenth International Conference on Modeling, Monitoring and Management of Air Pollution*. Lecture conducted from Tallinn, Estonia.

Rosenfeld, P. E. (October 15-18, 2007). Moss Point Community Exposure To Contaminants From A Releasing Facility. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). The Repeated Trespass of Tritium-Contaminated Water Into A Surrounding Community Form Repeated Waste Spills From A Nuclear Power Plant. *The 23rd Annual International Conferences on Soils Sediment and Water*. Platform lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld, P. E. (October 15-18, 2007). Somerville Community Exposure To Contaminants From Wood Treatment Facility Emissions. The 23rd Annual International Conferences on Soils Sediment and Water. Lecture conducted from University of Massachusetts, Amherst MA.

Rosenfeld P. E. (March 2007). Production, Chemical Properties, Toxicology, & Treatment Case Studies of 1,2,3-Trichloropropane (TCP). *The Association for Environmental Health and Sciences (AEHS) Annual Meeting*. Lecture conducted from San Diego, CA.

Rosenfeld P. E. (March 2007). Blood and Attic Sampling for Dioxin/Furan, PAH, and Metal Exposure in Florala, Alabama. *The AEHS Annual Meeting*. Lecture conducted from San Diego, CA.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (August 21 – 25, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *The 26th International Symposium on Halogenated Persistent Organic Pollutants – DIOXIN2006*. Lecture conducted from Radisson SAS Scandinavia Hotel in Oslo Norway.

Hensley A.R., Scott, A., **Rosenfeld P.E.**, Clark, J.J.J. (November 4-8, 2006). Dioxin Containing Attic Dust And Human Blood Samples Collected Near A Former Wood Treatment Facility. *APHA 134 Annual Meeting & Exposition*. Lecture conducted from Boston Massachusetts.

Paul Rosenfeld Ph.D. (October 24-25, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. Mealey's C8/PFOA. *Science, Risk & Litigation Conference*. Lecture conducted from The Rittenhouse Hotel, Philadelphia, PA.

Paul Rosenfeld Ph.D. (September 19, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, *Toxicology and Remediation PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel, Irvine California.

Paul Rosenfeld Ph.D. (September 19, 2005). Fate, Transport, Toxicity, And Persistence of 1,2,3-TCP. *PEMA Emerging Contaminant Conference*. Lecture conducted from Hilton Hotel in Irvine, California.

Paul Rosenfeld Ph.D. (September 26-27, 2005). Fate, Transport and Persistence of PDBEs. *Mealey's Groundwater Conference*. Lecture conducted from Ritz Carlton Hotel, Marina Del Ray, California.

Paul Rosenfeld Ph.D. (June 7-8, 2005). Fate, Transport and Persistence of PFOA and Related Chemicals. *International Society of Environmental Forensics: Focus On Emerging Contaminants*. Lecture conducted from Sheraton Oceanfront Hotel, Virginia Beach, Virginia.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Fate Transport, Persistence and Toxicology of PFOA and Related Perfluorochemicals. 2005 National Groundwater Association Ground Water And Environmental Law Conference. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld Ph.D. (July 21-22, 2005). Brominated Flame Retardants in Groundwater: Pathways to Human Ingestion, Toxicology and Remediation. 2005 National Groundwater Association Ground Water and Environmental Law Conference. Lecture conducted from Wyndham Baltimore Inner Harbor, Baltimore Maryland.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. and Rob Hesse R.G. (May 5-6, 2004). Tert-butyl Alcohol Liability and Toxicology, A National Problem and Unquantified Liability. *National Groundwater Association. Environmental Law Conference*. Lecture conducted from Congress Plaza Hotel, Chicago Illinois.

Paul Rosenfeld, Ph.D. (March 2004). Perchlorate Toxicology. *Meeting of the American Groundwater Trust*. Lecture conducted from Phoenix Arizona.

Hagemann, M.F., **Paul Rosenfeld**, **Ph.D.** and Rob Hesse (2004). Perchlorate Contamination of the Colorado River. *Meeting of tribal representatives*. Lecture conducted from Parker, AZ.

Paul Rosenfeld, Ph.D. (April 7, 2004). A National Damage Assessment Model For PCE and Dry Cleaners. *Drycleaner Symposium. California Ground Water Association*. Lecture conducted from Radison Hotel, Sacramento, California.

Rosenfeld, P. E., Grey, M., (June 2003) Two stage biofilter for biosolids composting odor control. Seventh International In Situ And On Site Bioremediation Symposium Battelle Conference Orlando, FL.

Paul Rosenfeld, Ph.D. and James Clark Ph.D. (February 20-21, 2003) Understanding Historical Use, Chemical Properties, Toxicity and Regulatory Guidance of 1,4 Dioxane. *National Groundwater Association. Southwest Focus Conference. Water Supply and Emerging Contaminants.*. Lecture conducted from Hyatt Regency Phoenix Arizona.

Paul Rosenfeld, Ph.D. (February 6-7, 2003). Underground Storage Tank Litigation and Remediation. *California CUPA Forum*. Lecture conducted from Marriott Hotel, Anaheim California.

Paul Rosenfeld, Ph.D. (October 23, 2002) Underground Storage Tank Litigation and Remediation. *EPA Underground Storage Tank Roundtable*. Lecture conducted from Sacramento California.

Rosenfeld, **P.E**. and Suffet, M. (October 7- 10, 2002). Understanding Odor from Compost, *Wastewater and Industrial Processes. Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, **P.E**. and Suffet, M. (October 7- 10, 2002). Using High Carbon Wood Ash to Control Compost Odor. *Sixth Annual Symposium On Off Flavors in the Aquatic Environment. International Water Association*. Lecture conducted from Barcelona Spain.

Rosenfeld, **P.E.** and Grey, M. A. (September 22-24, 2002). Biocycle Composting For Coastal Sage Restoration. *Northwest Biosolids Management Association*. Lecture conducted from Vancouver Washington..

Rosenfeld, P.E. and Grey, M. A. (November 11-14, 2002). Using High-Carbon Wood Ash to Control Odor at a Green Materials Composting Facility. *Soil Science Society Annual Conference*. Lecture conducted from Indianapolis, Maryland.

Rosenfeld. P.E. (September 16, 2000). Two stage biofilter for biosolids composting odor control. *Water Environment Federation*. Lecture conducted from Anaheim California.

Rosenfeld. P.E. (October 16, 2000). Wood ash and biofilter control of compost odor. *Biofest*. Lecture conducted from Ocean Shores, California.

Rosenfeld, P.E. (2000). Bioremediation Using Organic Soil Amendments. *California Resource Recovery Association*. Lecture conducted from Sacramento California.

Rosenfeld, P.E., C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. *Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings*. Lecture conducted from Bellevue Washington.

Rosenfeld, **P.E.**, and C.L. Henry. (1999). An evaluation of ash incorporation with biosolids for odor reduction. *Soil Science Society of America*. Lecture conducted from Salt Lake City Utah.

Rosenfeld, **P.E.**, C.L. Henry, R. Harrison. (1998). Comparison of Microbial Activity and Odor Emissions from Three Different Biosolids Applied to Forest Soil. *Brown and Caldwell*. Lecture conducted from Seattle Washington.

Rosenfeld, P.E., C.L. Henry. (1998). Characterization, Quantification, and Control of Odor Emissions from Biosolids Application To Forest Soil. *Biofest.* Lecture conducted from Lake Chelan, Washington.

Rosenfeld, P.E, C.L. Henry, R. Harrison. (1998). Oat and Grass Seed Germination and Nitrogen and Sulfur Emissions Following Biosolids Incorporation With High-Carbon Wood-Ash. Water Environment Federation 12th Annual Residuals and Biosolids Management Conference Proceedings. Lecture conducted from Bellevue Washington.

Rosenfeld, P.E., C.L. Henry, R. B. Harrison, and R. Dills. (1997). Comparison of Odor Emissions From Three Different Biosolids Applied to Forest Soil. *Soil Science Society of America*. Lecture conducted from Anaheim California.

Teaching Experience:

UCLA Department of Environmental Health (Summer 2003 through 20010) Taught Environmental Health Science 100 to students, including undergrad, medical doctors, public health professionals and nurses. Course focused on the health effects of environmental contaminants.

National Ground Water Association, Successful Remediation Technologies. Custom Course in Sante Fe, New Mexico. May 21, 2002. Focused on fate and transport of fuel contaminants associated with underground storage tanks.

National Ground Water Association; Successful Remediation Technologies Course in Chicago Illinois. April 1, 2002. Focused on fate and transport of contaminants associated with Superfund and RCRA sites.

California Integrated Waste Management Board, April and May, 2001. Alternative Landfill Caps Seminar in San Diego, Ventura, and San Francisco. Focused on both prescriptive and innovative landfill cover design.

UCLA Department of Environmental Engineering, February 5, 2002. Seminar on Successful Remediation Technologies focusing on Groundwater Remediation.

University Of Washington, Soil Science Program, Teaching Assistant for several courses including: Soil Chemistry, Organic Soil Amendments, and Soil Stability.

U.C. Berkeley, Environmental Science Program Teaching Assistant for Environmental Science 10.

Academic Grants Awarded:

California Integrated Waste Management Board. \$41,000 grant awarded to UCLA Institute of the Environment. Goal: To investigate effect of high carbon wood ash on volatile organic emissions from compost. 2001.

Synagro Technologies, Corona California: \$10,000 grant awarded to San Diego State University. Goal: investigate effect of biosolids for restoration and remediation of degraded coastal sage soils. 2000.

King County, Department of Research and Technology, Washington State. \$100,000 grant awarded to University of Washington: Goal: To investigate odor emissions from biosolids application and the effect of polymers and ash on VOC emissions. 1998.

Northwest Biosolids Management Association, Washington State. \$20,000 grant awarded to investigate effect of polymers and ash on VOC emissions from biosolids. 1997.

James River Corporation, Oregon: \$10,000 grant was awarded to investigate the success of genetically engineered Poplar trees with resistance to round-up. 1996.

United State Forest Service, Tahoe National Forest: \$15,000 grant was awarded to investigating fire ecology of the Tahoe National Forest. 1995.

Kellogg Foundation, Washington D.C. \$500 grant was awarded to construct a large anaerobic digester on St. Kitts in West Indies. 1993

Deposition and/or Trial Testimony:

	*
I C	ited States District Court For The District of New Jersey Duarte et al, <i>Plaintiffs</i> , vs. United States Metals Refining Company et. al. <i>Defendant</i> . Case No.: 2:17-cv-01624-ES-SCM Rosenfeld Deposition. 6-7-2019
N 1 0	ited States District Court of Southern District of Texas Galveston Division M/T Carla Maersk, <i>Plaintiffs</i> , vs. Conti 168., Schiffahrts-GMBH & Co. Bulker KG MS "Conti Perdido" <i>Defendant</i> . Case No.: 3:15-CV-00106 consolidated with 3:15-CV-00237 Rosenfeld Deposition. 5-9-2019
(perior Court of the State of California In And For The County Of Los Angeles – Santa Monica Carole-Taddeo-Bates et al., vs. Ifran Khan et al., Defendants Case No.: No. BC615636 Rosenfeld Deposition, 1-26-2019
] (perior Court of the State of California In And For The County Of Los Angeles – Santa Monica The San Gabriel Valley Council of Governments et al. vs El Adobe Apts. Inc. et al., Defendants Case No.: No. BC646857 Rosenfeld Deposition, 10-6-2018; Trial 3-7-19
H C	States District Court For The District of Colorado Bells et al. Plaintiff vs. The 3M Company et al., Defendants Case: No 1:16-cv-02531-RBJ Rosenfeld Deposition, 3-15-2018 and 4-3-2018
H C	strict Court Of Regan County, Texas, 112 th Judicial District Phillip Bales et al., Plaintiff vs. Dow Agrosciences, LLC, et al., Defendants Cause No 1923 Rosenfeld Deposition, 11-17-2017
S (perior Court of the State of California In And For The County Of Contra Costa Simons et al., Plaintiffs vs. Chevron Corporation, et al., Defendants Cause No C12-01481 Rosenfeld Deposition, 11-20-2017
N C	rcuit Court Of The Twentieth Judicial Circuit, St Clair County, Illinois Martha Custer et al., Plaintiff vs. Cerro Flow Products, Inc., Defendants Case No.: No. 0i9-L-2295 Rosenfeld Deposition, 8-23-2017
N (perior Court of the State of California, For The County of Los Angeles Warrn Gilbert and Penny Gilber, Plaintiff vs. BMW of North America LLC Case No.: LC102019 (c/w BC582154) Rosenfeld Deposition, 8-16-2017, Trail 8-28-2018
H C	rthern District Court of Mississippi, Greenville Division Brenda J. Cooper, et al., <i>Plaintiffs</i> , vs. Meritor Inc., et al., <i>Defendants</i> Case Number: 4:16-cv-52-DMB-JVM Possenfeld Deposition: July 2017

Rosenfeld Deposition: July 2017

In The Superior Court of the State of Washington, County of Snohomish Michael Davis and Julie Davis et al., Plaintiff vs. Cedar Grove Composting Inc., Defendants Case No.: No. 13-2-03987-5 Rosenfeld Deposition, February 2017 Trial. March 2017 In The Superior Court of the State of California, County of Alameda Charles Spain., Plaintiff vs. Thermo Fisher Scientific, et al., Defendants Case No.: RG14711115 Rosenfeld Deposition, September 2015 In The Iowa District Court In And For Poweshiek County Russell D. Winburn, et al., Plaintiffs vs. Doug Hoksbergen, et al., Defendants Case No.: LALA002187 Rosenfeld Deposition, August 2015 In The Iowa District Court For Wapello County Jerry Dovico, et al., Plaintiffs vs. Valley View Sine LLC, et al., Defendants Law No,: LALA105144 - Division A Rosenfeld Deposition, August 2015 In The Iowa District Court For Wapello County Doug Pauls, et al., et al., Plaintiffs vs. Richard Warren, et al., Defendants Law No,: LALA105144 - Division A Rosenfeld Deposition, August 2015 In The Circuit Court of Ohio County, West Virginia Robert Andrews, et al. v. Antero, et al. Civil Action N0. 14-C-30000 Rosenfeld Deposition, June 2015 In The Third Judicial District County of Dona Ana, New Mexico Betty Gonzalez, et al. Plaintiffs vs. Del Oro Dairy, Del Oro Real Estate LLC, Jerry Settles and Deward DeRuyter, Defendants Rosenfeld Deposition: July 2015 In The Iowa District Court For Muscatine County Laurie Freeman et. al. Plaintiffs vs. Grain Processing Corporation, Defendant Case No 4980 Rosenfeld Deposition: May 2015 In the Circuit Court of the 17th Judicial Circuit, in and For Broward County, Florida Walter Hinton, et. al. Plaintiff, vs. City of Fort Lauderdale, Florida, a Municipality, Defendant. Case Number CACE07030358 (26) Rosenfeld Deposition: December 2014 In the United States District Court Western District of Oklahoma Tommy McCarty, et al., Plaintiffs, v. Oklahoma City Landfill, LLC d/b/a Southeast Oklahoma City Landfill, et al. Defendants. Case No. 5:12-cv-01152-C Rosenfeld Deposition: July 2014

In the County Court of Dallas County Texas Lisa Parr et al, *Plaintiff*, vs. Aruba et al, *Defendant*. Case Number cc-11-01650-E Rosenfeld Deposition: March and September 2013 Rosenfeld Trial: April 2014

In the Court of Common Pleas of Tuscarawas County Ohio John Michael Abicht, et al., *Plaintiffs*, vs. Republic Services, Inc., et al., *Defendants* Case Number: 2008 CT 10 0741 (Cons. w/ 2009 CV 10 0987) Rosenfeld Deposition: October 2012

 In the United States District Court of Southern District of Texas Galveston Division
 Kyle Cannon, Eugene Donovan, Genaro Ramirez, Carol Sassler, and Harvey Walton, each Individually and on behalf of those similarly situated, *Plaintiffs*, vs. BP Products North America, Inc., *Defendant*. Case 3:10-cv-00622
 Rosenfeld Deposition: February 2012
 Rosenfeld Trial: April 2013

In the Circuit Court of Baltimore County Maryland

Philip E. Cvach, II et al., *Plaintiffs* vs. Two Farms, Inc. d/b/a Royal Farms, Defendants Case Number: 03-C-12-012487 OT Rosenfeld Deposition: September 2013

EXHIBIT C



Technical Consultation, Data Analysis and Litigation Support for the Environment

> 1640 5th St., Suite 204 Santa Santa Monica, California 90401 Tel: (949) 887-9013 Email: <u>mhagemann@swape.com</u>

Matthew F. Hagemann, P.G., C.Hg., QSD, QSP

Geologic and Hydrogeologic Characterization Industrial Stormwater Compliance Investigation and Remediation Strategies Litigation Support and Testifying Expert CEQA Review

Education:

M.S. Degree, Geology, California State University Los Angeles, Los Angeles, CA, 1984. B.A. Degree, Geology, Humboldt State University, Arcata, CA, 1982.

Professional Certifications:

California Professional Geologist California Certified Hydrogeologist Qualified SWPPP Developer and Practitioner

Professional Experience:

Matt has 25 years of experience in environmental policy, assessment and remediation. He spent nine years with the U.S. EPA in the RCRA and Superfund programs and served as EPA's Senior Science Policy Advisor in the Western Regional Office where he identified emerging threats to groundwater from perchlorate and MTBE. While with EPA, Matt also served as a Senior Hydrogeologist in the oversight of the assessment of seven major military facilities undergoing base closure. He led numerous enforcement actions under provisions of the Resource Conservation and Recovery Act (RCRA) while also working with permit holders to improve hydrogeologic characterization and water quality monitoring.

Matt has worked closely with U.S. EPA legal counsel and the technical staff of several states in the application and enforcement of RCRA, Safe Drinking Water Act and Clean Water Act regulations. Matt has trained the technical staff in the States of California, Hawaii, Nevada, Arizona and the Territory of Guam in the conduct of investigations, groundwater fundamentals, and sampling techniques.

Positions Matt has held include:

- Founding Partner, Soil/Water/Air Protection Enterprise (SWAPE) (2003 present);
- Geology Instructor, Golden West College, 2010 2014;
- Senior Environmental Analyst, Komex H2O Science, Inc. (2000 -- 2003);

- Executive Director, Orange Coast Watch (2001 2004);
- Senior Science Policy Advisor and Hydrogeologist, U.S. Environmental Protection Agency (1989–1998);
- Hydrogeologist, National Park Service, Water Resources Division (1998 2000);
- Adjunct Faculty Member, San Francisco State University, Department of Geosciences (1993 1998);
- Instructor, College of Marin, Department of Science (1990 1995);
- Geologist, U.S. Forest Service (1986 1998); and
- Geologist, Dames & Moore (1984 1986).

Senior Regulatory and Litigation Support Analyst:

With SWAPE, Matt's responsibilities have included:

- Lead analyst and testifying expert in the review of over 100 environmental impact reports since 2003 under CEQA that identify significant issues with regard to hazardous waste, water resources, water quality, air quality, Valley Fever, greenhouse gas emissions, and geologic hazards. Make recommendations for additional mitigation measures to lead agencies at the local and county level to include additional characterization of health risks and implementation of protective measures to reduce worker exposure to hazards from toxins and Valley Fever.
- Stormwater analysis, sampling and best management practice evaluation at industrial facilities.
- Manager of a project to provide technical assistance to a community adjacent to a former Naval shipyard under a grant from the U.S. EPA.
- Technical assistance and litigation support for vapor intrusion concerns.
- Lead analyst and testifying expert in the review of environmental issues in license applications for large solar power plants before the California Energy Commission.
- Manager of a project to evaluate numerous formerly used military sites in the western U.S.
- Manager of a comprehensive evaluation of potential sources of perchlorate contamination in Southern California drinking water wells.
- Manager and designated expert for litigation support under provisions of Proposition 65 in the review of releases of gasoline to sources drinking water at major refineries and hundreds of gas stations throughout California.
- Expert witness on two cases involving MTBE litigation.
- Expert witness and litigation support on the impact of air toxins and hazards at a school.
- Expert witness in litigation at a former plywood plant.

With Komex H2O Science Inc., Matt's duties included the following:

- Senior author of a report on the extent of perchlorate contamination that was used in testimony by the former U.S. EPA Administrator and General Counsel.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of MTBE use, research, and regulation.
- Senior researcher in the development of a comprehensive, electronically interactive chronology of perchlorate use, research, and regulation.
- Senior researcher in a study that estimates nationwide costs for MTBE remediation and drinking water treatment, results of which were published in newspapers nationwide and in testimony against provisions of an energy bill that would limit liability for oil companies.
- Research to support litigation to restore drinking water supplies that have been contaminated by MTBE in California and New York.

- Expert witness testimony in a case of oil production-related contamination in Mississippi.
- Lead author for a multi-volume remedial investigation report for an operating school in Los Angeles that met strict regulatory requirements and rigorous deadlines.

• Development of strategic approaches for cleanup of contaminated sites in consultation with clients and regulators.

Executive Director:

As Executive Director with Orange Coast Watch, Matt led efforts to restore water quality at Orange County beaches from multiple sources of contamination including urban runoff and the discharge of wastewater. In reporting to a Board of Directors that included representatives from leading Orange County universities and businesses, Matt prepared issue papers in the areas of treatment and disinfection of wastewater and control of the discharge of grease to sewer systems. Matt actively participated in the development of countywide water quality permits for the control of urban runoff and permits for the discharge of wastewater. Matt worked with other nonprofits to protect and restore water quality, including Surfrider, Natural Resources Defense Council and Orange County CoastKeeper as well as with business institutions including the Orange County Business Council.

<u>Hydrogeology:</u>

As a Senior Hydrogeologist with the U.S. Environmental Protection Agency, Matt led investigations to characterize and cleanup closing military bases, including Mare Island Naval Shipyard, Hunters Point Naval Shipyard, Treasure Island Naval Station, Alameda Naval Station, Moffett Field, Mather Army Airfield, and Sacramento Army Depot. Specific activities were as follows:

- Led efforts to model groundwater flow and contaminant transport, ensured adequacy of monitoring networks, and assessed cleanup alternatives for contaminated sediment, soil, and groundwater.
- Initiated a regional program for evaluation of groundwater sampling practices and laboratory analysis at military bases.
- Identified emerging issues, wrote technical guidance, and assisted in policy and regulation development through work on four national U.S. EPA workgroups, including the Superfund Groundwater Technical Forum and the Federal Facilities Forum.

At the request of the State of Hawaii, Matt developed a methodology to determine the vulnerability of groundwater to contamination on the islands of Maui and Oahu. He used analytical models and a GIS to show zones of vulnerability, and the results were adopted and published by the State of Hawaii and County of Maui.

As a hydrogeologist with the EPA Groundwater Protection Section, Matt worked with provisions of the Safe Drinking Water Act and NEPA to prevent drinking water contamination. Specific activities included the following:

- Received an EPA Bronze Medal for his contribution to the development of national guidance for the protection of drinking water.
- Managed the Sole Source Aquifer Program and protected the drinking water of two communities through designation under the Safe Drinking Water Act. He prepared geologic reports, conducted public hearings, and responded to public comments from residents who were very concerned about the impact of designation.

• Reviewed a number of Environmental Impact Statements for planned major developments, including large hazardous and solid waste disposal facilities, mine reclamation, and water transfer.

Matt served as a hydrogeologist with the RCRA Hazardous Waste program. Duties were as follows:

- Supervised the hydrogeologic investigation of hazardous waste sites to determine compliance with Subtitle C requirements.
- Reviewed and wrote "part B" permits for the disposal of hazardous waste.
- Conducted RCRA Corrective Action investigations of waste sites and led inspections that formed the basis for significant enforcement actions that were developed in close coordination with U.S. EPA legal counsel.
- Wrote contract specifications and supervised contractor's investigations of waste sites.

With the National Park Service, Matt directed service-wide investigations of contaminant sources to prevent degradation of water quality, including the following tasks:

- Applied pertinent laws and regulations including CERCLA, RCRA, NEPA, NRDA, and the Clean Water Act to control military, mining, and landfill contaminants.
- Conducted watershed-scale investigations of contaminants at parks, including Yellowstone and Olympic National Park.
- Identified high-levels of perchlorate in soil adjacent to a national park in New Mexico and advised park superintendent on appropriate response actions under CERCLA.
- Served as a Park Service representative on the Interagency Perchlorate Steering Committee, a national workgroup.
- Developed a program to conduct environmental compliance audits of all National Parks while serving on a national workgroup.
- Co-authored two papers on the potential for water contamination from the operation of personal watercraft and snowmobiles, these papers serving as the basis for the development of nation-wide policy on the use of these vehicles in National Parks.
- Contributed to the Federal Multi-Agency Source Water Agreement under the Clean Water Action Plan.

Policy:

Served senior management as the Senior Science Policy Advisor with the U.S. Environmental Protection Agency, Region 9. Activities included the following:

- Advised the Regional Administrator and senior management on emerging issues such as the potential for the gasoline additive MTBE and ammonium perchlorate to contaminate drinking water supplies.
- Shaped EPA's national response to these threats by serving on workgroups and by contributing to guidance, including the Office of Research and Development publication, Oxygenates in Water: Critical Information and Research Needs.
- Improved the technical training of EPA's scientific and engineering staff.
- Earned an EPA Bronze Medal for representing the region's 300 scientists and engineers in negotiations with the Administrator and senior management to better integrate scientific principles into the policy-making process.
- Established national protocol for the peer review of scientific documents.

Geology:

With the U.S. Forest Service, Matt led investigations to determine hillslope stability of areas proposed for timber harvest in the central Oregon Coast Range. Specific activities were as follows:

- Mapped geology in the field, and used aerial photographic interpretation and mathematical models to determine slope stability.
- Coordinated his research with community members who were concerned with natural resource protection.
- Characterized the geology of an aquifer that serves as the sole source of drinking water for the city of Medford, Oregon.

As a consultant with Dames and Moore, Matt led geologic investigations of two contaminated sites (later listed on the Superfund NPL) in the Portland, Oregon, area and a large hazardous waste site in eastern Oregon. Duties included the following:

- Supervised year-long effort for soil and groundwater sampling.
- Conducted aquifer tests.
- Investigated active faults beneath sites proposed for hazardous waste disposal.

<u>Teaching:</u>

From 1990 to 1998, Matt taught at least one course per semester at the community college and university levels:

- At San Francisco State University, held an adjunct faculty position and taught courses in environmental geology, oceanography (lab and lecture), hydrogeology, and groundwater contamination.
- Served as a committee member for graduate and undergraduate students.
- Taught courses in environmental geology and oceanography at the College of Marin.

Matt taught physical geology (lecture and lab and introductory geology at Golden West College in Huntington Beach, California from 2010 to 2014.

Invited Testimony, Reports, Papers and Presentations:

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Presentation to the Public Environmental Law Conference, Eugene, Oregon.

Hagemann, M.F., 2008. Disclosure of Hazardous Waste Issues under CEQA. Invited presentation to U.S. EPA Region 9, San Francisco, California.

Hagemann, M.F., 2005. Use of Electronic Databases in Environmental Regulation, Policy Making and Public Participation. Brownfields 2005, Denver, Coloradao.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Nevada and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Las Vegas, NV (served on conference organizing committee).

Hagemann, M.F., 2004. Invited testimony to a California Senate committee hearing on air toxins at schools in Southern California, Los Angeles.

Brown, A., Farrow, J., Gray, A. and **Hagemann, M.**, 2004. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to the Ground Water and Environmental Law Conference, National Groundwater Association.

Hagemann, M.F., 2004. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in Arizona and the Southwestern U.S. Presentation to a meeting of the American Groundwater Trust, Phoenix, AZ (served on conference organizing committee).

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River and Impacts to Drinking Water in the Southwestern U.S. Invited presentation to a special committee meeting of the National Academy of Sciences, Irvine, CA.

Hagemann, **M.F**., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a tribal EPA meeting, Pechanga, CA.

Hagemann, M.F., 2003. Perchlorate Contamination of the Colorado River. Invited presentation to a meeting of tribal repesentatives, Parker, AZ.

Hagemann, M.F., 2003. Impact of Perchlorate on the Colorado River and Associated Drinking Water Supplies. Invited presentation to the Inter-Tribal Meeting, Torres Martinez Tribe.

Hagemann, M.F., 2003. The Emergence of Perchlorate as a Widespread Drinking Water Contaminant. Invited presentation to the U.S. EPA Region 9.

Hagemann, M.F., 2003. A Deductive Approach to the Assessment of Perchlorate Contamination. Invited presentation to the California Assembly Natural Resources Committee.

Hagemann, M.F., 2003. Perchlorate: A Cold War Legacy in Drinking Water. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. From Tank to Tap: A Chronology of MTBE in Groundwater. Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. A Chronology of MTBE in Groundwater and an Estimate of Costs to Address Impacts to Groundwater. Presentation to the annual meeting of the Society of Environmental Journalists.

Hagemann, M.F., 2002. An Estimate of the Cost to Address MTBE Contamination in Groundwater (and Who Will Pay). Presentation to a meeting of the National Groundwater Association.

Hagemann, M.F., 2002. An Estimate of Costs to Address MTBE Releases from Underground Storage Tanks and the Resulting Impact to Drinking Water Wells. Presentation to a meeting of the U.S. EPA and State Underground Storage Tank Program managers.

Hagemann, M.F., 2001. From Tank to Tap: A Chronology of MTBE in Groundwater. Unpublished report.

Hagemann, M.F., 2001. Estimated Cleanup Cost for MTBE in Groundwater Used as Drinking Water. Unpublished report.

Hagemann, M.F., 2001. Estimated Costs to Address MTBE Releases from Leaking Underground Storage Tanks. Unpublished report.

Hagemann, M.F., and VanMouwerik, M., 1999. Potential Water Quality Concerns Related to Snowmobile Usage. Water Resources Division, National Park Service, Technical Report.

VanMouwerik, M. and **Hagemann**, M.F. 1999, Water Quality Concerns Related to Personal Watercraft Usage. Water Resources Division, National Park Service, Technical Report.

Hagemann, M.F., 1999, Is Dilution the Solution to Pollution in National Parks? The George Wright Society Biannual Meeting, Asheville, North Carolina.

Hagemann, M.F., 1997, The Potential for MTBE to Contaminate Groundwater. U.S. EPA Superfund Groundwater Technical Forum Annual Meeting, Las Vegas, Nevada.

Hagemann, M.F., and Gill, M., 1996, Impediments to Intrinsic Remediation, Moffett Field Naval Air Station, Conference on Intrinsic Remediation of Chlorinated Hydrocarbons, Salt Lake City.

Hagemann, M.F., Fukunaga, G.L., 1996, The Vulnerability of Groundwater to Anthropogenic Contaminants on the Island of Maui, Hawaii. Hawaii Water Works Association Annual Meeting, Maui, October 1996.

Hagemann, M. F., Fukanaga, G. L., 1996, Ranking Groundwater Vulnerability in Central Oahu, Hawaii. Proceedings, Geographic Information Systems in Environmental Resources Management, Air and Waste Management Association Publication VIP-61.

Hagemann, M.F., 1994. Groundwater Characterization and Cleanup at Closing Military Bases in California. Proceedings, California Groundwater Resources Association Meeting.

Hagemann, M.F. and Sabol, M.A., 1993. Role of the U.S. EPA in the High Plains States Groundwater Recharge Demonstration Program. Proceedings, Sixth Biennial Symposium on the Artificial Recharge of Groundwater.

Hagemann, M.F., 1993. U.S. EPA Policy on the Technical Impracticability of the Cleanup of DNAPLcontaminated Groundwater. California Groundwater Resources Association Meeting. **Hagemann, M.F**., 1992. Dense Nonaqueous Phase Liquid Contamination of Groundwater: An Ounce of Prevention... Proceedings, Association of Engineering Geologists Annual Meeting, v. 35.

Other Experience:

Selected as subject matter expert for the California Professional Geologist licensing examination, 2009-2011.

EXHIBIT D

Los Angeles Department of Building and Safety

Certificate Information: 905 S BEACON AVE 90015

Application / Permit	
	20010-10000-01124
Plan Check / Job No.	B20LA06257
Group	
	Building
Туре	
Sub Turne	Bldg-New
Sub-Type	Commercial
Primary Use	
	(5) Apartment
Work Description	
	New 7-story mixed-use building. 145-unit including 15 ELI units Apartment with ground floor Commercial (retail) and 2 levels of subterranean and ground floor Parking. 5 levels of Type IIIA Residential over 1 level of Type IA Commercial and Parking over 2
	levels of Type IA subterranean Parking. TOC w/ base and add'l incentives.
Permit Issued	
	No
Current Status	
	Application Submittal on 4/3/2020

Permit Application Status History

No Data Available.

Permit Application Clearance Information

Address approval	Not Cleared	7/23/2020	Bureau of Engineering
Building over 36-ft	Not Cleared	7/23/2020	Cal Occ. Safety and Health Administration
Comm Cor/Mini-Mall	Not Cleared	7/23/2020	City Planning Department
Comm Cor/Mini-Mall	Not Cleared	7/23/2020	City Planning Department
Comm Cor/Mini-Mall	Not Cleared	7/23/2020	City Planning Department
Construction near power lines	Not Cleared	7/23/2020	Department of Water and Power
DAS Clearance	Not Cleared	7/23/2020	Department of Building and Safety
Density Bonus 12.22.A.31	Not Cleared	7/23/2020	Los Angeles Housing Department
Driveway location	Not Cleared	7/23/2020	Department of Transportation
Eng Process Fee Ord 176,300	Not Cleared	7/23/2020	Bureau of Engineering
Excavation more than 5-ft deep	Not Cleared	7/23/2020	Cal Occ. Safety and Health Administration
Fire Marshall Fire Life Safety	Not Cleared	7/23/2020	Los Angeles Fire Department
Frnt yard landscape/Water mgmt	Not Cleared	7/23/2020	City Planning Department
Green Code	Not Cleared	7/23/2020	Department of Building and Safety
Highway dedication	Not Cleared	7/23/2020	Bureau of Engineering
Historic Resource Verification	Not Cleared	7/23/2020	City Planning Department
Hydrant and Access approval	Not Cleared	7/23/2020	Los Angeles Fire Department
Internal circulation	Not Cleared	7/23/2020	Department of Transportation
Low Impact Development	Not Cleared	7/23/2020	Bureau of Sanitation
Opn space landscape/Water mgmt	Not Cleared	7/23/2020	City Planning Department
Permit	Not Cleared	7/23/2020	Bureau of Engineering
Redevelopment Project Area	Not Cleared	7/23/2020	City Planning Department
Roof/Waste drainage to street	Not Cleared	7/23/2020	Bureau of Engineering
Senate Bill 35	Not Cleared	7/23/2020	City Planning Department
Sewer availability	Not Cleared	7/23/2020	Bureau of Engineering
Site Plan review	Not Cleared	7/23/2020	City Planning Department
		A CONTRACTOR OF	

6/5/23, 2:38 PM

Permit and Inspection Report Detail

Trees in Parkway	Not Cleared	leared 7/23/2020 Bureau of Street Services	
Work Adjacent to Public Way	Not Cleared	7/23/2020	Bureau of Engineering
ZA Case	Not Cleared	7/23/2020	City Planning Department

Contact Information

No Data Available.		
Inspector Information		
No Data Available.		
Pending Inspections		

No Data Available.

Inspection Request History

No Data Available.

EXHIBIT E



City of Los Angeles Department of City Planning

6/5/2023 PARCEL PROFILE REPORT

PROPERTY ADDRESSES	Address/Legal Information	
905 S BEACON AVE	PIN Number	130-5A203 206
1720 W JAMES M. WOOD BLVD	Lot/Parcel Area (Calculated)	8,478.0 (sq ft)
	Thomas Brothers Grid	PAGE 634 - GRID C4
ZIP CODES	Assessor Parcel No. (APN)	5137001034
90015	Tract	CURLETT TRACT
	Map Reference	M R 60-78 L S 4-41
RECENT ACTIVITY	Block	None
VTT-83227-CN-HCA	Lot	1
	Arb (Lot Cut Reference)	None
CASE NUMBERS	Map Sheet	130-5A203
CPC-2018-6005-CA	Jurisdictional Information	
CPC-2013-3169	Community Plan Area	Westlake
CPC-1984-1-HD	Area Planning Commission	Central
ORD-161116-SA38A	Neighborhood Council	Westlake South
DIR-2020-7604-SPR-TOC-HCA	Council District	CD 1 - Eunisses Hernandez
VTT-83227-CN-HCA	Census Tract #	2095.20
ENV-2020-7605-SCPE	LADBS District Office	Los Angeles Metro
ENV-2019-4121-ND	Permitting and Zoning Compliance Inform	-
ENV-2018-6006-CE	Administrative Review	None
ENV-2013-3392-CE	Planning and Zoning Information	
ENV-2013-3392-CE ENV-2013-3170-CE	Special Notes	None
AFF-15522	Zoning	C2-1
ATT 10022	Zoning Information (ZI)	ZI-2452 Transit Priority Area in the City of Los Angeles
		ZI-2374 State Enterprise Zone: Los Angeles
		ZI-2452 Transit Priority Area in the City of Los Angeles
		ZI-2498 Local Emergency Temporary Regulations - Time Limits and
		Parking Relief - LAMC 16.02.1
		ZI-2488 Redevelopment Project Area: Westlake Recovery
	General Plan Land Use	Highway Oriented Commercial
	General Plan Note(s)	Yes
	Hillside Area (Zoning Code)	No
	Specific Plan Area	None
	Subarea	None
	Special Land Use / Zoning	None
	Historic Preservation Review	No
	Historic Preservation Overlay Zone	None
	Other Historic Designations	None
	Other Historic Survey Information	None
	Mills Act Contract	None
	CDO: Community Design Overlay	None
	CPIO: Community Plan Imp. Overlay	None
	Subarea	None
	CUGU: Clean Up-Green Up	None
	HCR: Hillside Construction Regulation	No
	NSO: Neighborhood Stabilization Overlay	No
	POD: Pedestrian Oriented Districts	None

RBP: Restaurant Beverage Program Eligible Area	None
RFA: Residential Floor Area District	None
RIO: River Implementation Overlay	No
SN: Sign District	No
•	Yes
AB 2334: Very Low VMT	
AB 2097: Reduced Parking Areas	Yes
Streetscape	No
Adaptive Reuse Incentive Area	None
Affordable Housing Linkage Fee	
Residential Market Area	Medium
Non-Residential Market Area	Medium
Transit Oriented Communities (TOC)	Tier 3
ED 1 Eligibility	Eligible Site
RPA: Redevelopment Project Area	Westlake Recovery
Central City Parking	No
Downtown Parking	No
Building Line	None
500 Ft School Zone	No
500 Ft Park Zone	No
Assessor Information	
Assessor Parcel No. (APN)	5137001034
APN Area (Co. Public Works)*	0.344 (ac)
Use Code	100V - Commercial - Commercial - Vacant Land
Assessed Land Val.	\$520,054
Assessed Improvement Val.	\$0
Last Owner Change	12/31/2001
Last Sale Amount	\$385,003
Tax Rate Area	12706
Deed Ref No. (City Clerk)	2205
	1704723
	1089714
Building 1	No data for building 1
Building 2	No data for building 2
Building 3	No data for building 3
Building 4	No data for building 4
Building 5	No data for building 5
Rent Stabilization Ordinance (RSO)	No [APN: 5137001034]
Additional Information	
Airport Hazard	None
Coastal Zone	None
Santa Monica Mountains Zone	No
Farmland	Area Not Mapped
Urban Agriculture Incentive Zone	YES
Very High Fire Hazard Severity Zone	No
Fire District No. 1	No
Flood Zone	Outside Flood Zone
Watercourse	No
Hazardous Waste / Border Zone Properties	No
Methane Hazard Site	None
	None
High Wind Velocity Areas Special Grading Area (BOE Basic Grid Map A- 13372)	No
Wells	None
Seismic Hazards	

Active Fault Near-Source Zone	
Nearest Fault (Distance in km)	0.198967344
Nearest Fault (Name)	Puente Hills Blind Thrust
Region	Los Angeles Blind Thrusts
Fault Type	В
Slip Rate (mm/year)	0.7000000
Slip Geometry	Reverse
Slip Type	Moderately / Poorly Constrained
Down Dip Width (km)	19.0000000
Rupture Top	5.0000000
Rupture Bottom	13.0000000
Dip Angle (degrees)	25.0000000
Maximum Magnitude	7.1000000
Alquist-Priolo Fault Zone	No
Landslide	No
Liquefaction	No
Preliminary Fault Rupture Study Area	No
Tsunami Inundation Zone	No
Economic Development Areas	
Business Improvement District	None
Hubzone	Qualified
Jobs and Economic Development Incentive Zone (JEDI)	None
Opportunity Zone	No
	News
Promise Zone	None
Promise Zone State Enterprise Zone	NONE LOS ANGELES STATE ENTERPRISE ZONE
State Enterprise Zone	
State Enterprise Zone Housing	LOS ANGELES STATE ENTERPRISE ZONE
State Enterprise Zone Housing Direct all Inquiries to Telephone Website	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO)	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034]
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No No No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No No No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years Public Safety	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years Public Safety Police Information	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes N/A N/A No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years Public Safety Police Information Bureau	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes N/A N/A N/A No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years Public Safety Police Information Bureau Division / Station	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes N/A N/A N/A No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years Public Safety Police Information Bureau Division / Station Reporting District	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes N/A N/A N/A No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years Public Safety Police Information Bureau Division / Station Reporting District Fire Information	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes N/A N/A N/A No
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years Public Safety Police Information Bureau Division / Station Reporting District Fire Information Bureau	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes N/A N/A No Central Rampart 275
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years Public Safety Police Information Bureau Division / Station Reporting District Fire Information Bureau Battallion	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes N/A N/A N/A No Central Rampart 275 Central 11
State Enterprise Zone Housing Direct all Inquiries to Telephone Website Rent Stabilization Ordinance (RSO) Ellis Act Property AB 1482: Tenant Protection Act Housing Crisis Act Replacement Review Housing Element Sites HE Replacement Required SB 166 Units Housing Use within Prior 5 Years Public Safety Police Information Bureau Division / Station Reporting District Fire Information Bureau	LOS ANGELES STATE ENTERPRISE ZONE Los Angeles Housing Department (866) 557-7368 https://housing.lacity.org No [APN: 5137001034] No No Yes N/A N/A No Central Rampart 275

This report is subject to the terms and conditions as set forth on the website. For more details, please refer to the terms and conditions at zimas.lacity.org (*) - APN Area is provided "as is" from the Los Angeles County's Public Works, Flood Control, Benefit Assessment.

CASE SUMMARIES


Note: Information for case summaries is retrieved from the Planning Department's Plan Case Tracking System (PCTS) database.

Project Descriptions(s): Case Number:	TO ESTABLISH PROCEDURES FOR THE IMPLEMENTATION OF UNEXPIRED REDEVELOPMENT PLANS AND UPDATE OTHER RELEVANT CODE PROVISIONS IN THE LOS ANGELES MUNICIPAL CODE TO FACILITATE THE TRANSFER OF LAND USE AUTHROITY FROM THE CRA/LA-DLA TO THE CITY OF LOS ANGELES. ENV-2013-3392-CE
Drain at Dependent's set (s)	RESOLUTION TO TRANSFER THE LAND USE AUTHORITY FROM THE COMMUNITY REDEVELOPMENT AGENCY OF THE CITY OF LOS ANGELES, DESIGNATED LOCAL AUTHORITY (CRA/LA-DLA) TO THE CITY OF LOS ANGELES AND CODE AMENDMENT
Required Action(s):	CE-CATEGORICAL EXEMPTION
Case Number:	ENV-2018-6006-CE
Case Number	AUTHROITY FROM THE CRA/LA-DLA TO THE CITY OF LOS ANGELES.
Project Descriptions(s):	RESOLUTION TO TRANSFER THE LAND USE AUTHORITY FROM THE COMMUNITY REDEVELOPMENT AGENCY OF THE CITY OF LOS ANGELES, DESIGNATED LOCAL AUTHORITY (CRA/LA-DLA) TO THE CITY OF LOS ANGELES AND CODE AMENDMENT TO ESTABLISH PROCEDURES FOR THE IMPLEMENTATION OF UNEXPIRED REDEVELOPMENT PLANS AND UPDATE OTHER RELEVANT CODE PROVISIONS IN THE LOS ANGELES MUNICIPAL CODE TO FACILITATE THE TRANSFER OF LAND USE
Required Action(s):	ND-NEGATIVE DECLARATION
Case Number:	ENV-2019-4121-ND
	PROJECT THAT CREATES OR RESULTS IN AN INCREASE OF 50 OR MORE DWELLING UNITS; PURSUANT TO LAMC SECTION 12.22-A,31, A PROJECT UNDER THE TRANSIT ORIENTED COMMUNITIES AFFORDABLE HOUSING INCENTIVE PROGRAM UTILIZING BASE INCENTIVES AND THREE ADDITIONAL INCENTIVES TO ALLOW INCREASED DENSITY, INCREASED FLOOR AREA RATIO (FAR), DECREASED PARKING, REDUCED FRONT AND SIDE YARDS, AND AVERAGED FAR; AND PURSUANT TO LAMC SECTION 17.15, A VESTING TENTATIVE TRACT MAP TO ALLOW THE MERGING OF THE LOTS AND CREATION OF ONE LOT.
Project Descriptions(s):	PURSUANT TO LOS ANGELES MUNICIPAL CODE (LAMC) SECTION 16.05, A SITE PLAN REVIEW TO ALLOW A DEVELOPMENT
Required Action(s):	SCPE-SUSTAINABLE COMMUNITIES PRIORITY EXEMPTION
Case Number:	ENV-2020-7605-SCPE
	UTILIZING BASE INCENTIVES AND THREE ADDITIONAL INCENTIVES TO ALLOW INCREASED DENSITY, INCREASED FLOOR AREA RATIO (FAR), DECREASED PARKING, REDUCED FRONT AND SIDE YARDS, AND AVERAGED FAR; AND PURSUANT TO LAMC SECTION 17.15, A VESTING TENTATIVE TRACT MAP TO ALLOW THE MERGING OF THE LOTS AND CREATION OF ONE LOT.
Project Descriptions(s):	PURSUANT TO LOS ANGELES MUNICIPAL CODE (LAMC) SECTION 16.05, A SITE PLAN REVIEW TO ALLOW A DEVELOPMENT PROJECT THAT CREATES OR RESULTS IN AN INCREASE OF 50 OR MORE DWELLING UNITS; PURSUANT TO LAMC SECTION 12.22-A,31, A PROJECT UNDER THE TRANSIT ORIENTED COMMUNITIES AFFORDABLE HOUSING INCENTIVE PROGRAM
	HCA-HOUSING CRISIS ACT
Required Action(s):	CN-NEW CONDOMINIUMS
Case Number:	AREA RATIO (FAR), DECREASED PARKING, REDUCED FRONT AND SIDE YARDS, AND AVERAGED FAR; AND PURSUANT TO LAMC SECTION 17.15, A VESTING TENTATIVE TRACT MAP TO ALLOW THE MERGING OF THE LOTS AND CREATION OF ONE LOT. VTT-83227-CN-HCA
Project Descriptions(s):	PURSUANT TO LOS ANGELES MUNICIPAL CODE (LAMC) SECTION 16.05, A SITE PLAN REVIEW TO ALLOW A DEVELOPMENT PROJECT THAT CREATES OR RESULTS IN AN INCREASE OF 50 OR MORE DWELLING UNITS; PURSUANT TO LAMC SECTION 12.22-A,31, A PROJECT UNDER THE TRANSIT ORIENTED COMMUNITIES AFFORDABLE HOUSING INCENTIVE PROGRAM UTILIZING BASE INCENTIVES AND THREE ADDITIONAL INCENTIVES TO ALLOW INCREASED DENSITY, INCREASED FLOOR
	TOC-TRANSIT ORIENTED COMMUNITIES HCA-HOUSING CRISIS ACT
Required Action(s):	
Case Number:	DIR-2020-7604-SPR-TOC-HCA
Project Descriptions(s):	CHANGE OF HEIGHT DISTRICT WITHIN THE "CORE AREA OF L.A."- GENERAL PLAN ZONE CONSISTENCY PROGRAM.
Required Action(s):	HD-HEIGHT DISTRICT
Case Number:	CPC-1984-1-HD
Project Descriptions(s):	THE PROPOSED PROJECT CONSISTS OF: (1) A TECHNICAL MODIFICATION TO SECTIONS 12.03, 12.04, 12.21, 12.22, 12.24, 13.11, 14.5, 16.05 AND 16.11 OF THE LOS ANGELES MUNICIPAL CODE (LAMC) TO REMOVE OR AMEND REFERENCES TO THE FORMER COMMUNITY REDEVELOPMENT AGENCY (CRA); (2) TECHNICAL CORRECTIONS TO CLARIFY EXISTING REGULATIONS IN THE LAMC THAT ARE IMPACTED BY THE TRANSFER OF LAND USE AUTHORITY; AND (3) A RESOLUTION REQUESTING THAT ALL LAND USE RELATED PLANS AND FUNCTIONS OF THE CRA/LA BE TRANSFERRED TO THE DEPARTMENT OF CITY PLANNING
Required Action(s):	Data Not Available
Case Number:	CPC-2013-3169
Project Descriptions(s):	RESOLUTION TO TRANSFER THE LAND USE AUTHORITY FROM THE COMMUNITY REDEVELOPMENT AGENCY OF THE CITY OF LOS ANGELES, DESIGNATED LOCAL AUTHORITY (CRA/LA-DLA) TO THE CITY OF LOS ANGELES AND CODE AMENDMENT TO ESTABLISH PROCEDURES FOR THE IMPLEMENTATION OF UNEXPIRED REDEVELOPMENT PLANS AND UPDATE OTHER RELEVANT CODE PROVISIONS IN THE LOS ANGELES MUNICIPAL CODE TO FACILITATE THE TRANSFER OF LAND USE AUTHROITY FROM THE CRA/LA-DLA TO THE CITY OF LOS ANGELES.
Required Action(s):	CA-CODE AMENDMENT
Case Number:	CPC-2018-6005-CA

Required Action(s):	CE-CATEGORICAL EXEMPTION
Project Descriptions(s):	THE PROPOSED ORDINANCE MODIFIES SECTION 22.119 OF THE LOS ANGELES ADMINISTRATIVE CODE TO ALLOW ORIGINAL ART MURALS ON LOTS DEVELOPED WITH ONLY ONE SINGLE-FAMILY RESIDENTIAL STRUCTURE AND THAT ARE LOCATED WITHIN COUNCIL DISTRICTS 1, 9, AND 14.
Case Number:	ENV-2013-3170-CE
Required Action(s):	CE-CATEGORICAL EXEMPTION
Project Descriptions(s):	THE PROPOSED PROJECT CONSISTS OF: (1) A TECHNICAL MODIFICATION TO SECTIONS 12.03, 12.04, 12.21, 12.22, 12.24, 13.11, 14.5, 16.05 AND 16.11 OF THE LOS ANGELES MUNICIPAL CODE (LAMC) TO REMOVE OR AMEND REFERENCES TO THE FORMER COMMUNITY REDEVELOPMENT AGENCY (CRA); (2) TECHNICAL CORRECTIONS TO CLARIFY EXISTING REGULATIONS IN THE LAMC THAT ARE IMPACTED BY THE TRANSFER OF LAND USE AUTHORITY; AND (3) A RESOLUTION REQUESTING THAT ALL LAND USE RELATED PLANS AND FUNCTIONS OF THE CRA/LA BE TRANSFERRED TO THE DEPARTMENT OF CITY PLANNING

DATA NOT AVAILABLE

ORD-161116-SA38A AFF-15522



Address: 905 S BEACON A' APN: 5137001034 PIN #: 130-5A203 206

Iract: CURLETT TI Block: None Lot: 1 Arb: None

General Plan: Highway Oriented Commercial

LEGEND

GENERALIZED ZONING



GENERAL PLAN LAND USE

LAND USE

RESIDENTIAL	INDUSTRIAL
Minimum Residential	Commercial Manufacturing
Very Low / Very Low I Residential	Limited Manufacturing
Very Low II Residential	Light Manufacturing
Low / Low I Residential	Heavy Manufacturing
Low II Residential	Hybrid Industrial
Low Medium / Low Medium I Residential	PARKING
Low Medium II Residential	Parking Buffer
Medium Residential	PORT OF LOS ANGELES
High Medium Residential	General / Bulk Cargo - Non Hazardous (Industrial / Commercial)
High Density Residential	General / Bulk Cargo - Hazard
Very High Medium Residential	Commercial Fishing
COMMERCIAL	Recreation and Commercial
Limited Commercial	Intermodal Container Transfer Facility Site
🗱 Limited Commercial - Mixed Medium Residential	LOS ANGELES INTERNATIONAL AIRPORT
Highway Oriented Commercial	Airport Landside / Airport Landside Support
Highway Oriented and Limited Commercial	Airport Airside
🗱 Highway Oriented Commercial - Mixed Medium Residential	LAX Airport Northside
Neighborhood Office Commercial	OPEN SPACE / PUBLIC FACILITIES
Community Commercial	Open Space
Community Commercial - Mixed High Residential	Public / Open Space
Regional Center Commercial	Public / Quasi-Public Open Space
	Other Public Open Space
FRAMEWORK	Public Facilities
COMMERCIAL	INDUSTRIAL

Limited Industrial

Light Industrial

Neighborhood Commercial

- General Commercial
- Community Commercial
- Regional Mixed Commercial

CIRCULATION

STREET

Arterial Mountain Road Major Scenic Highway Collector Scenic Street Major Scenic Highway (Modified) Collector Street Major Scenic Highway II ----- Collector Street (Hillside) ----- Mountain Collector Street ----- Collector Street (Modified) ---- Park Road ----- Collector Street (Proposed) ——- Parkway Country Road Principal Major Highway — Divided Major Highway II ____ ---- Private Street Divided Secondary Scenic Highway Scenic Divided Major Highway II Local Scenic Road Scenic Park Local Street Scenic Parkway Major Highway (Modified) — Secondary Highway Major Highway I Secondary Highway (Modified) Major Highway II Secondary Scenic Highway Major Highway II (Modified) ---- Special Collector Street Super Major Highway

FREEWAYS

Freeway

- Interchange
- —— On-Ramp / Off- Ramp
- Hailroad
- Scenic Freeway Highway


MISC. LINES

	Airport Boundary	•=•=••	MSA Desirable Open Space
	Bus Line	o <u> </u>	Major Scenic Controls
	Coastal Zone Boundary		Multi-Purpose Trail
	Coastline Boundary	uuu	Natural Resource Reserve
	Collector Scenic Street (Proposed)		Park Road
	Commercial Areas		Park Road (Proposed)
	Commercial Center		Quasi-Public
• • • •	Community Redevelopment Project Area		Rapid Transit Line
	Country Road		Residential Planned Development
× × × ×	DWP Power Lines		Scenic Highway (Obsolete)
******	Desirable Open Space	° — ° —	Secondary Scenic Controls
• - • -	Detached Single Family House	- • - •	Secondary Scenic Highway (Proposed)
• • • • • •	Endangered Ridgeline		Site Boundary
	Equestrian and/or Hiking Trail	⊗—	Southern California Edison Power
	Hiking Trail		Special Study Area
	Historical Preservation	• • • • •	Specific Plan Area
	Horsekeeping Area	- • -•	Stagecoach Line
	Local Street		Wildlife Corridor

POINTS OF INTEREST

- 🗊 Alternative Youth Hostel (Proposed)
- Animal Shelter
- 📩 Area Library
- 庙 Area Library (Proposed)
- 🕾 Bridge
- ▲ Campground
- Campground (Proposed)
- 👻 Cemetery
- HW Church
- 🛓 City Hall
- 🕅 Community Center
- M Community Library
- Community Library (Proposed Expansion)
- Community Library (Proposed)
- XX Community Park
- 🕱 Community Park (Proposed Expansion)
- XX Community Park (Proposed)
- 🚔 Community Transit Center
- 🛉 Convalescent Hospital
- 🕱 Correctional Facility
- 🛠 Cultural / Historic Site (Proposed)
- 🛠 Cultural / Historical Site
- 🗰 Cultural Arts Center
- DMV DMV Office
- DWP DWP
- \mathcal{T} DWP Pumping Station
- 🐆 Equestrian Center
- Fire Department Headquarters
- 📻 Fire Station
- 🖶 Fire Station (Proposed Expansion)
- Fire Station (Proposed)
- Fire Supply & Maintenance
- \land Fire Training Site
- 🛳 Fireboat Station
- + Health Center / Medical Facility
- 🖛 Helistop
- Historic Monument
- n Historical / Cultural Monument
- 🔭 Horsekeeping Area
- 🔭 Horsekeeping Area (Proposed)
- Horticultural Center 📕 Hospital Hospital (Proposed) HW House of Worship C Important Ecological Area Important Ecological Area (Proposed) e ☺ Interpretive Center (Proposed) JC Junior College MTA / Metrolink Station M MTA Station MTA Stop MWD MWD Headquarters 🖛 Maintenance Yard Municipal Office Building P Municipal Parking lot X. Neighborhood Park X Neighborhood Park (Proposed Expansion) X Neighborhood Park (Proposed) 1 Oil Collection Center Parking Enforcement P Police Headquarters 8 **Police Station** Police Station (Proposed Expansion) Police Station (Proposed) Police Training site Ê. PO Post Office ŧ Power Distribution Station ŧ Power Distribution Station (Proposed) **Power Receiving Station** ŧ Power Receiving Station (Proposed) 3 С Private College Private Elementary School Е $|\lambda|$ Private Golf Course (Proposed) JH Private Junior High School **PS** Private Pre-School **XXI** Private Recreation & Cultural Facility SH Private Senior High School SF Private Special School
- 宦 Public Elementary (Proposed Expansion)
- Public Elementary School F 全 Public Elementary School (Proposed) Public Golf Course 1 Public Golf Course (Proposed) Public Housing Public Housing (Proposed Expansion) Π. Public Junior High School 前 Public Junior High School (Proposed) ms Public Middle School SH Public Senior High School ईंगे Public Senior High School (Proposed) Pumping Station Pumping Station (Proposed) * Refuse Collection Center 💼 Regional Library 🟟 Regional Library (Proposed Expansion) Regional Library (Proposed) 🐔 Regional Park 蔬 Regional Park (Proposed) **RPD** Residential Plan Development Scenic View Site Scenic View Site (Proposed) ADM School District Headquarters sc School Unspecified Loc/Type (Proposed) 🗰 Skill Center ss Social Services Special Feature \star 😥 Special Recreation (a) ŜF Special School Facility sF Special School Facility (Proposed) Steam Plant (sm) Surface Mining Trail & Assembly Area 📥 🛛 Trail & Assembly Area (Proposed) UTL Utility Yard Water Tank Reservoir
- ⅔ Wildlife Migration Corridor
- 🕋 Wildlife Preserve Gate

SCHOOLS/PARKS WITH 500 FT. BUFFER



COASTAL ZONE

TRANSIT ORIENTED COMMUNITIES (TOC)



WAIVER OF DEDICATION OR IMPROVEMENT

Public Work Approval (PWA)

Waiver of Dedication or Improvement (WDI)

OTHER SYMBOLS

– Lot Line Airport Hazard Zone Tract Line **Census Tract Coastal Zone** -- Lot Cut **Council District** ----- Easement LADBS District Office --- Zone Boundary **Downtown Parking** Building Line Fault Zone Lot Split Fire District No. 1 Community Driveway Tract Map Building Outlines 2020 Parcel Map ---- Building Outlines 2017



Flood Zone

Hazardous Waste

High Wind Zone

Hillside Grading

- Historic Preservation Overlay Zone
- Specific Plan Area
- Very High Fire Hazard Severity Zone



City of Los Angeles Department of City Planning

6/5/2023 PARCEL PROFILE REPORT

PROPERTY ADDRESSES	Address/Legal Information			
923 S BEACON AVE	PIN Number	130-5A203 241		
	Lot/Parcel Area (Calculated)	8,053.8 (sq ft)		
ZIP CODES	Thomas Brothers Grid	PAGE 634 - GRID C4		
90015	Assessor Parcel No. (APN)	5137001003		
	Tract	CURLETT TRACT		
RECENT ACTIVITY	Map Reference	M R 60-78 L S 4-41		
VTT-83227-CN-HCA	Block	None		
	Lot	4		
CASE NUMBERS	Arb (Lot Cut Reference)	2		
CPC-2018-6005-CA	Map Sheet	130-5A203		
CPC-2013-3169	Jurisdictional Information			
CPC-1984-1-HD	Community Plan Area	Westlake		
ORD-161116-SA38A	Area Planning Commission	Central		
DIR-2020-7604-SPR-TOC-HCA	Neighborhood Council	Westlake South		
VTT-83227-CN-HCA	Council District	CD 1 - Eunisses Hernandez		
ENV-2020-7605-SCPE	Census Tract #	2095.20		
ENV-2019-4121-ND	LADBS District Office	Los Angeles Metro		
ENV-2018-6006-CE	Permitting and Zoning Compliance Information			
ENV-2013-3392-CE	Administrative Review	None		
ENV-2013-3170-CE	Planning and Zoning Information			
	Special Notes	None		
	Zoning	R4-1		
	Zoning Information (ZI)	ZI-2452 Transit Priority Area in the City of Los Angeles		
		ZI-2452 Transit Priority Area in the City of Los Angeles		
		ZI-2498 Local Emergency Temporary Regulations - Time Limits and Parking Relief - LAMC 16.02.1		
		ZI-2488 Redevelopment Project Area: Westlake Recovery		
		ZI-2512 Housing Element Inventory of Sites		
		ZI-2374 State Enterprise Zone: Los Angeles		
	General Plan Land Use	High Medium Residential		
	General Plan Note(s)	Yes		
	Hillside Area (Zoning Code)	No		
	Specific Plan Area	None		
	Subarea	None		
	Special Land Use / Zoning	None		
	Historic Preservation Review	No		
	Historic Preservation Overlay Zone	None		
	Other Historic Designations	None		
	Other Historic Survey Information	None		
	Mills Act Contract	None		
	CDO: Community Design Overlay	None		
	CPIO: Community Plan Imp. Overlay	None		
	Subarea	None		
	CUGU: Clean Up-Green Up	None		
	HCR: Hillside Construction Regulation	No		
	NSO: Neighborhood Stabilization Overlay	No		
	POD: Pedestrian Oriented Districts	None		
-		nore details places refer to the terms and conditions at zimes legity are		

RBP: Restaurant Beverage Program Eligible Area	None				
RFA: Residential Floor Area District	None				
RIO: River Implementation Overlay	No				
SN: Sign District	No				
AB 2334: Very Low VMT	Yes				
AB 2007: Reduced Parking Areas	Yes				
Streetscape	No				
Adaptive Reuse Incentive Area	None				
Affordable Housing Linkage Fee	None				
Residential Market Area	Medium				
Non-Residential Market Area	Medium				
Transit Oriented Communities (TOC)	Tier 3				
ED 1 Eligibility	Eligible Site				
RPA: Redevelopment Project Area	Westlake Recovery				
	No				
Central City Parking					
Downtown Parking	No None				
Building Line					
500 Ft School Zone 500 Ft Park Zone	No				
	No				
Assessor Information	5407004000				
Assessor Parcel No. (APN)	5137001003				
APN Area (Co. Public Works)*	0.222 (ac)				
Use Code	010V - Residential - Single Family Residence - Vacant Land				
Assessed Land Val.	\$210,122				
Assessed Improvement Val.	\$0				
Last Owner Change	12/31/2002				
Last Sale Amount	\$82,500				
Tax Rate Area	12706				
Deed Ref No. (City Clerk)	3-186				
	1-958				
-	1-889				
Building 1	No data for building 1				
Building 2	No data for building 2				
Building 3	No data for building 3				
Building 4	No data for building 4				
Building 5	No data for building 5				
Rent Stabilization Ordinance (RSO)	No [APN: 5137001003]				
Additional Information					
Airport Hazard	None				
Coastal Zone	None				
Santa Monica Mountains Zone	No				
Farmland	Area Not Mapped				
Urban Agriculture Incentive Zone	YES				
Very High Fire Hazard Severity Zone	No				
Fire District No. 1	No				
Flood Zone	Outside Flood Zone				
Watercourse	No				
Hazardous Waste / Border Zone Properties	No				
Methane Hazard Site	None				
High Wind Velocity Areas	No				
Special Grading Area (BOE Basic Grid Map A- 13372)	No				
Wells	None				
Seismic Hazards					

Active Fault Near-Source Zone				
Nearest Fault (Distance in km)	0.149205696			
Nearest Fault (Name)	Puente Hills Blind Thrust			
Region	Los Angeles Blind Thrusts			
Fault Type	B			
Slip Rate (mm/year)	0.7000000			
Slip Geometry	Reverse			
Slip Type	Moderately / Poorly Constrained			
Down Dip Width (km)	19.0000000			
Rupture Top	5.0000000			
Rupture Bottom	13.0000000			
Dip Angle (degrees)	25.0000000			
Maximum Magnitude	7.1000000			
Alquist-Priolo Fault Zone	No			
Landslide	No			
Liquefaction	No			
Preliminary Fault Rupture Study Area	No			
Tsunami Inundation Zone	No			
Economic Development Areas				
Business Improvement District	None			
Hubzone	Qualified			
Jobs and Economic Development Incentive	None			
Zone (JEDI)				
Opportunity Zone	No			
Promise Zone	None			
State Enterprise Zone	LOS ANGELES STATE ENTERPRISE ZONE			
Housing				
Direct all Inquiries to	Los Angeles Housing Department			
Telephone	(866) 557-7368			
Website	https://housing.lacity.org			
Rent Stabilization Ordinance (RSO)	No [APN: 5137001003]			
Ellis Act Property	No			
AB 1482: Tenant Protection Act	See Notes			
Assessor Parcel No. (APN)	5137001003			
Address	919 BEACON AVE			
Use Code	010V - Residential - Single Family Residence - Vacant Land			
Notes	The property is subject to AB 1482 if the owner is a corporation, limited liability company with a corporate member, or real estate trust. Does not apply to owner-occupied duplexes & government-subsidized housing.			
Housing Crisis Act Replacement Review	Yes			
Housing Element Sites				
HE Replacement Required	Yes			
SB 166 Units	1.43 Units, Lower			
Housing Use within Prior 5 Years	No			
Public Safety				
Police Information				
Bureau	Central			
Division / Station	Rampart			
Reporting District	275			
Fire Information				
-				
Bureau	Central			
Bureau Battallion	Central 11			

CASE SUMMARIES


Note: Information for case summaries is retrieved from the Planning Department's Plan Case Tracking System (PCTS) database.

Project Descriptions(s): Case Number:	TO ESTABLISH PROCEDURES FOR THE IMPLEMENTATION OF UNEXPIRED REDEVELOPMENT PLANS AND UPDATE OTHER RELEVANT CODE PROVISIONS IN THE LOS ANGELES MUNICIPAL CODE TO FACILITATE THE TRANSFER OF LAND USE AUTHROITY FROM THE CRA/LA-DLA TO THE CITY OF LOS ANGELES. ENV-2013-3392-CE
Drain at Descriptions (a)	RESOLUTION TO TRANSFER THE LAND USE AUTHORITY FROM THE COMMUNITY REDEVELOPMENT AGENCY OF THE CITY OF LOS ANGELES, DESIGNATED LOCAL AUTHORITY (CRA/LA-DLA) TO THE CITY OF LOS ANGELES AND CODE AMENDMENT
Required Action(s):	CE-CATEGORICAL EXEMPTION
Case Number:	ENV-2018-6006-CE
Case Number	AUTHROITY FROM THE CRA/LA-DLA TO THE CITY OF LOS ANGELES.
Project Descriptions(s):	RESOLUTION TO TRANSFER THE LAND USE AUTHORITY FROM THE COMMUNITY REDEVELOPMENT AGENCY OF THE CITY OF LOS ANGELES, DESIGNATED LOCAL AUTHORITY (CRA/LA-DLA) TO THE CITY OF LOS ANGELES AND CODE AMENDMENT TO ESTABLISH PROCEDURES FOR THE IMPLEMENTATION OF UNEXPIRED REDEVELOPMENT PLANS AND UPDATE OTHER RELEVANT CODE PROVISIONS IN THE LOS ANGELES MUNICIPAL CODE TO FACILITATE THE TRANSFER OF LAND USE
Required Action(s):	ND-NEGATIVE DECLARATION
Case Number:	ENV-2019-4121-ND
	PROJECT THAT CREATES OR RESULTS IN AN INCREASE OF 50 OR MORE DWELLING UNITS; PURSUANT TO LAMC SECTION 12.22-A,31, A PROJECT UNDER THE TRANSIT ORIENTED COMMUNITIES AFFORDABLE HOUSING INCENTIVE PROGRAM UTILIZING BASE INCENTIVES AND THREE ADDITIONAL INCENTIVES TO ALLOW INCREASED DENSITY, INCREASED FLOOR AREA RATIO (FAR), DECREASED PARKING, REDUCED FRONT AND SIDE YARDS, AND AVERAGED FAR; AND PURSUANT TO LAMC SECTION 17.15, A VESTING TENTATIVE TRACT MAP TO ALLOW THE MERGING OF THE LOTS AND CREATION OF ONE LOT.
Project Descriptions(s):	PURSUANT TO LOS ANGELES MUNICIPAL CODE (LAMC) SECTION 16.05, A SITE PLAN REVIEW TO ALLOW A DEVELOPMENT
Required Action(s):	SCPE-SUSTAINABLE COMMUNITIES PRIORITY EXEMPTION
Case Number:	ENV-2020-7605-SCPE
	UTILIZING BASE INCENTIVES AND THREE ADDITIONAL INCENTIVES TO ALLOW INCREASED DENSITY, INCREASED FLOOR AREA RATIO (FAR), DECREASED PARKING, REDUCED FRONT AND SIDE YARDS, AND AVERAGED FAR; AND PURSUANT TO LAMC SECTION 17.15, A VESTING TENTATIVE TRACT MAP TO ALLOW THE MERGING OF THE LOTS AND CREATION OF ONE LOT.
Project Descriptions(s):	PURSUANT TO LOS ANGELES MUNICIPAL CODE (LAMC) SECTION 16.05, A SITE PLAN REVIEW TO ALLOW A DEVELOPMENT PROJECT THAT CREATES OR RESULTS IN AN INCREASE OF 50 OR MORE DWELLING UNITS; PURSUANT TO LAMC SECTION 12.22-A,31, A PROJECT UNDER THE TRANSIT ORIENTED COMMUNITIES AFFORDABLE HOUSING INCENTIVE PROGRAM
	HCA-HOUSING CRISIS ACT
Required Action(s):	CN-NEW CONDOMINIUMS
Case Number:	AREA RATIO (FAR), DECREASED PARKING, REDUCED FRONT AND SIDE YARDS, AND AVERAGED FAR; AND PURSUANT TO LAMC SECTION 17.15, A VESTING TENTATIVE TRACT MAP TO ALLOW THE MERGING OF THE LOTS AND CREATION OF ONE LOT. VTT-83227-CN-HCA
Project Descriptions(s):	PURSUANT TO LOS ANGELES MUNICIPAL CODE (LAMC) SECTION 16.05, A SITE PLAN REVIEW TO ALLOW A DEVELOPMENT PROJECT THAT CREATES OR RESULTS IN AN INCREASE OF 50 OR MORE DWELLING UNITS; PURSUANT TO LAMC SECTION 12.22-A,31, A PROJECT UNDER THE TRANSIT ORIENTED COMMUNITIES AFFORDABLE HOUSING INCENTIVE PROGRAM UTILIZING BASE INCENTIVES AND THREE ADDITIONAL INCENTIVES TO ALLOW INCREASED DENSITY, INCREASED FLOOR
	TOC-TRANSIT ORIENTED COMMUNITIES HCA-HOUSING CRISIS ACT
Required Action(s):	SPR-SITE PLAN REVIEW
Case Number:	DIR-2020-7604-SPR-TOC-HCA
Project Descriptions(s):	CHANGE OF HEIGHT DISTRICT WITHIN THE "CORE AREA OF L.A."- GENERAL PLAN ZONE CONSISTENCY PROGRAM.
Required Action(s):	HD-HEIGHT DISTRICT
Case Number:	CPC-1984-1-HD
Project Descriptions(s):	THE PROPOSED PROJECT CONSISTS OF: (1) A TECHNICAL MODIFICATION TO SECTIONS 12.03, 12.04, 12.21, 12.22, 12.24, 13.11, 14.5, 16.05 AND 16.11 OF THE LOS ANGELES MUNICIPAL CODE (LAMC) TO REMOVE OR AMEND REFERENCES TO THE FORMER COMMUNITY REDEVELOPMENT AGENCY (CRA); (2) TECHNICAL CORRECTIONS TO CLARIFY EXISTING REGULATIONS IN THE LAMC THAT ARE IMPACTED BY THE TRANSFER OF LAND USE AUTHORITY; AND (3) A RESOLUTION REQUESTING THAT ALL LAND USE RELATED PLANS AND FUNCTIONS OF THE CRA/LA BE TRANSFERRED TO THE DEPARTMENT OF CITY PLANNING
Required Action(s):	Data Not Available
Case Number:	CPC-2013-3169
Project Descriptions(s):	RESOLUTION TO TRANSFER THE LAND USE AUTHORITY FROM THE COMMUNITY REDEVELOPMENT AGENCY OF THE CITY OF LOS ANGELES, DESIGNATED LOCAL AUTHORITY (CRA/LA-DLA) TO THE CITY OF LOS ANGELES AND CODE AMENDMENT TO ESTABLISH PROCEDURES FOR THE IMPLEMENTATION OF UNEXPIRED REDEVELOPMENT PLANS AND UPDATE OTHER RELEVANT CODE PROVISIONS IN THE LOS ANGELES MUNICIPAL CODE TO FACILITATE THE TRANSFER OF LAND USE AUTHROITY FROM THE CRA/LA-DLA TO THE CITY OF LOS ANGELES.
Required Action(s):	CA-CODE AMENDMENT
Case Number:	CPC-2018-6005-CA

Required Action(s):	CE-CATEGORICAL EXEMPTION
Project Descriptions(s):	THE PROPOSED ORDINANCE MODIFIES SECTION 22.119 OF THE LOS ANGELES ADMINISTRATIVE CODE TO ALLOW ORIGINAL ART MURALS ON LOTS DEVELOPED WITH ONLY ONE SINGLE-FAMILY RESIDENTIAL STRUCTURE AND THAT ARE LOCATED WITHIN COUNCIL DISTRICTS 1, 9, AND 14.
Case Number:	ENV-2013-3170-CE
Required Action(s):	CE-CATEGORICAL EXEMPTION
Project Descriptions(s):	THE PROPOSED PROJECT CONSISTS OF: (1) A TECHNICAL MODIFICATION TO SECTIONS 12.03, 12.04, 12.21, 12.22, 12.24, 13.11, 14.5, 16.05 AND 16.11 OF THE LOS ANGELES MUNICIPAL CODE (LAMC) TO REMOVE OR AMEND REFERENCES TO THE FORMER COMMUNITY REDEVELOPMENT AGENCY (CRA); (2) TECHNICAL CORRECTIONS TO CLARIFY EXISTING REGULATIONS IN THE LAMC THAT ARE IMPACTED BY THE TRANSFER OF LAND USE AUTHORITY; AND (3) A RESOLUTION REQUESTING THAT ALL LAND USE RELATED PLANS AND FUNCTIONS OF THE CRA/LA BE TRANSFERRED TO THE DEPARTMENT OF CITY PLANNING

DATA NOT AVAILABLE

ORD-161116-SA38A



Address: 923 S BEACON A APN: 5137001003 PIN #: 130-5A203 241

Block: None Lot: 4 Arb: 2

General Plan: High Medium Residential



LEGEND

GENERALIZED ZONING



GENERAL PLAN LAND USE

LAND USE

RESIDENTIAL	INDUSTRIAL		
Minimum Residential	Commercial Manufacturing		
Very Low / Very Low I Residential	Limited Manufacturing		
Very Low II Residential	Light Manufacturing		
Low / Low I Residential	Heavy Manufacturing		
Low II Residential	Hybrid Industrial		
Low Medium / Low Medium I Residential	PARKING		
Low Medium II Residential	Parking Buffer		
Medium Residential	PORT OF LOS ANGELES		
High Medium Residential	General / Bulk Cargo - Non Hazardous (Industrial / Commercial)		
High Density Residential	General / Bulk Cargo - Hazard		
Very High Medium Residential	Commercial Fishing		
COMMERCIAL	Recreation and Commercial		
Limited Commercial	Intermodal Container Transfer Facility Site		
🗱 Limited Commercial - Mixed Medium Residential	LOS ANGELES INTERNATIONAL AIRPORT		
Highway Oriented Commercial	Airport Landside / Airport Landside Support		
Highway Oriented and Limited Commercial	Airport Airside		
🗱 Highway Oriented Commercial - Mixed Medium Residential	LAX Airport Northside		
Neighborhood Office Commercial	OPEN SPACE / PUBLIC FACILITIES		
Community Commercial	Open Space		
Community Commercial - Mixed High Residential	Public / Open Space		
Regional Center Commercial	Public / Quasi-Public Open Space		
	Other Public Open Space		
FRAMEWORK	Public Facilities		
COMMERCIAL	INDUSTRIAL		

Limited Industrial

Light Industrial

Neighborhood Commercial

- General Commercial
- Community Commercial
- Regional Mixed Commercial

CIRCULATION

STREET

Arterial Mountain Road Major Scenic Highway Collector Scenic Street Major Scenic Highway (Modified) Collector Street Major Scenic Highway II ----- Collector Street (Hillside) ----- Mountain Collector Street ----- Collector Street (Modified) ---- Park Road ----- Collector Street (Proposed) ——- Parkway Country Road Principal Major Highway — Divided Major Highway II ____ ---- Private Street Divided Secondary Scenic Highway Scenic Divided Major Highway II Local Scenic Road Scenic Park Local Street Scenic Parkway Major Highway (Modified) — Secondary Highway Major Highway I Secondary Highway (Modified) Major Highway II Secondary Scenic Highway Major Highway II (Modified) ---- Special Collector Street Super Major Highway

FREEWAYS

Freeway

- Interchange
- —— On-Ramp / Off- Ramp
- Hailroad
- Scenic Freeway Highway


MISC. LINES

	Airport Boundary	•=•=••	MSA Desirable Open Space
	Bus Line	o <u> </u>	Major Scenic Controls
	Coastal Zone Boundary		Multi-Purpose Trail
	Coastline Boundary	uuu	Natural Resource Reserve
	Collector Scenic Street (Proposed)		Park Road
	Commercial Areas		Park Road (Proposed)
	Commercial Center		Quasi-Public
• • • •	Community Redevelopment Project Area		Rapid Transit Line
	Country Road		Residential Planned Development
×	DWP Power Lines		Scenic Highway (Obsolete)
********	Desirable Open Space	۰	Secondary Scenic Controls
• - • -	Detached Single Family House	- • - •	Secondary Scenic Highway (Proposed)
	Endangered Ridgeline		Site Boundary
	Equestrian and/or Hiking Trail	⊗——	Southern California Edison Power
	Hiking Trail		Special Study Area
• - • - • - • -	Historical Preservation	• • • • •	Specific Plan Area
· ·	Horsekeeping Area		Stagecoach Line
	Local Street		Wildlife Corridor

POINTS OF INTEREST

- 🗊 Alternative Youth Hostel (Proposed)
- Animal Shelter
- 📩 Area Library
- 庙 Area Library (Proposed)
- 🕾 Bridge
- ▲ Campground
- Campground (Proposed)
- 👻 Cemetery
- HW Church
- 🛓 City Hall
- 🕅 Community Center
- M Community Library
- Community Library (Proposed Expansion)
- Community Library (Proposed)
- XX Community Park
- 🕱 Community Park (Proposed Expansion)
- XX Community Park (Proposed)
- 🚔 Community Transit Center
- 🛉 Convalescent Hospital
- 🕱 Correctional Facility
- 🛠 Cultural / Historic Site (Proposed)
- 🛠 Cultural / Historical Site
- 🗰 Cultural Arts Center
- DMV DMV Office
- DWP DWP
- \mathcal{T} DWP Pumping Station
- 🐆 Equestrian Center
- Fire Department Headquarters
- 📻 Fire Station
- 🖶 Fire Station (Proposed Expansion)
- Fire Station (Proposed)
- Fire Supply & Maintenance
- \land Fire Training Site
- 🛳 Fireboat Station
- Health Center / Medical Facility
- 🖛 Helistop
- Historic Monument
- n Historical / Cultural Monument
- 🔭 Horsekeeping Area
- 🔭 Horsekeeping Area (Proposed)
- Horticultural Center 📕 Hospital Hospital (Proposed) HW House of Worship C Important Ecological Area Important Ecological Area (Proposed) e ☺ Interpretive Center (Proposed) JC Junior College MTA / Metrolink Station M MTA Station MTA Stop MWD MWD Headquarters 🖛 Maintenance Yard Municipal Office Building P Municipal Parking lot X. Neighborhood Park X Neighborhood Park (Proposed Expansion) X Neighborhood Park (Proposed) 1 Oil Collection Center Parking Enforcement P Police Headquarters 8 **Police Station** Police Station (Proposed Expansion) Police Station (Proposed) Police Training site Ê. PO Post Office ŧ Power Distribution Station ŧ Power Distribution Station (Proposed) **Power Receiving Station** ŧ Power Receiving Station (Proposed) 3 С Private College Private Elementary School Е $|\lambda|$ Private Golf Course (Proposed) JH Private Junior High School **PS** Private Pre-School **XXI** Private Recreation & Cultural Facility SH Private Senior High School SF Private Special School
- 宦 Public Elementary (Proposed Expansion)
- Public Elementary School F を Public Elementary School (Proposed) Public Golf Course 1 Public Golf Course (Proposed) Public Housing Public Housing (Proposed Expansion) Π. Public Junior High School 前 Public Junior High School (Proposed) ms Public Middle School SH Public Senior High School ईंगे Public Senior High School (Proposed) Pumping Station Pumping Station (Proposed) * Refuse Collection Center 💼 Regional Library 🟟 Regional Library (Proposed Expansion) Regional Library (Proposed) 🐔 Regional Park 蔬 Regional Park (Proposed) **RPD** Residential Plan Development Scenic View Site Scenic View Site (Proposed) ADM School District Headquarters sc School Unspecified Loc/Type (Proposed) 🗰 Skill Center ss Social Services Special Feature \star 😥 Special Recreation (a) ŜF Special School Facility sF Special School Facility (Proposed) Steam Plant (sm) Surface Mining Trail & Assembly Area 📥 🛛 Trail & Assembly Area (Proposed) UTL Utility Yard Water Tank Reservoir
- ⅔ Wildlife Migration Corridor
- 🕋 Wildlife Preserve Gate

SCHOOLS/PARKS WITH 500 FT. BUFFER



COASTAL ZONE

TRANSIT ORIENTED COMMUNITIES (TOC)



WAIVER OF DEDICATION OR IMPROVEMENT

Public Work Approval (PWA)

Waiver of Dedication or Improvement (WDI)

OTHER SYMBOLS

– Lot Line Airport Hazard Zone Tract Line **Census Tract Coastal Zone** -- Lot Cut **Council District** ----- Easement LADBS District Office --- Zone Boundary **Downtown Parking** Building Line Fault Zone Lot Split Fire District No. 1 Community Driveway Tract Map Building Outlines 2020 Parcel Map ---- Building Outlines 2017



Flood Zone

Hazardous Waste

High Wind Zone

Hillside Grading

- Historic Preservation Overlay Zone
- Specific Plan Area
- Very High Fire Hazard Severity Zone

EXHIBIT F



City of Los Angeles Department of City Planning

6/5/2023 PARCEL PROFILE REPORT

PROPERTY ADDRESSES	Address/Legal Information			
927 1-18 S BEACON AVE	PIN Number	130-5A203 251		
	Lot/Parcel Area (Calculated)	9,598.2 (sq ft)		
ZIP CODES	Thomas Brothers Grid	PAGE 634 - GRID C4		
90015	Assessor Parcel No. (APN)	5137001004		
	Tract	CURLETT TRACT		
RECENT ACTIVITY	Map Reference	M R 60-78 L S 4-41		
None	Block	None		
	Lot	5		
CASE NUMBERS	Arb (Lot Cut Reference)	None		
CPC-2018-6005-CA	Map Sheet	130-5A203		
CPC-2013-3169	Jurisdictional Information			
CPC-1984-1-HD	Community Plan Area	Westlake		
ORD-161116-SA38A	Area Planning Commission	Central		
ENV-2019-4121-ND	Neighborhood Council	Westlake South		
ENV-2018-6006-CE	Council District	CD 1 - Eunisses Hernandez		
ENV-2013-3392-CE	Census Tract #	2095.20		
ENV-2013-3170-CE	LADBS District Office	Los Angeles Metro		
	tion			
	Administrative Review	None		
	Planning and Zoning Information			
	Special Notes	None		
	Zoning	R4-1		
	Zoning Information (ZI)	ZI-2452 Transit Priority Area in the City of Los Angeles		
		ZI-2452 Transit Priority Area in the City of Los Angeles		
		ZI-2488 Redevelopment Project Area: Westlake Recovery		
		ZI-2512 Housing Element Inventory of Sites		
		ZI-2374 State Enterprise Zone: Los Angeles		
	General Plan Land Use	High Medium Residential		
	General Plan Note(s)	Yes		
	Hillside Area (Zoning Code)	No		
	Specific Plan Area	None		
	Subarea	None		
	Special Land Use / Zoning	None		
	Historic Preservation Review	No		
	Historic Preservation Overlay Zone	None		
	Other Historic Designations	None		
	Other Historic Survey Information	None		
	Mills Act Contract	None		
	CDO: Community Design Overlay	None		
	CPIO: Community Plan Imp. Overlay	None		
	Subarea	None		
	CUGU: Clean Up-Green Up	None		
	HCR: Hillside Construction Regulation	No		
	NSO: Neighborhood Stabilization Overlay	No		
	POD: Pedestrian Oriented Districts	None		
	RBP: Restaurant Beverage Program Eligible Area	None		

RFA: Residential Floor Area District	None
RIO: River Implementation Overlay	No
SN: Sign District	No
AB 2334: Very Low VMT	Yes
AB 2097: Reduced Parking Areas	Yes
Streetscape	No
Adaptive Reuse Incentive Area	None
Affordable Housing Linkage Fee	
Residential Market Area	Medium
Non-Residential Market Area	Medium
Transit Oriented Communities (TOC)	Tier 3
ED 1 Eligibility	Eligible Site
RPA: Redevelopment Project Area	Westlake Recovery
Central City Parking	No
Downtown Parking	No
Building Line	None
500 Ft School Zone	No
500 Ft Park Zone	No
Assessor Information	
Assessor Parcel No. (APN)	5137001004
APN Area (Co. Public Works)*	0.257 (ac)
Use Code	0500 - Residential - Five or More Units or Apartments (Any Combination) - 4 Stories or Less
Assessed Land Val.	\$780,026
Assessed Improvement Val.	\$606,415
Last Owner Change	03/02/2004
Last Sale Amount	\$0
Tax Rate Area	12706
Deed Ref No. (City Clerk)	7-231
	588275-6
	3284024
	328130-1
	328130
	2014798-99
Building 1	
Year Built	0
Building Class	D6
Number of Units	18
Number of Bedrooms	0
Number of Bathrooms	18
Building Square Footage	8,976.0 (sq ft)
Building 2	No data for building 2
Building 3	No data for building 3
Building 4	No data for building 4
Building 5	No data for building 5
Rent Stabilization Ordinance (RSO)	Yes [APN: 5137001004]
Additional Information	
Airport Hazard	None
Coastal Zone	None
Santa Monica Mountains Zone	No
Farmland	Area Not Mapped
Urban Agriculture Incentive Zone	YES
Very High Fire Hazard Severity Zone	No
Fire District No. 1	No
Flood Zone	Outside Flood Zone

Hazardous Waste / Border Zone Properties No Methane Hazard Stie None High Wind Velocity Areas No Special Grading Area (BOE Basic Grid Map A. No 13372 None Special Grading Area (BOE Basic Grid Map A. None Summer Statu Rear Source Zone None Nearest Fault Near-Source Zone Vente Hills Blind Thrust Region Los Angeles Blind Thrust Region Los Angeles Blind Thrust Region Sig Date (mn/year) B Slip Gaometry Reverse Sig Optometry Slip Gometry Reverse Souto0000 Rupture Top Souto0000 Souto000 Rupture Bottom No Souto0000 Maximum Magnitude 7.10000000 Souto000 Naviant Fundation Zone No Souto0000 Souto S	Watercourse	Νο
Methame Hazard SileNoneHigh Wind Velocity AreasNo13372)None13372)NoneSecial Grading Area (80E Basic Grid Map ANoneSecial Grading Area (80E Basic Grid Map ASecial Grading Area (80E Basic Grid Map ANames Fault Name)Names Fault (Name)Names Fault (Name)Naeres Fault (Name)0.128296416Naeres Fault (Name)D.128090416RegionCas Argeles Blind ThrustsFault TypeBSilp Rae (mm/year)0.7000000Silp CaecentryReverseSilp TypeSo000000Rupture Bottom10.000000Rupture BottomNoRupture BottomNoRupture BottomNoLadidideNoRupture BottomNoSumm MagnitudeNoLadidideNoLadidideNoBuiness Inforvement DistrictNoSumses Inforvement DistrictNoneSumses Inforvement DistrictNoneNoneNoneSum (Buttine Study AreaNoneNoneNoneSum (Buttine Study AreaNoneNoneNone<		
High Wind Velocity Area No Special Grading Area (BOE Basic Grid Map Area No Special Grading Area (BOE Basic Grid Map Area No Special Grading Area (BOE Basic Grid Map Area No Special Grading Area (BOE Basic Grid Map Area No Special Control Control Special Control Special Control Control Special Control No Special Control No Special Control No Special Control No Special Control Region Control Special Control Control Special Control Reverse Special Control Soco00000 Naphure Bottom Soco0000 Naphure Bottom No August Proto No Landalid No None No Landalid No Special Control Control No Special Control Control Control Control No Special Control		
Special Grading Area (BOE Basic Grid Map A: 13372) None 13372) None Status None Status None Status None Status None Active Fault (Distance in km) 0.128296416 Nearest Fault (Distance in km) 0.128296416 Region Los Angeles Bind Thrust Region Down Ope Silp Fate (mm/year) 0.7000000 Silp Goemetry Reverse Silp Type S0000000 Rupture Top 5.0000000 Rupture Top S0000000 Aquisi-Priolo Fault Zone No Landside No Landside No Landside No Estamari Incudation Zone No Doportunity Fault Rupture Study Area None State Enterprise Zone None State Enterprise Zone None Cone (JED) None State Enterprise Zone None State Enterprise Zone None State Enterprise Zone <td></td> <td></td>		
WeakNoneSelimite HaardsSelimite HaardsSelimite HaardsNearest Fault (Distance in km)0.128296416Nearest Fault (Distance in km)0.128296416Nearest Fault (Name)Puente Hills Blind ThrustRegionColspan="2">Colspan="2"Colspan="2">Colspan="2"Colspan	Special Grading Area (BOE Basic Grid Map A-	
Seismic Hazards Active Fault Near-Source Zone Nearest Fault (Distance in km) 0.128296416 Nearest Fault (Name) Puente Hills Blind Thrust Region Los Angeles Blind Thrusts Fault Type B Slip Fate (mn/year) 0.7000000 Slip Gaemetry Reverse Slip Type Moderately / Poorly Constrained Down Dip Width (km) 19.0000000 Rupture Top 5.0000000 Rupture Top 5.0000000 Rupture Top 5.0000000 Rupture Top 5.0000000 Rupture Top 10.000000 Rupture Top 5.0000000 Rupture Top 5.0000000 Rupture Top 10.000000 Rupture Top No Landslide No Landslide No Edonomic Development Areas No Edonomic Development Incentive None Zone (JED) Voer Opportunity Zone No Pormise Zone LoS Angeles Housing Department Telephone (866) 557-7368 Website Intps://housing lacity.org Rent Stabilization Ordinance (RSO) Yes (Sa In66 Units) Lis Ad Properiy No No Sa In	,	
Active Fault Near-Source Zone Nearest Fault (Distance in km) 0.122296416 Nearest Fault (Name) Puente Hills Bilnd Thrust Region Los Angeles Bilnd Thrusts Fault Type B Silp Rate (mm/year) 0.7000000 Silp Type Moderately / Poorly Constrained Down Dip Width (km) 19.0000000 Rupture Fotom 13.0000000 Rupture Bottom 13.0000000 Maximum Magnitude 7.10000000 August Potolo Fault Zone No Liquefaction No Eardentified No Euromin Inundation Zone No Euromin Inundation Zone None Suises Improvement District None Hubzone Qualified Jobs and Economic Development Incentive None State Enterprise Zone None State Enterprise Zone None State Enterprise Zone Los Angeles Housing Department Telephone (Se6) 557-7368 Website https://housing.lacity.org State Enterprise Zone N		None
Nearest Fault (Distance in km)0.128296416Nearest Fault (Name)Puente Hills Blind ThrustRegionLos Angeles Blind ThrustsRegionBSilp Rate (mm/year)0.7000000Silp GeometryReverseSilp TypeModerately / Poorly ConstrainedDown Dip Width (km)19.0000000Rupture Top5.0000000Rupture Bottom13.0000000Rupture Bottom13.0000000Maximum Magnitude7.1000000Maximum Magnitude7.1000000Aquist-Priolo Fault ZoneNoLandslideNoLandslideNoLiquefactionNoEconomic Development DistrictNoneHubzoneQualifiedJobs and Economic Development IncentiveNoneState Enterprise ZoneNoneState Enterprise ZoneNoneHubzoneCos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)YesShe TopertyNoHousing Crisis Act Replacement ReviewYesShe TopertyNoHousing Crisis Act Replacement ReviewYesShe TopertyNoHending Sitein Ordinance (RSO)YesShe TopertyNoHending Sitein Ordinance (RSO)YesShe TopertyNoHousing Crisis Act Replacement ReviewYesShe TopertyNoHeusing Liement SiteicUnits, Above ModerateHo		
Nearest Fault (Name)Puente Hills Blind ThrustRegionLos Angeles Blind ThrustsFault Type8Slip Rate (mm/year)0.7000000Slip GeometryReverseSlip TypeModerately / Poorly ConstrainedDawn Dip Width (km)19.0000000Ruptur Fop5.0000000Ruptur Ebotom13.0000000Maximum Mapitude7.1000000Alquist-Priolo Fault ZoneNoLandslideNoLandslideNoEonomic Development DistrictNoFuelminary Fault Rupture Study AreaNoBusiness Improvement DistrictNoneHubzoneQualifiedOportunity ZoneNoPromise ZoneNoneState Enterprise ZoneKoseHubzone(866) 557-7368WebsiteNoTelephone(865) 557-7368WebsiteNoHubzing Citis Act PropertyNoRen Stabilization Ordinance (RSO)Yes (APK: S137001004]Elis Act PropertyNoAlg Hagi Element StesYesHeusing Element StesYesHeusing Element StesYesPholic ScateYesSils Fiel InformationYesSils Fiel InformationYesPuice ScateYesTelephoneYesBif Giel UnitsYesSils Giel UnitsYesSils Giel UnitsYesSils Giel UnitsYesSils Giel UnitsYesSils Giel Units Or StationRampart <td></td> <td></td>		
RegionLos Angeles Blind ThrustsFault TypeBSlip Rate (mmyear)0.7000000Slip GometryReverseSlip TypeModerately / Poorly ConstrainedDown Djp Width (km)19.0000000Rupture Top5.0000000Rupture Bottom13.0000000Maximum Magnitude7.1000000Maximum MagnitudeNoLandslideNoLandslideNoLandslideNoPreliminary Fault Rupture Study AreaNoBusiness Improvement DistrictNoneHubzoneQualifiedJobs and Economic Development IncentiveNoneZone (LDD)VoneOpportunity ZoneNoPreliminary Eault Ruptures IncentiveNoneState Enterprise ZoneLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes (APN: 5137001004]Eliis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Citis Act Replacement ReviewYesSE 16 UnitsVesSe 16 UnitsYes (DHN: Above ModerateHousing Citis / StationRampartPreliminary Sitis / StationZertralBureauCentralDivisio / StationRampartFeporing DistrictYesBureauCentralDivisio / StationRampartFerretormationSet FerretormationBureauCentralDivisio / Station<	· · · · · · · · · · · · · · · · · · ·	
Fault TypeBFault Type0.7000000Slip Rate (mm/year)0.7000000Slip TypeModeratel/ Poorly ConstrainedDown Dip Width (km)19.0000000Rupture Top5.0000000Rupture Bottom13.0000000Rupture Bottom25.0000000Maximum Magnitude7.1000000Maximum Magnitude7.1000000LiquefactionNoLiquefactionNoLiquefactionNoPreliminary Fault Rupture Study AreaNoPreliminary Fault Rupture Study AreaNoEconomic Development IncentiveQualifiedJobs and Economic Development IncentiveNoneHubzonQualifiedJobs and Economic Development IncentiveNonePromise ZoneNoneState Enterprise ZoneNoneBursines Improvement DistrictNoneNoneState Enterprise ZoneWebsiteLOS ANGELES STATE ENTERPRISE ZONEHubzonLos Angeles Housing DepartmentTelephoneKosWebsiteNoHutsite StState State Protection ActNoState State Protection ActHousing Clinis Act Replacement ReviewYesState State Protection ActNoHousing Clinis Act Replacement ReviewYesState State Protection ActNoHousing Clinis Act Replacement ReviewYesState State Protection ActNoHousing Clinis Act Replacement ReviewYesState InformationZis Units, Above Moderate		
Slip Rate (mm/year)0.7000000Slip GeometryReverseSlip TypeModerately / Poorly ConstrainedDown Dip Width (km)19.0000000Rupture Top5.0000000Rupture Bottom13.0000000Dip Agle (degrees)25.0000000Maximum Magnitude7.1000000Alquist-Priolo Fault ZoneNoLandslideNoLandslideNoPreliminary Fault Rupture Study AreaNoTyumami Inundation ZoneQualifiedJobs and Economic Development AreasQualifiedBusiness Improvement DistrictNoneHubzoneQualifiedJop portunity ZoneNoPromise ZoneLOS ANGELES STATE ENTERPRISE ZONEHousingLos Angeles Housing DepartmentTelephone(866) 557-7368WebsiteNoHusing Element RequiredYesAl 1482: Tenant Protection ActNoHousing Element RequiredYesAl 1482: Tenant Protection ActNoHusing Element StateYesSh 166 Unis0.25 Units, Above ModerateHousing Element RequiredYesSh 165 UnisCentralDivision / StationRampartFereInformationRampartBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBut	•	-
Slip GeometryReverseSlip TypeModerately / Poorly ConstrainedDown Dip Width (km)19.0000000Rupture Bottom13.0000000Dip Angle (degrees)25.0000000Maximum Magnitude7.1000000Aquist-Priolo Fault ZoneNoLandslideNoLiquefactionNoIsumani Inundation ZoneNoBursens Improvement DistrictNoneHubzoneQualifiedJobs and Economic Development IncentiveNoneZone (JDD)NoOpportunity ZoneNoPromise ZoneNoneBusines Inprovement DistrictNoneHubzoneQualifiedJobs and Economic Development IncentiveNoneZone (JDD)NonePortmise ZoneNoneState Enterprise ZoneNoneBusines Inprovement DistrictNoneHubzoneNoneState Enterprise ZoneNoneState Enterprise ZoneNoneState Enterprise ZoneNoneBureau(B66) 557-7368WebsiteNoAl 1482: Tenant Protection ActNoNoNoHusing Element RequiredYesState State Replacement ReviewYesState Interprise StateNoHousing Element StateNoHusing Element StateNoHusing Element StateNoHusing Element RequiredYesState Interprise StateNoHusing Element RequiredYesState Informa		
Slip TypeModerately / Poorly ConstrainedDwn Dip Width (km)19.0000000Rupture Top5.0000000Rupture Bottom13.00000000Dip Angle (degrees)25.0000000Maximum Magnitude7.1000000Alquist-Prioto Fault ZoneNoLandslideNoLandslideNoStates ToringNoPreliminary Fault Rupture Study AreaNoBursness Improvement DistrictNoneBusiness Improvement DistrictNoneHubzoneQualifiedJobs and Economic Development Incentive Zone (JEDI)NonePromise ZoneNoPromise ZoneNoneButettoring ToringNonePromise ZoneLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehtps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes (APN: 5137001004]Eliis Act PropertyNoAl 1482: Tenant Protection ActNoHousing Element SitesYesHE Replacement ReviewYesState Elefornis ConeU.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPolice InformationSa Dist, Above ModeratePolice InformationRampartPolice InformationRampartBureauCentralDivision / StationRampartBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureau <td< td=""><td></td><td>0.7000000</td></td<>		0.7000000
Down Dip Width (km)19.000000Rupture Top5.0000000Rupture Bottom13.0000000Dip Angle (degrees)25.0000000Maximum Magnitude7.1000000Alquist-Prioto Fault ZoneNoLandsildeNoLandsildeNoPreliminary Fault Rupture Study AreaNoPreliminary Fault Rupture Study AreaNoBusiness Improvement DistrictNoneHubzoneQualifiedJobs and Economic Development IncentiveNonePromise Zone (JED)NoOpportunity ZoneNoPromise ZoneLos Angeles Housing DepartmentTelephone(866) 557-7368WebsiteNoIlis Act PropertyNoAll 482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesHeighacement RequiredYesState Enterprise ZoneNoProusing Crisis Act Replacement ReviewYesHeighacement RequiredYesState Bolisis0.25 Units, Above ModerateHeighacement RequiredYesState InformationYesProtect InformationYesBureauCentralDivision / StationRempartReporting DistrictZesBureauCentralButallion11		
Rupture Top 5.0000000 Rupture Bottom 13.0000000 Dip Angle (degrees) 25.000000 Maximum Magnitude 7.1000000 Alquist-Priolo Fault Zone No Landslide No Liquefaction No Preliminary Fault Rupture Study Area No Sumain Inundation Zone No Business Improvement District None Hubzone Qualified Jobs and Economic Development Incentive None Zone (JED) None Promise Zone None State Enterprise Zone None State Enterprise Zone None Versite Zone Los Angeles Housing Department Telephone (B66) 557-7368 Website Intps://housing.lacity.org Rent Stabilization Ordinance (RSO) Yes [APN: 5137001004] Ellis Act Property No Al 1482: Tenant Protection Act No HE Replacement Required Yes SB 166 Units 0.25 Units, Above Moderate Housing Lienemt Required Yes		Moderately / Poorly Constrained
Rupture Bottom13.000000Dip Angle (degrees)25.000000Maximum Magnitude7.1000000Alquist-Prioto Fault ZoneNoLandslideNoLiquefactionNoPreliminary Fault Rupture Study AreaNoBusiness Improvement DistrictNoneHubzoneQualifiedJobs and Economic Development IncentiveNoneVoperfurity ZoneNoOpportunity ZoneNoPresses Job StationNoneHubzoneLos Angeles Housing DepartmentDirect all Inquiries toNoneHousing ZoneSo Angeles Housing DepartmentBusiness Inforoment PressesSo Angeles Housing DepartmentHousing Zone(866) 557-7368Websitehttps://housing Lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoHa Replacement RequiredYesJob StationOz 510 this, Above ModerateHe Replacement RequiredYesState StateVesJob StationSz 50 this, Above ModeratePublic StationStation of StationJob StationCentralJoi StationRampartReporting DistrictYesFire InformationStationBureauCentralBureauCentralJoi StationStationBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBu	,	19.0000000
Dip Angle (degrees)25.000000Maximum Magnitude7.1000000Alquist-Priolo Fault ZoneNoLandslideNoLandslideNoIquefactionNoPreliminary Fault Rupture Study AreaNoBusiness Improvement DistrictNoneHubzoneQualifiedJobs and Economic Development IncentiveNonePromise ZoneQualifiedJobs and Economic Development IncentiveNonePromise ZoneNonePromise ZoneNoneState Enterprise ZoneNoneBusiness Improve Ment DistrictNoneHouzoneCos ANGELES STATE ENTERPRISE ZONEPromise ZoneNoneState Enterprise ZoneLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes (APN: 5137001004]Ellis Act ProperyNoAla 482: Tenant Protection ActNoHe Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHe Replacement RequiredYesSB 166 UnitsCentralDivision / StationRampartReporting DistrictZonBureauCentralReporting DistrictZonBureauCentralBureauCentralReporting DistrictZonBureauCentralReporting DistrictSonBureauCentralReporting DistrictSonBur	Rupture Top	5.0000000
Maximum Magnitude7.1000000Alquist-Priolo Fault ZoneNoLandslideNoLandslideNoIquefactionNoPreliminary Fault Rupture Study AreaNoStunami Inundation ZoneNoEconomic Development AreasUalifiedJubis and Economic Development IncentiveQualifiedJobs and Economic Development IncentiveNonePromise ZoneNonePromise ZoneNonePromise ZoneNonePromise ZoneNoneState Enterprise ZoneNoneBusinest Inquiries toLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Blis Act PropertyNoAl 1482: Tenant Protection ActNoHousing Element SitesYesHE Replacement RequiredYesState InformationU25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyCentralPuivison / StationRampartReporting DistrictZo5Fire InformationEntraliBureauCentralPuteusing IstationCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentral <tr <td="">BureauCentral</tr>	Rupture Bottom	13.0000000
Alquist-Priolo Fault Zone No Laduslide No Liquefaction No Preliminary Fault Rupture Study Area No Stuamari Invariation Zone No Business Improvement District None Business Improvement District None Business Improvement District None Jobs and Economic Development Incentive None Opportunity Zone None State Enterprise Zone None Direct all Inquiries to Los Angeles Housing Department Telephone (866) 557-7368 Website No Mediate Aropacement Required No State Enterprise Zone Los Angeles Housing Department Telephone (866) 557-7368 Website No No No State Inquiries to Los Angeles Housing Department Itelephone (866) 557-7368 Website No All H482: Tenant Protection Act No No No Hasse Information No Housing Crisis Act Replacement Review Yes State Uropertor Yes State Uropertor State State Pubite Station Central <	Dip Angle (degrees)	25.0000000
LandslideNoLiquefactionNoLiquefactionNoPreliminary Fault Rupture Study AreaNoTsunami Inundation ZoneNoEconomic Development AreasSusiness Improvement DistrictBusiness Improvement DistrictNoneHubzoneQualifiedJobs and Economic Development Incentive Zone (LEDI)NoPromise ZoneNoPromise ZoneNoneState Enterprise ZoneNoneState Enterprise ZoneLOS ANGELES STATE ENTERPRISE ZONEHousingKosRend Stabilization Ordinance (RSO)Yes (APN: S137001004)Rend Stabilization Ordinance (RSO)YesState State Enterprise ZoneNoAll 4482: Tenant Protection ActNoHousing Element SitesYesHereau Element RequiredYesState State State StateNoPolice InformationS25 Units, Above ModerateHousing StationYesState StateYesState StateYesState StateYesState InformationRempartFile InformationRampartReporing DistrictZesFile InformationRempartBureauCentralInvesuScatesFile InformationRampartReporing DistrictTentralBureauCentralInvesuScatesFile InformationRampartBureauCentralInformationRampartReporting District <td>Maximum Magnitude</td> <td>7.1000000</td>	Maximum Magnitude	7.1000000
LiquefactionNoPreliminary Fault Rupture Study AreaNoPreliminary Fault Rupture Study AreaNoSumami Inundation ZoneNoEconomic Development AreasQualifiedBusiness Improvement DistrictNoneHubzoneQualifiedJobs and Economic Development Incentive Zone (JEDI)NoOpportunity ZoneNoPromise ZoneNoneState Enterprise ZoneLos Angeles STATE ENTERPRISE ZONEHousingUsing Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPolice InformationRampartBureauCentralIpvision / StationRampartReporting DistrictZ75Fire InformationEntralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentral <td>Alquist-Priolo Fault Zone</td> <td>No</td>	Alquist-Priolo Fault Zone	No
Preliminary Fault Rupture Study Area No Tsunami Inundation Zone No Tsunami Inundation Zone No Economic Development Areas Business Improvement District None Concurst Areas Business Improvement District None Concurst Areas Subsent Economic Development Incentive Cualified Cone (JED) Opportunity Zone No Promise Zone LOS ANGELES STATE ENTERPRISE ZONE Housing Direct all Inquiries to Los Angeles Housing Department Telephone (866) 557-7368 Website ttps://housing.lacity.org Website Nttps://housing.lacity.org Rent Stabilization Ordinance (RSO) Yes (APN: 5137001004] Ellis Act Property No AB 1482: Tenant Protection Act No Housing Crisis Act Replacement Review Yes HE Replacement Required Yes SB 166 Units 0.25 Units, Above Moderate Housing Use within Prior 5 Years Yes Public Safety Police Information Bureau Central Bureau Central Bureau Central Bureau Central Bureau Central Bureau Central	Landslide	No
Tsunami hundation ZoneNoEconomic Development AreasNoneBusiness Improvement DistrictNoneHubzoneQualifiedJobs and Economic Development Incentive Cone (JEDI)NoneOpportunity ZoneNoPromise ZoneNoneState Enterprise ZoneNoneState Enterprise ZoneNoneBusinest Integrise ZoneNoneBusinest ZoneNoneState Enterprise ZoneNoneBusinest ZoneNoneBusinest ZoneNoneState Enterprise ZoneNoneBusinest ZoneNoneBusinest ZoneNoneBusinest ZoneNoneBusinest ZoneNoneBusinest ZoneNoneBusinest ZoneNoneBureat Inquiries toLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Bureat Protection ActNoHE Replacement ReviewYesHE Replacement ReviewYesHE Replacement ReviewYesBureauCentralBureauCentralBureauCentralReporting DistrictZ75Fire InformationZ75Fire InformationCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureau<	Liquefaction	No
Economic Development Areas Business Improvement District None Hubzone Qualified Jobs and Economic Development Incentive Zone (JEDI) None Opportunity Zone No Promise Zone None State Enterprise Zone None State Enterprise Zone None Mousing Uos ANGELES STATE ENTERPRISE ZONE Housing E Direct all Inquiries to Los Angeles Housing Department Telephone (866) 557-7368 Website https://housing.lacity.org Rent Stabilization Ordinance (RSO) Yes [APN: 5137001004] Ellis Act Property No AB 1482: Tenant Protection Act No Housing Element Sites Yes HE Replacement Required Yes SB 166 Units 0.25 Units, Above Moderate Housing Use within Prior 5 Years Yes Police Information Zes Bureau Central Division / Station Rampart Reporting District Z75 <tr t=""> Fire Information <</tr>	Preliminary Fault Rupture Study Area	No
Business Improvement District None Hubzone Qualified Jobs and Economic Development Incentive Zone (JEDI) None Opportunity Zone No Promise Zone None State Enterprise Zone LOS ANGELES STATE ENTERPRISE ZONE Housing Direct all Inquiries to Direct all Inquiries to Los Angeles Housing Department Telephone (866) 557-7368 Website https://housing.lacity.org Rent Stabilization Ordinance (RSO) Yes [APN: 5137001004] Ellis Act Property No AB 1482: Tenant Protection Act No Housing Crisis Act Replacement Review Yes Housing Lement Sites Jos Joints, Above Moderate Housing Use within Prior 5 Years Yes SB 166 Units 0.25 Units, Above Moderate Police Information Zes Public Safety Central Division / Station Rampart Reporting District 275 Fire Information Zes Bureau Central Bureau Central	Tsunami Inundation Zone	No
Hubzon Qualified Jobs and Economic Development Incentive Zone (JEDI) None Opportunity Zone No Promise Zone None State Enterprise Zone LOS ANGELES STATE ENTERPRISE ZONE Housing Uiter and the state Enterprise Zone Browise Zone Los Angeles Housing Department Telephone (866) 557-7368 Website https://housing.lacity.org Rent Stabilization Ordinance (RSO) Yes [APN: 5137001004] Ellis Act Property No AB 1482: Tenant Protection Act No Housing Crisis Act Replacement Review Yes B1482: Tenant Protection Act No Housing Element Sites Uitis, Above Moderate Housing Use within Prior 5 Years Yes B166 Units 0.25 Units, Above Moderate Public Safety Zentral Public Safety Zentral </td <td>Economic Development Areas</td> <td></td>	Economic Development Areas	
Jobs and Economic Development Incentive Zone (JED) None Opportunity Zone No Promise Zone None State Enterprise Zone LOS ANGELES STATE ENTERPRISE ZONE Housing Enterprise Zone Direct all Inquiries to Los Angeles Housing Department Telephone (866) 557-7368 Website https://housing.lacity.org Rent Stabilization Ordinance (RSO) Yes [APN: 5137001004] Ellis Act Property No AB 1482: Tenant Protection Act No Housing Element Sites Yes BI 66 Units 0.25 Units, Above Moderate Housing Use within Prior 5 Years Yes Bureau Central Division / Station Rampart Bureau Central Division / Station Rampart Reporting District Zes Fire Information Zes Bureau Central Division / Station Rampart Reporting District Zes Fire Information Zes Bureau Central </td <td>Business Improvement District</td> <td>None</td>	Business Improvement District	None
Zone (JED)NoOpportunity ZoneNoneState Enterprise ZoneLOS ANGELES STATE ENTERPRISE ZONEHousingHousingInrect all Inquiries toLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesStal 66 Units0.25 Units, Above ModerateNousing Isement SitesYesHE Replacement RequiredYesStal 66 Units0.25 Units, Above ModeratePolice InformationRempartBureauCentralInvision / StationRampartReporting District275Fire InformationStallionBureauCentralInformation210Fire Information210Fire Information210 <td>Hubzone</td> <td>Qualified</td>	Hubzone	Qualified
Promise ZoneNoneState Enterprise ZoneLOS ANGELES STATE ENTERPRISE ZONEHousingDirect all Inquiries toLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesBy 166 Units0.25 Units, Above ModerateHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModeratePolice InformationKentralBureauCentralInvision / StationRampartReporting DistrictZ75Fire InformationX1		None
State Enterprise ZoneLOS ANGELES STATE ENTERPRISE ZONEHousingDirect all Inquiries toLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyPolice InformationBureauCentralReporting District275Fire InformationZr15BureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralBureauCentralButtallion11	Opportunity Zone	No
HousingDirect all Inquiries toLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesHousing Element SitesYesHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyCentralPolice InformationRampartBureauCentralReporting District275Fire InformationLos CentralBureauCentralBureauCentralBureauCentralBureauItalBureauCentralBureauItal	Promise Zone	None
Direct all Inquiries toLos Angeles Housing DepartmentTelephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesHousing Element SitesYesHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyZentralPolice InformationRampartBureauCentralReporting District275Fire InformationEntralBureauCentralBureauCentralReporting District215Fire Information215BureauCentralBureau11	State Enterprise Zone	LOS ANGELES STATE ENTERPRISE ZONE
Telephone(866) 557-7368Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesHousing Element SitesYesHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPolice InformationZentralBureauCentralDivision / StationRampartReporting District275Fire InformationIntalBureauCentralReporting District11	Housing	
Websitehttps://housing.lacity.orgRent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesHousing Element SitesYesHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPolice InformationCentralBureauCentralDivision / StationRampartReporting District275Fire InformationEntralBureauCentralInformation11	Direct all Inquiries to	Los Angeles Housing Department
Rent Stabilization Ordinance (RSO)Yes [APN: 5137001004]Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesHousing Element SitesYesHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyYesPolice InformationCentralBureauCentralReporting District275Fire InformationCentralBureauCentralBureauCentralReporting District11	Telephone	(866) 557-7368
Ellis Act PropertyNoAB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesHousing Element SitesYesHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyPolice InformationBureauCentralDivision / StationRampartReporting District275Fire InformationCentralBureauCentralAmpart11	Website	https://housing.lacity.org
AB 1482: Tenant Protection ActNoHousing Crisis Act Replacement ReviewYesHousing Element SitesYesHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyPolice InformationCentralBureauCentralReporting District275Fire InformationCentralBureauCentralReporting District11	Rent Stabilization Ordinance (RSO)	Yes [APN: 5137001004]
Housing Crisis Act Replacement ReviewYesHousing Element SitesYesHE Replacement RequiredVesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyPublic SafetyCentralBureauCentralInvision / StationRampartReporting District275Fire InformationCentralBureauCentralBureau11	Ellis Act Property	No
Housing Element SitesHE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyPolice InformationCentralBureauCentralDivision / StationRampartReporting District275Fire InformationCentralBureauCentralInformation11	AB 1482: Tenant Protection Act	No
HE Replacement RequiredYesSB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyPolice InformationBureauCentralDivision / StationRampartReporting District275Fire InformationCentralBureauCentralApproximation11	Housing Crisis Act Replacement Review	Yes
SB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyFolice InformationPolice InformationCentralBureauCentralDivision / StationRampartReporting District275Fire InformationCentralBureauCentralBureauInformationBureauInformat	Housing Element Sites	
SB 166 Units0.25 Units, Above ModerateHousing Use within Prior 5 YearsYesPublic SafetyFolice InformationPolice InformationCentralBureauCentralDivision / StationRampartReporting District275Fire InformationCentralBureauCentralBureauInformationBureauInformat	HE Replacement Required	Yes
Public Safety Police Information Bureau Central Division / Station Rampart Reporting District 275 Fire Information Eureau Bureau Central Bureau 11	SB 166 Units	0.25 Units, Above Moderate
Public Safety Police Information Bureau Central Division / Station Rampart Reporting District 275 Fire Information Eureau Bureau Central Bureau 11	Housing Use within Prior 5 Years	Yes
Police Information Bureau Central Division / Station Rampart Reporting District 275 Fire Information Bureau Central Battallion 11	Public Safety	
Division / StationRampartReporting District275Fire InformationCentralBureauCentralBattallion11	Police Information	
Reporting District 275 Fire Information Central Bureau Central Battallion 11	Bureau	Central
Reporting District 275 Fire Information Central Bureau Central Battallion 11	Division / Station	Rampart
Fire Information Central Bureau Central Battallion 11	Reporting District	
Bureau Central Battallion 11	Fire Information	
Battallion 11		Central
		11

Red Flag Restricted Parking

No


CASE SUMMARIES

Note: Information for case summaries is retrieved from the Planning Department's Plan Case Tracking System (PCTS) database.

Case Number:	CPC-2018-6005-CA
Required Action(s):	CA-CODE AMENDMENT
Project Descriptions(s):	RESOLUTION TO TRANSFER THE LAND USE AUTHORITY FROM THE COMMUNITY REDEVELOPMENT AGENCY OF THE CITY OF LOS ANGELES, DESIGNATED LOCAL AUTHORITY (CRA/LA-DLA) TO THE CITY OF LOS ANGELES AND CODE AMENDMENT TO ESTABLISH PROCEDURES FOR THE IMPLEMENTATION OF UNEXPIRED REDEVELOPMENT PLANS AND UPDATE OTHER RELEVANT CODE PROVISIONS IN THE LOS ANGELES MUNICIPAL CODE TO FACILITATE THE TRANSFER OF LAND USE AUTHROITY FROM THE CRA/LA-DLA TO THE CITY OF LOS ANGELES.
Case Number:	CPC-2013-3169
Required Action(s):	Data Not Available
Project Descriptions(s):	THE PROPOSED PROJECT CONSISTS OF: (1) A TECHNICAL MODIFICATION TO SECTIONS 12.03, 12.04, 12.21, 12.22, 12.24, 13.11, 14.5, 16.05 AND 16.11 OF THE LOS ANGELES MUNICIPAL CODE (LAMC) TO REMOVE OR AMEND REFERENCES TO THE FORMER COMMUNITY REDEVELOPMENT AGENCY (CRA); (2) TECHNICAL CORRECTIONS TO CLARIFY EXISTING REGULATIONS IN THE LAMC THAT ARE IMPACTED BY THE TRANSFER OF LAND USE AUTHORITY; AND (3) A RESOLUTION REQUESTING THAT ALL LAND USE RELATED PLANS AND FUNCTIONS OF THE CRA/LA BE TRANSFERRED TO THE DEPARTMENT OF CITY PLANNING
Case Number:	CPC-1984-1-HD
Required Action(s):	HD-HEIGHT DISTRICT
Project Descriptions(s):	CHANGE OF HEIGHT DISTRICT WITHIN THE "CORE AREA OF L.A."- GENERAL PLAN ZONE CONSISTENCY PROGRAM.
Case Number:	ENV-2019-4121-ND
Required Action(s):	ND-NEGATIVE DECLARATION
Project Descriptions(s):	RESOLUTION TO TRANSFER THE LAND USE AUTHORITY FROM THE COMMUNITY REDEVELOPMENT AGENCY OF THE CITY OF LOS ANGELES, DESIGNATED LOCAL AUTHORITY (CRA/LA-DLA) TO THE CITY OF LOS ANGELES AND CODE AMENDMENT TO ESTABLISH PROCEDURES FOR THE IMPLEMENTATION OF UNEXPIRED REDEVELOPMENT PLANS AND UPDATE OTHER RELEVANT CODE PROVISIONS IN THE LOS ANGELES MUNICIPAL CODE TO FACILITATE THE TRANSFER OF LAND USE AUTHROITY FROM THE CRA/LA-DLA TO THE CITY OF LOS ANGELES.
Case Number:	ENV-2018-6006-CE
Required Action(s):	CE-CATEGORICAL EXEMPTION
Project Descriptions(s):	RESOLUTION TO TRANSFER THE LAND USE AUTHORITY FROM THE COMMUNITY REDEVELOPMENT AGENCY OF THE CITY OF LOS ANGELES, DESIGNATED LOCAL AUTHORITY (CRA/LA-DLA) TO THE CITY OF LOS ANGELES AND CODE AMENDMENT TO ESTABLISH PROCEDURES FOR THE IMPLEMENTATION OF UNEXPIRED REDEVELOPMENT PLANS AND UPDATE OTHER RELEVANT CODE PROVISIONS IN THE LOS ANGELES MUNICIPAL CODE TO FACILITATE THE TRANSFER OF LAND USE AUTHROITY FROM THE CRA/LA-DLA TO THE CITY OF LOS ANGELES.
Case Number:	ENV-2013-3392-CE
Required Action(s):	CE-CATEGORICAL EXEMPTION
Project Descriptions(s):	THE PROPOSED ORDINANCE MODIFIES SECTION 22.119 OF THE LOS ANGELES ADMINISTRATIVE CODE TO ALLOW ORIGINAL ART MURALS ON LOTS DEVELOPED WITH ONLY ONE SINGLE-FAMILY RESIDENTIAL STRUCTURE AND THAT ARE LOCATED WITHIN COUNCIL DISTRICTS 1, 9, AND 14.
Case Number:	ENV-2013-3170-CE
Required Action(s):	CE-CATEGORICAL EXEMPTION
Project Descriptions(s):	THE PROPOSED PROJECT CONSISTS OF: (1) A TECHNICAL MODIFICATION TO SECTIONS 12.03, 12.04, 12.21, 12.22, 12.24, 13.11, 14.5, 16.05 AND 16.11 OF THE LOS ANGELES MUNICIPAL CODE (LAMC) TO REMOVE OR AMEND REFERENCES TO THE FORMER COMMUNITY REDEVELOPMENT AGENCY (CRA); (2) TECHNICAL CORRECTIONS TO CLARIFY EXISTING REGULATIONS IN THE LAMC THAT ARE IMPACTED BY THE TRANSFER OF LAND USE AUTHORITY; AND (3) A RESOLUTION REQUESTING THAT ALL LAND USE RELATED PLANS AND FUNCTIONS OF THE CRA/LA BE TRANSFERRED TO THE DEPARTMENT OF CITY PLANNING

DATA NOT AVAILABLE

ORD-161116-SA38A



Address: 927 1-18 S BEACON AV APN: 5137001004 PIN #: 130-5A203 251 Tract: CURLETT TF Block: None Lot: 5 Arb: None

General Plan: High Medium Residential



LEGEND

GENERALIZED ZONING



GENERAL PLAN LAND USE

LAND USE

RESIDENTIAL	INDUSTRIAL			
Minimum Residential	Commercial Manufacturing			
Very Low / Very Low I Residential	Limited Manufacturing			
Very Low II Residential	Light Manufacturing			
Low / Low I Residential	Heavy Manufacturing			
Low II Residential	Hybrid Industrial			
Low Medium / Low Medium I Residential	PARKING			
Low Medium II Residential	Parking Buffer			
Medium Residential	PORT OF LOS ANGELES			
High Medium Residential	General / Bulk Cargo - Non Hazardous (Industrial / Commercial)			
High Density Residential	General / Bulk Cargo - Hazard			
Very High Medium Residential	Commercial Fishing			
COMMERCIAL	Recreation and Commercial			
Limited Commercial	Intermodal Container Transfer Facility Site			
🗱 Limited Commercial - Mixed Medium Residential	LOS ANGELES INTERNATIONAL AIRPORT			
Highway Oriented Commercial	Airport Landside / Airport Landside Support			
Highway Oriented and Limited Commercial	Airport Airside			
🗱 Highway Oriented Commercial - Mixed Medium Residential	LAX Airport Northside			
Neighborhood Office Commercial	OPEN SPACE / PUBLIC FACILITIES			
Community Commercial	Open Space			
Community Commercial - Mixed High Residential	Public / Open Space			
Regional Center Commercial	Public / Quasi-Public Open Space			
	Other Public Open Space			
FRAMEWORK	Public Facilities			
COMMERCIAL	INDUSTRIAL			

Limited Industrial

Light Industrial

Neighborhood Commercial

- General Commercial
- Community Commercial
- Regional Mixed Commercial

CIRCULATION

STREET

Arterial Mountain Road Major Scenic Highway Collector Scenic Street Major Scenic Highway (Modified) Collector Street Major Scenic Highway II ----- Collector Street (Hillside) ----- Mountain Collector Street ----- Collector Street (Modified) ---- Park Road ----- Collector Street (Proposed) ——- Parkway Country Road Principal Major Highway — Divided Major Highway II ____ ---- Private Street Divided Secondary Scenic Highway Scenic Divided Major Highway II Local Scenic Road Scenic Park Local Street Scenic Parkway Major Highway (Modified) — Secondary Highway Major Highway I Secondary Highway (Modified) Major Highway II Secondary Scenic Highway Major Highway II (Modified) ---- Special Collector Street Super Major Highway

FREEWAYS

Freeway

- Interchange
- —— On-Ramp / Off- Ramp
- Hailroad
- Scenic Freeway Highway


MISC. LINES

	Airport Boundary	•=•=••	MSA Desirable Open Space
	Bus Line	o <u> </u>	Major Scenic Controls
	Coastal Zone Boundary		Multi-Purpose Trail
	Coastline Boundary	uuu	Natural Resource Reserve
	Collector Scenic Street (Proposed)		Park Road
	Commercial Areas		Park Road (Proposed)
	Commercial Center		Quasi-Public
• • • •	Community Redevelopment Project Area		Rapid Transit Line
	Country Road		Residential Planned Development
×	DWP Power Lines		Scenic Highway (Obsolete)
*******	Desirable Open Space	۰	Secondary Scenic Controls
• - • -	Detached Single Family House	- • - •	Secondary Scenic Highway (Proposed)
	Endangered Ridgeline		Site Boundary
	Equestrian and/or Hiking Trail	⊗——	Southern California Edison Power
	Hiking Trail		Special Study Area
• - • - • - • -	Historical Preservation	• • • • •	Specific Plan Area
· ·	Horsekeeping Area		Stagecoach Line
	Local Street		Wildlife Corridor

POINTS OF INTEREST

- 🗊 Alternative Youth Hostel (Proposed)
- Animal Shelter
- 📩 Area Library
- 庙 Area Library (Proposed)
- 🕾 Bridge
- ▲ Campground
- Campground (Proposed)
- 👻 Cemetery
- HW Church
- 🛓 City Hall
- 🕅 Community Center
- M Community Library
- Community Library (Proposed Expansion)
- Community Library (Proposed)
- XX Community Park
- 🕱 Community Park (Proposed Expansion)
- XX Community Park (Proposed)
- 🚔 Community Transit Center
- 🛉 Convalescent Hospital
- 🕱 Correctional Facility
- 🛠 Cultural / Historic Site (Proposed)
- 🛠 Cultural / Historical Site
- 🗰 Cultural Arts Center
- DMV DMV Office
- DWP DWP
- \mathcal{T} DWP Pumping Station
- 🐆 Equestrian Center
- Fire Department Headquarters
- 📻 Fire Station
- 🖶 Fire Station (Proposed Expansion)
- Fire Station (Proposed)
- Fire Supply & Maintenance
- \land Fire Training Site
- 🛳 Fireboat Station
- Health Center / Medical Facility
- 🖛 Helistop
- Historic Monument
- n Historical / Cultural Monument
- 🔭 Horsekeeping Area
- 🔭 Horsekeeping Area (Proposed)
- Horticultural Center 📕 Hospital Hospital (Proposed) HW House of Worship C Important Ecological Area Important Ecological Area (Proposed) e ☺ Interpretive Center (Proposed) JC Junior College MTA / Metrolink Station M MTA Station MTA Stop MWD MWD Headquarters 🖛 Maintenance Yard Municipal Office Building P Municipal Parking lot X. Neighborhood Park X Neighborhood Park (Proposed Expansion) X Neighborhood Park (Proposed) 1 Oil Collection Center Parking Enforcement P Police Headquarters 8 **Police Station** Police Station (Proposed Expansion) Police Station (Proposed) Police Training site Ê. PO Post Office ŧ Power Distribution Station ŧ Power Distribution Station (Proposed) **Power Receiving Station** ŧ Power Receiving Station (Proposed) 3 С Private College Private Elementary School Е $|\lambda|$ Private Golf Course (Proposed) JH Private Junior High School **PS** Private Pre-School **XXI** Private Recreation & Cultural Facility SH Private Senior High School SF Private Special School
- 宦 Public Elementary (Proposed Expansion)
- Public Elementary School F を Public Elementary School (Proposed) Public Golf Course 1 Public Golf Course (Proposed) Public Housing Public Housing (Proposed Expansion) Π. Public Junior High School 前 Public Junior High School (Proposed) ms Public Middle School SH Public Senior High School ईंगे Public Senior High School (Proposed) Pumping Station Pumping Station (Proposed) * Refuse Collection Center 💼 Regional Library 🟟 Regional Library (Proposed Expansion) Regional Library (Proposed) 🐔 Regional Park 蔬 Regional Park (Proposed) **RPD** Residential Plan Development Scenic View Site Scenic View Site (Proposed) ADM School District Headquarters sc School Unspecified Loc/Type (Proposed) 🗰 Skill Center ss Social Services Special Feature \star 😥 Special Recreation (a) ŜF Special School Facility sF Special School Facility (Proposed) Steam Plant (sm) Surface Mining Trail & Assembly Area 📥 🛛 Trail & Assembly Area (Proposed) UTL Utility Yard Water Tank Reservoir
- ⅔ Wildlife Migration Corridor
- 🕋 Wildlife Preserve Gate

SCHOOLS/PARKS WITH 500 FT. BUFFER



COASTAL ZONE

TRANSIT ORIENTED COMMUNITIES (TOC)



WAIVER OF DEDICATION OR IMPROVEMENT

Public Work Approval (PWA)

Waiver of Dedication or Improvement (WDI)

OTHER SYMBOLS

– Lot Line Airport Hazard Zone Tract Line **Census Tract Coastal Zone** -- Lot Cut **Council District** ----- Easement LADBS District Office --- Zone Boundary **Downtown Parking** Building Line Fault Zone Lot Split Fire District No. 1 Community Driveway Tract Map Building Outlines 2020 Parcel Map ---- Building Outlines 2017



Flood Zone

Hazardous Waste

High Wind Zone

Hillside Grading

- Historic Preservation Overlay Zone
- Specific Plan Area
- Very High Fire Hazard Severity Zone